

Registro

Execution Environment

Host name	a2274333 - localhost
OS	Mac OS X 64bit
Katalon version	7.9.1.208
Browser	

Summary

ID	Test Suites/Flujo Base/Registro		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2021-03-15 20:58:58	End	2021-03-15 21:00:22
Elapsed	1m - 23.130s		

#	ID	Description	Status
1	Test Cases/RegistrarUsuario		FAILED

RegistrarUsuario

Information

ID	Test Cases/RegistrarUsuario		
Description			
Tag			
Start	2021-03-15 20:58:59	End	2021-03-15 21:00:22
Elapsed	1m - 22.456s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	startApplication("/Users/a2274333/Downloads/AppClientes_327-clear-preprod-debug.apk", true) Started app at: '/Users/a2274333/Downloads/AppClientes_327-clear-preprod-debug.apk'	1m - 3.949s	PASSED
2	delay(5) Delayed 5 second(s)	5.031s	PASSED
3	tap(findTestObject("Registro/android.widget.Button - Permitir"), 0) Tapped on element 'Object Repository/Registro/android.widget.Button - Permitir'	0.870s	PASSED
4	tap(findTestObject("Registro/android.widget.Button - Allow"), 0) Tapped on element 'Object Repository/Registro/android.widget.Button - Allow'	1.694s	PASSED
5	tap(findTestObject("Registro/android.widget.Button - Registrarme"), 0) Tapped on element 'Object Repository/Registro/android.widget.Button - Registrarme'	1.383s	PASSED
6	delay(5) Delayed 5 second(s)	5.005s	PASSED
7	hideKeyboard() Keyboard is hidden	1.788s	PASSED

RegistrarUsuario

#	Description	Elapsed	Status
8	setText(findTestObject("Object Repository/Registro/android.widget.EditText - Ingresa tu nombre"), "Fernando", 0) Text 'Fernando' has been set to element 'Object Repository/Registro/android.widget.EditText - Ingresa tu nombre'	1.557s	PASSED

RegistrarUsuario

#	Description	Elapsed	Status
9	<p>setText(findTestObject("Object Repository/Registro/android.widget.EditText - Apellido paterno"), "Martinez", 0)</p> <p>Failed to set text into element (Root cause: org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Finding an element using a plugin is currently an incubating feature. To use it you must manually install one or more plugin modules in a way that they can be required by Appium, for example installing them from the Appium directory, installing them globally, or installing them elsewhere and passing an absolute path as the capability. Then construct an object where the key is the shortcut name for this plugin and the value is the module name or absolute path, for example: {"p1": "my-find-plugin"}, and pass this in as the 'customFindModules' capability. Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'A2274333s-MacBook-Pro.local', ip: 'fe80:0:0:0:1847:f874:e4ae:542%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '1.8.0_275' Driver info: com.kms.katalon.core.appium.driver.SwipeableAndroidDriver Capabilities {app: /Users/a2274333/Downloads/A..., appPackage: com.banorte.segurosdev, autoGrantPermissions: true, chromedriverPort: 52606, databaseEnabled: false, desired: {app: /Users/a2274333/Downloads/A..., autoGrantPermissions: true, chromedriverPort: 52606, deviceId: , deviceName: HUAWEI HUAWEI (Android 6.0.1), fullReset: true, newCommandTimeout: 1800, noReset: false, platform: ANDROID, platformName: android, platformVersion: 6.0.1, systemPort: 52604, uidid: L5Y7N15A12003367}, deviceApiLevel: 23, deviceId: , deviceManufacturer: HUAWEI, deviceModel: HUAWEI, deviceName: L5Y7N15A12003367, deviceScreenDensity: 320, deviceScreenSize: 720x1280, deviceUDID: L5Y7N15A12003367, fullReset: true, javascriptEnabled: true, locationContextEnabled: false, networkConnectionEnabled: true, newCommandTimeout: 1800, noReset: false, pixelRatio: 2, platform: ANDROID, platformName: Android, platformVersion: 6.0.1, statBarHeight: 48, systemPort: 52604, takesScreenshot: true, uidid: L5Y7N15A12003367, viewportRect: {height: 1136, left: 0, top: 48, width: 720}, warnings: {}, webStorageEnabled: false} Session ID: cfe8e099-b59d-4bcf-bf93-ad59d3565296 *** Element info: {Using=-custom, value=//*[@class = 'android.widget.EditText' and @resource-id = 'com.banorte.segurosdev:id/txt_apellido_paterno'] at org.openqa.selenium.remote.http.W3CHttpResponseCodec. createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:239) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at io.appium.java_client.DefaultGenericMobileDriver.execute (DefaultGenericMobileDriver.java:42) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:1) at io.appium.java_client.android.AndroidDriver.execute(AndroidDriver. java:1) at com.kms.katalon.core.appium.driver.SwipeableAndroidDriver.execute (SwipeableAndroidDriver.java:1) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at io.appium.java_client.DefaultGenericMobileDriver.findElements (DefaultGenericMobileDriver.java:54) at io.appium.java_client.AppiumDriver.findElements(AppiumDriver.java: 152)</p>	0.747s	FAILED

RegistrarUsuario

#	Description	Elapsed	Status
609)	at io.appium.java_client.FindsByCustom.findElementsByCustom (FindsByCustom.java:53) at io.appium.java_client.MobileBy\$ByCustom.findElements(MobileBy.java: 609) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at io.appium.java_client.DefaultGenericMobileDriver.findElements (DefaultGenericMobileDriver.java:50) at io.appium.java_client.AppiumDriver.findElements(AppiumDriver.java: 148) at com.kms.katalon.core.mobile.keyword.internal.MobileSearchEngine. findElementsByMobileLocator(MobileSearchEngine.java:621) at com.kms.katalon.core.mobile.keyword.internal.MobileSearchEngine. findWebElement(MobileSearchEngine.java:542) at com.kms.katalon.core.mobile.keyword.internal. MobileSearchEngine\$findWebElement.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.internal.MobileAbstractKeyword. findElement(MobileAbstractKeyword.groovy:84) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.access\$1 (SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:74) at com.kms.katalon.core.mobile.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:21) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:83) at com.kms.katalon.core.mobile.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:66) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.setText (MobileBuiltInKeywords.groovy:1269) at com.kms.katalon.core.mobile.keyword. MobileBuiltInKeywords\$setText\$2.call(Unknown Source) at RegistrarUsuario.run(RegistrarUsuario:37) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestCaseMainPhase(TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1615863536303.run(TempTestSuite1615863536303. groovy:39)		

RegistrarUsuario

#	Description	Elapsed	Status
---	-------------	---------	--------

)

RegistrarUsuario

Description

Elapsed

Status



9:00 PM

Registro

Registra tu cuenta

Ingresa los siguientes datos para poder crear tu cuenta.

Nombre

Fernando

Apellido paterno

Apellido paterno

Apellido materno

Apellido paterno

Género

CONTINUAR

