PRAKTIKUM 1


File Edit Selection View Go Run
widget_layout
EXPLORER
WIDGET_LAYOUT
.dart_tool
.idea
android
build
ios
lib
main.dart
linux
flutter
runner
.gitignore
CMakeLists.txt
macos
Flutter
Runner
Runner.xcodeproj
Runner.xcworkspace
RunnerTests
.gitignore
test
widget_test.dart
web
OUTLINE
TIMELINE
DEPENDENCIES
main.dart
widget_test.dart
C:\Project\widget_layout\widget_layout\lib\main.dart
class HomePage extends StatelessWidget {
Widget build(BuildContext context) {
title: const Text('Flutter Layout'),
), // AppBar
// BODY / ISI HALAMAN
body: Container(
margin: const EdgeInsets.all(10.0),
child: Column(
children: <Widget>[
Row(
children: const <Widget>[
Icon(Icons.archive),
Text(
'Artikel Terbaru',
style: TextStyle(fontWeight: FontWe
), // Text
], // <Widget>[]
), // Row
Card(
child: Column(
children: <Widget>[
Image.network(
'https://media.suara.com/pictures/
), // Image.network
const Text('Pantai Dato'),
], // <Widget>[]
), // Column
CHAT
Build with Agent
AI responses may be inaccurate
Generate Agent Instructions to onboard AI onto your codebase.
main.dart
Describe what to build
Auto
Local
Default Approvals
Ln 41, Col 44
Spaces: 2
UTF-8
CRLF
Dart
No Device


localhost:59822
localhost:59822
Flutter Layout
DEBUG
Artikel Terbaru
Pantai Dato

PENJELASAN KODE PROGRAM FLUTTER LAYOUT

1. Struktur Utama

dart

```
class HomePage extends StatelessWidget {
  @override
  Widget build(BuildContext context) {
    return MaterialApp(
      home: Scaffold(
```

- HomePage : Nama class utama aplikasi.
- StatelessWidget : Menandakan tampilan bersifat tetap, tidak berubah-ubah.
- MaterialApp : Kerangka utama aplikasi material design.
- Scaffold : Kerangka dasar yang menyediakan tempat untuk AppBar, Body, dll.

2. Bagian AppBar

dart

```
appBar: AppBar(
  title: const Text('Flutter Layout'),
),
```

- Membuat baris di bagian atas layar.
- Berisi judul aplikasi: "Flutter Layout"

3. Bagian Isi Konten (Body)

dart

```
body: Container(
  margin: const EdgeInsets.all(10.0),
  child: Column(
```

- Container : Wadah untuk membungkus semua elemen.
- margin : Memberi jarak pinggir sebesar 10 pixel agar tidak menempel ke tepi layar.
- Column : Menyusun elemen-elemen secara vertikal (ke bawah).

4. Bagian Header Artikel

dart

```
Row(
  children: const <Widget>[
    Icon(Icons.archive),
```

```
    Text(
      'Artikel Terbaru',
      style: TextStyle(fontWeight: FontWeight.bold),
    ),
  ],
),
```

- Row : Menyusun elemen secara mendatar (ke samping).
- Icon(Icons.archive) : Menampilkan ikon kotak arsip di sebelah kiri.
- Text : Menampilkan tulisan "Artikel Terbaru" dengan huruf tebal.

5. Bagian Kartu Gambar

dart

```
Card(
  child: Column(
    children: <Widget>[
      Image.network(
        'https://media.suara.com/pictures/...',
      ),
      const Text('Pantai Dato'),
    ],
  ),
),
```

- Card : Membuat tampilan seperti kartu yang agak menonjol.
- Image.network : Mengambil dan menampilkan gambar langsung dari internet menggunakan link URL.
- Text : Memberi keterangan nama tempat di bawah gambar, sekarang sudah diganti jadi "Pantai Dato".