Fosco Loregian TECH May 11, 2020

Ph.D. at SISSA - Trieste
 Stable homotopy theory, ∞-categories, derived AG

- Ph.D. at SISSA Trieste
 Stable homotopy theory, ∞-categories, derived AG
- University of Western Ontario
 ∞-categories, derivators

- Ph.D. at SISSA Trieste

 Stable homotopy theory, ∞-categories, derived AG
- University of Western Ontario
 ∞-categories, derivators
- Masaryk University Accessible categories, derivators, 2-categories

- Ph.D. at SISSA Trieste ■
 Stable homotopy theory, ∞-categories, derived AG
- University of Western Ontario
 ∞-categories, derivators
- Masaryk University Accessible categories, derivators, 2-categories
- Max Planck Inst. für Math. ____
 2-categories, derivators, applied category theory

- Ph.D. at SISSA Trieste ■
 Stable homotopy theory, ∞-categories, derived AG
- University of Western Ontario
 ∞-categories, derivators
- Masaryk University Accessible categories, derivators, 2-categories
- Max Planck Inst. für Math. =
 2-categories, derivators, applied category theory
- Centro de Matemàtica da Universidade de Coimbra
 2-categories; finishing my first book

- Ph.D. at SISSA Trieste ■
 Stable homotopy theory, ∞-categories, derived AG
- University of Western Ontario
 ∞-categories, derivators
- Masaryk University Accessible categories, derivators, 2-categories
- Max Planck Inst. für Math. =
 2-categories, derivators, applied category theory
- Centro de Matemàtica da Universidade de Coimbra
 2-categories; finishing my first book
- Tallinna Tehnikaülikooli —
 2-categories; functorial semantics; categorical probability theory and its applications

STABLE HOMOTOPY THEORY

∞-categories: a thickening of the notion of category, suitable for homotopy-invariant mathematics (algebraic geometry, algebraic topology, type theory).

Turns out some parts of Mathematics are easier if stated in these terms:

- homological algebra: the scary part of algebraic topology
 higher algebra: the linear algebra of ∞-categories
- 1-topos theory: a synthetic type theory,
 ∞-topos theory: a synthetic homotopy theory of homotopy types

A stable ∞-category is an ∞-category

- with all finite limits and colimits
- such that a square is cartesian iff cocartesian

The homotopy category of a stable ∞-cat is always triangulated.

A stable ∞-category is an ∞-category

- with all finite limits and colimits
- such that a square is cartesian iff cocartesian

The homotopy category of a stable ∞-cat is always triangulated.

The correspondence sending an abelian category \mathcal{A} into its derived category has a nice and clear universal property stated in terms of the heart of a canonical t-structure.

A stable ∞-category is an ∞-category

- with all finite limits and colimits
- such that a square is cartesian iff cocartesian

The homotopy category of a stable ∞-cat is always triangulated.

The correspondence sending an abelian category \mathcal{A} into its derived category has a nice and clear universal property stated in terms of the heart of a canonical t-structure.

Stable, rational, p-adic, ... homotopy theory become pieces of the commutative algebra of ∞ -categories.

A t-structure on a triangulated \mathcal{D} is a pair of triangulated subcategories of \mathcal{D} such that every object X lies in a sequence

$$X \leq X \to X \to X \geq X \leq [1]$$

• such that E and M are 3-for-2 classes

A t-structure on a triangulated \mathcal{D} is a pair of triangulated subcategories of \mathcal{D} such that every object X lies in a sequence

$$X \leq X \to X \to X \geq X \leq [1]$$

- such that E and M are 3-for-2 classes
- thus the category of E-cofibrant objects is coreflective

A t-structure on a triangulated $\mathcal D$ is a pair of triangulated subcategories of $\mathcal D$ such that every object X lies in a sequence

$$X \le \to X \to X \ge \to X \le [1]$$

- such that E and M are 3-for-2 classes
- thus the category of E-cofibrant objects is coreflective
- and the category of M-fibrant objects is reflective

A t-structure on a triangulated $\mathcal D$ is a pair of triangulated subcategories of $\mathcal D$ such that every object X lies in a sequence

$$X \le \to X \to X \ge \to X \le [1]$$

- such that E and M are 3-for-2 classes
- thus the category of E-cofibrant objects is coreflective
- and the category of M-fibrant objects is reflective
- cof/fib replacement = \pm truncation

A t-structure on a triangulated $\mathcal D$ is a pair of triangulated subcategories of $\mathcal D$ such that every object X lies in a sequence

$$X \le \to X \to X \ge \to X \le [1]$$

- such that E and M are 3-for-2 classes
- thus the category of E-cofibrant objects is coreflective
- and the category of M-fibrant objects is reflective
- cof/fib replacement = \pm truncation

(Algebraic) geometry reduces to a piece of categorical algebra.

[FLM15 ☐] The set of t-structures has a natural choice of Z-action (Z = the integers); so, study Z-equivariant monotone maps from a poset P to TS(C). These are called slicings apply to: describe Bridgeland stability manifolds [L-PhD☐], and Postnikov towers on ∞-toposes.

- [FLM15 ☑] The set of t-structures has a natural choice of Z-action (Z = the integers); so, study Z-equivariant monotone maps from a poset P to TS(C). These are called slicings apply to: describe Bridgeland stability manifolds [L-PhD☑], and Postnikov towers on ∞-toposes.
- [FL15b] Every stratified manifold (X, s) generates a pair of t-structure that can be glued together apply to: recollements, stratified schemes, representation of algebras

- The space of slicings on a stable ∞ -category is a metric space and

- The space of slicings on a stable ∞-category is a metric space and
- · The space

$$\{J\colon \mathbb{R} \to \mathit{TS}(\mathcal{C}) \mid J \text{ is Sorgenfrey continuous} \}$$

is an interesting set [L-PhD]

- The space of slicings on a stable ∞-category is a metric space and
- The space

$$\{J \colon \mathbb{R} \to \mathit{TS}(\mathcal{C}) \mid J \text{ is Sorgenfrey continuous} \}$$

is an interesting set [L-PhD]

Conjecture

Study

$$\{J \colon \mathsf{Spec}(\mathbb{Z}) \to \mathit{TS}(\mathcal{C}) \mid J \text{ is Zariski continuous} \}$$

to get something about motivic t-structure.

- The space of slicings on a stable ∞-category is a metric space and
- The space

$$\{J \colon \mathbb{R} \to TS(\mathcal{C}) \mid J \text{ is Sorgenfrey continuous}\}$$

is an interesting set [L-PhD]

Conjecture

Study


$$\{J \colon \mathsf{Spec}(\mathbb{Z}) \to \mathit{TS}(\mathcal{C}) \mid J \text{ is Zariski continuous} \}$$

to get something about motivic t-structure.

Conjecture

Blakers-Massey in positive characteristic is a theorem about factorization systems.

Morse theory as a theory of FS



Fact: Bord(n) is the free (∞,n) -symmoncat on the point.

Monoidal functors $Z : Bord(n) \rightarrow Vect$ are completely classified.

Morse theory is the theory of suitable factorization systems on Bord(n).

critical points of a Morse function correspond to critical values [L-PhD, Ch.7] of a certain slicing $J : \mathbb{R} \to FS(Bord(n))$.



A derivator is a strict 2-functor

$$\mathbb{D}:\mathsf{Cat}^\mathsf{op}\to\mathsf{CAT}$$

satisfying stacky conditions. They form the 2-category **Der**.

They subsume most of ∞-category theory; in particular, their stable homotopy.

A derivator is a strict 2-functor

$$\mathbb{D}:\mathsf{Cat}^\mathsf{op} o \mathsf{CAT}$$

satisfying stacky conditions. They form the 2-category **Der**.

They subsume most of ∞-category theory; in particular, their stable homotopy.

[LV17]: A t-structure on a stable derivator is still a certain kind of factorization system; FS are still strict 2-algebras for the "squaring" 2-monad $(\)^2: \mathcal{A} \mapsto \mathcal{A}^{\in}$ (see [KT93])

A derivator is a strict 2-functor

$$\mathbb{D}:\mathsf{Cat}^\mathsf{op} o \mathsf{CAT}$$

satisfying stacky conditions. They form the 2-category **Der**.

They subsume most of ∞-category theory; in particular, their stable homotopy.

- [LV17 \triangle]: A t-structure on a stable derivator is still a certain kind of factorization system; FS are still strict 2-algebras for the "squaring" 2-monad $(\ _\)^2: \mathcal{A} \mapsto \mathcal{A}^\in$ (see [KT93])
- [Lor18 \square]: reflective subderivators correspond to reflective factorization systems, and to algebras for idempotent monads (the formal theory of monads [S80] still holds in **Der**, a monad $T:D\to D$ is just defined objectwise)

There is a Yoneda structure¹ on the 2-category of derivators

If this is true

¹A 2-categorical device to encode the calculus of pointwise Kan extensions.

There is a Yoneda structure¹ on the 2-category of derivators If this is true

 comprehensive account of various notions of accessible and locally presentable derivator using the theory of locally presentable objects in a Yoneda structure, done in [DLL18]; categorical logic for derivators (see Prest's treatment of definability for module categories); derivator topos theory?

¹A 2-categorical device to encode the calculus of pointwise Kan extensions.

There is a Yoneda structure¹ on the 2-category of derivators

If this is true

- comprehensive account of various notions of accessible and locally presentable derivator using the theory of locally presentable objects in a Yoneda structure, done in [DLL18]; categorical logic for derivators (see Prest's treatment of definability for module categories); derivator topos theory?
- a convincing form of adjoint functor theorem for derivators; existence of a six-operation calculus for mappings of derivators. 2-categorical account of Grothendieck duality complicated diagrams...

¹A 2-categorical device to encode the calculus of pointwise Kan extensions.


There is a Yoneda structure¹ on the 2-category of derivators If this is true

- comprehensive account of various notions of accessible and locally presentable derivator using the theory of locally presentable objects in a Yoneda structure, done in [DLL18]; categorical logic for derivators (see Prest's treatment of definability for module categories); derivator topos theory?
- a convincing form of adjoint functor theorem for derivators; existence of a six-operation calculus for mappings of derivators. 2-categorical account of Grothendieck duality complicated diagrams...
- profunctors between derivators; fibered derivators; operads in derivator theory; applications in representation theory of algebras, stable homotopy, ...

¹A 2-categorical device to encode the calculus of pointwise Kan extensions.

COENDS AND DG-STUFF

I have written a book on coend calculus, soon to appear under Cambridge LNSs:




 Coends ∫_C T are universal objects associated to T : C^{op} × C → D, treated as integrals (a "Fubini rule" is valid). I have written a book on coend calculus, soon to appear under Cambridge LNSs:



- Coends ∫_C T are universal objects associated to T : C^{op} × C → D, treated as integrals (a "Fubini rule" is valid).
- They find application in (monoidal) category theory, algebraic topology, algebraic geometry, categorical logic, representation theory (see ch.7 for an application to DG-categories), functional programming...

I have written a book on coend calculus, soon to appear under Cambridge LNSs:



- Coends ∫_C T are universal objects associated to T : C^{op} × C → D, treated as integrals (a "Fubini rule" is valid).
- They find application in (monoidal) category theory, algebraic topology, algebraic geometry, categorical logic, representation theory (see ch.7 for an application to DG-categories), functional programming...
- The book is being extensively cited (45 citations on Scholar May 11, 2020)

In [L20, 7.2.2]

For example: if \mathcal{A} is any dg-category its identity profunctor $\mathcal{A} \rightsquigarrow \mathcal{A}$ is a functor $\mathcal{A}^{\mathrm{op}} \boxtimes \mathcal{A} \to \mathrm{Ch}(\mathbb{Z})$, so that the coherent end

$$\oint_{A} \mathcal{A}(A, A) \tag{7.82}$$

i.e. the object of derived natural transformations of the identity functor $\mathrm{id}_{\mathcal{A}}$, recovers the *Hochschild complex* of \mathcal{A} . Then, if \mathcal{A} is an associative algebra regarded as a one-object dg-category concentrated in degree zero, the object $H^n(\int_* A)$ is the *Hochschild cohomology* of A, understood in the classical sense of, say, [Pie82, Ch. 11].

For example: if A is any dg-cate-

gory its identity profunctor $\mathcal{A} \hookrightarrow \mathcal{A}$ is a functor $\mathcal{A}^{op} \boxtimes \mathcal{A} \to \operatorname{Ch}(\mathbb{Z})$, so that the coherent end

$$\oint_{A} \mathcal{A}(A,A) \tag{7.82}$$

i.e. the object of derived natural transformations of the identity functor $\mathrm{id}_{\mathcal{A}}$, recovers the *Hochschild complex* of \mathcal{A} . Then, if \mathcal{A} is an associative algebra regarded as a one-object dg-category concentrated in degree zero, the object $H^n(\int_* A)$ is the *Hochschild cohomology* of A, understood in the classical sense of, say, [Pie82, Ch. 11].

Applications to Kuznetsov-Lunts categorical resolutions of singularities: a smooth DG-category is a \mathcal{D} such that its identity profunctor $h: \mathcal{D} \leadsto \mathcal{D}$ is a perfect object (read as: a variety is smooth if the diagonal map $\Delta: X \to X \times X$ is smooth)

TEACHING AND ORGANIZATIONAL

ACTIVITIES

• 2015 A short course on model categories at the University of Pavia;

- 2015 A short course on model categories at the University of Pavia;
- 2016 "Elements of Finite Mathematics" at UWO (mostly statistics to kinesiologists).

- 2015 A short course on model categories at the University of Pavia;
- 2016 "Elements of Finite Mathematics" at UWO (mostly statistics to kinesiologists).
- 2016 Advisor of a BSc thesis @unibo, "Elementary aspects of adjoint functors". I liked it!

- 2015 A short course on model categories at the University of Pavia;
- 2016 "Elements of Finite Mathematics" at UWO (mostly statistics to kinesiologists).
- 2016 Advisor of a BSc thesis @unibo, "Elementary aspects of adjoint functors". I liked it!
- 2018 A short course on 2-category theory in Padova: monoidal and enriched, categories, the calculus of coends and Kan extensions, bicategories, monads...

- 2015 A short course on model categories at the University of Pavia;
- 2016 "Elements of Finite Mathematics" at UWO (mostly statistics to kinesiologists).
- 2016 Advisor of a BSc thesis @unibo, "Elementary aspects of adjoint functors". I liked it!
- 2018 A short course on 2-category theory in Padova: monoidal and enriched, categories, the calculus of coends and Kan extensions, bicategories, monads...
- 2020 Category theory course Teacher @taltech. Mentoring activity for MSc students interested in category theory in CS.

 2015 and 2019 Attendee and speaker at the Kan Seminar I (a webinar on category theory),

- 2015 and 2019 Attendee and speaker at the Kan Seminar I (a webinar on category theory),
- and Applied Category Theory 2019 (a webinar on applied category theory, from which the paper [MLR⁺20] stemmed)

- 2015 and 2019 Attendee and speaker at the Kan Seminar I (a webinar on category theory),
- and Applied Category Theory 2019 (a webinar on applied category theory, from which the paper [MLR⁺20] stemmed)
- 2018 Organiser of the 103rd Peripathetic Seminar on Sheaves and Logic, Brno.

- 2015 and 2019 Attendee and speaker at the Kan Seminar I (a webinar on category theory),
- and Applied Category Theory 2019 (a webinar on applied category theory, from which the paper [MLR⁺20] stemmed)
- 2018 Organiser of the 103rd Peripathetic Seminar on Sheaves and Logic, Brno.
- 2019 and 2020 Organiser of ItaCa (Italian Category theorists) in Milan and on zoom, due to COVID19.

- 2015 and 2019 Attendee and speaker at the Kan Seminar I (a webinar on category theory),
- and Applied Category Theory 2019 (a webinar on applied category theory, from which the paper [MLR⁺20] stemmed)
- 2018 Organiser of the 103rd Peripathetic Seminar on Sheaves and Logic, Brno.
- 2019 and 2020 Organiser of ItaCa (Italian Category theorists) in Milan and on zoom, due to COVID19.
- · Reviewer for zbMath and AMS.

• Homotopy theory and set theory: [DL18] no homotopy category of a model category is "concrete"; what about ∞-categories?

- Homotopy theory and set theory: [DL18] no homotopy category of a model category is "concrete"; what about ∞-categories?
- Functional programming and type theory: HoTT, linear types, proof-checkers, categorical algebra in relational database architecture; natural language processing using category theory...

- Homotopy theory and set theory: [DL18] no homotopy category of a model category is "concrete"; what about ∞-categories?
- Functional programming and type theory: HoTT, linear types, proof-checkers, categorical algebra in relational database architecture; natural language processing using category theory...
- Categorical logic and foundations of mathematics; functorial semantics à la Lawvere, but sprinkled with operads and multicategories.

- Homotopy theory and set theory: [DL18] no homotopy category of a model category is "concrete"; what about ∞-categories?
- Functional programming and type theory: HoTT, linear types, proof-checkers, categorical algebra in relational database architecture; natural language processing using category theory...
- Categorical logic and foundations of mathematics; functorial semantics à la Lawvere, but sprinkled with operads and multicategories.
- more in detail, "2-semantics" of algebraic theories: profunctorial PROPs and theories, categorical algebra of cartesian bicategories...

• Reach me out at my web page:



- I'm quite open about my projects:
 - tetrapharmakon
- Taltech has an extremely active ongoing CT seminar:



Reach us out!