Doctoral Dissertation 博士論文

Title (日本語題目)

A Dissertation Submitted for the Degree of Doctor of Philosophy December 2023

令和5年12月博士(理学)申請

Department of Astronomy, Graduate School of Science The University of Tokyo

東京大学大学院理学系研究科天文学専攻

My Name 姓名 This is a LATEX template for doctoral theses, based on the CLASSICTHESIS (https://bitbucket.org/amiede/classicthesis/) template and customized to meet the formatting requirements of the Graduate School of Science, The University of Tokyo.

CLASSIC THESIS (https://ctan.org/pkg/classicthesis) を元にした学位論文用IAT_EXテンプレートです。東京大学理学系研究科の博士論文様式に合うように調整しています。

ACKNOWLEDGEMENTS

This thesis was typeset using the typographical look-and-feel classicthesis (https://bitbucket.org/amiede/classicthesis/) developed by André Miede and Ivo Pletikosić.

PUBLICATIONS

This thesis has used the materials of the following publications.

.

CONTENTS

Ι	Thesis	
1	Introduction	3
	1.1 Structure of the Milky Way	3
	1.1.1 Milky Way as a disc galaxy	3
2	XXX	5
	2.1 YYY	5
II	Appendices	
Α	Introduction for Classic Thesis	9
	A.1 Organization	10
	A.2 Style Options	
	A.3 Customization	12
	A.4 Issues	12
	A.5 Future Work	12
	A.6 Beyond a Thesis	13
	A.7 License	13

LIST OF FIGURES

= =	al image of the MW obtained by the <i>Gaia</i> satellite	4
LIST OF TABLES		
LISTINGS		

ACRONYMS

JASMINE Japan Astrometry Satellite Mission for INfrared Exploration

KLD Kullback-Leibler divergenceLMC Large Magellanic CloudLSR local standard of rest

MW Milky Way

OLR outer Lindblad resonance

Part I

THESIS

INTRODUCTION

1.1 STRUCTURE OF THE MILKY WAY

1.1.1 Milky Way as a disc galaxy

The Milky Way (MW) has fascinated us throughout human history. Fig. 1.1 displays an all-sky image of the MW obtained by the *Gaia* satellite. It is a portrait of our home galaxy as seen from the solar system. Although we cannot observe our galaxy from the outside, we know that it is a barred spiral galaxy. This section provides a brief history of our understanding of the MW's structure and summarises our current knowledge. Throughout this section, we refer to the following books and papers: Binney & Merrifield (1998), Binney & Tremaine (2008), Bland-Hawthorn & Gerhard (2016), Sofue (2017), Sofue et al. (2018) and van der Kruit (2019).

William Herschel was a pioneer in mapping the MW based on scientific observations and measurements (Herschel 1785). He estimated the shape of the MW by counting the number of stars at over 600 different directions in the sky assisted by his sister Caroline. The number count is proportional to D^3 , where D is the distance to the edge. This estimation relied on the following assumptions: (1) stars are uniformly distributed in the MW, (2) all stars have the same intrinsic luminosity and (3) the telescope is powerful enough to see through the MW to its edge. Fig. 1.2 presents the estimated map of the MW, which corresponds to the edge-on slice of the MW disc. The large star near the centre of the map indicates the position of the Sun. It is surprising that Herschel could estimate the flat disc-like shape of the MW with such a simple method and rough assumptions although he mapped the Sun at the wrong place.




Figure 1.1: Optical image of the MW obtained by the *Gaia* satellite. Credit: ESA/Gaia/DPAC.




Figure 1.2: Herschel's MW map. The large star near the centre of the map indicates the position of the Sun. This figure is made from a copy of Herschel (1785) available at https://www.jstor.org/stable/106755.

2.1 YYY

xxx yyy zzz.

Part II APPENDICES



INTRODUCTION FOR CLASSIC THESIS

This bundle for LATEX has two goals:

- 1. Provide students with an easy-to-use template for their Master's or PhD thesis. (Though it might also be used by other types of authors for reports, books, etc.)
- 2. Provide a classic, high-quality typographic style that is inspired by Bringhurst's "*The Elements of Typographic Style*" (Bringhurst 2013).

Title Ver. 1.0

The bundle is configured to run with a *full* MiKT_EX or T_EXLive¹ installation right away and, therefore, it uses only freely available fonts. (Minion fans can easily adjust the style to their needs.)

People interested only in the nice style and not the whole bundle can now use the style stand-alone via the file classicthesis.sty. This works now also with "plain" LaTeX.

As of version 3.0, classicthesis can also be easily used with LyX² thanks to Nicholas Mariette and Ivo Pletikosić. The LyX version of this manual will contain more information on the details.

This should enable anyone with a basic knowledge of $\LaTeX 2_{\mathcal{E}}$ or $\LaTeX 2_{\mathcal{E}}$ or $\LaTeX 2_{\mathcal{E}}$ or $\LaTeX 2_{\mathcal{E}}$ or $\LaTeX 2_{\mathcal{E}}$ or beautiful documents without too much effort. In the end, this is my overall goal: more beautiful documents, especially theses, as I am tired of seeing so many ugly ones.

The whole template and the used style is released under the GNU General Public License. If you like the style then I would appreciate a postcard:

André Miede Detmolder Straße 32 31737 Rinteln Germany

The postcards I received so far are available at:

http://postcards.miede.de

So far, many theses, some books, and several other publications have been typeset successfully with it. *line width* If you are interested in some typographic details behind it, enjoy Robert Bringhurst's wonderful book. *improves the legibility of t*

A well-balanced line width improves the legibility of the text. That's what typography is all about, right?

IMPORTANT NOTE: Some things of this style might look unusual at first glance, many people feel *typography is all* so in the beginning. However, all things are intentionally designed to be as they are, especially these: *about, right*?

- No bold fonts are used. Italics or spaced small caps do the job quite well.
- The size of the text body is intentionally shaped like it is. It supports both legibility and allows a reasonable amount of information to be on a page. And, no: the lines are not too short.
- The tables intentionally do not use vertical or double rules. See the documentation for the booktabs package for a nice discussion of this topic.³
- And last but not least, to provide the reader with a way easier access to page numbers in the table of contents, the page numbers are right behind the titles. Yes, they are *not* neatly aligned at the right side and they are *not* connected with dots that help the eye to bridge a distance that is not necessary. If you are still not convinced: is your reader interested in the page number or does she want to sum the numbers up?

Therefore, please do not break the beauty of the style by changing these things unless you really know what you are doing! Please.

¹ See the file LISTOFFILES for needed packages. Furthermore, classicthesis works with most other distributions and, thus, with most systems IATEX is available for.

² http://www.lyx.org

³ To be found online at http://mirror.ctan.org/macros/latex/contrib/booktabs/.

YET ANOTHER IMPORTANT NOTE: Since classicthesis' first release in 2006, many things have changed in the LATEX world. Trying to keep up-to-date, classicthesis grew and evolved into many directions, trying to stay (some kind of) stable and be compatible with its port to LyX. However, there are still many remains from older times in the code, many dirty workarounds here and there, and several other things I am absolutely not proud of (for example my unwise combination of KOMA and An outlook into titlesec etc.).

An outlook into the future of classicthesis.

Currently, I am looking into how to completely re-design and re-implement classicthesis making it easier to maintain and to use. As a general idea, classicthesis.sty should be developed and distributed separately from the template bundle itself. Excellent spin-offs such as arsclassica could also be integrated (with permission by their authors) as format configurations. Also, current trends of microtype, fontspec, etc. should be included as well. As I am not really into deep LATEX programming, I will reach out to the LATEX community for their expertise and help.

a.1 organization

A very important factor for successful thesis writing is the organization of the material. This template suggests a structure as the following:

You can use these margins for summaries of the text body...

- Chapters/ is where all the "real" content goes in separate files such as Chapter01. tex etc.
- FrontBackMatter/ is where all the stuff goes that surrounds the "real" content, such as the acknowledgments, dedication, etc.
- gfx/ is where you put all the graphics you use in the thesis. Maybe they should be organized into subfolders depending on the chapter they are used in, if you have a lot of graphics.
- Bibliography.bib: the BibT_EX database to organize all the references you might want to cite.
- classicthesis.sty: the style definition to get this awesome look and feel. Does not only work with this thesis template but also on its own (see folder Examples). Bonus: works with both LATEX and PDFLATEX...and LyX. Great tool and it's free!
- ClassicThesis.tex: the main file of your thesis where all gets bundled together.
- classicthesis-config.tex: a central place to load all nifty packages that are used.

Make your changes and adjustments here. This means that you specify here the options you want to load classicthesis.sty with. You also adjust the title of your thesis, your name, and all similar information here. Refer to Section A.3 for more information.

This had to change as of version 3.0 in order to enable an easy transition from the "basic" style to LyX.

In total, this should get you started in no time.

A.2 STYLE OPTIONS

There are a couple of options for classicthesis.sty that allow for a bit of freedom concerning the layout:

• General:

drafting: prints the date and time at the bottom of each page, so you always know which comments of her version you are dealing with. Might come in handy not to give your Prof. that old draft.

... or your supervisor might use the margins for some comments of her own while reading.

• Parts and Chapters:

- parts: use this option if you use Part divisions in your document. This is necessary to get the spacing of the Table of Contents right. (Cannot be used together with nochapters.)
- linedheaders: changes the look of the chapter headings a bit by adding a horizontal line above the chapter title. The chapter number will also be moved to the top of the page, above the chapter title.

• Typography:

- style: this offers a comfortable way of changing the look and feel easily. Default style is classicthesis.

As a new feature, Lorenzo Pantieri's arsclassica is available as well. As Lorenzo's package is discontinued and with his permission, classicthesis-arsclassica.sty is now part of classicthesis and will be maintained here.

- palatino: Hermann Zapf's classic font is the free standard font for this style. Robert Bringhurst's book uses Adobe's commercial font Minion Pro. However, there are other free alternatives also available. Deactivate this option for loading such alternatives and see classicthesis-config.tex for some suggestions.
- eulerchapternumbers: use figures from Hermann Zapf's Euler math font for the chapter numbers. By default, old style figures from the Palatino font are used.
- beramono: loads Bera Mono as typewriter font. (Default setting is using the standard CM typewriter font.)
- eulermath: loads the awesome Euler fonts for math. Palatino is used as default font.

Options are enabled via option=true

• Table of Contents:

- tocaligned: aligns the whole table of contents on the left side. Some people like that, some don't.
- dottedtoc: sets pagenumbers flushed right in the table of contents.
- manychapters: if you need more than nine chapters for your document, you might not be happy with the spacing between the chapter number and the chapter title in the Table of Contents. This option allows for additional space in this context. However, it does not look as "perfect" if you use \parts for structuring your document.

• Floats:

- floatperchapter: activates numbering per chapter for all floats such as figures, tables, and listings (if used).
- Tweaking colors and fonts please use this with great care!:
 - \ct@altfont: comfortable hook to alter the basic look and feel of everything that uses spaced caps or spaced small caps. For example, for arsclassica we used \renewcommand*{\ct@altfont}{\sffamily}. Coloring is also possible this way.
 - CTsemi: Change the semi gray color used, e.g., for the chapter number. Default is: \definecolor{CTsemi}{gray}{0.55}
 - CTtitle: Change the red color used, e.g., for the title. Default is: \definecolor{CTtitle}{named}{Maroon}

Furthermore, pre-defined margins for different paper sizes are available, e.g., a4paper, a5paper, b5paper, and letterpaper. These are based on your chosen option of \documentclass.

The best way to figure these options out is to try the different possibilities and see what you and your supervisor like best.

In order to make things easier, classicthesis-config.tex contains some useful commands that might help you.

A.3 CUSTOMIZATION

This section will show you some hints how to adapt classicthesis to your needs.

The file classicthesis.sty contains the core functionality of the style and in most cases will be left intact, whereas the file classicthesis-config.tex is used for some common user customizations.

The first customization you are about to make is to alter the document title, author name, and other thesis details. In order to do this, replace the data in the following lines of classicthesis
Modifications in config.tex:

classicthesisconfig.tex

```
% ****************************
% 2. Personal data and user ad-hoc commands
% ***********************
\newcommand{\myTitle}{A Classic Thesis Style}
\newcommand{\mySubtitle}{An Homage to...}
```

Further customization can be made in classicthesis-config.tex by choosing the options to classicthesis.sty (see Section A.2) in a line that looks like this:

```
\PassOptionsToPackage {
    drafting=true,
    tocaligned=false,
    dottedtoc=false,
    eulerchapternumbers=true,
    linedheaders=false,
    floatperchapter=true,
    eulermath=false,
    beramono=true,
    palatino=true,
    style=classicthesis
} {classicthesis}
```

Many other customizations in classicthesis-config.tex are possible, but you should be careful making changes there, since some changes could cause errors.

a.4 issues

This section will list some information about problems using classicthesis in general or using it with other packages.

Beta versions of classicthesis can be found at Bitbucket:

```
https://bitbucket.org/amiede/classicthesis/
```

There, you can also post serious bugs and problems you encounter.

A.5 FUTURE WORK

So far, this is a quite stable version that served a couple of people well during their thesis time. However, some things are still not as they should be. Proper documentation in the standard format is still missing. In the long run, the style should probably be published separately, with the template bundle being only an application of the style. Alas, there is no time for that at the moment...it could be a nice task for a small group of LATEXnicians.

Please do not send me email with questions concerning LATEX or the template, as I do not have time for an answer. But if you have comments, suggestions, or improvements for the style or the template in general, do not hesitate to write them on that postcard of yours.

A.6 BEYOND A THESIS

The layout of classicthesis.sty can be easily used without the framework of this template. A few examples where it was used to typeset an article, a book or a curriculum vitae can be found in the folder Examples. The examples have been tested with latex and pdflatex and are easy to compile. To encourage you even more, PDFs built from the sources can be found in the same folder.

A.7 LICENSE

GNU GENERAL PUBLIC LICENSE: This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but *without any warranty*; without even the implied warranty of *merchantability* or *fitness for a particular purpose*. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; see the file COPYING. If not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

CLASSICHTHESIS AUTHORS' NOTE: There have been some discussions about the GPL's implications on using classicthesis for theses etc. Details can be found here:

https://bitbucket.org/amiede/classicthesis/issues/123/

We chose (and currently stick with) the GPL because we would not like to compete with proprietary modified versions of our own work. However, the whole template is free as free beer and free speech. We will not demand the sources for theses, books, CVs, etc. that were created using classicthesis. Postcards are still highly appreciated.

Binney J., Merrifield M., 1998, Galactic Astronomy

Binney J., Tremaine S., 2008, Galactic Dynamics: Second Edition

Bland-Hawthorn J., Gerhard O., 2016, ARA&A, 54, 529

Bringhurst R., 2013, The Elements of Typographic Style. Version 4.0: 20th Anniversary Edition, Hartley & Marks Publishers, Point Roberts, WA, USA

Herschel W., 1785, Philosophical Transactions of the Royal Society of London Series I, 75, 213 van der Kruit P. C., 2019, Jan Hendrik Oort: Master of the Galactic System. Springer, doi:10.1007/978-3-030-17801-7

Sofue Y., 2017, Galactic Radio Astronomy, doi:10.1007/978-981-10-3445-9.

Sofue Y., Arimoto N., Iye M., eds, 2018, 祖父江 義明, 有本 信雄, 家 正則 [編] 銀河II 銀河系 [第2版](シリーズ現代の天文学 第 5 巻). 日本評論社