

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M101	MINI SUKRANTI - LR				Sequence No	70		
Car Door Code	E10	POWER OPERATED CENTRE OPENING SLIDING DOOR							
Land Door Code	L10	CENTRE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	1	800	950	2100	1550	90	0	1250	2500	0	0	0	0	700	2000
340	2	950	1000	2100	1550	240	0	1250	2500	0	0	0	0	700	2000
408	3	1000	1100	2100	1560	280	0	1350	2500	0	0	0	0	700	2000
544	4	1050	1350	2100	1760	130	0	1600	2500	0	0	0	0	800	2000
544	5	1100	1300	2100	1760	180	0	1550	2500	0	0	0	0	800	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M101	MINI SUKRANTI - LR				Sequence No	70		
Car Door Code	E9	POWER OPERATED SIDE OPENING SLIDING DOOR							
Land Door Code	L6	SIDE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	1	800	950	2100	1300	200	0	1250	2500	0	0	0	0	700	2000
340	2	950	1000	2100	1450	200	0	1250	2500	0	0	0	0	700	2000
408	3	1000	1100	2100	1500	200	0	1350	2500	0	0	0	0	700	2000
544	4	1050	1350	2100	1550	200	0	1650	2500	0	0	0	0	800	2000
544	5	1100	1300	2100	1600	200	0	1600	2500	0	0	0	0	800	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M111	MINI SUKRANTI - MR				Sequence No	71		
Car Door Code	E10	POWER OPERATED CENTRE OPENING SLIDING DOOR							
Land Door Code	L10	CENTRE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details						Entrance				
Load Code	Sno	A	B	B1	C	C+	C-	D	D+	D-	H	H+	H-	Width	Height
408	1	1000	1100	2200	1650	255	0	1475	2500	0		0	0	700	2000
544	2	1050	1350	2200	1675	300	0	1600	2500	0		0	0	700	2000
544	3	1000	1400	2200	1800	125	0	1800	2500	0		0	0	800	2000
544	4	1300	1100	2200	1885	340	0	1500	2500	0		0	0	800	2000
680	5	1200	1450	2200	1900	275	0	1775	2500	0		0	0	800	2000
680	6	1000	1700	2200	1800	175	0	1925	2500	0		0	0	800	2000
884	7	1100	2000	2200	1950	125	0	2300	2500	0		0	0	900	2000
884	8	1500	1450	2200	2175	300	0	1800	2500	0		0	0	900	2000
1020	9	1100	2150	2200	1950	125	0	2450	2500	0		0	0	900	2000
1020	10	1550	1550	2200	2200	310	0	1875	2500	0		0	0	900	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M111	MINI SUKRANTI - MR				Sequence No	66		
Car Door Code	E9	POWER OPERATED SIDE OPENING SLIDING DOOR							
Land Door Code	L6	SIDE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
408	1	1000	1100	2200	1575	330	0	1475	2500	0		0	0	800	2000
544	2	1050	1350	2200	1650	325	0	1600	2500	0		0	0	800	2000
544	3	1300	1100	2200	1885	340	0	1500	2500	0		0	0	800	2000
680	4	1100	1600	2200	1775	300	0	1925	2500	0		0	0	800	2000
680	5	1200	1450	2200	1875	300	0	1775	2500	0		0	0	800	2000
884	6	1100	2000	2200	1775	300	0	2300	2500	0		0	0	900	2000
884	7	1500	1450	2200	2175	300	0	1800	2500	0		0	0	900	2000
1020	8	1100	2150	2200	1775	300	0	2450	2500	0		0	0	900	2000
1020	9	1550	1550	2200	2200	310	0	1875	2500	0		0	0	1000	2000
408	10	900	1100	2200	1500	305	0	1475	2500	0		0	0	700	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M05	ENDURONIC				Sequence No	1		
Car Door Code	E10	POWER OPERATED CENTRE OPENING SLIDING DOOR							
Land Door Code	L10	CENTRE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
408	1	1100	1000	2200	1550	600	0	1550	446	0		0	0	700	2000
408	2	1200	900	2200	1750	500	0	1450	446	0		0	0	800	2000
544	3	1400	1000	2200	1800	650	0	1600	396	0		0	0	800	2000
544	4	1300	1100	2200	1800	550	0	1700	396	0		0	0	800	2000
544	5	1300	1100	2200	1900	450	0	1900	196	0		0	0	800	2000
680	6	1400	1250	2200	1800	650	0	1800	446	0		0	0	800	2000
680	7	1300	1350	2200	1800	650	0	1900	446	0		0	0	800	2000
680	8	1300	1350	2200	1900	450	0	2100	246	0		0	0	800	2000
884	9	2000	1100	2200	2500	560	0	1750	350	0		0	0	900	2000
884	10	2000	1100	2200	2500	560	0	1900	200	0		0	0	900	2000
1088	11	2000	1300	2200	2500	540	0	1950	350	0		0	0	1000	2000
1088	12	2000	1300	2200	2500	540	0	2100	200	0		0	0	1000	2000
1360	13	2000	1500	2200	2500	0	0	2150	0	0		0	0	1000	2000
1360	14	2000	1500	2200	2500	0	0	2400	0	0		0	0	1000	2000
1768	15	2000	1950	2200	2500	0	0	2600	0	0		0	0	1000	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M05	ENDURONIC				Sequence No	2		
Car Door Code	E9	POWER OPERATED SIDE OPENING SLIDING DOOR							
Land Door Code	L6	SIDE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details						Entrance				
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
408	1	1100	1000	2200	1500	650	0	1650	426	0		0	0	800	2000
408	2	1200	900	2200	1600	650	0	1550	426	0		0	0	800	2000
544	3	1200	1200	2200	1600	650	0	1850	426	0		0	0	800	2000
680	4	1400	1250	2200	1800	650	0	1900	426	0		0	0	800	2000
884	5	2000	1100	2200	2500	560	0	1800	380	0		0	0	1000	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M32	SUPER				Sequence No	54		
Car Door Code	E3	COLLAPSIBLE GATE							
Land Door Code	L3	COLLAPSIBLE GATE							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	1	1100	700	2200	1500	650	0	1150	475	0		0	0	800	2000
340	2	1100	900	2200	1500	650	0	1350	475	0		0	0	800	2000
340	3	1200	800	2200	1600	650	0	1250	475	0		0	0	800	2000
408	4	1100	1000	2200	1500	650	0	1450	475	0		0	0	800	2000
408	5	1200	940	2200	1600	650	0	1400	475	0		0	0	800	2000
408	6	1400	800	2200	1800	650	0	1250	475	0		0	0	800	2000
544	7	1300	1100	2200	1700	650	0	1550	475	0		0	0	800	2000
544	8	1400	1000	2200	1800	650	0	1450	475	0		0	0	800	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M32	SUPER				Sequence No	35		
Car Door Code	E3	COLLAPSIBLE GATE							
Land Door Code	L4	M.S.SWING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	1	1100	700	2200	1500	650	0	1150	475	0		0	0	800	2000
340	2	1100	900	2200	1500	650	0	1350	475	0		0	0	800	2000
340	3	1200	800	2200	1600	650	0	1250	475	0		0	0	800	2000
408	4	1100	1000	2200	1500	650	0	1450	475	0		0	0	800	2000
408	5	1200	940	2200	1600	650	0	1400	475	0		0	0	800	2000
408	6	1400	800	2200	1800	650	0	1250	475	0		0	0	800	2000
544	7	1300	1100	2200	1700	650	0	1550	475	0		0	0	800	2000
544	8	1400	1000	2200	1800	650	0	1450	475	0		0	0	800	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M32	SUPER				Sequence No	36		
Car Door Code	E5	MANUAL OPERATED SIDE OPENING SLIDING DOOR							
Land Door Code	L4	M.S.SWING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	1	1100	700	2200	1600	550	0	1200	455	0		0	0	800	2000
340	2	1100	900	2200	1600	550	0	1400	455	0		0	0	800	2000
340	3	1200	800	2200	1600	650	0	1300	455	0		0	0	800	2000
408	4	1100	1000	2200	1600	550	0	1500	455	0		0	0	800	2000
408	5	1200	940	2200	1600	650	0	1450	445	0		0	0	800	2000
408	6	1400	800	2200	1800	650	0	1300	445	0		0	0	800	2000
544	7	1300	1100	2200	1700	650	0	1600	455	0		0	0	800	2000
544	8	1400	1000	2200	1800	650	0	1500	455	0		0	0	800	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M32	SUPER				Sequence No	22		
Car Door Code	E9	POWER OPERATED SIDE OPENING SLIDING DOOR							
Land Door Code	L4	M.S.SWING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	1	1100	700	2200	1600	550	0	1250	446	0		0	0	800	2000
340	2	1100	900	2200	1600	550	0	1450	446	0		0	0	800	2000
340	3	1200	800	2200	1600	650	0	1350	446	0		0	0	800	2000
408	4	1100	1000	2200	1600	550	0	1550	446	0		0	0	800	2000
408	5	1200	900	2200	1600	650	0	1450	446	0		0	0	800	2000
408	6	1400	800	2200	1800	650	0	1350	446	0		0	0	800	2000
544	7	1300	1100	2200	1700	650	0	1650	446	0		0	0	800	2000
544	8	1400	1000	2200	1800	650	0	1550	446	0		0	0	800	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M01	BASIC				Sequence No	6		
Car Door Code	E3	COLLAPSIBLE GATE							
Land Door Code	L3	COLLAPSIBLE GATE							

Load Details		Car Inside Details			Lift Well Details						Entrance				
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	1	900	850	2200	1300	650	0	1300	475	0		0	0	700	2000
272	2	1000	800	2200	1400	650	0	1250	475	0		0	0	800	2000
272	3	1100	700	2200	1500	650	0	1150	475	0		0	0	800	2000
340	4	900	1100	2200	1300	650	0	1550	475	0		0	0	700	2000
340	5	1100	900	2200	1500	650	0	1350	475	0		0	0	800	2000
340	6	1200	800	2200	1600	650	0	1250	475	0		0	0	800	2000
408	7	1000	1100	2200	1500	550	0	1550	475	0		0	0	800	2000
408	8	1100	1000	2200	1500	650	0	1450	475	0		0	0	800	2000
408	9	1200	940	2200	1600	650	0	1400	465	0		0	0	800	2000
408	10	1400	800	2200	1800	650	0	1250	475	0		0	0	800	2000
544	11	1100	1300	2200	1500	650	0	1750	475	0		0	0	800	2000
544	12	1300	1100	2200	1700	650	0	1550	475	0		0	0	800	2000
544	13	1400	1000	2200	1800	650	0	1450	475	0		0	0	800	2000
680	14	1400	1250	2200	1800	0	0	1800	0	0		0	0	800	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M01	BASIC				Sequence No	28		
Car Door Code	E3	COLLAPSIBLE GATE							
Land Door Code	L4	M.S.SWING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	1	900	850	2200	1300	650	0	1300	475	0	0	0	0	700	2000
272	2	1000	800	2200	1400	650	0	1250	475	0	0	0	0	800	2000
272	3	1100	700	2200	1500	650	0	1150	475	0	0	0	0	800	2000
340	4	900	1100	2200	1300	650	0	1550	475	0	0	0	0	700	2000
340	5	1100	900	2200	1500	650	0	1350	475	0	0	0	0	800	2000
340	6	1200	800	2200	1600	650	0	1250	475	0	0	0	0	800	2000
408	7	1000	1100	2200	1500	550	0	1550	475	0	0	0	0	800	2000
408	8	1100	1000	2200	1500	650	0	1450	475	0	0	0	0	800	2000
408	9	1200	940	2200	1600	650	0	1400	465	0	0	0	0	800	2000
408	10	1400	800	2200	1800	650	0	1250	475	0	0	0	0	800	2000
544	11	1100	1300	2200	1500	650	0	1750	475	0	0	0	0	800	2000
544	12	1300	1100	2200	1700	650	0	1550	475	0	0	0	0	800	2000
544	13	1400	1000	2200	1800	650	0	1450	475	0	0	0	0	800	2000
680	14	1400	1250	2200	1800	0	0	1800	0	0	0	0	0	800	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: View		SAVE		EXIT	
Model	M01	BASIC				Sequence No	49		
Car Door Code	E5	MANUAL OPERATED SIDE OPENING SLIDING DOOR							
Land Door Code	L4	M.S.SWING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	1	1100	700	2200	1600	550	0	1200	455	0		0	0	800	2000
272	2	1100	700	2200	1500	650	0	1200	455	0		0	0	700	2000
340	3	1100	900	2200	1500	650	0	1400	455	0		0	0	700	2000
340	4	1200	800	2200	1600	650	0	1300	455	0		0	0	800	2000
408	5	1000	1100	2200	1500	550	0	1600	455	0		0	0	700	2000
408	6	1100	1000	2200	1600	550	0	1500	455	0		0	0	800	2000
408	7	1100	1000	2200	1500	650	0	1500	455	0		0	0	700	2000
408	8	1200	940	2200	1600	650	0	1450	445	0		0	0	800	2000
408	9	1400	800	2200	1800	650	0	1300	455	0		0	0	800	2000
544	10	1300	1100	2200	1700	650	0	1600	455	0		0	0	800	2000
544	11	1400	1000	2200	1800	650	0	1500	455	0		0	0	800	2000
544	12	1100	1300	2200	1600	550	0	1800	455	0		0	0	800	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: D		SAVE		EXIT	
Model	M05	ENDURONIC				Sequence No	1		
Car Door Code	E10	POWER OPERATED CENTRE OPENING SLIDING DOOR							
Land Door Code	L10	CENTRE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details						Entrance				
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	17	900	850	2200	1550	400	0	1400	446	0		0	0	700	2000
272	18	950	800	2200	1550	450	0	1350	446	0		0	0	700	2000
272	19	1000	700	2200	1550	500	0	1250	446	0		0	0	700	2000
272	20	1000	750	2200	1550	500	0	1300	446	0		0	0	700	2000
272	21	1000	800	2200	1550	500	0	1250	446	0		0	0	700	2000
272	22	1050	700	2200	1550	550	0	1250	446	0		0	0	700	2000
272	23	1050	750	2200	1550	550	0	1250	446	0		0	0	700	2000
272	24	1100	700	2200	1550	600	0	1250	446	0		0	0	700	2000
272	25	1150	700	2200	1550	650	0	1250	446	0		0	0	700	2000
340	26	900	950	2200	1550	400	0	1500	446	0		0	0	700	2000
340	27	900	1000	2200	1550	400	0	1550	446	0		0	0	700	2000
340	28	950	900	2200	1550	450	0	1450	446	0		0	0	700	2000
340	29	950	950	2200	1550	450	0	1500	446	0		0	0	700	2000
340	30	1000	850	2200	1550	500	0	1400	446	0		0	0	700	2000
340	31	1000	900	2200	1550	500	0	1450	446	0		0	0	700	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: D		SAVE		EXIT	
Model	M05	ENDURONIC				Sequence No	1		
Car Door Code	E10	POWER OPERATED CENTRE OPENING SLIDING DOOR							
Land Door Code	L10	CENTRE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details						Entrance				
Load Code	Sno	A	B	B1	C	C+	C-	D	D+	D-	H	H+	H-	Width	Height
340	28	950	900	2200	1550	450	0	1450	446	0		0	0	700	2000
340	29	950	950	2200	1550	450	0	1500	446	0		0	0	700	2000
340	30	1000	850	2200	1550	500	0	1400	446	0		0	0	700	2000
340	31	1000	900	2200	1550	500	0	1450	446	0		0	0	700	2000
340	32	1050	850	2200	1550	600	0	1400	446	0		0	0	700	2000
340	33	1050	950	2200	1550	600	0	1500	446	0		0	0	700	2000
340	34	1100	800	2200	1550	600	0	1350	446	0		0	0	700	2000
340	35	1100	850	2200	1550	600	0	1400	446	0		0	0	700	2000
340	36	1100	900	2200	1550	650	0	1450	446	0		0	0	700	2000
340	37	1150	750	2200	1550	650	0	1300	446	0		0	0	700	2000
340	38	1200	700	2200	1600	650	0	1250	446	0		0	0	700	2000
340	39	1200	750	2200	1600	650	0	1300	446	0		0	0	700	2000
340	40	1200	800	2200	1600	650	0	1350	446	0		0	0	700	2000
340	41	1250	750	2200	1650	650	0	1300	446	0		0	0	700	2000
340	42	1300	700	2200	1700	650	0	1250	446	0		0	0	700	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: D		SAVE		EXIT	
Model	M05	ENDURONIC				Sequence No	2		
Car Door Code	E9	POWER OPERATED SIDE OPENING SLIDING DOOR							
Land Door Code	L6	SIDE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details						Entrance				
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
272	6	900	850	2200	1320	630	0	1480	446	0		0	0	700	2000
272	7	950	800	2200	1320	680	0	1430	446	0		0	0	700	2000
272	8	1000	700	2200	1360	690	0	1330	446	0		0	0	700	2000
272	9	1000	750	2200	1360	690	0	1380	446	0		0	0	700	2000
272	10	1000	800	2200	1360	690	0	1430	446	0		0	0	700	2000
272	11	1050	700	2200	1410	690	0	1330	446	0		0	0	700	2000
272	12	1050	750	2200	1410	690	0	1380	446	0		0	0	700	2000
272	13	1100	700	2200	1460	690	0	1330	446	0		0	0	700	2000
272	14	1150	700	2200	1510	690	0	1330	446	0		0	0	700	2000
340	15	900	950	2200	1320	690	0	1580	446	0		0	0	700	2000
340	16	900	1000	2200	1320	690	0	1630	446	0		0	0	700	2000
340	17	950	900	2200	1320	690	0	1530	446	0		0	0	700	2000
340	18	950	950	2200	1320	690	0	1580	446	0		0	0	700	2000
340	19	1000	850	2200	1360	690	0	1480	446	0		0	0	700	2000
340	20	1000	900	2200	1360	690	0	1530	446	0		0	0	700	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: D		SAVE		EXIT	
Model	M05	ENDURONIC				Sequence No	2		
Car Door Code	E9	POWER OPERATED SIDE OPENING SLIDING DOOR							
Land Door Code	L6	SIDE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
340	17	950	900	2200	1320	690	0	1530	446	0		0	0	700	2000
340	18	950	950	2200	1320	690	0	1580	446	0		0	0	700	2000
340	19	1000	850	2200	1360	690	0	1480	446	0		0	0	700	2000
340	20	1000	900	2200	1360	690	0	1530	446	0		0	0	700	2000
340	21	1050	850	2200	1410	690	0	1480	446	0		0	0	700	2000
340	22	1050	950	2200	1410	690	0	1580	446	0		0	0	700	2000
340	23	1100	800	2200	1460	690	0	1430	446	0		0	0	700	2000
340	24	1100	850	2200	1460	690	0	1480	446	0		0	0	700	2000
340	25	1100	900	2200	1460	690	0	1530	446	0		0	0	700	2000
340	26	1150	750	2200	1510	690	0	1380	446	0		0	0	700	2000
340	27	1200	700	2200	1560	690	0	1330	446	0		0	0	700	2000
340	28	1200	750	2200	1560	690	0	1380	446	0		0	0	700	2000
340	29	1200	800	2200	1560	690	0	1430	446	0		0	0	700	2000
340	30	1250	750	2200	1610	690	0	1380	446	0		0	0	700	2000
340	31	1300	700	2200	1660	690	0	1330	446	0		0	0	700	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: D		SAVE		EXIT	
Model	M06	NEXTRA				Sequence No	29		
Car Door Code	E10	POWER OPERATED CENTRE OPENING SLIDING DOOR							
Land Door Code	L10	CENTRE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sno	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
408	1	1100	1000	2200	1550	590	0	1600	400	0	0	0	0	700	2000
408	2	1200	900	2200	1750	490	0	1500	400	0	0	0	0	800	2000
544	3	1300	1100	2200	1750	590	0	1700	400	0	0	0	0	800	2000
544	4	1400	1000	2200	1800	640	0	1600	400	0	0	0	0	800	2000
680	5	1300	1350	2200	1750	590	0	1950	400	0	0	0	0	800	2000
680	6	1400	1250	2200	1800	640	0	1850	400	0	0	0	0	800	2000
884	7	2000	1100	2200	2450	590	0	1700	400	0	0	0	0	900	2000
1020	8	2000	1200	2200	2450	620	0	1800	400	0	0	0	0	1000	2000
1088	9	2000	1300	2200	2450	620	0	1900	400	0	0	0	0	1000	2000
1360	10	2000	1500	2200	2450	650	0	2100	400	0	0	0	0	1000	2000
1632	11	2000	1750	2200	2500	600	0	2350	400	0	0	0	0	1000	2000
2500.	12	2000	2500	2200	3000	100	0	3230	400	0	0	0	0	1200	2100

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+

EDIT		VIEW		Mode: D		SAVE		EXIT	
Model	M06	NEXTRA				Sequence No	68		
Car Door Code	E9	POWER OPERATED SIDE OPENING SLIDING DOOR							
Land Door Code	L6	SIDE OPENING SLIDING DOOR							

Load Details		Car Inside Details			Lift Well Details									Entrance	
Load Code	Sino	A	B	B1	C	C +	C -	D	D +	D -	H	H +	H -	Width	Height
408	1	1200	900	2200	1600	640	0	1600	380	0	0	0	0	800	2000
408	2	1100	1000	2200	1500	640	0	1700	380	0	0	0	0	800	2000
544	3	1300	1100	2200	1700	640	0	1800	380	0	0	0	0	800	2000
544	4	1200	1200	2200	1600	640	0	1900	380	0	0	0	0	800	2000
680	5	1300	1350	2200	1700	640	0	2050	380	0	0	0	0	800	2000
680	6	1400	1250	2200	1800	640	0	1950	380	0	0	0	0	800	2000
884	7	2000	1100	2200	2400	640	0	1800	380	0	0	0	0	900	2000
1020	8	2000	1200	2200	2450	620	0	1900	380	0	0	0	0	1000	2000
1088	9	2000	1300	2200	2450	620	0	2000	380	0	0	0	0	1000	2000
1360	10	2000	1500	2200	2450	650	0	2200	380	0	0	0	0	1000	2000
1632	11	2000	1750	2200	2500	600	0	2450	380	0	0	0	0	1000	2000

Lift Well Width – C | Max Allowance – C+

Lift Well Depth – D | Max Allowance – D+