

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/app/api/file-autocomplete/route.ts

```
import { NextRequest, NextResponse } from 'next/server';
import { generateFilePathSuggestions } from '@server/file-autocomplete';
import { FilterSettings } from '@server/file-system';
export async function GET(request: NextRequest) {
  const searchParams = request.nextUrl.searchParams;
  const query = searchParams.get('query');
  if (!query) {
    return NextResponse.json({ suggestions: [] });
  }
  try {
    const suggestions = await generateFilePathSuggestions(query);
    return NextResponse.json({ suggestions });
  } catch (error) {
    console.error('Error generating autocomplete suggestions:', error);
    return NextResponse.json(
      { error: 'Failed to generate suggestions' },
      { status: 500 }
    );
  }
}
export async function POST(request: Request) {
  try {
    const { query, filterSettings } = await request.json();
    if (!query) {
      return NextResponse.json({ suggestions: [] });
    }
    const suggestions = await generateFilePathSuggestions(query, filterSettings);
    return NextResponse.json({ suggestions });
  } catch (error) {
    console.error('Error generating filtered autocomplete suggestions:', error);
    return NextResponse.json(
      { error: 'Failed to generate suggestions' },
      { status: 500 }
    );
  }
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/app/api/file-content/route.ts

```
import { NextResponse } from 'next/server';
import * as fs from 'fs';
import * as path from 'path';
export async function POST(request: Request) {
  try {
    const { filePath } = await request.json();
    if (!filePath) {
      return NextResponse.json(
        { error: 'AôCD$ L C¢ DC 9C´C CÔ5 D4:C 7C =' },
        { status: 400 }
      );
    }
    if (!fs.existsSync(filePath)) {
      return NextResponse.json(
        { error: 'BD0C"; CÔ5 CÔ0C"4CT=' },
        { status: 404 }
      );
    }
    const stats = fs.statSync(filePath);
    if (!stats.isFile()) {
      return NextResponse.json(
        { error: 'B4:C 7C =CÔKC' ?D4BDÂ =CR OC$;Dô5D$ADò DC 9C´>CÂr ÒÂ' },
        { status: 400 }
      );
    }
    const MAX_FILE_SIZE = 5 * 1024 * 1024;
    if (stats.size > MAX_FILE_SIZE) {
      return NextResponse.json(
        { error: 'BD0C"; D ;C„HCα>CÂ 1Cä;DÄHCä9 CD;Dò >D$>C @C 6CT=C„O (C >C´5CR Tô"r ÒÂ' },
        { status: 413 }
      );
    }
    let content = fs.readFileSync(filePath, 'utf-8');
    return NextResponse.json({ content });
  } catch (error: any) {
    console.error('Error reading file:', error);
    return NextResponse.json(
      { error: `AäHC„1Cα0 DtBCT=C„O DD0C";C  ${error.message}` },
      { status: 500 }
    );
  }
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/app/api/file-tree/route.ts

```
import { NextResponse } from 'next/server';
import { buildFileTree } from '@server/file-system';
import path from 'path';
export async function GET() {
  try {
    const projectDir = process.env.USER_PROJECT_DIR || process.cwd();
    const fileTree = await buildFileTree(projectDir);
    return NextResponse.json({ fileTree });
  } catch (error) {
    console.error('Error getting file tree:', error);
    return NextResponse.json({ error: 'Failed to get file tree' }, { status: 500 });
  }
}
export async function POST(request: Request) {
  try {
    const { filterSettings } = await request.json();
    const projectDir = process.env.USER_PROJECT_DIR || process.cwd();
    const fileTree = await buildFileTree(projectDir, filterSettings);
    return NextResponse.json({ fileTree });
  } catch (error) {
    console.error('Error getting file tree:', error);
    return NextResponse.json({ error: 'Failed to get file tree' }, { status: 500 });
  }
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/app/api/generate-pdf/route.ts

```
import { NextResponse } from 'next/server';
import { generatePdf } from '@server/generate-pdf';
export async function POST(request: Request) {
  try {
    const { files, outputFile, includeComments, newPageForEachFile, useAbsolutePaths } = await
request.json();
    if (!files || !Array.isArray(files) || files.length === 0) {
      return NextResponse.json(
        { error: 'No files selected' },
        { status: 400 }
      );
    }
    const pdfPath = await generatePdf({
      files,
      outputFile: outputFile || 'project_code.pdf',
      includeComments: includeComments ?? true,
      newPageForEachFile: newPageForEachFile ?? true,
      useAbsolutePaths: useAbsolutePaths ?? true
    });
    return NextResponse.json({ success: true, pdfPath });
  } catch (error) {
    console.error('Error generating PDF:', error);
    return NextResponse.json(
      { error: 'Failed to generate PDF' },
      { status: 500 }
    );
  }
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/app/api/open-file-location/route.ts

```
import { NextResponse } from 'next/server';
import { exec } from 'child_process';
import * as path from 'path';
import * as fs from 'fs';
import * as os from 'os';
export async function POST(request: Request) {
  try {
    const { filePath } = await request.json();
    if (!filePath) {
      return NextResponse.json(
        { error: 'AÔ5 D4:C 7C = CÔCD$L C¢ DC 9C´C' },
        { status: 400 }
      );
    }
    if (!fs.existsSync(filePath)) {
      return NextResponse.json(
        { error: 'BD0C"; CÔ5 CÔ0C"4CT=' },
        { status: 404 }
      );
    }
    const platform = os.platform();
    const dirPath = path.dirname(filePath);
    let command;
    if (platform === 'darwin') {
      command = `open "${dirPath}"`;
    } else if (platform === 'win32') {
      command = `explorer "${dirPath.replace(/ /g, '\\ ')}"`;
    } else {
      command = `xdg-open "${dirPath}"`;
    }
    exec(command, (error) => {
      if (error) {
        console.error('AäHC,,1C¤0 CÔ@C, >D$:D KD$8C, ?C ?C¤8:', error);
      }
    });
    return NextResponse.json({ success: true });
  } catch (error: any) {
    console.error('AäHC,,1C¤0 CÔ@C, >D$:D KD$8C, ?C ?C¤8:', error);
    return NextResponse.json(
      { error: `AÔ5 D44C ;CäADÂ >D$:D KD$L CÔ0CÔ:D3 ${error.message}` },
      { status: 500 }
    );
  }
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/app/globals.css

```
@tailwind base;
@tailwind components;
@tailwind utilities;
@layer base {
  :root {
    --background: 0 0% 100%;
    --foreground: 222.2 84% 4.9%;
    --card: 0 0% 100%;
    --card-foreground: 222.2 84% 4.9%;
    --popover: 0 0% 100%;
    --popover-foreground: 222.2 84% 4.9%;
    --primary: 222.2 47.4% 11.2%;
    --primary-foreground: 210 40% 98%;
    --secondary: 210 40% 96.1%;
    --secondary-foreground: 222.2 47.4% 11.2%;
    --muted: 210 40% 96.1%;
    --muted-foreground: 215.4 16.3% 46.9%;
    --accent: 210 40% 96.1%;
    --accent-foreground: 222.2 47.4% 11.2%;
    --destructive: 0 84.2% 60.2%;
    --destructive-foreground: 210 40% 98%;
    --border: 214.3 31.8% 91.4%;
    --input: 214.3 31.8% 91.4%;
    --ring: 222.2 84% 4.9%;
    --radius: 0.5rem;
  }
  .dark {
    --background: 222.2 84% 4.9%;
    --foreground: 210 40% 98%;
    --card: 222.2 84% 4.9%;
    --card-foreground: 210 40% 98%;
    --popover: 222.2 84% 4.9%;
    --popover-foreground: 210 40% 98%;
    --primary: 210 40% 98%;
    --primary-foreground: 222.2 47.4% 11.2%;
    --secondary: 217.2 32.6% 17.5%;
    --secondary-foreground: 210 40% 98%;
    --muted: 217.2 32.6% 17.5%;
    --muted-foreground: 215 20.2% 65.1%;
    --accent: 217.2 32.6% 17.5%;
    --accent-foreground: 210 40% 98%;
    --destructive: 0 62.8% 30.6%;
    --destructive-foreground: 210 40% 98%;
    --border: 217.2 32.6% 17.5%;
    --input: 217.2 32.6% 17.5%;
    --ring: 212.7 26.8% 83.9%;
  }
}
@layer base {
  * {
    @apply border-border;
```

```
}
body {
  @apply bg-background text-foreground;
}
}
.dropdown-menu,
[role="listbox"],
.suggestions-list,
.autocomplete-dropdown {
  background-color: #1e2030 !important;
  backdrop-filter: none !important;
  -webkit-backdrop-filter: none !important;
  z-index: 9999 !important;
}
[data-radix-popper-content-wrapper],
[role="tooltip"],
[role="dialog"] {
  backdrop-filter: none !important;
  -webkit-backdrop-filter: none !important;
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/app/layout.tsx

```
import type { Metadata } from "next";
import "../globals.css";
import { Toaster } from "@components/ui/toaster";
export const metadata: Metadata = {
  title: "Code Consolidator",
  description: "UI for generating code documentation",
};
export default function RootLayout({
  children,
}: Readonly<{
  children: React.ReactNode;
}>) {
  return (
    <html lang="en">
      <body className="bg-gray-900 text-gray-100">
        {children}
        <Toaster />
      </body>
    </html>
  );
}
```


Content of /Users/teunlao/projects/code-consolidator/packages/web/src/app/page.tsx

```
'use client';
import { ConfigPanel } from '@components/config-panel';
import { FileTree } from '@components/file-tree';
import { FilterSettingsButton } from '@components/filter-settings';
import { OpenFileButton } from '@components/open-file-button';
import { ProjectInfo } from '@components/project-info';
import { ProjectSelector } from '@components/project-manager';
import { SearchFilter } from '@components/search-filter';
import { Button } from '@components/ui/button';
import { Dialog, DialogContent, DialogHeader, DialogTitle } from '@components/ui/dialog';
import { findNodeByPath, selectNodeAndChildren } from '@lib/path-finder';
import { DEFAULT_PROJECT_SETTINGS, useProjectsStore } from '@lib/stores/projects-store';
import { countSelectedFiles, getSelectedFilePaths, updateNodeSelection } from '@lib/tree-utils';
import type { FileNode, FilterSettings } from '@lib/types';
import { Check, FolderOpen, Loader2, RotateCcw } from 'lucide-react';
import React, { useEffect, useState } from 'react';
export default function Home() {
  const [fileTree, setFileTree] = useState<FileNode | null>(null);
  const [loading, setLoading] = useState(true);
  const [searchQuery, setSearchQuery] = useState("");
  const [generating, setGenerating] = useState(false);
  const [generatedPdfPath, setGeneratedPdfPath] = useState("");
  const [showSuccessDialog, setShowSuccessDialog] = useState(false);
  const [selectedFilesCount, setSelectedFilesCount] = useState(0);
  const { getActiveSettings, updateActiveSettings, applySelectedFilesToTree } = useProjectsStore();
  const activeSettings = getActiveSettings();
  const [initialLoadDone, setInitialLoadDone] = useState(false);
  const { activeProjectId, activeProfileId } = useProjectsStore();
  useEffect(() => {
    const isFirstLoad = !initialLoadDone;
    fetchFileTree(activeSettings.filterSettings, isFirstLoad);
    if (!initialLoadDone) {
      setInitialLoadDone(true);
    }
  }, [
    activeSettings.filterSettings,
    initialLoadDone,
    activeProjectId,
    activeProfileId
  ]);
  async function fetchFileTree(filterSettings: FilterSettings, isInitialLoad = false) {
    try {
      if (isInitialLoad) {
        setLoading(true);
      }
      if (!isInitialLoad) {
        setFileTree(null);
      }
      const response = await fetch('/api/file-tree', {
        method: 'POST',
        headers: {
```

```

    'Content-Type': 'application/json',
  },
  body: JSON.stringify({
    filterSettings,
  }),
});
const data = await response.json();
if (data.fileTree) {
  const currentSettings = getActiveSettings();
  const treeWithSelection =
    currentSettings.selectedFiles.length > 0
      ? applySelectedFilesToTree(data.fileTree, currentSettings.selectedFiles)
      : data.fileTree;
  setFileTree(treeWithSelection);
  setSelectedFilesCount(countSelectedFiles(treeWithSelection));
}
} catch (error) {
  console.error('Error fetching file tree:', error);
} finally {
  if (isInitialLoad) {
    setLoading(false);
  }
}
}
const resetAllSettings = () => {
  const defaultFilterSettings: FilterSettings = {
    ignoredDirectories: [],
    ignoredFiles: [],
    ignoredExtensions: [],
    allowedExtensions: [],
    useDefaultIgnores: true,
  };
  updateActiveSettings({
    includeComments: true,
    newPageForEachFile: true,
    outputFileName: 'project_code.pdf',
    filterSettings: defaultFilterSettings,
    selectedFiles: [],
  });
  fetchFileTree(defaultFilterSettings);
};
const handleSelectNode = (path: string, selected: boolean) => {
  if (!fileTree) return;
  const updatedTree = updateNodeSelection(fileTree, path, selected);
  setFileTree(updatedTree);
  const selectedFiles = getSelectedFilePaths(updatedTree);
  updateActiveSettings({
    selectedFiles,
  });
  setSelectedFilesCount(countSelectedFiles(updatedTree));
};
const handleGeneratePdf = async () => {
  if (!fileTree) return;
  setGenerating(true);
  const selectedFiles = getSelectedFilePaths(fileTree);
  try {

```

```

const response = await fetch('/api/generate-pdf', {
  method: 'POST',
  headers: {
    'Content-Type': 'application/json',
  },
  body: JSON.stringify({
    files: selectedFiles,
    outputFile: activeSettings.outputFileName,
    includeComments: activeSettings.includeComments,
    newPageForEachFile: activeSettings.newPageForEachFile,
    useAbsolutePaths: activeSettings.useAbsolutePaths,
  }),
});
const data = await response.json();
if (data.success) {
  setGeneratedPdfPath(data.pdfPath);
  setShowSuccessDialog(true);
} else {
  console.error('Error generating PDF:', data.error);
}
} catch (error) {
  console.error('Error generating PDF:', error);
} finally {
  setGenerating(false);
}
};

const handleBulkSelectPaths = async (paths: string[]) => {
  console.log('Aô>C´CDt8C´8 Côt8$8 CD;Dò >C @C 1CäBCª8:', paths);
  if (!fileTree || paths.length === 0) {
    console.warn('AD5D 5C$> DD0C";Cä2 CÔ5 Ct0C4@D46CT=Câ 8C´8 D ?C,,ACä: Côt8$5C´ ?D4AD"r""º
    return;
  }
  let updatedTree = structuredClone(fileTree) as FileNode;
  let successfullyMatched = 0;
  const notFoundPaths: string[] = [];
  for (const path of paths) {
    const normalizedPath = path.trim();
    if (!normalizedPath) continue;
    const foundNode = findNodeByPath(updatedTree, normalizedPath);
    if (foundNode) {
      updatedTree = selectNodeAndChildren(updatedTree, foundNode, true);
      successfullyMatched++;
    } else {
      notFoundPaths.push(normalizedPath);
    }
  }
  console.log(`B4ACô5D,,=Câ =C 9CD5CÔ> C, 2D´1D 0CÔ> ${successfullyMatched} C,,7 ${paths.length} Côt8$5C– ""º
  if (notFoundPaths.length > 0) {
    console.warn('AÔ5 D44C ;CäADÂ =C 9D$8 D ;CT4D4ND"8CR ?D4BCf¢rÂ æ÷D`oundPaths);
  }
  setFileTree(null);
  setTimeout(() => {
    setFileTree(updatedTree);
    const selectedFiles = getSelectedFilePaths(updatedTree);
    updateActiveSettings({
      selectedFiles,

```

```

    });
    setSelectedFilesCount(countSelectedFiles(updatedTree));
  }, 10);
  console.log(`A$KC @C =Câ G·7V66W76gVÆÇ"Ö F6†VGÒ 8Cr G· F‡0.length} D4:C 7C =CÔKDR ?D4BCT9.`);
};
const handleSearch = (query: string) => {
  setSearchQuery(query.toLowerCase());
};
const filterTree = (node: FileNode): FileNode | null => {
  if (!searchQuery) return node;
  if (node.name.toLowerCase().includes(searchQuery)) {
    return node;
  }
  if (node.children) {
    const filteredChildren = node.children.map((child) => filterTree(child)).filter(Boolean) as FileNode[];
    if (filteredChildren.length > 0) {
      return { ...node, children: filteredChildren };
    }
  }
  return null;
};
const filteredTree = fileTree && searchQuery ? filterTree(fileTree) : fileTree;
if (loading) {
  return (
    <div className="flex h-screen items-center justify-center bg-gray-900">
      <Loader2 className="h-8 w-8 animate-spin text-blue-400" />
      <span className="ml-2 text-lg text-gray-200">At0C4@D47C¤0 D BD CC¤BD4@D² ?D >CT:D$0...</span>
    </div>
  );
}
return (
  <main className="container mx-auto py-8 px-4 bg-gray-900">
    <h1 className="text-2xl font-bold mb-6 text-gray-100">Code Consolidator</h1>
    {}
    <ProjectSelector />
    {}
    <ProjectInfo />
    <div className="grid grid-cols-1 md:grid-cols-3 gap-6">
      <div className="md:col-span-2 space-y-4">
        <SearchFilter onSearch={handleSearch} filterSettings={activeSettings.filterSettings} />
        {filteredTree ? (
          <FileTree data={filteredTree} onSelect={handleSelectNode} searchQuery={searchQuery} />
        ) : (
          <div className="border border-gray-700 rounded-md p-8 text-center bg-gray-800">
            <p className="text-gray-400">BD0C";D² =CR =C 9CD5CÔK</p>
          </div>
        )}
      </div>
      <div className="space-y-4">
        {}
        <div className="border border-gray-700 rounded-md p-4 space-y-3 bg-gray-800">
          {}
          <div className="w-full">
            <Button
              variant="outline"
              size="sm"
            />
          </div>
        </div>
      </div>
    </div>
  );
}

```

```

        onClick={resetAllSettings}
        title="B 1D >D 8D$L C$ACR =C AD$@Cä9Cα8"
        className="w-full bg-gray-700 border-gray-600 hover:bg-gray-600 text-gray-200"
      >
        <RotateCcw className="h-4 w-4 mr-1" /> B 1D >D 8D$L
      </Button>
    </div>
  }
  <div className="w-full">
    <FilterSettingsButton
      settings={activeSettings.filterSettings}
      onSettingsChange={({newFilterSettings}) => updateActiveSettings({ filterSettings:
newFilterSettings })}
    />
  </div>
</div>
<ConfigPanel
  includeComments={activeSettings.includeComments}
  onIncludeCommentsChange={(value) => updateActiveSettings({ includeComments: value })}
  newPageForEachFile={activeSettings.newPageForEachFile}
  onNewPageForEachFileChange={(value) => updateActiveSettings({ newPageForEachFile:
value })}
  useAbsolutePaths={activeSettings.useAbsolutePaths}
  onUseAbsolutePathsChange={(value) => updateActiveSettings({ useAbsolutePaths: value })}
  outputFileName={activeSettings.outputFileName}
  onOutputFileNameChange={(value) => updateActiveSettings({ outputFileName: value })}
  onGenerate={handleGeneratePdf}
  selectedFilesCount={selectedFilesCount}
  lastGeneratedPdfPath={generatedPdfPath}
  onBulkSelectPaths={handleBulkSelectPaths}
/>
</div>
</div>
}
<Dialog open={showSuccessDialog} onOpenChange={setShowSuccessDialog}>
  <DialogContent className="bg-gray-800 border-gray-700 text-gray-100">
    <DialogHeader>
      <DialogTitle className="flex items-center text-gray-100">
        <Check className="h-6 w-6 text-green-400 mr-2" />
        PDF D4ACô5D„=Câ AC45CÔ5D 8D >C$0CÐ
      </DialogTitle>
    </DialogHeader>
    <div className="py-4">
      <p className="mb-4 text-gray-300">BD0C"; D >DT@C =CT= Cô> CôCD$8:</p>
      <div className="relative bg-gray-900 p-2 rounded border border-gray-700">
        <code className="block w-full text-gray-300 overflow-x-auto pr-10">{generatedPdfPath}</code>
        <div className="absolute right-2 top-1/2 transform -translate-y-1/2">
          <OpenFileButton
            filePath={generatedPdfPath}
            variant="ghost"
            className="flex-shrink-0 text-gray-400 hover:text-gray-200 hover:bg-transparent rounded-full"
            tooltipText="AäBCα@D´BDÂ <CTAD$>Cô>C´>Cd5CÔ8CR DC 9C´0"
          />
        </div>
      </div>
    </div>
  </div>
</div>

```

```

<div className="flex justify-end">
  <Button
    onClick={() => setShowSuccessDialog(false)}
    className="mr-2 bg-gray-700 hover:bg-gray-600 text-gray-200 border-gray-600"
    variant="outline"
  >
    At0Cα@D´BDÀ
  </Button>
</div>
</DialogContent>
</Dialog>
{}
{generating && (
  <div className="fixed inset-0 bg-black/70 flex items-center justify-center z-50">
    <div className="bg-gray-800 p-6 rounded-lg shadow-xl flex items-center border border-gray-700">
      <Loader2 className="h-6 w-6 animate-spin text-blue-400 mr-3" />
      <span className="text-gray-200">A45CÔ5D 0Dd8Dò D`...</span>
    </div>
  </div>
)}
</main>
);
}

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/bin/start.ts

```
#!/usr/bin/env node
import { spawn } from 'child_process';
import * as fs from 'fs';
import * as http from 'http';
import * as path from 'path';
const packageDir = path.resolve(__dirname, '../..');
function parsePort(): number {
  const args = process.argv.slice(2);
  let port = 3333;
  for (let i = 0; i < args.length; i++) {
    if ((args[i] === '--port' || args[i] === '-p') && i + 1 < args.length) {
      const portArg = Number.parseInt(args[i + 1], 10);
      if (!Number.isNaN(portArg) && portArg > 0 && portArg < 65536) {
        port = portArg;
      } else {
        console.warn(`Invalid port number: ${args[i + 1]}. Using default port 3333.`);
      }
      break;
    }
  }
  return port;
}
const PORT = parsePort() || 3333;
const nextDistDir = path.join(packageDir, '.next');
if (!fs.existsSync(nextDistDir)) {
  console.error('Error: Build files not found in the package. ');
  console.error('The package may be corrupted or incorrectly installed. ');
  process.exit(1);
}
async function waitForServer(url: string, maxRetries = 30, delay = 500): Promise<void> {
  let retries = 0;
  while (retries < maxRetries) {
    try {
      await new Promise<void>((resolve, reject) => {
        const req = http.get(url, (res) => {
          if (res.statusCode === 200) {
            resolve();
          } else {
            reject(new Error(`Server responded with status code ${res.statusCode}`));
          }
        });
        req.on('error', (err) => {
          reject(err);
        });
        req.end();
      });
      return;
    } catch (error) {
      retries++;
      await new Promise((resolve) => setTimeout(resolve, delay));
    }
  }
}
```

```

    }
    throw new Error(`Server failed to start after ${maxRetries} retries`);
  }
  async function startApp() {
    console.log('Starting Code Consolidator UI...');
    console.log(`Starting server on port ${PORT}...`);
    const userProjectDir = process.cwd();
    console.log(`User project directory: ${userProjectDir}`);
    const appProcess = spawn('npx', ['next', 'start', '--port', PORT.toString()], {
      cwd: packageDir,
      stdio: 'inherit',
      shell: true,
      env: {
        ...process.env,
        NODE_ENV: 'production',
        USER_PROJECT_DIR: userProjectDir,
      },
    });
    try {
      await waitForServer(`http:
      console.log(`\n( Code Consolidator UI is running at http:
      console.log('Use Ctrl+C to stop the application\n');
    } catch (error) {
      console.error('Server did not start correctly:', error);
    }
    appProcess.on('close', (code) => {
      console.log(`Code Consolidator UI stopped with code ${code}`);
      process.exit(code || 0);
    });
    process.on('SIGINT', () => {
      console.log('\nStopping Code Consolidator UI...');
      appProcess.kill('SIGINT');
    });
    process.on('SIGTERM', () => {
      console.log('\nStopping Code Consolidator UI...');
      appProcess.kill('SIGTERM');
    });
  }
  startApp().catch((error) => {
    console.error('Failed to start the application:', error);
    process.exit(1);
  });

```


Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/badge.tsx

```
import * as React from "react"
import { cva, type VariantProps } from "class-variance-authority"
import { cn } from "@lib/utls"
const badgeVariants = cva(
  "inline-flex items-center rounded-full border px-2.5 py-0.5 text-xs font-semibold transition-colors focus:outline-none focus:ring-2 focus:ring-ring focus:ring-offset-2",
  {
    variants: {
      variant: {
        default:
          "border-transparent bg-primary text-primary-foreground hover:bg-primary/80",
        secondary:
          "border-transparent bg-secondary text-secondary-foreground hover:bg-secondary/80",
        destructive:
          "border-transparent bg-destructive text-destructive-foreground hover:bg-destructive/80",
        outline: "text-foreground",
      },
    },
    defaultVariants: {
      variant: "default",
    },
  },
)
export interface BadgeProps
  extends React.HTMLAttributes<HTMLDivElement>,
    VariantProps<typeof badgeVariants> {}
function Badge({ className, variant, ...props }: BadgeProps) {
  return (
    <div className={cn(badgeVariants({ variant }), className)} {...props} />
  )
}
export { Badge, badgeVariants }
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/button.tsx

```
import * as React from "react"
import { Slot } from "@radix-ui/react-slot"
import { cva, type VariantProps } from "class-variance-authority"
import { cn } from "@lib/utls"
const buttonVariants = cva(
  "inline-flex items-center justify-center whitespace-nowrap rounded-md text-sm font-medium ring-offset-background transition-colors focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 disabled:pointer-events-none disabled:opacity-50",
  {
    variants: {
      variant: {
        default: "bg-primary text-primary-foreground hover:bg-primary/90",
        destructive:
          "bg-destructive text-destructive-foreground hover:bg-destructive/90",
        outline:
          "border border-input bg-background hover:bg-accent hover:text-accent-foreground",
        secondary:
          "bg-secondary text-secondary-foreground hover:bg-secondary/80",
        ghost: "hover:bg-accent hover:text-accent-foreground",
        link: "text-primary underline-offset-4 hover:underline",
      },
      size: {
        default: "h-10 px-4 py-2",
        sm: "h-9 rounded-md px-3",
        lg: "h-11 rounded-md px-8",
        icon: "h-10 w-10",
      },
    },
    defaultVariants: {
      variant: "default",
      size: "default",
    },
  },
)
export interface ButtonProps
  extends React.ButtonHTMLAttributes<HTMLButtonElement>,
    VariantProps<typeof buttonVariants> {
  asChild?: boolean
}
const Button = React.forwardRef<HTMLButtonElement, ButtonProps>(
  ({ className, variant, size, asChild = false, ...props }, ref) => {
    const Comp = asChild ? Slot : "button"
    return (
      <Comp
        className={cn(buttonVariants({ variant, size, className }))}
        ref={ref}
        {...props}
      />
    )
  }
)
```

```
Button.displayName = "Button"  
export { Button, buttonVariants }
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/checkbox.tsx

```
"use client"
import * as React from "react"
import { Check } from "lucide-react"
import { cn } from "@lib/utls"
export interface CheckboxProps extends React.InputHTMLAttributes<HTMLInputElement> {
  checked?: boolean;
  onCheckedChange?: (checked: boolean) => void;
}
export const Checkbox = React.forwardRef<HTMLDivElement, CheckboxProps>(
  ({ className, checked, onCheckedChange, ...props }, ref) => {
    const handleClick = () => {
      onCheckedChange?.(!checked);
    };
    return (
      <div
        ref={ref}
        className={cn(
          "peer h-4 w-4 shrink-0 rounded-sm border border-gray-400 ring-offset-background focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 disabled:cursor-not-allowed disabled:opacity-50 flex items-center justify-center",
          checked && "bg-blue-500 border-blue-500 text-white",
          className
        )}
        onClick={handleClick}
      >
        {checked && <Check className="h-3 w-3 text-white" />}
        <input
          type="checkbox"
          checked={checked}
          onChange={(e) => onCheckedChange?.(e.target.checked)}
          className="sr-only"
          {...props}
        />
      </div>
    );
  }
)
Checkbox.displayName = "Checkbox"
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/dialog.tsx

```
"use client"
import * as React from "react"
import * as DialogPrimitive from "@radix-ui/react-dialog"
import { X } from "lucide-react"
import { cn } from "@lib/Utils"
const Dialog = DialogPrimitive.Root
const DialogTrigger = DialogPrimitive.Trigger
const DialogPortal = ({
  ...props
}: DialogPrimitive.DialogPortalProps) => (
  <DialogPrimitive.Portal {...props} />
)
DialogPortal.displayName = DialogPrimitive.Portal.displayName
const DialogOverlay = React.forwardRef<
  React.ElementRef<typeof DialogPrimitive.Overlay>,
  React.ComponentPropsWithoutRef<typeof DialogPrimitive.Overlay>
>((({ className, ...props }, ref) => (
  <DialogPrimitive.Overlay
    ref={ref}
    className={cn(
      "fixed inset-0 z-50 bg-black/70 backdrop-blur-sm data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0",
      className
    )}
    {...props}
  />
))
DialogOverlay.displayName = DialogPrimitive.Overlay.displayName
const DialogContent = React.forwardRef<
  React.ElementRef<typeof DialogPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof DialogPrimitive.Content>
>((({ className, children, ...props }, ref) => (
  <DialogPortal>
    <DialogOverlay />
    <DialogPrimitive.Content
      ref={ref}
      className={cn(
        "fixed left-[50%] top-[50%] z-50 grid w-full max-w-lg translate-x-[-50%] translate-y-[-50%] gap-4 border bg-background p-6 shadow-lg duration-200 data-[state=open]:animate-in data-[state=closed]:animate-out data-[state=closed]:fade-out-0 data-[state=open]:fade-in-0 data-[state=closed]:zoom-out-95 data-[state=open]:zoom-in-95 data-[state=closed]:slide-out-to-left-1/2 data-[state=closed]:slide-out-to-top-[48%] data-[state=open]:slide-in-from-left-1/2 data-[state=open]:slide-in-from-top-[48%] sm:rounded-lg md:w-full",
        className
      )}
      {...props}
    >
      {children}
    </DialogPrimitive.Content>
  </DialogPrimitive.Close> className="absolute right-4 top-4 rounded-sm opacity-70 ring-offset-background transition-opacity hover:opacity-100 focus:outline-none focus:ring-2 focus:ring-ring focus:ring-offset-2 disabled:pointer-events-none data-[state=open]:bg-accent data-[state=open]:text-muted-foreground">
```

```

        <X className="h-4 w-4" />
        <span className="sr-only">Close</span>
      </DialogPrimitive.Close>
    </DialogPrimitive.Content>
  </DialogPortal>
))
DialogContent.displayName = DialogPrimitive.Content.displayName
const DialogHeader = ({
  className,
  ...props
}): React.HTMLAttributes<HTMLDivElement> => (
  <div
    className={cn(
      "flex flex-col space-y-1.5 text-center sm:text-left",
      className
    )}
    {...props}
  />
)
DialogHeader.displayName = "DialogHeader"
const DialogFooter = ({
  className,
  ...props
}): React.HTMLAttributes<HTMLDivElement> => (
  <div
    className={cn(
      "flex flex-col-reverse sm:flex-row sm:justify-end sm:space-x-2",
      className
    )}
    {...props}
  />
)
DialogFooter.displayName = "DialogFooter"
const DialogTitle = React.forwardRef<
  React.ElementRef<typeof DialogPrimitive.Title>,
  React.ComponentPropsWithoutRef<typeof DialogPrimitive.Title>
>(({ className, ...props }, ref) => (
  <DialogPrimitive.Title
    ref={ref}
    className={cn(
      "text-lg font-semibold leading-none tracking-tight",
      className
    )}
    {...props}
  />
))
DialogTitle.displayName = DialogPrimitive.Title.displayName
const DialogDescription = React.forwardRef<
  React.ElementRef<typeof DialogPrimitive.Description>,
  React.ComponentPropsWithoutRef<typeof DialogPrimitive.Description>
>(({ className, ...props }, ref) => (
  <DialogPrimitive.Description
    ref={ref}
    className={cn("text-sm text-muted-foreground", className)}
    {...props}
  />

```

```
))
DialogDescription.displayName = DialogPrimitive.Description.displayName
export {
  Dialog,
  DialogTrigger,
  DialogContent,
  DialogHeader,
  DialogFooter,
  DialogTitle,
  DialogDescription,
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/dropdown-menu.tsx

```
"use client"
import * as React from "react"
import * as DropdownMenuPrimitive from "@radix-ui/react-dropdown-menu"
import { Check, ChevronRight, Circle } from "lucide-react"
import { cn } from "@lib/Utils"
const DropdownMenu = DropdownMenuPrimitive.Root
const DropdownMenuTrigger = DropdownMenuPrimitive.Trigger
const DropdownMenuGroup = DropdownMenuPrimitive.Group
const DropdownMenuPortal = DropdownMenuPrimitive.Portal
const DropdownMenuSub = DropdownMenuPrimitive.Sub
const DropdownMenuRadioGroup = DropdownMenuPrimitive.RadioGroup
const DropdownMenuSubTrigger = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.SubTrigger>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.SubTrigger> & {
    inset?: boolean
  }
>(({ className, inset, children, ...props }, ref) => (
  <DropdownMenuPrimitive.SubTrigger
    ref={ref}
    className={cn(
      "flex cursor-default select-none items-center rounded-sm px-2 py-1.5 text-sm outline-none focus:bg-
accent data-[state=open]:bg-accent",
      inset && "pl-8",
      className
    )}
    {...props}
  >
    {children}
    <ChevronRight className="ml-auto h-4 w-4" />
  </DropdownMenuPrimitive.SubTrigger>
))
DropdownMenuSubTrigger.displayName =
  DropdownMenuPrimitive.SubTrigger.displayName
const DropdownMenuSubContent = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.SubContent>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.SubContent>
>(({ className, ...props }, ref) => (
  <DropdownMenuPrimitive.SubContent
    ref={ref}
    className={cn(
      "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1 text-popover-foreground
shadow-md animate-in data-[side=bottom]:slide-in-from-top-1 data-[side=left]:slide-in-from-right-1 data-
[side=right]:slide-in-from-left-1 data-[side=top]:slide-in-from-bottom-1",
      className
    )}
    {...props}
  />
))
DropdownMenuSubContent.displayName =
  DropdownMenuPrimitive.SubContent.displayName
const DropdownMenuContent = React.forwardRef<
```



```

    React.ElementRef<typeof DropdownMenuPrimitive.Content>,
    React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Content>
  >(({ className, sideOffset = 4, ...props }, ref) => (
    <DropdownMenuPrimitive.Portal>
      <DropdownMenuPrimitive.Content
        ref={ref}
        sideOffset={sideOffset}
        className={cn(
          "z-50 min-w-[8rem] overflow-hidden rounded-md border bg-popover p-1 text-popover-foreground
          shadow-md animate-in data-[side=bottom]:slide-in-from-top-2 data-[side=left]:slide-in-from-right-2 data-
          [side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
          className
        )}
        {...props}
      />
    </DropdownMenuPrimitive.Portal>
  ))
  DropdownMenuContent.displayName = DropdownMenuPrimitive.Content.displayName
  const DropdownMenuItem = React.forwardRef<
    React.ElementRef<typeof DropdownMenuPrimitive.Item>,
    React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Item> & {
      inset?: boolean
    }
  >(({ className, inset, ...props }, ref) => (
    <DropdownMenuPrimitive.Item
      ref={ref}
      className={cn(
        "relative flex cursor-default select-none items-center rounded-sm px-2 py-1.5 text-sm outline-none
        transition-colors focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none data-
        [disabled]:opacity-50",
        inset && "pl-8",
        className
      )}
      {...props}
    />
  ))
  DropdownMenuItem.displayName = DropdownMenuPrimitive.Item.displayName
  const DropdownMenuCheckboxItem = React.forwardRef<
    React.ElementRef<typeof DropdownMenuPrimitive.CheckboxItem>,
    React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.CheckboxItem>
  >(({ className, children, checked, ...props }, ref) => (
    <DropdownMenuPrimitive.CheckboxItem
      ref={ref}
      className={cn(
        "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm outline-
        none transition-colors focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none
        data-[disabled]:opacity-50",
        className
      )}
      checked={checked}
      {...props}
    >
      <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
        <DropdownMenuPrimitive.ItemIndicator>
          <Check className="h-4 w-4" />
        </DropdownMenuPrimitive.ItemIndicator>

```

```

    </span>
    {children}
  </DropdownMenuPrimitive.CheckboxItem>
))
DropdownMenuCheckboxItem.displayName =
  DropdownMenuPrimitive.CheckboxItem.displayName
const DropdownMenuRadioItem = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.RadioItem>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.RadioItem>
>((({ className, children, ...props }, ref) => (
  <DropdownMenuPrimitive.RadioItem
    ref={ref}
    className={cn(
      "relative flex cursor-default select-none items-center rounded-sm py-1.5 pl-8 pr-2 text-sm outline-
none transition-colors focus:bg-accent focus:text-accent-foreground data-[disabled]:pointer-events-none
data-[disabled]:opacity-50",
      className
    )}
    {...props}
  >
    <span className="absolute left-2 flex h-3.5 w-3.5 items-center justify-center">
      <DropdownMenuPrimitive.ItemIndicator>
        <Circle className="h-2 w-2 fill-current" />
      </DropdownMenuPrimitive.ItemIndicator>
    </span>
    {children}
  </DropdownMenuPrimitive.RadioItem>
))
DropdownMenuRadioItem.displayName = DropdownMenuPrimitive.RadioItem.displayName
const DropdownMenuLabel = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.Label>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Label> & {
    inset?: boolean
  }
>((({ className, inset, ...props }, ref) => (
  <DropdownMenuPrimitive.Label
    ref={ref}
    className={cn(
      "px-2 py-1.5 text-sm font-semibold",
      inset && "pl-8",
      className
    )}
    {...props}
  />
))
DropdownMenuLabel.displayName = DropdownMenuPrimitive.Label.displayName
const DropdownMenuSeparator = React.forwardRef<
  React.ElementRef<typeof DropdownMenuPrimitive.Separator>,
  React.ComponentPropsWithoutRef<typeof DropdownMenuPrimitive.Separator>
>((({ className, ...props }, ref) => (
  <DropdownMenuPrimitive.Separator
    ref={ref}
    className={cn("-mx-1 my-1 h-px bg-muted", className)}
    {...props}
  />
))

```

```

DropdownMenuSeparator.displayName = DropdownMenuPrimitive.Separator.displayName
const DropdownMenuShortcut = ({
  className,
  ...props
}: React.HTMLAttributes<HTMLSpanElement>) => {
  return (
    <span
      className={cn("ml-auto text-xs tracking-widest opacity-60", className)}
      {...props}
    />
  )
}
DropdownMenuShortcut.displayName = "DropdownMenuShortcut"
export {
  DropdownMenu,
  DropdownMenuTrigger,
  DropdownMenuContent,
  DropdownMenuItem,
  DropdownMenuCheckboxItem,
  DropdownMenuRadioItem,
  DropdownMenuLabel,
  DropdownMenuSeparator,
  DropdownMenuShortcut,
  DropdownMenuGroup,
  DropdownMenuPortal,
  DropdownMenuSub,
  DropdownMenuSubContent,
  DropdownMenuSubTrigger,
  DropdownMenuRadioGroup,
}

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/input.tsx

```
import * as React from "react"
import { cn } from "@lib/utls"
export interface InputProps
  extends React.InputHTMLAttributes<HTMLInputElement> {}
const Input = React.forwardRef<HTMLInputElement, InputProps>(
  ({ className, type, ...props }, ref) => {
    return (
      <input
        type={type}
        className={cn(
          "flex h-10 w-full rounded-md border border-input bg-background px-3 py-2 text-sm ring-offset-
background file:border-0 file:bg-transparent file:text-sm file:font-medium placeholder:text-muted-
foreground focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2
disabled:cursor-not-allowed disabled:opacity-50",
          className
        )}
        ref={ref}
        {...props}
      />
    )
  }
)
Input.displayName = "Input"
export { Input }
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/label.tsx

```
"use client"
import * as React from "react"
import * as LabelPrimitive from "@radix-ui/react-label"
import { cva, type VariantProps } from "class-variance-authority"
import { cn } from "@lib/utls"
const labelVariants = cva(
  "text-sm font-medium leading-none peer-disabled:cursor-not-allowed peer-disabled:opacity-70"
)
const Label = React.forwardRef<
  React.ElementRef<typeof LabelPrimitive.Root>,
  React.ComponentPropsWithoutRef<typeof LabelPrimitive.Root> &
    VariantProps<typeof labelVariants>
>(({ className, ...props }, ref) => (
  <LabelPrimitive.Root
    ref={ref}
    className={cn(labelVariants(), className)}
    {...props}
  />
))
Label.displayName = LabelPrimitive.Root.displayName
export { Label }
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/
components/ui/portal.tsx

```
"use client"
import { useEffect, useState } from "react"
import { createPortal } from "react-dom"
export function Portal({ children }: { children: React.ReactNode }) {
  const [mounted, setMounted] = useState(false)
  useEffect(() => {
    setMounted(true)
    return () => setMounted(false)
  }, [])
  return mounted ? createPortal(
    children,
    document.body
  ) : null
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/switch.tsx

```
"use client"
import * as React from "react"
import * as SwitchPrimitives from "@radix-ui/react-switch"
import { cn } from "@lib/utils"
const Switch = React.forwardRef<
  React.ElementRef<typeof SwitchPrimitives.Root>,
  React.ComponentPropsWithoutRef<typeof SwitchPrimitives.Root>
>(({ className, ...props }, ref) => (
  <SwitchPrimitives.Root
    className={cn(
      "peer inline-flex h-6 w-11 shrink-0 cursor-pointer items-center rounded-full border-2 border-
transparent transition-colors focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-
visible:ring-offset-2 focus-visible:ring-offset-background disabled:cursor-not-allowed disabled:opacity-50
data-[state=checked]:bg-primary data-[state=unchecked]:bg-input",
      className
    )}
    {...props}
    ref={ref}
  >
    <SwitchPrimitives.Thumb
      className={cn(
        "pointer-events-none block h-5 w-5 rounded-full bg-background shadow-lg ring-0 transition-
transform data-[state=checked]:translate-x-5 data-[state=unchecked]:translate-x-0"
      )}
    />
  </SwitchPrimitives.Root>
))
Switch.displayName = SwitchPrimitives.Root.displayName
export { Switch }
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/tabs.tsx

```
"use client"
import * as React from "react"
import * as TabsPrimitive from "@radix-ui/react-tabs"
import { cn } from "@lib/utils"
const Tabs = TabsPrimitive.Root
const TabsList = React.forwardRef<
  React.ElementRef<typeof TabsPrimitive.List>,
  React.ComponentPropsWithoutRef<typeof TabsPrimitive.List>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.List
    ref={ref}
    className={cn(
      "inline-flex h-10 items-center justify-center rounded-md bg-muted p-1 text-muted-foreground",
      className
    )}
    {...props}
  />
))
TabsList.displayName = TabsPrimitive.List.displayName
const TabsTrigger = React.forwardRef<
  React.ElementRef<typeof TabsPrimitive.Trigger>,
  React.ComponentPropsWithoutRef<typeof TabsPrimitive.Trigger>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.Trigger
    ref={ref}
    className={cn(
      "inline-flex items-center justify-center whitespace-nowrap rounded-sm px-3 py-1.5 text-sm font-medium ring-offset-background transition-all focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 disabled:pointer-events-none disabled:opacity-50 data-[state=active]:bg-background data-[state=active]:text-foreground data-[state=active]:shadow-sm",
      className
    )}
    {...props}
  />
))
TabsTrigger.displayName = TabsPrimitive.Trigger.displayName
const TabsContent = React.forwardRef<
  React.ElementRef<typeof TabsPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof TabsPrimitive.Content>
>(({ className, ...props }, ref) => (
  <TabsPrimitive.Content
    ref={ref}
    className={cn(
      "mt-2 ring-offset-background focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2",
      className
    )}
    {...props}
  />
))
TabsContent.displayName = TabsPrimitive.Content.displayName
```



```
export { Tabs, TabsList, TabsTrigger, TabsContent }
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/textarea.tsx

```
"use client"
import * as React from "react"
import { cn } from "@lib/utls"
export interface TextareaProps
  extends React.TextareaHTMLAttributes<HTMLTextAreaElement> {}
const Textarea = React.forwardRef<HTMLTextAreaElement, TextareaProps>(
  ({ className, ...props }, ref) => {
    return (
      <textarea
        className={cn(
          "flex min-h-20 w-full rounded-md border border-input bg-background px-3 py-2 text-sm ring-offset-
background placeholder:text-muted-foreground focus-visible:outline-none focus-visible:ring-2 focus-
visible:ring-ring focus-visible:ring-offset-2 disabled:cursor-not-allowed disabled:opacity-50",
          className
        )}
        ref={ref}
        {...props}
      />
    )
  }
)
Textarea.displayName = "Textarea"
export { Textarea }
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/toast.tsx

```
"use client"
import * as React from "react"
import * as ToastPrimitives from "@radix-ui/react-toast"
import { cva, type VariantProps } from "class-variance-authority"
import { X } from "lucide-react"
import { cn } from "@lib/utls"
const ToastProvider = ToastPrimitives.Provider
const ToastViewport = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Viewport>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Viewport>
>((({ className, ...props }, ref) => (
  <ToastPrimitives.Viewport
    ref={ref}
    className={cn(
      "fixed top-0 z-[100] flex max-h-screen w-full flex-col-reverse p-4 sm:bottom-0 sm:right-0 sm:top-auto
sm:flex-col md:max-w-[420px]",
      className
    )}
    {...props}
  />
))
ToastViewport.displayName = ToastPrimitives.Viewport.displayName
const toastVariants = cva(
  "group pointer-events-auto relative flex w-full items-center justify-between space-x-4 overflow-hidden
rounded-md border p-6 pr-8 shadow-lg transition-all data-[swipe=cancel]:translate-x-0 data-
[swipe=end]:translate-x-[var(--radix-toast-swipe-end-x)] data-[swipe=move]:translate-x-[var(--radix-toast-
swipe-move-x)] data-[swipe=move]:transition-none data-[state=open]:animate-in data-
[state=closed]:animate-out data-[swipe=end]:animate-out data-[state=closed]:fade-out-80 data-
[state=closed]:slide-out-to-right-full data-[state=open]:slide-in-from-top-full data-[state=open]:sm:slide-in-
from-bottom-full",
  {
    variants: {
      variant: {
        default: "border bg-background text-foreground",
        destructive:
          "destructive group border-destructive bg-destructive text-destructive-foreground",
      },
    },
    defaultVariants: {
      variant: "default",
    },
  }
)
const Toast = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Root>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Root> &
  VariantProps<typeof toastVariants>
>((({ className, variant, ...props }, ref) => {
  return (
    <ToastPrimitives.Root
      ref={ref}
```

```

        className={cn(toastVariants({ variant }), className)}
        {...props}
      />
    )
  })
  Toast.displayName = ToastPrimitives.Root.displayName
  const ToastAction = React.forwardRef<
    React.ElementRef<typeof ToastPrimitives.Action>,
    React.ComponentPropsWithoutRef<typeof ToastPrimitives.Action>
  >(({ className, ...props }, ref) => (
    <ToastPrimitives.Action
      ref={ref}
      className={cn(
        "inline-flex h-8 shrink-0 items-center justify-center rounded-md border bg-transparent px-3 text-sm
font-medium ring-offset-background transition-colors hover:bg-secondary focus:outline-none focus:ring-2
focus:ring-ring focus:ring-offset-2 disabled:pointer-events-none disabled:opacity-50 group-
[.destructive]:border-muted/40 group-[.destructive]:hover:border-destructive/30 group-
[.destructive]:hover:bg-destructive group-[.destructive]:hover:text-destructive-foreground group-
[.destructive]:focus:ring-destructive",
        className
      )}
      {...props}
    />
  ))
  ToastAction.displayName = ToastPrimitives.Action.displayName
  const ToastClose = React.forwardRef<
    React.ElementRef<typeof ToastPrimitives.Close>,
    React.ComponentPropsWithoutRef<typeof ToastPrimitives.Close>
  >(({ className, ...props }, ref) => (
    <ToastPrimitives.Close
      ref={ref}
      className={cn(
        "absolute right-2 top-2 rounded-md p-1 text-foreground/50 opacity-0 transition-opacity hover:text-
foreground focus:opacity-100 focus:outline-none focus:ring-2 group-hover:opacity-100 group-
[.destructive]:text-red-300 group-[.destructive]:hover:text-red-50 group-[.destructive]:focus:ring-red-400
group-[.destructive]:focus:ring-offset-red-600",
        className
      )}
      toast-close=""
      {...props}
    >
      <X className="h-4 w-4" />
    </ToastPrimitives.Close>
  ))
  ToastClose.displayName = ToastPrimitives.Close.displayName
  const ToastTitle = React.forwardRef<
    React.ElementRef<typeof ToastPrimitives.Title>,
    React.ComponentPropsWithoutRef<typeof ToastPrimitives.Title>
  >(({ className, ...props }, ref) => (
    <ToastPrimitives.Title
      ref={ref}
      className={cn("text-sm font-semibold", className)}
      {...props}
    />
  ))
  ToastTitle.displayName = ToastPrimitives.Title.displayName

```

```
const ToastDescription = React.forwardRef<
  React.ElementRef<typeof ToastPrimitives.Description>,
  React.ComponentPropsWithoutRef<typeof ToastPrimitives.Description>
>(({ className, ...props }, ref) => (
  <ToastPrimitives.Description
    ref={ref}
    className={cn("text-sm opacity-90", className)}
    {...props}
  />
))
ToastDescription.displayName = ToastPrimitives.Description.displayName
type ToastProps = React.ComponentPropsWithoutRef<typeof Toast>
type ToastActionElement = React.ReactElement<typeof ToastAction>
export {
  type ToastProps,
  type ToastActionElement,
  ToastProvider,
  ToastViewport,
  Toast,
  ToastTitle,
  ToastDescription,
  ToastClose,
  ToastAction,
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/toaster.tsx

```
"use client"
import {
  Toast,
  ToastClose,
  ToastDescription,
  ToastProvider,
  ToastTitle,
  ToastViewport,
} from "@components/ui/toast"
import { useToast } from "@components/ui/use-toast"
export function Toaster() {
  const { toasts } = useToast()
  return (
    <ToastProvider>
      {toasts.map(function ({ id, title, description, action, ...props }) {
        return (
          <Toast key={id} {...props}>
            <div className="grid gap-1">
              {title && <ToastTitle>{title}</ToastTitle>}
              {description && (
                <ToastDescription>{description}</ToastDescription>
              )}
            </div>
            {action}
            <ToastClose />
          </Toast>
        )
      })}
    <ToastViewport />
  </ToastProvider>
)
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/tooltip.tsx

```
"use client"
import * as React from "react"
import * as TooltipPrimitive from "@radix-ui/react-tooltip"
import { cn } from "@lib/utls"
const TooltipProvider = TooltipPrimitive.Provider
const Tooltip = TooltipPrimitive.Root
const TooltipTrigger = TooltipPrimitive.Trigger
const TooltipContent = React.forwardRef<
  React.ElementRef<typeof TooltipPrimitive.Content>,
  React.ComponentPropsWithoutRef<typeof TooltipPrimitive.Content>
>(({ className, sideOffset = 4, ...props }, ref) => (
  <TooltipPrimitive.Content
    ref={ref}
    sideOffset={sideOffset}
    className={cn(
      "z-50 overflow-hidden rounded-md border border-gray-700 bg-gray-800/95 px-3 py-1.5 text-sm text-
gray-200 shadow-md animate-in fade-in-0 zoom-in-95 data-[state=closed]:animate-out data-
[state=closed]:fade-out-0 data-[state=closed]:zoom-out-95 data-[side=bottom]:slide-in-from-top-2 data-
[state=left]:slide-in-from-right-2 data-[side=right]:slide-in-from-left-2 data-[side=top]:slide-in-from-bottom-2",
      className
    )}
    {...props}
  />
))
TooltipContent.displayName = TooltipPrimitive.Content.displayName
export { Tooltip, TooltipTrigger, TooltipContent, TooltipProvider }
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/ui/use-toast.ts

```
"use client"
import * as React from "react"
import type {
  ToastActionElement,
  ToastProps,
} from "@components/ui/toast"
const TOAST_LIMIT = 5
const TOAST_REMOVE_DELAY = 1000000
type ToasterToast = ToastProps & {
  id: string
  title?: React.ReactNode
  description?: React.ReactNode
  action?: ToastActionElement
}

const actionTypes = {
  ADD_TOAST: "ADD_TOAST",
  UPDATE_TOAST: "UPDATE_TOAST",
  DISMISS_TOAST: "DISMISS_TOAST",
  REMOVE_TOAST: "REMOVE_TOAST",
} as const
let count = 0

function genId() {
  count = (count + 1) % Number.MAX_SAFE_INTEGER
  return count.toString()
}

type ActionType = typeof actionTypes
type Action =
  | {
    type: ActionType["ADD_TOAST"]
    toast: ToasterToast
  }
  | {
    type: ActionType["UPDATE_TOAST"]
    toast: Partial<ToasterToast>
  }
  | {
    type: ActionType["DISMISS_TOAST"]
    toastId?: string
  }
  | {
    type: ActionType["REMOVE_TOAST"]
    toastId?: string
  }

interface State {
  toasts: ToasterToast[]
}

const toastTimeouts = new Map<string, ReturnType<typeof setTimeout>>()
const reducer = (state: State, action: Action): State => {
  switch (action.type) {
    case actionTypes.ADD_TOAST:
      return {
```



```

    ...state,
    toasts: [action.toast, ...state.toasts].slice(0, TOAST_LIMIT),
  }
case actionTypes.UPDATE_TOAST:
  return {
    ...state,
    toasts: state.toasts.map((t) =>
      t.id === action.toast.id ? { ...t, ...action.toast } : t
    ),
  }
case actionTypes.DISMISS_TOAST: {
  const { toastId } = action
  if (toastId) {
    toastTimeouts.set(
      toastId,
      setTimeout(() => {
        toastTimeouts.delete(toastId)
        dispatch({
          type: actionTypes.REMOVE_TOAST,
          toastId,
        })
      }, TOAST_REMOVE_DELAY)
    )
  }
}
return {
  ...state,
  toasts: state.toasts.map((t) =>
    t.id === toastId || toastId === undefined
    ? {
      ...t,
      open: false,
    }
    : t
  ),
}
}
case actionTypes.REMOVE_TOAST:
  if (action.toastId === undefined) {
    return {
      ...state,
      toasts: [],
    }
  }
  return {
    ...state,
    toasts: state.toasts.filter((t) => t.id !== action.toastId),
  }
}
}
const listeners: Array<(state: State) => void> = []
let memoryState: State = { toasts: [] }
function dispatch(action: Action) {
  memoryState = reducer(memoryState, action)
  listeners.forEach((listener) => {
    listener(memoryState)
  })
}

```

```

}
type Toast = Omit<ToasterToast, "id">
function toast({ ...props }: Toast) {
  const id = genId()
  const update = (props: ToasterToast) =>
    dispatch({
      type: actionTypes.UPDATE_TOAST,
      toast: { ...props, id },
    })
  const dismiss = () => dispatch({ type: actionTypes.DISMISS_TOAST, toastId: id })
  dispatch({
    type: actionTypes.ADD_TOAST,
    toast: {
      ...props,
      id,
      open: true,
      onOpenChange: (open) => {
        if (!open) dismiss()
      },
    },
  })
  return {
    id,
    dismiss,
    update,
  }
}
function useToast() {
  const [state, setState] = React.useState<State>(memoryState)
  React.useEffect(() => {
    listeners.push(setState)
    return () => {
      const index = listeners.indexOf(setState)
      if (index > -1) {
        listeners.splice(index, 1)
      }
    }
  }, [state])
  return {
    ...state,
    toast,
    dismiss: (toastId?: string) => dispatch({ type: actionTypes.DISMISS_TOAST, toastId }),
  }
}
export { useToast, toast }

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/bulk-select-dialog.tsx

```
'use client';
import React, { useState } from 'react';
import {
  Dialog,
  DialogContent,
  DialogHeader,
  DialogTitle,
  DialogFooter,
} from '@components/ui/dialog';
import { Button } from '@components/ui/button';
import { Textarea } from '@components/ui/textarea';
import { FileCheck, Info } from 'lucide-react';
interface BulkSelectDialogProps {
  isOpen: boolean;
  onClose: () => void;
  onApplyPaths: (paths: string[]) => void;
}
export function BulkSelectDialog({
  isOpen,
  onClose,
  onApplyPaths,
}: BulkSelectDialogProps) {
  const [pathsText, setPathsText] = useState<string>("");
  const [processing, setProcessing] = useState<boolean>(false);
  const handleApply = () => {
    setProcessing(true);
    try {
      const paths = pathsText
        .split('\n')
        .map(line => line.trim())
        .filter(line => line.length > 0);
      console.log('Aô5D 5CD0CT< CôCD$8 CD;Dò >C @C 1CäBCø8:', paths);
      if (paths.length === 0) {
        console.warn('B ?C,,ACä: CôCD$5C' ?D4AD"r""');
        return;
      }
      onApplyPaths(paths);
      handleClose();
    } catch (error) {
      console.error('Error processing paths:', error);
    } finally {
      setProcessing(false);
    }
  };
  const handleClose = () => {
    setPathsText("");
    onClose();
  };
  return (
    <Dialog open={isOpen} onOpenChange={handleClose}>
      <DialogContent className="bg-gray-800 border-gray-700 text-gray-100 max-w-2xl">
```

```

<DialogHeader>
  <DialogTitle className="text-gray-100 flex items-center">
    <FileCheck className="h-5 w-5 mr-2 text-blue-400" />
    A$KC >D DC 9C´>C" ?Câ ACô8D :D2 ?D4BCT9
  </DialogTitle>
</DialogHeader>
<div className="space-y-4 py-2">
  <div className="flex items-start bg-gray-700/50 p-3 rounded-md text-sm">
    <Info className="h-5 w-5 mr-2 text-blue-400 flex-shrink-0 mt-0.5" />
    <p className="text-gray-300">
      A$AD$0C$LD$5 D ?C,,ACä: C 1D >C´ND$=D´E CöCD$5C´ : DD0C";C < C,,;C, ?C ?C¬0CÂÂ :CäBCä@D´5 C$K D
      A¬0Cd4D´9 CöCD$L CD>C´6CT= C KD$L CÖ0 CäBCD5C´LCÔ>C´ AD$@Cä:CRà Aô0Cô:C, 1D44D4B C$KC @
      <br /><br />
      <strong>A$0Cd=Cä£Â÷7G&öæsâ D4BC, 4Cä;Cd=D² ACä>D$2CTBD BC$>C$0D$L D 5C ;DÄ=D´< CöCD$OCÄ
    </p>
  </div>
  <Textarea
    value={pathsText}
    onChange={(e) => setPathsText(e.target.value)}
    placeholder="AÔ0Cô@C,,<CT@:
/Users/username/project/src/components/button.tsx
/Users/username/project/src/utils
/Users/username/project/package.json"
    className="h-60 bg-gray-700 border-gray-600 text-gray-200 placeholder:text-gray-500"
  />
</div>
<DialogFooter className="pt-2">
  <Button
    variant="outline"
    onClick={handleClose}
    className="bg-gray-700 hover:bg-gray-600 text-gray-200 border-gray-600"
  >
    AäBCÄ5CÖ0
  </Button>
  <Button
    onClick={handleApply}
    disabled={!pathsText.trim() || processing}
    className="bg-blue-600 hover:bg-blue-500 text-white"
  >
    Aô@C,,<CT=C,,BDÂ 2D´1Cä@
  </Button>
</DialogFooter>
</DialogContent>
</Dialog>
);
}

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/code-viewer.tsx

```
'use client';
import React, { useEffect, useState } from 'react';
import { Dialog, DialogContent, DialogHeader, DialogTitle } from '@components/ui/dialog';
import { Prism as SyntaxHighlighter } from 'react-syntax-highlighter';
import { oneDark } from 'react-syntax-highlighter/dist/cjs/styles/prism';
import { Loader2, X } from 'lucide-react';
import { Button } from './ui/button';
interface CodeViewerProps {
  isOpen: boolean;
  onClose: () => void;
  filePath: string | null;
}
export function CodeViewer({ isOpen, onClose, filePath }: CodeViewerProps) {
  const [code, setCode] = useState<string>("");
  const [loading, setLoading] = useState<boolean>(false);
  const [error, setError] = useState<string | null>(null);
  const [language, setLanguage] = useState<string>('text');
  const getExtension = (filePath: string): string => {
    const parts = filePath.split('.');
    return parts.length > 1 ? parts[parts.length - 1].toLowerCase() : "";
  };
  const getBasename = (filePath: string): string => {
    const parts = filePath.split('/');
    return parts[parts.length - 1];
  };
  const determineLanguage = (filePath: string): string => {
    const extension = getExtension(filePath);
    const extensionMap: Record<string, string> = {
      'js': 'javascript',
      'jsx': 'jsx',
      'ts': 'typescript',
      'tsx': 'tsx',
      'py': 'python',
      'rb': 'ruby',
      'java': 'java',
      'php': 'php',
      'go': 'go',
      'rs': 'rust',
      'c': 'c',
      'cpp': 'cpp',
      'cs': 'csharp',
      'swift': 'swift',
      'kt': 'kotlin',
      'dart': 'dart',
      'sh': 'bash',
      'html': 'html',
      'css': 'css',
      'scss': 'scss',
      'sass': 'sass',
      'less': 'less',
      'json': 'json',
    };
  };
}
```

```

    'yaml': 'yaml',
    'yml': 'yaml',
    'md': 'markdown',
    'sql': 'sql',
    'graphql': 'graphql',
    'xml': 'xml',
  };
  return extensionMap[extension] || 'text';
};
useEffect(() => {
  if (isOpen && filePath) {
    setLoading(true);
    setError(null);
    setLanguage(determineLanguage(filePath));
    fetch('/api/file-content', {
      method: 'POST',
      headers: {
        'Content-Type': 'application/json',
      },
      body: JSON.stringify({ filePath }),
    })
      .then(response => response.json())
      .then(data => {
        if (data.error) {
          setError(data.error);
        } else {
          setCode(data.content);
        }
      })
      .catch(err => {
        setError(`AâHC,,1Cð0 Ct0C4@D47Cð8 DD0C";C  ${err.message}`);
      })
      .finally(() => {
        setLoading(false);
      });
  }
}, [isOpen, filePath]);
const handleClose = () => {
  setCode("");
  setError(null);
  onClose();
};
const fileName = filePath ? getBasename(filePath) : "";
return (
  <Dialog open={isOpen} onOpenChange={handleClose}>
    <DialogContent className="bg-gray-800 border-gray-700 text-gray-100 max-w-5xl h-[80vh] flex flex-col">
      <DialogHeader className="flex flex-row items-center border-b border-gray-700 pb-2">
        <DialogTitle className="text-gray-100">
          {fileName}
        </DialogTitle>
      </DialogHeader>
      <div className="overflow-auto flex-grow mt-2">
        {loading ? (
          <div className="flex items-center justify-center h-full">
            <Loader2 className="h-6 w-6 animate-spin text-blue-400 mr-2" />

```

```

    <span>At0C4@D47C=0 DD0C";C âââÂ÷7 ăà
  </div>
) : error ? (
  <div className="text-red-400 p-4">
    {error}
  </div>
) : (
  <SyntaxHighlighter
    language={language}
    style={oneDark}
    showLineNumbers
    wrapLines
    customStyle={{
      backgroundColor: 'transparent',
      margin: 0,
      padding: '1rem',
      borderRadius: '0.375rem',
      fontSize: '14px',
    }}
  >
    {code}
  </SyntaxHighlighter>
)
</div>
</DialogContent>
</Dialog>
);
}

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/config-panel.tsx

```
"use client"
import React, { useState } from 'react';
import { Switch } from "@components/ui/switch";
import { Button } from "@components/ui/button";
import { Input } from "@components/ui/input";
import { Label } from "@components/ui/label";
import { cn } from "@lib/utils";
import { OpenFileButton } from "../open-file-button";
import { List } from "lucide-react";
import { BulkSelectDialog } from "../bulk-select-dialog";
interface ConfigPanelProps {
  includeComments: boolean;
  onIncludeCommentsChange: (value: boolean) => void;
  newPageForEachFile: boolean;
  onNewPageForEachFileChange: (value: boolean) => void;
  useAbsolutePaths: boolean;
  onUseAbsolutePathsChange: (value: boolean) => void;
  outputFileName: string;
  onOutputFileNameChange: (value: string) => void;
  onGenerate: () => void;
  selectedFilesCount: number;
  lastGeneratedPdfPath?: string;
  onBulkSelectPaths?: (paths: string[]) => void;
}
export function ConfigPanel({
  includeComments,
  onIncludeCommentsChange,
  newPageForEachFile,
  onNewPageForEachFileChange,
  useAbsolutePaths,
  onUseAbsolutePathsChange,
  outputFileName,
  onOutputFileNameChange,
  onGenerate,
  selectedFilesCount,
  lastGeneratedPdfPath,
  onBulkSelectPaths
}: ConfigPanelProps) {
  const [bulkSelectOpen, setBulkSelectOpen] = useState<boolean>(false);
  const pdfPath = lastGeneratedPdfPath || "";
  const handleApplyPaths = (paths: string[]) => {
    if (onBulkSelectPaths && paths.length > 0) {
      onBulkSelectPaths(paths);
    }
  };
  return (
    <div className="border border-gray-700 rounded-md p-4 space-y-4 bg-gray-800">
      <h2 className="text-lg font-semibold text-gray-100">AÔ0D BD >C":C, 3CT=CT@C FC,,8</h2>
      <div className="space-y-4">
        <div className="flex items-center justify-between">
          <Label htmlFor="include-comments" className="text-gray-200">A$:C`NDt8D$L Cα>CÄ<CT=D$0D 8Cf ÂôÆ &VÃà
```



```

<Switch
  id="include-comments"
  checked={includeComments}
  onCheckedChange={onIncludeCommentsChange}
  className="data-[state=checked]:bg-blue-600"
/>
</div>
<div className="flex items-center justify-between">
  <Label htmlFor="new-page" className="text-gray-200">AÔ>C$0Dò AD$@C =C,,FC 4C´O C=0Cd4Cä3Câ DC 9C´
  <Switch
    id="new-page"
    checked={newPageForEachFile}
    onCheckedChange={onNewPageForEachFileChange}
    className="data-[state=checked]:bg-blue-600"
  />
</div>
<div className="flex items-center justify-between">
  <Label htmlFor="absolute-paths" className="text-gray-200">A,,ACô>C´LCt>C$0D$L C 1D >C´ND$=D´5 CòCD$8 C
  <Switch
    id="absolute-paths"
    checked={useAbsolutePaths}
    onCheckedChange={onUseAbsolutePathsChange}
    className="data-[state=checked]:bg-blue-600"
  />
</div>
<div className="space-y-2">
  <Label htmlFor="output-file" className="text-gray-200">A,,<Dò 2D´ECä4CÔ>C4> DD0C";C ÂôÆ &VÃà
  <Input
    id="output-file"
    value={outputFileName}
    onChange={(e) => onOutputFileNameChange(e.target.value)}
    placeholder="project_code.pdf"
    className="bg-gray-700 border-gray-600 text-gray-200 focus:ring-blue-500 focus:border-
blue-500"
  />
</div>
</div>
<div className="pt-2 space-y-2">
  {}
  {onBulkSelectPaths && (
    <Button
      variant="outline"
      type="button"
      onClick={() => setBulkSelectOpen(true)}
      className="w-full bg-gray-700 hover:bg-gray-600 border-gray-600 text-gray-200"
    >
      <List className="w-4 h-4 mr-2" />
      A$KC @C BDÂ DC 9C´K C,,7 D ?C,,AC=0 CòCD$5C•
    </Button>
  )}
</div>
<div className="flex gap-2">
  <Button
    onClick={onGenerate}
    disabled={selectedFilesCount === 0}
    className={cn(
      "flex-1",

```

```

        selectedFilesCount === 0
        ? "bg-gray-600 cursor-not-allowed opacity-70"
        : "bg-blue-600 hover:bg-blue-700 text-white"
    )}
    >
    B 3CT=CT@C,,@Cä2C BDÂ Dg·6VÆV7FVDf–ÆW46÷VçB â ò ,G·6VÆV7FVDf–ÆW46÷VçGÒ DC 9C´>C"—
    </Button>
    {pdfPath && (
    <OpenFileButton
    filePath={pdfPath}
    variant="outline"
    size="default"
    className="bg-gray-700 hover:bg-gray-600 border-gray-600 text-gray-200 px-3"
    tooltipText="AâBCª@D´BDÂ AC45CÔ5D 8D >C$0CÔ=D´9 PDF"
    />
    )}
    </div>
</div>
{}
{onBulkSelectPaths && (
    <BulkSelectDialog
    isOpen={bulkSelectOpen}
    onClose={() => setBulkSelectOpen(false)}
    onApplyPaths={handleApplyPaths}
    />
    )}
</div>
);
}

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/editable-list.tsx

```
'use client';
import React, { useState } from 'react';
import { X, Plus } from 'lucide-react';
import { Button } from '@components/ui/button';
import { Input } from '@components/ui/input';
interface EditableListProps {
  items: string[];
  onItemsChange: (items: string[]) => void;
  placeholder?: string;
  badgeVariant?: 'default' | 'secondary' | 'destructive';
  validateItem?: (item: string) => boolean;
  errorMessage?: string;
}
export function EditableList({
  items,
  onItemsChange,
  placeholder = 'Add item...',
  badgeVariant = 'default',
  validateItem,
  errorMessage = 'Invalid input',
}: EditableListProps) {
  const [newItem, setNewItem] = useState('');
  const [error, setError] = useState<string | null>(null);
  const handleAddItem = () => {
    if (!newItem.trim()) {
      return;
    }
    if (validateItem && !validateItem(newItem)) {
      setError(errorMessage);
      return;
    }
    setError(null);
    onItemsChange([...items, newItem.trim()]);
    setNewItem('');
  };
  const handleRemoveItem = (index: number) => {
    const newItems = [...items];
    newItems.splice(index, 1);
    onItemsChange(newItems);
  };
  const handleKeyPress = (e: React.KeyboardEvent<HTMLInputElement>) => {
    if (e.key === 'Enter') {
      e.preventDefault();
      handleAddItem();
    }
  };
  const getBadgeClass = () => {
    switch (badgeVariant) {
      case 'secondary':
        return 'bg-gray-700 text-gray-200 hover:bg-gray-600';
      case 'destructive':
```

```

        return 'bg-red-900/40 text-red-300 hover:bg-red-900/60';
    default:
        return 'bg-blue-900/40 text-blue-300 hover:bg-blue-900/60';
    }
};
return (
<div>
  <div className="flex flex-wrap gap-2 mt-2 mb-3">
    {items.map((item, index) => (
      <div
        key={index}
        className={`inline-flex items-center rounded px-2 py-1 text-xs ${getBadgeClass()}`}
      >
        {item}
        <button
          type="button"
          onClick={() => handleRemoveItem(index)}
          className="ml-2 text-gray-400 hover:text-gray-200"
        >
          <X className="h-3 w-3" />
        </button>
      </div>
    ))}
    {items.length === 0 && (
      <div className="text-sm text-gray-500 italic">B ?C,,ACä: CöCD B</div>
    )}
  </div>
  <div className="flex items-center gap-2">
    <Input
      value={newItem}
      onChange={(e) => {
        setNewItem(e.target.value);
        if (error) {
          setError(null);
        }
      }}
      onKeyDown={handleKeyPress}
      placeholder={placeholder}
      className="border-gray-700 bg-gray-700 text-gray-200 placeholder:text-gray-500"
    />
    <Button
      type="button"
      onClick={handleAddItem}
      disabled={!newItem.trim()}
      variant="outline"
      size="icon"
      className="bg-gray-700 border-gray-600 hover:bg-gray-600 text-gray-200"
    >
      <Plus className="h-4 w-4" />
    </Button>
  </div>
  {error && <p className="text-red-400 text-xs mt-1">{error}</p>}
</div>
);
}

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/file-tree.tsx

```
'use client';
import { Checkbox } from '@components/ui/checkbox';
import { formatFileSize } from '@lib/format-utils';
import type { FileNode } from '@lib/types';
import { cn } from '@lib/utlis';
import { ChevronDown, ChevronRight, File, Folder } from 'lucide-react';
import React, { useState, useEffect } from 'react';
import { CodeViewer } from './code-viewer';
interface FileTreeProps {
  data: FileNode;
  onSelect: (path: string, selected: boolean) => void;
  searchQuery?: string;
}
import { useLocalStorage } from '@lib/hooks/use-local-storage';
export function FileTree({ data, onSelect, searchQuery }: FileTreeProps) {
  const [expanded, setExpanded] = useLocalStorage<Record<string, boolean>>("file-tree-expanded-state", {});
  const [selectedFile, setSelectedFile] = useState<string | null>(null);
  const [codeViewerOpen, setCodeViewerOpen] = useState<boolean>(false);
  const [clickTimer, setClickTimer] = useState<NodeJS.Timeout | null>(null);
  const AUTO_EXPAND_THRESHOLD = 10;
  const toggleExpand = (path: string) => {
    setExpanded((prev) => ({
      ...prev,
      [path]: !prev[path],
    }));
  };
  const countSearchMatches = (node: FileNode, query: string): number => {
    if (!query) return 0;
    let count = 0;
    if (node.name.toLowerCase().includes(query.toLowerCase())) {
      count++;
    }
    if (node.children) {
      node.children.forEach((child) => {
        count += countSearchMatches(child, query);
      });
    }
    return count;
  };
  const expandMatchingFolders = (node: FileNode, query: string, paths: string[] = []): string[] => {
    if (!query || node.type !== 'directory' || !node.children) return paths;
    let hasMatches = false;
    for (const child of node.children) {
      if (child.name.toLowerCase().includes(query.toLowerCase())) {
        hasMatches = true;
      }
    }
    if (child.type === 'directory' && child.children) {
      const childPaths = expandMatchingFolders(child, query, []);
      if (childPaths.length > 0) {
        hasMatches = true;
      }
    }
  };
}
```

```

        paths = [...paths, ...childPaths];
    }
}
}
if (hasMatches) {
    paths.push(node.path);
}
return paths;
};
const handleSelectChange = (node: FileNode, checked: boolean) => {
    onSelect(node.path, checked);
};
useEffect(() => {
    return () => {
        if (clickTimer) {
            clearTimeout(clickTimer);
        }
    };
}, [clickTimer]);
useEffect(() => {
    if (!searchQuery || searchQuery.trim().length < 2) {
        return;
    }
    const matchesCount = countSearchMatches(data, searchQuery);
    if (matchesCount > AUTO_EXPAND_THRESHOLD) {
        console.log(
            `AÖ0C'4CT=Câ G¶Ö F6†W46÷VçGÒ ACä2Cö0CD5CÔ8C'Â ?D 5C$KD„5CÒ ?Cä@Cä3 C 2D$>CÄ0D$8Dt5D :Cä3
        );
        return;
    }
    const pathsToExpand = expandMatchingFolders(data, searchQuery);
    if (pathsToExpand.length > 0) {
        setExpanded((prev) => {
            const newExpanded = { ...prev };
            pathsToExpand.forEach((path) => {
                newExpanded[path] = true;
            });
            return newExpanded;
        });
    }
}, [searchQuery, data]);
const calculateDirectorySize = (node: FileNode): number => {
    if (node.type === 'file') {
        return node.size || 0;
    }
    if (!node.children || node.children.length === 0) {
        return 0;
    }
    return node.children.reduce((acc, child) => {
        return acc + calculateDirectorySize(child);
    }, 0);
};
const hasSelectedDescendants = (node: FileNode): boolean => {
    if (node.type === 'file') {
        return node.selected || false;
    }
}

```

```

    if (node.children) {
      return node.children.some(child => hasSelectedDescendants(child));
    }
    return false;
  };
const countSelectedFiles = (node: FileNode): number => {
  if (node.type === 'file') {
    return node.selected ? 1 : 0;
  }
  if (node.children) {
    return node.children.reduce((acc, child) => acc + countSelectedFiles(child), 0);
  }
  return 0;
};
const renderNode = (node: FileNode, depth = 0, isLastChild = false, parentsIsLast: boolean[] = []) => {
  const isExpanded = expanded[node.path];
  const hasChildren = Boolean(node.children && node.children.length > 0);
  const directorySize = node.type === 'directory' ? calculateDirectorySize(node) : undefined;
  const containsSelectedFiles = node.type === 'directory' && hasSelectedDescendants(node);
  const selectedFilesCount = node.type === 'directory' ? countSelectedFiles(node) : 0;
  const renderTreeLines = () => {
    if (depth === 0) return null;
    return (
      <div className="absolute left-0 top-0 bottom-0" style={{ width: `${(depth + 1) * 12}px` }}>
        {parentsIsLast.map(
          (isLast, index) =>
            !isLast &&
            index > 0 && (
              <div
                key={index}
                className="absolute border-l border-gray-700"
                style={{
                  left: `${(index) * 12 + 6}px`,
                  top: 0,
                  bottom: 0,
                }}
              />
            ),
          )}
        {depth > 0 && (
          <div
            className={`absolute h-1/2 border-l border-gray-700 ${isLastChild ? 'bottom-1/2' : ''}`}
            style={{
              left: `${depth * 12 + 6}px`,
              top: 0,
              bottom: isLastChild ? undefined : 0,
            }}
          />
        )}
        {depth > 0 && (
          <div
            className="absolute border-t border-gray-700"
            style={{
              left: `${depth * 12 + 6}px`,
              width: '6px',
              top: '50%',

```

```

    }}
  />
  })
</div>
);
};
return (
  <div key={node.path} className="relative">
    {renderTreeLines()}
    {}
    <div
      className={cn(
        'flex items-center py-1 hover:bg-gray-700/70 rounded-sm px-2 cursor-pointer z-10 relative
transition-colors duration-200',
        node.selected && 'bg-blue-800/20 border-l-2 border-blue-400',
        !node.selected && !isExpanded && containsSelectedFiles && 'border-l-2 border-blue-400',
        !node.selected && containsSelectedFiles && 'text-blue-100',
        depth === 0 && 'mt-1',
        node.type === 'directory' && 'font-medium',
        node.type === 'file' && node.selected && 'text-blue-100',
      )}
      style={{ paddingLeft: `${(depth + 1) * 12 + 4}px` }}
      onClick={
        (e) => {
          const isCheckboxClick =
            (e.target as HTMLElement).getAttribute('role') === 'checkbox' ||
            (e.target as HTMLElement).closest('[role="checkbox"]') ||
            (e.target as HTMLElement).closest('button');
          if (isCheckboxClick) {
            return;
          }
          if (node.type === 'directory') {
            toggleExpand(node.path);
            return;
          }
          if (node.type === 'file') {
            if (clickTimer) {
              clearTimeout(clickTimer);
            }
            const timer = setTimeout(() => {
              handleSelectChange(node, !node.selected);
              setClickTimer(null);
            }, 250);
            setClickTimer(timer);
          }
        }
      }
      onDoubleClick={() => {
        if (node.type === 'file') {
          if (clickTimer) {
            clearTimeout(clickTimer);
            setClickTimer(null);
          }
          handleDoubleClick(node);
        }
      }}
    >
    </div>

```



```

onClick={(e) => {
  e.stopPropagation();
}}
onDoubleClick={(e) => {
  e.stopPropagation();
}}
className="cursor-pointer"
>
<Checkbox
  id={node.path}
  checked={node.selected}
  onCheckedChange={(checked: boolean | 'indeterminate') => handleSelectChange(node,
checked === true)}
  className="mr-2 border-gray-600 data-[state=checked]:bg-blue-600 data-
[state=checked]:border-blue-600"
/>
</div>
{}
<div className="w-4 h-4 mr-2 flex items-center justify-center flex-shrink-0">
  {node.type === 'directory' &&
    hasChildren &&
    (isExpanded ? (
      <ChevronDown className="h-4 w-4 text-gray-400" />
    ) : (
      <ChevronRight className="h-4 w-4 text-gray-400" />
    ))}
</div>
{}
<div className="w-5 h-4 flex items-center justify-center flex-shrink-0 mr-2">
  {node.type === 'directory' ? (
    <Folder className="h-4 w-4 text-blue-400" />
  ) : (
    <File className="h-4 w-4 text-gray-400" />
  )}
</div>
<span className="mr-2 text-sm text-gray-200">{node.name}</span>
{}
<div className="ml-auto flex items-center gap-2">
  {}
  {node.type === 'directory' && selectedFilesCount > 0 && (
    <span className={cn(
      "text-xs px-1.5 py-0.5 rounded-full",
      isExpanded ? "bg-blue-800/30 text-blue-300" : "bg-blue-600/50 text-blue-100"
    )}>
      {selectedFilesCount}
    </span>
  )}
  {}
  {node.type === 'file' && node.size !== undefined && (
    <span className="text-xs text-gray-400">{formatFileSize(node.size)}</span>
  )}
  {node.type === 'directory' && directorySize !== undefined && directorySize > 0 && (
    <span className="text-xs text-gray-400">{formatFileSize(directorySize)}</span>
  )}
</div>
</div>

```

```

{node.type === 'directory' && isExpanded && node.children && node.children.length > 0 && (
  <div>
    {node.children.map((child, index) => {
      const childrenLength = node.children?.length || 0;
      return renderNode(
        child,
        depth + 1,
        index === childrenLength - 1,
        [...parentIsLast, isLastChild],
      );
    })}
  </div>
)}
</div>
);
};
const handleDoubleClick = (node: FileNode) => {
  if (node.type === 'file') {
    setSelectedFile(node.path);
    setCodeViewerOpen(true);
  }
};
return (
  <div className="overflow-y-auto max-h-[calc(100vh-250px)] border border-gray-700 rounded-md p-3
bg-gray-800/90">
    {renderNode(data, 0, true, [])}
    {}
    <CodeViewer isOpen={codeViewerOpen} onClose={() => setCodeViewerOpen(false)}
    filePath={selectedFile} />
  </div>
);
}

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/filter-settings.tsx

```
"use client"
import React, { useState } from 'react';
import { Tabs, TabsList, TabsTrigger, TabsContent } from '@components/ui/tabs';
import { EditableList } from '@components/editable-list';
import { Switch } from '@components/ui/switch';
import { Label } from '@components/ui/label';
import { Button } from '@components/ui/button';
import { Dialog, DialogContent, DialogHeader, DialogTitle, DialogFooter } from '@components/ui/dialog';
import { Settings } from 'lucide-react';
import { FilterSettings } from '@lib/types';
interface FilterSettingsProps {
  settings: FilterSettings;
  onSettingsChange: (settings: FilterSettings) => void;
}
const DEFAULT_IGNORED_DIRECTORIES = [
  'node_modules',
  '.git',
  'dist',
  'build',
  'tmp',
  'coverage',
  '.next',
  '.nuxt',
];
const DEFAULT_IGNORED_FILES = [
  '.DS_Store',
  'package-lock.json',
  'yarn.lock',
  'pnpm-lock.yaml',
];
const DEFAULT_IGNORED_EXTENSIONS = [
  '.svg',
  '.png',
  '.jpg',
  '.jpeg',
  '.gif',
  '.bmp',
  '.ico',
  '.webp',
  '.pdf',
  '.exe',
  '.dll',
  '.so',
  '.zip',
];
export function FilterSettingsButton({ settings, onSettingsChange }: FilterSettingsProps) {
  const [open, setOpen] = useState(false);
  const [localSettings, setLocalSettings] = useState<FilterSettings>({ ...settings });
  React.useEffect(() => {
    if (open) {
      setLocalSettings({ ...settings });
    }
  }, [open, settings]);
}
```

```

    }
  }, [open, settings]);
  const handleSave = () => {
    onSettingsChange(localSettings);
    setOpen(false);
  };
  return (
    <>
    <Button
      variant="outline"
      onClick={() => setOpen(true)}
      className="w-full flex items-center justify-center bg-gray-700 border-gray-600 hover:bg-gray-600
text-gray-200"
    >
      <Settings className="h-4 w-4 mr-2" />
      <span>AÔ0D BD >C":C, DC,,;DÄBD 0Dd8CfÂ÷7 ăà
    </Button>
    <Dialog open={open} onOpenChange={setOpen}>
      <DialogContent className="max-w-2xl max-h-[80vh] overflow-y-auto bg-gray-800 border-gray-700
text-gray-100">
        <DialogHeader>
          <DialogTitle className="text-gray-100">AÔ0D BD >C":C, DC,,;DÄBD 0Dd8CfÂôF- ÆöuF—FÆSà
        </DialogHeader>
        <div className="py-4">
          <p className="text-sm text-gray-400 mb-4">
            AÔ0D BD >C"BCR ?D 0C$8C'0 DD8C'LD$@C FC,,8 DD0C";Că2 C, 4C,,@CT:D$>D 8C' ?D >CT:D$0.
          </p>
          <Tabs defaultValue="directories">
            <TabsList className="w-full bg-gray-700">
              <TabsTrigger value="directories" className="flex-1 data-[state=active]:bg-blue-600 data-
[state=active]:text-white">AD8D 5C▯BCă@C,,8</TabsTrigger>
              <TabsTrigger value="files" className="flex-1 data-[state=active]:bg-blue-600 data-
[state=active]:text-white">BD0C";D³Âô@absTrigger>
              <TabsTrigger value="extensions" className="flex-1 data-[state=active]:bg-blue-600 data-
[state=active]:text-white">B 0D HC,,@CT=C,,O</TabsTrigger>
            </TabsList>
            <TabsContent value="directories" className="mt-4 space-y-4">
              <div className="flex items-center justify-between space-x-2">
                <Label htmlFor="use-default-ignores" className="text-gray-200">A,,ACô>C'LCt>C$0D$L D BC =CD0D BCÔK
              <Switch
                id="use-default-ignores"
                checked={localSettings.useDefaultIgnores}
                onCheckedChange={(checked) => {
                  setLocalSettings({
                    ...localSettings,
                    useDefaultIgnores: checked,
                  });
                }}
                className="data-[state=checked]:bg-blue-600"
              />
            </div>
            {localSettings.useDefaultIgnores && (
              <div className="mb-4">
                <Label className="text-sm text-gray-400">B BC =CD0D BCÔKCR 8C4=Că@C,,@D45CĂKCR 4C,,@CT:D$>
                <div className="flex flex-wrap gap-2 mt-2">
                  {DEFAULT_IGNORED_DIRECTORIES.map((dir) => (

```

```

        <div key={dir} className="bg-gray-700 text-gray-300 text-xs rounded px-2 py-1">
            {dir}
        </div>
    )}
</div>
</div>
)}
<div>
    <Label className="text-gray-200">AD>Cô>C´=C„BCT;DÄ=D´5 C„3CÔ>D 8D CCT<D´5 CD8D 5C¬BCä@C„8...
    <EditableList
        items={localSettings.ignoredDirectories}
        onItemsChange={({items}) => setLocalSettings({ ...localSettings, ignoredDirectories: items })}
        placeholder="A$2CT4C„BCR 8CÃO CD8D 5C¬BCä@C„8..."
        badgeVariant="secondary"
    />
</div>
</TabsContent>
<TabsContent value="files" className="mt-4 space-y-4">
    <Label className="text-gray-200">A„3CÔ>D 8D CCT<D´5 DD0C";D² „<Cä6CÔ> C„ACô>C´Lct>C$0D$L * C¬0
    <EditableList
        items={localSettings.ignoredFiles}
        onItemsChange={({items}) => setLocalSettings({ ...localSettings, ignoredFiles: items })}
        placeholder="A$2CT4C„BCR 8CÃO DD0C";C 8C´8 D„0C ;Cä=..."
        badgeVariant="destructive"
    />
</TabsContent>
<TabsContent value="extensions" className="mt-4 space-y-4">
    <div>
        <Label className="text-gray-200">A„3CÔ>D 8D CCT<D´5 D 0D HC„,@CT=C„O DD0C";Cä2:</Label>
        <EditableList
            items={localSettings.ignoredExtensions}
            onItemsChange={({items}) => setLocalSettings({ ...localSettings, ignoredExtensions: items })}
            placeholder="A$2CT4C„BCR @C AD„8D 5CÔ8CR „A D$>Dt:Cä9, CÔ0Cô@C„<CT@ .js)..."
            validateItem={({item}) => item.startsWith('.')}
            errorMessage="B 0D HC„,@CT=C„5 CD>C´6CÔ> CÔ0Dt8CÔ0D$LD O D BCäGC¬8 (CÔ0Cô@C„<CT@ .js)"
            badgeVariant="destructive"
        />
    </div>
    <div className="mt-6">
        <Label className="text-gray-200">B 0Ct@CTHCT=CÔKCR @C AD„8D 5CÔ8Dò DC 9C´>C#£ÂôÆ &VÃà
        <p className="text-sm text-gray-400 mb-2">
            ATAC´8 D4:C 7C =Cä ECäBDò 1D² >CD=Cä @C AD„8D 5CÔ8CRÂ 1D44D4B C$:C´NDt5CÔK D$>C´LC¬> D
        </p>
        <EditableList
            items={localSettings.allowedExtensions}
            onItemsChange={({items}) => setLocalSettings({ ...localSettings, allowedExtensions: items })}
            placeholder="A$2CT4C„BCR @C AD„8D 5CÔ8CR „A D$>Dt:Cä9, CÔ0Cô@C„<CT@ .js)..."
            validateItem={({item}) => item.startsWith('.')}
            errorMessage="B 0D HC„,@CT=C„5 CD>C´6CÔ> CÔ0Dt8CÔ0D$LD O D BCäGC¬8 (CÔ0Cô@C„<CT@ .js)"
            badgeVariant="default"
        />
    </div>
</TabsContent>
</Tabs>
</div>
<DialogFooter>

```

```
        <Button onClick={handleSave} className="bg-blue-600 text-white hover:bg-blue-700">
          B >DT@C =C„BDÀ
        </Button>
      </DialogFooter>
    </DialogContent>
  </Dialog>
</>
);
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/open-file-button.tsx

```
'use client';
import { Button } from './ui/button';
import { ExternalLink, FolderOpen } from 'lucide-react';
import { Tooltip, TooltipContent, TooltipProvider, TooltipTrigger } from './ui/tooltip';
import { useState } from 'react';
import { cn } from '@lib/utlis';
interface OpenFileButtonProps {
  filePath: string;
  variant?: 'default' | 'outline' | 'secondary' | 'ghost' | 'link' | 'destructive';
  size?: 'default' | 'sm' | 'lg' | 'icon';
  className?: string;
  showTooltip?: boolean;
  tooltipText?: string;
}
export function OpenFileButton({
  filePath,
  variant = 'outline',
  size = 'icon',
  className,
  showTooltip = true,
  tooltipText = 'AäBCα@D´BDÂ <CTAD$>Cô>C´>Cd5CÔ8CR DC 9C´0'
}: OpenFileButtonProps) {
  const [isLoading, setIsLoading] = useState(false);
  const handleOpenFile = async () => {
    if (!filePath || isLoading) return;
    setIsLoading(true);
    try {
      const response = await fetch('/api/open-file-location', {
        method: 'POST',
        headers: {
          'Content-Type': 'application/json',
        },
        body: JSON.stringify({ filePath }),
      });
      const data = await response.json();
      if (!data.success) {
        console.error('AäHC,,1Cα0 CÔ@C, >D$:D KD$8C, DC 9C´0:', data.error);
      }
    } catch (error) {
      console.error('AäHC,,1Cα0 CÔ@C, 2D´7Cä2CR “¢rÂ W’&÷”“°
    } finally {
      setIsLoading(false);
    }
  };
  const button = (
    <Button
      variant={variant}
      size={size}
      onClick={handleOpenFile}
      disabled={isLoading}
      className={cn(
```

```

        className,
        "transition-colors duration-200",
        variant === "ghost" && "hover:bg-gray-800/50"
    )}
    type="button"
  >
    {isLoading ? <ExternalLink className="h-4 w-4 animate-pulse" /> : <FolderOpen className="h-4
w-4" />}
  </Button>
);
if (showTooltip) {
  return (
    <TooltipProvider>
      <Tooltip>
        <TooltipTrigger asChild>
          {button}
        </TooltipTrigger>
        <TooltipContent>
          <p>{tooltipText}</p>
        </TooltipContent>
      </Tooltip>
    </TooltipProvider>
  );
}
return button;
}

```


Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/project-info.tsx

```
'use client';
import React from 'react';
import { useProjectsStore } from '@lib/stores/projects-store';
import { formatDate } from '@lib/format-utils';
import { Badge } from '@components/ui/badge';
import { Layers, Clock, FilePlus } from 'lucide-react';
export function ProjectInfo() {
  const {
    getActiveProject,
    getActiveProfile
  } = useProjectsStore();
  const activeProject = getActiveProject();
  const activeProfile = getActiveProfile();
  if (!activeProject) {
    return null;
  }
  return (
    <div className="border border-gray-700 rounded-md p-3 bg-gray-800 mb-4 text-sm text-gray-300">
      <div className="flex items-center gap-2 mb-2">
        <Layers className="h-4 w-4 text-blue-400" />
        <span className="font-medium text-gray-200">{activeProject.name}</span>
        <Badge variant="outline" className="ml-auto text-xs bg-gray-700 text-gray-300 border-gray-600">
          <Clock className="h-3 w-3 mr-1" />
          {formatDate(activeProject.updatedAt)}
        </Badge>
      </div>
      {activeProject.description && (
        <p className="mb-2 text-gray-400 text-xs">{activeProject.description}</p>
      )}
      {activeProfile && (
        <div className="border-t border-gray-700 mt-2 pt-2">
          <div className="flex items-center gap-2 mb-1">
            <FilePlus className="h-4 w-4 text-green-400" />
            <span className="font-medium text-gray-200">{activeProfile.name}</span>
            <Badge variant="outline" className="ml-auto text-xs bg-gray-700 text-gray-300 border-
gray-600">
              <Clock className="h-3 w-3 mr-1" />
              {formatDate(activeProfile.updatedAt)}
            </Badge>
          </div>
          {activeProfile.description && (
            <p className="text-gray-400 text-xs">{activeProfile.description}</p>
          )}
        </div>
      )}
    <div className="border-t border-gray-700 mt-2 pt-2 text-xs">
      <div className="flex gap-4">
        <div>
          <span className="text-gray-400">Aα>CÄ<CT=D$0D 8Cf£Â÷7 ãç²r wĐ
          <span className="text-gray-200">{
            activeProfile ?
```

```

        (activeProfile.settings.includeComments ? 'A$:C´NDt5CÔK' : 'A,,ACα;DäGCT=D²r'
        (activeProject.baseSettings.includeComments ? 'A$:C´NDt5CÔK' : 'A,,ACα;DäGCT=D²r•
    }</span>
</div>
<div>
    <span className="text-gray-400">AÔ>C$0Dò AD$@C =C,,FC 4C´O DD0C";C £Â÷7 ãç²r wĐ
    <span className="text-gray-200">{
        activeProfile ?
            (activeProfile.settings.newPageForEachFile ? 'AD0' : 'AÔ5D"r'
            (activeProject.baseSettings.newPageForEachFile ? 'AD0' : 'AÔ5D"r•
        }</span>
    </div>
<div>
    <span className="text-gray-400">BD0C";:</span>{' '}
    <span className="text-gray-200 font-mono">{
        activeProfile ?
            activeProfile.settings.outputFileName :
            activeProject.baseSettings.outputFileName
        }</span>
    </div>
</div>
</div>
</div>
    );
}

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/project-manager.tsx

```
'use client';
import React, { useState } from 'react';
import { Button } from '@components/ui/button';
import { Dialog, DialogContent, DialogHeader, DialogTitle, DialogFooter } from '@components/ui/dialog';
import { Input } from '@components/ui/input';
import { Label } from '@components/ui/label';
import { Textarea } from '@components/ui/textarea';
import {
  DropdownMenu,
  DropdownMenuContent,
  DropdownMenuItem,
  DropdownMenuLabel,
  DropdownMenuSeparator,
  DropdownMenuTrigger
} from '@components/ui/dropdown-menu';
import { Check, ChevronDown, FilePlus, FolderPlus, Pencil, Trash2, Layers, Copy } from 'lucide-react';
import { useProjectsStore, Project, Profile } from '@lib/stores/projects-store';
export function ProjectSelector() {
  const {
    projects,
    activeProjectId,
    activeProfileId,
    getActiveProject,
    getActiveProfile,
    setActiveProject,
    setActiveProfile,
    createProject: storeCreateProject,
    createProfile: storeCreateProfile,
    updateProject,
    updateProfile,
    deleteProject,
    deleteProfile,
    copyProfile: storeCopyProfile
  } = useProjectsStore();
  const activeProject = getActiveProject();
  const activeProfile = getActiveProfile();
  const [showNewProjectDialog, setShowNewProjectDialog] = useState(false);
  const [showNewProfileDialog, setShowNewProfileDialog] = useState(false);
  const [showEditProjectDialog, setShowEditProjectDialog] = useState(false);
  const [showEditProfileDialog, setShowEditProfileDialog] = useState(false);
  if (projects.length === 0) {
    return (
      <div className="flex items-center gap-2 border border-gray-700 rounded-md p-3 bg-gray-800 mb-4">
        <Button
          variant="outline"
          size="sm"
          onClick={() => setShowNewProjectDialog(true)}
          className="bg-gray-700 border-gray-600 hover:bg-gray-600 text-gray-200"
        >
        <FolderPlus className="h-4 w-4 mr-2" />
```

```

    B >Ct4C BDÂ ?CT@C$KC' ?D >CT:D
  </Button>
  <NewProjectDialog
    isOpen={showNewProjectDialog}
    onClose={() => setShowNewProjectDialog(false)}
    createProject={storeCreateProject}
  />
</div>
);
}
return (
  <div className="flex items-center gap-2 border border-gray-700 rounded-md p-3 bg-gray-800 mb-4">
    <div className="flex-1 flex items-center gap-4">
      {}
      <div className="flex-1">
        <DropdownMenu>
          <DropdownMenuTrigger asChild>
            <Button
              variant="outline"
              className="w-full justify-between bg-gray-700 border-gray-600 hover:bg-gray-600 text-
gray-200"
            >
              <div className="flex items-center">
                <Layers className="h-4 w-4 mr-2" />
                {activeProject ? activeProject.name : 'A$KC 5D 8D$5 Cô@Că5C▯B'}
              </div>
                <ChevronDown className="h-4 w-4 ml-2" />
              </Button>
            </DropdownMenuTrigger>
            <DropdownMenuContent className="w-56 bg-gray-800 border-gray-700 text-gray-200">
              <DropdownMenuLabel>Aô@Că5C▯BD³ÂôG&÷ FðwnMenuLabel>
              <DropdownMenuSeparator className="bg-gray-700" />
              {projects.map(project => (
                <DropdownMenuItem
                  key={project.id}
                  className="flex items-center cursor-pointer hover:bg-gray-700"
                  onClick={() => setActiveProject(project.id)}
                >
                  {activeProjectId === project.id && (
                    <Check className="h-4 w-4 mr-2 text-green-400" />
                  )}
                  <span className={activeProjectId === project.id ? "flex-1 font-medium" : "flex-1"}>
                    {project.name}
                  </span>
                </DropdownMenuItem>
              ))}
              <DropdownMenuSeparator className="bg-gray-700" />
              <DropdownMenuItem
                className="flex items-center cursor-pointer hover:bg-gray-700"
                onClick={() => setShowNewProjectDialog(true)}
              >
                <FolderPlus className="h-4 w-4 mr-2" />
                B >Ct4C BDÂ =Că2D´9 Cô@Că5C▯B
              </DropdownMenuItem>
            {activeProject && (
              <>

```

```

        <DropdownMenuItem
          className="flex items-center cursor-pointer hover:bg-gray-700"
          onClick={() => setShowEditProjectDialog(true)}
        >
          <Pencil className="h-4 w-4 mr-2" />
          B 5CD0C▯BC,,@Cä2C BDÂ ?D >CT:D
        </DropdownMenuItem>
      </>
    )}
  </DropdownMenuContent>
</DropdownMenu>
</div>
{}
{activeProject && (
  <div className="flex-1">
    <DropdownMenu>
      <DropdownMenuTrigger asChild>
        <Button
          variant="outline"
          className="w-full justify-between bg-gray-700 border-gray-600 hover:bg-gray-600 text-
gray-200"
        >
          <div className="flex items-center">
            <FilePlus className="h-4 w-4 mr-2" />
            {activeProfile ? activeProfile.name : 'A 0Ct>C$KCR =C AD$@Cä9C▯8'}
          </div>
          <ChevronDown className="h-4 w-4 ml-2" />
        </Button>
      </DropdownMenuTrigger>
      <DropdownMenuContent className="w-56 bg-gray-800 border-gray-700 text-gray-200">
        <DropdownMenuLabel>Aô@CäDC,,;CfÂôG&÷ FöwnMenuLabel>
        <DropdownMenuSeparator className="bg-gray-700" />
        <DropdownMenuItem
          className="flex items-center cursor-pointer hover:bg-gray-700"
          onClick={() => {
            setActiveProfile(undefined);
          }}
        >
          {!activeProfile && (
            <Check className="h-4 w-4 mr-2 text-green-400" />
          )}
          <span className={!activeProfile ? "flex-1 font-medium" : "flex-1"}>
            A 0Ct>C$KCR =C AD$@Cä9C▯8 Cô@Cä5C▯BC
          </span>
        </DropdownMenuItem>
        <DropdownMenuSeparator className="bg-gray-700" />
        {activeProject.profiles.map(profile => (
          <DropdownMenuItem
            key={profile.id}
            className="flex items-center cursor-pointer hover:bg-gray-700"
            onClick={() => {
              setActiveProfile(profile.id);
            }}
          >
            {activeProfileId === profile.id && (
              <Check className="h-4 w-4 mr-2 text-green-400" />

```

```

    ))
    <span className={activeProfileId === profile.id ? "flex-1 font-medium" : "flex-1"}>
      {profile.name}
    </span>
  </DropdownMenuItem>
))}
<DropdownMenuSeparator className="bg-gray-700" />
<DropdownMenuItem
  className="flex items-center cursor-pointer hover:bg-gray-700"
  onClick={() => setShowNewProfileDialog(true)}
>
  <FilePlus className="h-4 w-4 mr-2" />
  B >Ct4C BDÂ =Cä2D´9 Cö@CäDC,,;DÀ
</DropdownMenuItem>
{activeProfile && (
  <>
    <DropdownMenuItem
      className="flex items-center cursor-pointer hover:bg-gray-700"
      onClick={() => setShowEditProfileDialog(true)}
    >
      <Pencil className="h-4 w-4 mr-2" />
      B 5CD0C¬BC,,@Cä2C BDÂ ?D >DD8C´L
    </DropdownMenuItem>
    <DropdownMenuItem
      className="flex items-center cursor-pointer hover:bg-gray-700"
      onClick={() => {
        if (activeProject) {
          storeCopyProfile(activeProject.id, activeProfile.id);
        }
      }}
    >
      <Copy className="h-4 w-4 mr-2" />
      A¬>Cö8D >C$0D$L Cö@CäDC,,;DÀ
    </DropdownMenuItem>
  </>
)}
</DropdownMenuContent>
</DropdownMenu>
</div>
)}
</div>
{}
<NewProjectDialog
  isOpen={showNewProjectDialog}
  onClose={() => setShowNewProjectDialog(false)}
  createProject={storeCreateProject}
/>
{activeProject && (
  <>
    <EditProjectDialog
      isOpen={showEditProjectDialog}
      onClose={() => setShowEditProjectDialog(false)}
      project={activeProject}
      updateProject={updateProject}
      deleteProject={deleteProject}
    />
  </>
)}

```

```

    <NewProfileDialog
      isOpen={showNewProfileDialog}
      onClose={() => setShowNewProfileDialog(false)}
      projectId={activeProject.id}
      createProfile={storeCreateProfile}
    />
    {activeProfile && (
      <EditProfileDialog
        isOpen={showEditProfileDialog}
        onClose={() => setShowEditProfileDialog(false)}
        projectId={activeProject.id}
        profile={activeProfile}
        updateProfile={updateProfile}
        deleteProfile={deleteProfile}
      />
    )}
  </div>
);
}
interface NewProjectDialogProps {
  isOpen: boolean;
  onClose: () => void;
  createProject: (name: string, description?: string) => Project;
}
function NewProjectDialog({ isOpen, onClose, createProject }: NewProjectDialogProps) {
  const [name, setName] = useState("");
  const [description, setDescription] = useState("");
  const handleSubmit = () => {
    if (!name.trim()) return;
    createProject(name.trim(), description.trim() || undefined);
    setName("");
    setDescription("");
    onClose();
  };
  return (
    <Dialog open={isOpen} onOpenChange={open => !open && onClose()}>
      <DialogContent className="bg-gray-800 border-gray-700 text-gray-100">
        <DialogHeader>
          <DialogTitle>B >Ct4C BDÂ =Că2D´9 Cô@Că5CăBC</DialogTitle>
        </DialogHeader>
        <div className="space-y-4 py-4">
          <div className="space-y-2">
            <Label htmlFor="project-name">AÔ0Ct2C =C„5 Cô@Că5CăBC ÂôÆ &VÃà
            <Input
              id="project-name"
              value={name}
              onChange={e => setName(e.target.value)}
              className="bg-gray-700 border-gray-600 text-gray-200"
              placeholder="A$2CT4C„BCR =C 7C$0CÔ8CR ?D >CT:D$0"
            />
          </div>
          <div className="space-y-2">
            <Label htmlFor="project-description">Aă?C„AC =C„5 (Că?Dd8Că=C ;DĂ=Că“ÂôÆ &VÃà
            <Textarea

```

```

        id="project-description"
        value={description}
        onChange={e => setDescription(e.target.value)}
        className="bg-gray-700 border-gray-600 text-gray-200 min-h-20"
        placeholder="A$2CT4C„BCR >Cô8D 0CÔ8CR ?D >CT:D$0"
      />
    </div>
  </div>
  <DialogFooter>
    <Button variant="outline" onClick={onClose} className="bg-gray-700 border-gray-600 hover:bg-
gray-600 text-gray-200">
      AäBCÄ5CÔ0
    </Button>
    <Button onClick={handleSubmit} disabled={!name.trim()} className="bg-blue-600 hover:bg-
blue-700 text-white">
      B >Ct4C BDÀ
    </Button>
  </DialogFooter>
</DialogContent>
</Dialog>
);
}
interface EditProjectDialogProps {
  isOpen: boolean;
  onClose: () => void;
  project: Project;
  updateProject: (projectId: string, updates: Partial<Project>) => void;
  deleteProject: (projectId: string) => void;
}
function EditProjectDialog({
  isOpen,
  onClose,
  project,
  updateProject,
  deleteProject
}: EditProjectDialogProps) {
  const [name, setName] = useState(project.name);
  const [description, setDescription] = useState(project.description || "");
  const [showDeleteConfirm, setShowDeleteConfirm] = useState(false);
  const handleSubmit = () => {
    if (!name.trim()) return;
    updateProject(project.id, {
      name: name.trim(),
      description: description.trim() || undefined
    });
    onClose();
  };
  const handleDelete = () => {
    deleteProject(project.id);
    onClose();
  };
  return (
    <Dialog open={isOpen} onOpenChange={open => !open && onClose()}>
      <DialogContent className="bg-gray-800 border-gray-700 text-gray-100">
        <DialogHeader>
          <DialogTitle>B 5CD0CªBC„@Cä2C BDÂ ?D >CT:D#ÂôF– ÆöüF—FÆSà

```



```

</DialogHeader>
<div className="space-y-4 py-4">
  <div className="space-y-2">
    <Label htmlFor="project-name-edit">AÔ0Ct2C =C,,5 CÔ@Cä5CªBC ÂôÆ &VÃà
    <Input
      id="project-name-edit"
      value={name}
      onChange={e => setName(e.target.value)}
      className="bg-gray-700 border-gray-600 text-gray-200"
    />
  </div>
  <div className="space-y-2">
    <Label htmlFor="project-description-edit">Aä?C,,AC =C,,5 (Cä?Dd8Cä=C ;DÄ=Câ"ÂôÆ &VÃà
    <Textarea
      id="project-description-edit"
      value={description}
      onChange={e => setDescription(e.target.value)}
      className="bg-gray-700 border-gray-600 text-gray-200 min-h-20"
    />
  </div>
  {!showDeleteConfirm ? (
    <Button
      variant="destructive"
      onClick={() => setShowDeleteConfirm(true)}
      className="w-full mt-4"
    >
      <Trash2 className="h-4 w-4 mr-2" />
      B44C ;C,,BDÂ ?D >CT:D
    </Button>
  ) : (
    <div className="border border-red-800 bg-red-900/20 rounded-md p-3 mt-4">
      <p className="text-red-300 mb-2">A$K D42CT@CT=D²Â GD$> DT>D$8D$5 D44C ;C,,BDÂ MD$>D" ?D >CT:D
      <div className="flex gap-2">
        <Button
          variant="outline"
          onClick={() => setShowDeleteConfirm(false)}
          className="flex-1 bg-gray-700 border-gray-600"
        >
          AäBCÄ5CÔ0
        </Button>
        <Button
          variant="destructive"
          onClick={handleDelete}
          className="flex-1"
        >
          Aô>CDBC$5D 4C,,BDÂ CCD0C´5CÔ8CP
        </Button>
      </div>
    </div>
  )}
</div>
<DialogFooter>
  <Button variant="outline" onClick={onClose} className="bg-gray-700 border-gray-600 hover:bg-
gray-600 text-gray-200">
    AäBCÄ5CÔ0
  </Button>

```

```

    <Button onClick={handleSubmit} disabled={!name.trim()} className="bg-blue-600 hover:bg-blue-700 text-white">
      B >DT@C =C„BDÄ
    </Button>
  </DialogFooter>
</DialogContent>
</Dialog>
);
}
interface NewProfileDialogProps {
  isOpen: boolean;
  onClose: () => void;
  projectId: string;
  createProfile: (projectId: string, name: string, description?: string, inheritFromProject?: boolean) => Profile;
}
function NewProfileDialog({
  isOpen,
  onClose,
  projectId,
  createProfile
}: NewProfileDialogProps) {
  const [name, setName] = useState("");
  const [description, setDescription] = useState("");
  const [inheritSettings, setInheritSettings] = useState(true);
  const handleSubmit = () => {
    if (!name.trim()) return;
    createProfile(
      projectId,
      name.trim(),
      description.trim() || undefined,
      inheritSettings
    );
    setName("");
    setDescription("");
    setInheritSettings(true);
    onClose();
  };
  return (
    <Dialog open={isOpen} onOpenChange={open => !open && onClose()}>
      <DialogContent className="bg-gray-800 border-gray-700 text-gray-100">
        <DialogHeader>
          <DialogTitle>B >Ct4C BDÄ =Cä2D´9 Cö@CäDC„;DÄÄôF– ÆöüF—FÆSà
        </DialogHeader>
        <div className="space-y-4 py-4">
          <div className="space-y-2">
            <Label htmlFor="profile-name">AÔ0Ct2C =C„5 Cö@CäDC„;DóÂôÆ &VÃä
            <Input
              id="profile-name"
              value={name}
              onChange={e => setName(e.target.value)}
              className="bg-gray-700 border-gray-600 text-gray-200"
              placeholder="A$2CT4C„BCR =C 7C$0CÔ8CR ?D >DD8C´O"
            />
          </div>
          <div className="space-y-2">

```

```

<Label htmlFor="profile-description">Aä?C,,AC =C,,5 (Cä?Dd8Cä=C ;DÄ=Câ"Âô/Æ &VÃà
<Textarea
  id="profile-description"
  value={description}
  onChange={e => setDescription(e.target.value)}
  className="bg-gray-700 border-gray-600 text-gray-200 min-h-20"
  placeholder="A$2CT4C,,BCR >Cô8D 0CÔ8CR ?D >DD8C´O"
/>
</div>
<div className="flex items-center space-x-2">
  <Checkbox
    id="inherit-settings"
    checked={inheritSettings}
    onChangeChange={(checked) => setInheritSettings(checked as boolean)}
    className="border-gray-600 data-[state=checked]:bg-blue-600"
  />
  <Label htmlFor="inherit-settings" className="text-sm text-gray-300">
    AÔ0D ;CT4Cä2C BDÂ =C AD$@Cä9C¸8 C,,7 C 0Ct>C$KDR =C AD$@Cä5C¢ ?D >CT:D$0
  </Label>
</div>
</div>
<DialogFooter>
  <Button variant="outline" onClick={onClose} className="bg-gray-700 border-gray-600 hover:bg-
gray-600 text-gray-200">
    AäBCÄ5CÔ0
  </Button>
  <Button onClick={handleSubmit} disabled={!name.trim()} className="bg-blue-600 hover:bg-
blue-700 text-white">
    B >Ct4C BDÀ
  </Button>
</DialogFooter>
</DialogContent>
</Dialog>
);
}
interface EditProfileDialogProps {
  isOpen: boolean;
  onClose: () => void;
  projectId: string;
  profile: Profile;
  updateProfile: (projectId: string, profileId: string, updates: Partial<Profile>) => void;
  deleteProfile: (projectId: string, profileId: string) => void;
}
function EditProfileDialog({
  isOpen,
  onClose,
  projectId,
  profile,
  updateProfile,
  deleteProfile
}: EditProfileDialogProps) {
  const [name, setName] = useState(profile.name);
  const [description, setDescription] = useState(profile.description || "");
  const [showDeleteConfirm, setShowDeleteConfirm] = useState(false);
  const handleSubmit = () => {
    if (!name.trim()) return;

```

```

updateProfile(projectId, profile.id, {
  name: name.trim(),
  description: description.trim() || undefined
});
onClose();
};
const handleDelete = () => {
  deleteProfile(projectId, profile.id);
  onClose();
};
return (
  <Dialog open={isOpen} onOpenChange={open => !open && onClose()}>
    <DialogContent className="bg-gray-800 border-gray-700 text-gray-100">
      <DialogHeader>
        <DialogTitle>B 5CD0CªBC,,@Cä2C BDÂ ?D >DD8C´L</DialogTitle>
      </DialogHeader>
      <div className="space-y-4 py-4">
        <div className="space-y-2">
          <Label htmlFor="profile-name-edit">AÔ0Ct2C =C,,5 Cð@CäDC,,;DóÂôÆ &VÃà
          <Input
            id="profile-name-edit"
            value={name}
            onChange={e => setName(e.target.value)}
            className="bg-gray-700 border-gray-600 text-gray-200"
          />
        </div>
        <div className="space-y-2">
          <Label htmlFor="profile-description-edit">Aä?C,,AC =C,,5 (Cä?Dd8Cä=C ;DÄ=Câ“ÂôÆ &VÃà
          <Textarea
            id="profile-description-edit"
            value={description}
            onChange={e => setDescription(e.target.value)}
            className="bg-gray-700 border-gray-600 text-gray-200 min-h-20"
          />
        </div>
        {!showDeleteConfirm ? (
          <Button
            variant="destructive"
            onClick={() => setShowDeleteConfirm(true)}
            className="w-full mt-4"
          >
            <Trash2 className="h-4 w-4 mr-2" />
            B44C ;C,,BDÂ ?D >DD8C´L
          </Button>
        ) : (
          <div className="border border-red-800 bg-red-900/20 rounded-md p-3 mt-4">
            <p className="text-red-300 mb-2">A$K D42CT@CT=D²Â GD$> DT>D$8D$5 D44C ;C,,BDÂ MD$>D" ?D >DD8C´L
            <div className="flex gap-2">
              <Button
                variant="outline"
                onClick={() => setShowDeleteConfirm(false)}
                className="flex-1 bg-gray-700 border-gray-600"
              >
                AäBCÄ5CÔ0
              </Button>
              <Button

```

```

        variant="destructive"
        onClick={handleDelete}
        className="flex-1"
      >
        Aô>CDBC$5D 4C,,BDÂ CCD0C'5CÔ8CP
      </Button>
    </div>
  </div>
)}
</div>
<DialogFooter>
  <Button variant="outline" onClick={onClose} className="bg-gray-700 border-gray-600 hover:bg-
gray-600 text-gray-200">
    AâBCÂ5CÔ0
  </Button>
  <Button onClick={handleSubmit} disabled={!name.trim()} className="bg-blue-600 hover:bg-
blue-700 text-white">
    B >DT@C =C,,BDÂ
  </Button>
</DialogFooter>
</DialogContent>
</Dialog>
);
}
import { Checkbox } from '@components/ui/checkbox';

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/components/search-filter.tsx

```
'use client';
import { Button } from '@components/ui/button';
import { Input } from '@components/ui/input';
import { Tooltip, TooltipContent, TooltipProvider, TooltipTrigger } from '@components/ui/tooltip';
import { cn } from '@lib/utlis';
import { ChevronDown, ChevronUp, Info, Search, X } from 'lucide-react';
import type React from 'react';
import { useEffect, useRef, useState } from 'react';
import type { FilterSettings } from '@server/file-system';
interface SearchFilterProps {
  onSearch: (pattern: string) => void;
  filterSettings?: FilterSettings;
}
export function SearchFilter({ onSearch, filterSettings }: SearchFilterProps) {
  const [searchValue, setSearchValue] = useState('');
  const [suggestions, setSuggestions] = useState<string[]>([]);
  const [showSuggestions, setShowSuggestions] = useState(false);
  const [isLoading, setIsLoading] = useState(false);
  const [focusedSuggestion, setFocusedSuggestion] = useState(-1);
  const inputRef = useRef<HTMLInputElement>(null);
  const suggestionsRef = useRef<HTMLDivElement>(null);
  const fetchSuggestions = async (query: string) => {
    if (!query || query.length < 2) {
      setSuggestions([]);
      return;
    }
    try {
      setIsLoading(true);
      if (filterSettings) {
        const response = await fetch('/api/file-autocomplete', {
          method: 'POST',
          headers: {
            'Content-Type': 'application/json',
          },
          body: JSON.stringify({
            query,
            filterSettings,
          }),
        });
        const data = await response.json();
        if (data.suggestions) {
          setSuggestions(data.suggestions);
        }
      } else {
        const response = await fetch(`/api/file-autocomplete?query=${encodeURIComponent(query)}`);
        const data = await response.json();
        if (data.suggestions) {
          setSuggestions(data.suggestions);
        }
      }
    } catch (error) {
```

```

    console.error('Error fetching suggestions:', error);
    setSuggestions([]);
  } finally {
    setIsLoading(false);
  }
};

const handleInputChange = (e: React.ChangeEvent<HTMLInputElement>) => {
  const value = e.target.value;
  setSearchValue(value);
  setFocusedSuggestion(-1);
  if (value.length >= 2) {
    setShowSuggestions(true);
    fetchSuggestions(value);
  } else {
    setShowSuggestions(false);
    setSuggestions([]);
  }
};

const handleSelectSuggestion = (suggestion: string) => {
  const fileName = suggestion.split('/').pop() || suggestion;
  setSearchValue(fileName);
  setShowSuggestions(false);
  onSearch(fileName);
};

const handleKeyDown = (e: React.KeyboardEvent) => {
  if (showSuggestions && suggestions.length > 0) {
    if (e.key === 'ArrowDown') {
      e.preventDefault();
      setFocusedSuggestion(prev => {
        const next = prev + 1 >= suggestions.length ? 0 : prev + 1;
        setTimeout(() => scrollToSuggestion(next), 0);
        return next;
      });
    } else if (e.key === 'ArrowUp') {
      e.preventDefault();
      setFocusedSuggestion(prev => {
        const next = prev - 1 < 0 ? suggestions.length - 1 : prev - 1;
        setTimeout(() => scrollToSuggestion(next), 0);
        return next;
      });
    } else if (e.key === 'Enter' && focusedSuggestion >= 0) {
      e.preventDefault();
      handleSelectSuggestion(suggestions[focusedSuggestion]);
    } else if (e.key === 'Escape') {
      e.preventDefault();
      setShowSuggestions(false);
    }
  }
};

const scrollToSuggestion = (index: number) => {
  if (suggestionsRef.current && suggestionsRef.current.children[index]) {
    const element = suggestionsRef.current.children[index] as HTMLElement;
    const container = suggestionsRef.current;
    const elementTop = element.offsetTop;
    const elementBottom = elementTop + element.clientHeight;
    const containerTop = container.scrollTop;
  }
};

```

```

    const containerBottom = containerTop + container.clientHeight;
    if (elementTop < containerTop) {
      container.scrollTop = elementTop;
    }
    else if (elementBottom > containerBottom) {
      container.scrollTop = elementBottom - container.clientHeight;
    }
  }
};
useEffect(() => {
  const handleClickOutside = (e: MouseEvent) => {
    if (
      inputRef.current &&
      !inputRef.current.contains(e.target as Node) &&
      suggestionsRef.current &&
      !suggestionsRef.current.contains(e.target as Node)
    ) {
      setShowSuggestions(false);
    }
  };
  document.addEventListener('mousedown', handleClickOutside);
  return () => {
    document.removeEventListener('mousedown', handleClickOutside);
  };
}, []);
const handleSubmit = (e: React.FormEvent) => {
  e.preventDefault();
  setShowSuggestions(false);
  onSearch(searchValue);
};
const handleClear = () => {
  setSearchValue("");
  setShowSuggestions(false);
  setSuggestions([]);
  onSearch("");
  inputRef.current?.focus();
};
const formatSuggestion = (path: string, index: number) => {
  const segments = path.split('/');
  const lastSegment = segments.pop() || path;
  const parentPath = segments.length > 0 ? segments.join('/') : "";
  const isSelected = index === focusedSuggestion;
  return (
    <div className="flex flex-col w-full">
      <span className="font-medium">{lastSegment}</span>
      {parentPath && (
        <span
          className={`text-xs truncate ${
            isSelected ? 'text-blue-100' : 'text-gray-500'
          }`}
          style={{
            opacity: isSelected ? 0.9 : 0.7
          }}
        >
          {parentPath}
        </span>
      )}
    </div>
  );
};

```



```

    })
  </div>
);
};
return (
  <form onSubmit={handleSubmit} className="flex gap-2 mb-4">
    <div className="relative flex-1">
      <Search className="absolute left-2.5 top-2.5 h-4 w-4 text-gray-400" />
      <Input
        ref={inputRef}
        type="text"
        placeholder="Aô>C,,AC¢ DC 9C´>C"âââ
        value={searchValue}
        onChange={handleInputChange}
        onKeyDown={handleKeyDown}
        onFocus={() => {
          if (searchValue.length >= 2) {
            setShowSuggestions(true);
            fetchSuggestions(searchValue);
          }
        }}
        className="pl-9 pr-9 border-gray-700 text-gray-200 focus:ring-blue-500 focus:border-blue-500"
        style={{ backgroundColor: '#1f2937' }}
      />
      {searchValue && (
        <button
          type="button"
          onClick={handleClear}
          className="absolute right-2.5 top-2.5 text-gray-400 hover:text-gray-200"
        >
          <X className="h-4 w-4" />
        </button>
      )}
    </div>
    {showSuggestions && (
      <div
        ref={suggestionsRef}
        className="absolute z-50 mt-1 w-full max-h-60 overflow-auto rounded-md border border-gray-700 shadow-lg py-1 autocomplete-dropdown"
        style={{
          backgroundColor: '#1e2030',
        }}
      >
        {isLoading ? (
          <div className="px-4 py-2 text-sm text-gray-400">At0C4@D47Cª0...</div>
        ) : suggestions.length > 0 ? (
          suggestions.map((suggestion, index) => (
            <div
              key={suggestion}
              onClick={() => handleSelectSuggestion(suggestion)}
              style={{
                backgroundColor: focusedSuggestion === index ? '#2563eb' : '#1e2030',
                position: 'relative',
              }}
              className={`px-4 py-2 text-sm cursor-pointer hover:bg-blue-800 ${

```

```
        focusedSuggestion === index ? 'text-white' : 'text-gray-200'
      }}
    >
      {formatSuggestion(suggestion, index)}
    </div>
  ))
) : (
  searchValue.length >= 2 && <div className="px-4 py-2 text-sm text-gray-400">AÔ5D" @CT7D4;DÄBC BCä2</d
  )}
</div>
)}
</div>
<Button type="submit" size="sm" className="bg-blue-600 hover:bg-blue-700 text-white">
  AÔ0C"BC€
</Button>
</form>
);
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/lib/hooks/use-local-storage.ts

```
'use client';
import { useState, useEffect } from 'react';
export function useLocalStorage<T>({
  key: string,
  initialValue: T
}): [T, (value: T | ((val: T) => T)) => void] {
  const readValue = (): T => {
    if (typeof window === 'undefined') {
      return initialValue;
    }
    try {
      const item = window.localStorage.getItem(key);
      return item ? (JSON.parse(item) as T) : initialValue;
    } catch (error) {
      console.warn(`AäHC„1C¼0 DtBCT=C„O C„7 localStorage CD;Dò :C´NDt0 "${key}":`, error);
      return initialValue;
    }
  };
  const [storedValue, setStoredValue] = useState<T>(readValue);
  const setValue = (value: T | ((val: T) => T)) => {
    try {
      const valueToStore =
        value instanceof Function ? value(storedValue) : value;
      setStoredValue(valueToStore);
      if (typeof window !== 'undefined') {
        window.localStorage.setItem(key, JSON.stringify(valueToStore));
      }
    } catch (error) {
      console.warn(`AäHC„1C¼0 Ct0Cô8D 8 C" Æö6 Å7F÷ age CD;Dò :C´NDt0 "${key}":`, error);
    }
  };
  useEffect(() => {
    const handleStorageChange = (event: StorageEvent) => {
      if (event.key === key && event.newValue) {
        setStoredValue(JSON.parse(event.newValue));
      }
    };
    window.addEventListener('storage', handleStorageChange);
    return () => {
      window.removeEventListener('storage', handleStorageChange);
    };
  }, [key]);
  return [storedValue, setValue];
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/lib/stores/projects-store.ts

```
import type { FileNode, FilterSettings } from '@lib/types';
import { v4 as uuidv4 } from 'uuid';
import { create } from 'zustand';
import { persist } from 'zustand/middleware';
export interface ProjectSettings {
  includeComments: boolean;
  newPageForEachFile: boolean;
  outputFileName: string;
  useAbsolutePaths: boolean;
  filterSettings: FilterSettings;
  selectedFiles: string[];
}
export interface Profile {
  id: string;
  name: string;
  description?: string;
  settings: ProjectSettings;
  createdAt: number;
  updatedAt: number;
  overrides: Partial<Record<keyof ProjectSettings, boolean>>;
}
export interface Project {
  id: string;
  name: string;
  description?: string;
  baseSettings: ProjectSettings;
  profiles: Profile[];
  createdAt: number;
  updatedAt: number;
}
export const DEFAULT_PROJECT_SETTINGS: ProjectSettings = {
  includeComments: true,
  newPageForEachFile: true,
  outputFileName: 'project_code.pdf',
  useAbsolutePaths: true,
  filterSettings: {
    ignoredDirectories: [],
    ignoredFiles: [],
    ignoredExtensions: [],
    allowedExtensions: [],
    useDefaultIgnores: true,
  },
  selectedFiles: [],
};
interface ProjectState {
  projects: Project[];
  activeProjectId?: string;
  activeProfileId?: string;
  getActiveProject: () => Project | undefined;
  getActiveProfile: () => Profile | undefined;
  getActiveSettings: () => ProjectSettings;
```

```

createProject: (name: string, description?: string) => Project;
updateProject: (projectId: string, updates: Partial<Project>) => void;
deleteProject: (projectId: string) => void;
createProfile: (projectId: string, name: string, description?: string, inheritFromProject?: boolean) =>
Profile;
updateProfile: (projectId: string, profileId: string, updates: Partial<Profile>) => void;
deleteProfile: (projectId: string, profileId: string) => void;
copyProfile: (projectId: string, profileId: string, newName?: string) => Profile;
setActiveProject: (projectId?: string) => void;
setActiveProfile: (profileId?: string) => void;
updateActiveSettings: (updates: Partial<ProjectSettings>) => void;
applySelectedFilesToTree: (fileTree: FileNode, selectedFiles: string[]) => FileNode;
}
export const useProjectsStore = create<ProjectState>()(
  persist(
    (set, get) => ({
      projects: [],
      activeProjectId: undefined,
      activeProfileId: undefined,
      getActiveProject: () => {
        const { projects, activeProjectId } = get();
        return projects.find((p) => p.id === activeProjectId);
      },
      getActiveProfile: () => {
        const { activeProfileId } = get();
        const activeProject = get().getActiveProject();
        if (!activeProject || !activeProfileId) {
          return undefined;
        }
        return activeProject.profiles.find((p) => p.id === activeProfileId);
      },
      getActiveSettings: () => {
        const activeProfile = get().getActiveProfile();
        const activeProject = get().getActiveProject();
        if (activeProfile && activeProject) {
          const mergedSettings = { ...activeProject.baseSettings };
          Object.keys(activeProfile.settings).forEach(key => {
            const settingKey = key as keyof ProjectSettings;
            if (!activeProfile.overrides || activeProfile.overrides[settingKey]) {
              if (settingKey === 'selectedFiles') {
                mergedSettings.selectedFiles = [...activeProfile.settings.selectedFiles];
              } else {
                mergedSettings[settingKey] = activeProfile.settings[settingKey];
              }
            }
          });
        }
        return mergedSettings;
      },
      if (activeProject) {
        return activeProject.baseSettings;
      }
    },
    return DEFAULT_PROJECT_SETTINGS;
  ),
  createProject: (name, description) => {
    const newProject: Project = {
      id: uuidv4(),

```

```

    name,
    description,
    baseSettings: { ...DEFAULT_PROJECT_SETTINGS },
    profiles: [],
    createdAt: Date.now(),
    updatedAt: Date.now(),
  };
  set((state) => ({
    projects: [...state.projects, newProject],
    activeProjectId: newProject.id,
    activeProfileId: undefined,
  }));
  return newProject;
},
updateProject: (projectId, updates) => {
  set((state) => ({
    projects: state.projects.map((project) =>
      project.id === projectId ? { ...project, ...updates, updatedAt: Date.now() } : project,
    ),
  }));
},
deleteProject: (projectId) => {
  set((state) => {
    const updatedState: Partial<ProjectState> = {
      projects: state.projects.filter((project) => project.id !== projectId),
    };
    if (state.activeProjectId === projectId) {
      updatedState.activeProjectId = undefined;
      updatedState.activeProfileId = undefined;
    }
    return updatedState as ProjectState;
  });
},
createProfile: (projectId, name, description, inheritFromProject = true) => {
  const { projects } = get();
  const project = projects.find((p) => p.id === projectId);
  const settings = inheritFromProject && project
    ? { ...project.baseSettings }
    : { ...DEFAULT_PROJECT_SETTINGS };
  const newProfile: Profile = {
    id: uuidv4(),
    name,
    description,
    settings,
    createdAt: Date.now(),
    updatedAt: Date.now(),
    overrides: {}
  };
  set((state) => ({
    projects: state.projects.map((project) => {
      if (project.id === projectId) {
        return {
          ...project,
          profiles: [...project.profiles, newProfile],
          updatedAt: Date.now(),
        };
      }
    }
  }));
}

```

```

    }
    return project;
  }),
  activeProfileId: newProfile.id,
  ));
return newProfile;
},
updateProfile: (projectId, profileId, updates) => {
  set((state) => ({
    projects: state.projects.map((project) => {
      if (project.id === projectId) {
        return {
          ...project,
          profiles: project.profiles.map((profile) =>
            profile.id === profileId ? { ...profile, ...updates, updatedAt: Date.now() } : profile,
          ),
          updatedAt: Date.now(),
        };
      }
    })
  })),
  return project;
  }),
  ));
},
deleteProfile: (projectId, profileId) => {
  set((state) => {
    const updatedState: Partial<ProjectState> = {
      projects: state.projects.map((project) => {
        if (project.id === projectId) {
          return {
            ...project,
            profiles: project.profiles.filter((profile) => profile.id !== profileId),
            updatedAt: Date.now(),
          };
        }
      })
    };
    return project;
  }),
  );
  if (state.activeProfileId === profileId) {
    updatedState.activeProfileId = undefined;
  }
  return updatedState as ProjectState;
  });
},
copyProfile: (projectId, profileId) => {
  const { projects } = get();
  const project = projects.find(p => p.id === projectId);
  if (!project) {
    throw new Error('A@Cä5CªB CÔ5 CÔ0C"4CT=');
  }
  const sourceProfile = project.profiles.find(p => p.id === profileId);
  if (!sourceProfile) {
    throw new Error('A@CäDC,,;DÂ =CR =C 9CD5CÒr“°
  }
  const copyName = `${sourceProfile.name} (Cª>Cô8Dò— °
  const newProfile: Profile = {
    id: uuidv4(),

```

```

    name: copyName,
    description: sourceProfile.description,
    settings: { ...sourceProfile.settings },
    overrides: { ...sourceProfile.overrides },
    createdAt: Date.now(),
    updatedAt: Date.now(),
  };
  set((state) => ({
    projects: state.projects.map((p) => {
      if (p.id === projectId) {
        return {
          ...p,
          profiles: [...p.profiles, newProfile],
          updatedAt: Date.now(),
        };
      }
      return p;
    }),
    activeProfileId: newProfile.id,
  }));
  return newProfile;
},
setActiveProject: (projectId) => {
  set({
    activeProjectId: projectId,
    activeProfileId: undefined,
  });
},
setActiveProfile: (profileId) => {
  set({ activeProfileId: profileId });
},
updateActiveSettings: (updates) => {
  const { activeProjectId, activeProfileId } = get();
  const activeProfile = get().getActiveProfile();
  const activeProject = get().getActiveProject();
  if (activeProfile && activeProjectId) {
    const updatedOverrides = { ...activeProfile.overrides };
    Object.keys(updates).forEach(key => {
      const settingKey = key as keyof ProjectSettings;
      updatedOverrides[settingKey] = true;
      if (settingKey === 'selectedFiles' && 'selectedFiles' in updates) {
        const selectedFiles = updates.selectedFiles || [];
        updates = {
          ...updates,
          selectedFiles: [...selectedFiles]
        };
      }
    });
    get().updateProfile(activeProjectId, activeProfile.id, {
      settings: { ...activeProfile.settings, ...updates },
      overrides: updatedOverrides
    });
  } else if (activeProject) {
    get().updateProject(activeProject.id, {
      baseSettings: { ...activeProject.baseSettings, ...updates },
    });
  }
}

```



```

    }
  },
  applySelectedFilesToTree: (fileTree, selectedFiles) => {
    const filesSet = new Set(selectedFiles);
    const clonedTree = structuredClone(fileTree) as FileNode;
    const updateSelection = (node: FileNode): FileNode => {
      if (node.type === 'file') {
        return {
          ...node,
          selected: filesSet.has(node.path)
        };
      }
      if (node.children) {
        const updatedChildren = node.children.map(child => updateSelection(child));
        const allChildrenSelected =
          updatedChildren.length > 0 &&
          updatedChildren.every(child => child.selected);
        return {
          ...node,
          selected: allChildrenSelected,
          children: updatedChildren,
        };
      }
      return { ...node, selected: false };
    };
    return updateSelection(clonedTree);
  },
}),
{
  name: 'code-consolidator-projects',
  version: 1,
},
),
);

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/lib/ file-system.ts

```
'use client';
import { FileNode } from './types';
export function formatFileSize(bytes: number): string {
  if (bytes === 0) return '0 Bytes';
  const k = 1024;
  const sizes = ['Bytes', 'KB', 'MB', 'GB', 'TB'];
  const i = Math.floor(Math.log(bytes) / Math.log(k));
  return parseFloat((bytes / Math.pow(k, i)).toFixed(2)) + ' ' + sizes[i];
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/lib/format-utils.ts

```
export function formatFileSize(bytes: number): string {
  if (bytes === 0) return '0 B';
  const k = 1024;
  const sizes = ['B', 'KB', 'MB', 'GB', 'TB'];
  const i = Math.floor(Math.log(bytes) / Math.log(k));
  return parseFloat((bytes / Math.pow(k, i)).toFixed(1)) + ' ' + sizes[i];
}

export function formatDate(timestamp: number): string {
  const date = new Date(timestamp);
  const day = String(date.getDate()).padStart(2, '0');
  const month = String(date.getMonth() + 1).padStart(2, '0');
  const year = date.getFullYear();
  const hours = String(date.getHours()).padStart(2, '0');
  const minutes = String(date.getMinutes()).padStart(2, '0');
  return `${day}.${month}.${year} ${hours}:${minutes}`;
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/lib/path-finder.ts

```
import { FileNode } from './types';
export function findNodeByPath(tree: FileNode, targetPath: string): FileNode | null {
  if (tree.path === targetPath) {
    return tree;
  }
  if (tree.children) {
    for (const child of tree.children) {
      const result = findNodeByPath(child, targetPath);
      if (result) {
        return result;
      }
    }
  }
  if (targetPath.includes(tree.path) || tree.path.includes(targetPath)) {
    return tree;
  }
  return null;
}
export function selectNodeAndChildren(tree: FileNode, node: FileNode, selected: boolean): FileNode {
  if (tree.path === node.path) {
    const updatedNode = { ...tree, selected };
    if (tree.type === 'directory' && tree.children) {
      updatedNode.children = tree.children.map(child => {
        const newChild = { ...child, selected };
        if (newChild.children) {
          return {
            ...newChild,
            children: newChild.children.map(grandchild =>
              selectNodeAndChildren(grandchild, grandchild, selected)
            )
          };
        }
        return newChild;
      });
    }
    return updatedNode;
  }
  if (tree.children) {
    return {
      ...tree,
      children: tree.children.map(child => selectNodeAndChildren(child, node, selected))
    };
  }
  return tree;
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/lib/projects-storage.ts

```
import { FilterSettings, FileNode } from './types';
import { v4 as uuidv4 } from 'uuid';
export interface ProjectSettings {
  includeComments: boolean;
  newPageForEachFile: boolean;
  outputFileName: string;
  filterSettings: FilterSettings;
  selectedFiles: string[];
}
export interface Profile {
  id: string;
  name: string;
  description?: string;
  settings: ProjectSettings;
  createdAt: number;
  updatedAt: number;
}
export interface Project {
  id: string;
  name: string;
  description?: string;
  baseSettings: ProjectSettings;
  profiles: Profile[];
  createdAt: number;
  updatedAt: number;
}
export interface ProjectsStorage {
  projects: Project[];
  activeProjectId?: string;
  activeProfileId?: string;
}
const STORAGE_KEY = 'code-consolidator-projects';
export const DEFAULT_PROJECT_SETTINGS: ProjectSettings = {
  includeComments: true,
  newPageForEachFile: true,
  outputFileName: 'project_code.pdf',
  filterSettings: {
    ignoredDirectories: [],
    ignoredFiles: [],
    ignoredExtensions: [],
    allowedExtensions: [],
    useDefaultIgnores: true,
  },
  selectedFiles: [],
};
export function getProjectsStorage(): ProjectsStorage {
  if (typeof window === 'undefined') {
    return { projects: [] };
  }
  const storageData = localStorage.getItem(STORAGE_KEY);
  if (!storageData) {
```

```

    return { projects: [] };
  }
  try {
    return JSON.parse(storageData) as ProjectsStorage;
  } catch (error) {
    console.error('AäHC„1Cœ0 Cô@C, GD$5CÔ8C, 4C =CÔKDR ?D >CT:D$>C#¢rÂ W'&÷''''°
    return { projects: [] };
  }
}
export function saveProjectsStorage(data: ProjectsStorage): void {
  if (typeof window === 'undefined') {
    return;
  }
  localStorage.setItem(STORAGE_KEY, JSON.stringify(data));
}
export function createProject(name: string, description?: string): Project {
  return {
    id: uuidv4(),
    name,
    description,
    baseSettings: { ...DEFAULT_PROJECT_SETTINGS },
    profiles: [],
    createdAt: Date.now(),
    updatedAt: Date.now(),
  };
}
export function createProfile(
  projectId: string,
  name: string,
  description?: string,
  inheritFromProject = true
): Profile {
  const storage = getProjectsStorage();
  const project = storage.projects.find(p => p.id === projectId);
  const settings = inheritFromProject && project
    ? { ...project.baseSettings }
    : { ...DEFAULT_PROJECT_SETTINGS };
  return {
    id: uuidv4(),
    name,
    description,
    settings,
    createdAt: Date.now(),
    updatedAt: Date.now(),
  };
}
export function getActiveProject(): Project | undefined {
  const storage = getProjectsStorage();
  if (!storage.activeProjectId) {
    return undefined;
  }
  return storage.projects.find(p => p.id === storage.activeProjectId);
}
export function getActiveProfile(): Profile | undefined {
  const storage = getProjectsStorage();
  const project = getActiveProject();

```

```

    if (!project || !storage.activeProfileId) {
      return undefined;
    }
    return project.profiles.find(p => p.id === storage.activeProfileId);
  }
}

export function getActiveSettings(): ProjectSettings {
  const activeProfile = getActiveProfile();
  const activeProject = getActiveProject();
  if (activeProfile) {
    return activeProfile.settings;
  }
  if (activeProject) {
    return activeProject.baseSettings;
  }
  return DEFAULT_PROJECT_SETTINGS;
}

export function updateSelectedFiles(selectedFiles: string[]): void {
  const storage = getProjectsStorage();
  const activeProject = storage.activeProjectId
    ? storage.projects.find(p => p.id === storage.activeProjectId)
    : undefined;
  if (!activeProject) return;
  const activeProfile = storage.activeProfileId && activeProject
    ? activeProject.profiles.find(p => p.id === storage.activeProfileId)
    : undefined;
  if (activeProfile) {
    storage.projects = storage.projects.map(project => {
      if (project.id === storage.activeProjectId) {
        return {
          ...project,
          profiles: project.profiles.map(profile => {
            if (profile.id === storage.activeProfileId) {
              return {
                ...profile,
                settings: { ...profile.settings, selectedFiles },
                updatedAt: Date.now(),
              };
            }
          })
        };
      }
      return project;
    });
  } else if (activeProject) {
    storage.projects = storage.projects.map(project => {
      if (project.id === storage.activeProjectId) {
        return {
          ...project,
          baseSettings: { ...project.baseSettings, selectedFiles },
          updatedAt: Date.now(),
        };
      }
      return project;
    });
  }
}

```

```

    saveProjectsStorage(storage);
  }
export function applySelectedFilesToTree(fileTree: FileNode, selectedFiles: string[]): FileNode {
  const filesSet = new Set(selectedFiles);
  const updateSelection = (node: FileNode): FileNode => {
    const selected = filesSet.has(node.path);
    if (node.type === 'file') {
      return { ...node, selected };
    }
    if (node.children) {
      const updatedChildren = node.children.map(child => updateSelection(child));
      const allChildrenSelected = updatedChildren.length > 0 &&
        updatedChildren.every(child => child.selected);
      return {
        ...node,
        selected: allChildrenSelected,
        children: updatedChildren,
      };
    }
    return node;
  };
  return updateSelection(fileTree);
}
export function updateSettings(settings: Partial<ProjectSettings>): void {
  const storage = getProjectsStorage();
  const activeProject = storage.activeProjectId
    ? storage.projects.find(p => p.id === storage.activeProjectId)
    : undefined;
  if (!activeProject) return;
  const activeProfile = storage.activeProfileId && activeProject
    ? activeProject.profiles.find(p => p.id === storage.activeProfileId)
    : undefined;
  if (activeProfile) {
    storage.projects = storage.projects.map(project => {
      if (project.id === storage.activeProjectId) {
        return {
          ...project,
          profiles: project.profiles.map(profile => {
            if (profile.id === storage.activeProfileId) {
              return {
                ...profile,
                settings: { ...profile.settings, ...settings },
                updatedAt: Date.now(),
              };
            }
            return profile;
          }),
        };
      }
      return project;
    });
  } else if (activeProject) {
    storage.projects = storage.projects.map(project => {
      if (project.id === storage.activeProjectId) {
        return {
          ...project,

```



```
        baseSettings: { ...project.baseSettings, ...settings },
        updatedAt: Date.now(),
    };
}
return project;
});
}
saveProjectsStorage(storage);
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/lib/tree-utils.ts

```
import { FileNode } from './types';
export function updateNodeSelection(tree: FileNode, path: string, selected: boolean): FileNode {
  if (tree.path === path) {
    if (tree.type === 'directory' && tree.children) {
      return {
        ...tree,
        selected,
        children: tree.children.map(child => ({
          ...child,
          selected,
          children: child.children
            ? child.children.map(grandchild => updateNodeSelection({
              ...grandchild,
              selected
            }, grandchild.path, selected))
            : undefined
        })))
      };
    }
  }
  return { ...tree, selected };
}
if (tree.children) {
  return {
    ...tree,
    children: tree.children.map(child => updateNodeSelection(child, path, selected))
  };
}
return tree;
}
export function getSelectedFilePaths(node: FileNode): string[] {
  let paths: string[] = [];
  if (node.type === 'file' && node.selected) {
    paths.push(node.path);
  }
  if (node.children) {
    node.children.forEach(child => {
      paths = [...paths, ...getSelectedFilePaths(child)];
    });
  }
  return paths;
}
export function countSelectedFiles(node: FileNode): number {
  let count = node.type === 'file' && node.selected ? 1 : 0;
  if (node.children) {
    count += node.children.reduce((acc, child) => acc + countSelectedFiles(child), 0);
  }
  return count;
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/lib/types.ts

```
export interface FileNode {
  name: string;
  path: string;
  type: 'file' | 'directory';
  size?: number;
  selected?: boolean;
  children?: FileNode[];
}
export interface FilterSettings {
  ignoredDirectories: string[];
  ignoredFiles: string[];
  ignoredExtensions: string[];
  allowedExtensions: string[];
  useDefaultIgnores: boolean;
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/lib/use-projects.ts

```
import { useEffect, useState } from 'react';
import {
  Project,
  Profile,
  ProjectSettings,
  getProjectsStorage,
  saveProjectsStorage,
  createProject as createProjectUtil,
  createProfile as createProfileUtil,
  DEFAULT_PROJECT_SETTINGS
} from './projects-storage';
export function useProjects() {
  const [projects, setProjects] = useState<Project[]>([]);
  const [activeProjectId, setActiveProjectId] = useState<string | undefined>();
  const [activeProfileId, setActiveProfileId] = useState<string | undefined>();
  const [isLoading, setIsLoaded] = useState(false);
  useEffect(() => {
    const storage = getProjectsStorage();
    setProjects(storage.projects);
    setActiveProjectId(storage.activeProjectId);
    setActiveProfileId(storage.activeProfileId);
    setIsLoaded(true);
  }, []);
  useEffect(() => {
    if (!isLoading) return;
    const storage = getProjectsStorage();
    storage.projects = projects;
    storage.activeProjectId = activeProjectId;
    storage.activeProfileId = activeProfileId;
    saveProjectsStorage(storage);
  }, [projects, activeProjectId, activeProfileId, isLoading]);
  const activeProject = activeProjectId
    ? projects.find(p => p.id === activeProjectId)
    : undefined;
  const activeProfile = activeProject && activeProfileId
    ? activeProject.profiles.find(p => p.id === activeProfileId)
    : undefined;
  const activeSettings = activeProfile
    ? activeProfile.settings
    : activeProject
    ? activeProject.baseSettings
    : DEFAULT_PROJECT_SETTINGS;
  const createProject = (name: string, description?: string) => {
    const newProject = createProjectUtil(name, description);
    setProjects([...projects, newProject]);
    return newProject;
  };
  const updateProject = (projectId: string, updates: Partial<Project>) => {
    setProjects(projects.map(project =>
      project.id === projectId
        ? { ...project, ...updates, updatedAt: Date.now() }
    ));
  };
}
```

```

      : project
    ));
  };
  const deleteProject = (projectId: string) => {
    setProjects(projects.filter(project => project.id !== projectId));
    if (activeProjectId === projectId) {
      setActiveProjectId(undefined);
      setActiveProfileId(undefined);
    }
  };
  const createProfile = (
    projectId: string,
    name: string,
    description?: string,
    inheritFromProject = true
  ) => {
    const newProfile = createProfileUtil(projectId, name, description, inheritFromProject);
    setProjects(projects.map(project => {
      if (project.id === projectId) {
        return {
          ...project,
          profiles: [...project.profiles, newProfile],
          updatedAt: Date.now()
        };
      }
      return project;
    }));
    return newProfile;
  };
  const updateProfile = (projectId: string, profileId: string, updates: Partial<Profile>) => {
    setProjects(projects.map(project => {
      if (project.id === projectId) {
        return {
          ...project,
          profiles: project.profiles.map(profile =>
            profile.id === profileId
              ? { ...profile, ...updates, updatedAt: Date.now() }
              : profile
          ),
          updatedAt: Date.now()
        };
      }
      return project;
    }));
  };
  const deleteProfile = (projectId: string, profileId: string) => {
    setProjects(projects.map(project => {
      if (project.id === projectId) {
        return {
          ...project,
          profiles: project.profiles.filter(profile => profile.id !== profileId),
          updatedAt: Date.now()
        };
      }
      return project;
    }));
  };

```

```

    if (activeProfileId === profileId) {
      setActiveProfileId(undefined);
    }
  };
  const setActiveProject = (projectId?: string) => {
    setActiveProjectId(projectId);
    setActiveProfileId(undefined);
  };
  const setActiveProfile = (profileId?: string) => {
    setActiveProfileId(profileId);
  };
  const updateActiveSettings = (updates: Partial<ProjectSettings>) => {
    if (activeProfile && activeProjectId) {
      updateProfile(activeProjectId, activeProfile.id, {
        settings: { ...activeProfile.settings, ...updates }
      });
    } else if (activeProject) {
      updateProject(activeProject.id, {
        baseSettings: { ...activeProject.baseSettings, ...updates }
      });
    }
  };
  return {
    projects,
    activeProjectId,
    activeProfileId,
    activeProject,
    activeProfile,
    activeSettings,
    createProject,
    updateProject,
    deleteProject,
    createProfile,
    updateProfile,
    deleteProfile,
    setActiveProject,
    setActiveProfile,
    updateActiveSettings,
    isLoaded
  };
}

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/lib/ utils.ts

```
import { type ClassValue, clsx } from "clsx"
import { twMerge } from "tailwind-merge"
export function cn(...inputs: ClassValue[]) {
  return twMerge(clsx(inputs))
}
export function setCookie(name: string, value: string, days = 365) {
  const date = new Date();
  date.setTime(date.getTime() + (days * 24 * 60 * 60 * 1000));
  const expires = `expires=${date.toUTCString()}`;
  document.cookie = `${name}=${encodeURIComponent(value)}${expires};path=/;SameSite=Strict`;
}
export function getCookie(name: string): string | null {
  if (typeof document === 'undefined') return null;
  const nameEQ = `${name}=`;
  const ca = document.cookie.split(';');
  for (let i = 0; i < ca.length; i++) {
    let c = ca[i];
    while (c.charAt(0) === ' ') c = c.substring(1, c.length);
    if (c.indexOf(nameEQ) === 0) {
      return decodeURIComponent(c.substring(nameEQ.length, c.length));
    }
  }
  return null;
}
export function deleteCookie(name: string) {
  document.cookie = `${name}=;expires=Thu, 01 Jan 1970 00:00:00 GMT;path=/;SameSite=Strict`;
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/server/core/combine-files.ts

```
import * as fs from 'fs';
import * as path from 'path';
import PDFDocument from 'pdfkit';
export type InputFile = string | { [key: string]: string | InputFile };
function shouldIgnorePath(path: string, ignorePaths?: (string | RegExp][]): boolean {
  if (!ignorePaths) {
    return false;
  }
  return ignorePaths.some((pattern) => {
    if (typeof pattern === 'string') {
      return path.includes(pattern);
    }
    if (pattern instanceof RegExp) {
      return pattern.test(path);
    }
    return false;
  });
}
export interface ConsolidatorConfig {
  inputFiles: InputFile[];
  outputFile: string;
  includeComments?: boolean;
  newPageForEachFile?: boolean;
  useAbsolutePaths?: boolean;
  ignorePaths?: (string | RegExp][];
}
export function defineConsolidatorConfig(config: ConsolidatorConfig) {
  return {
    generate: () => combineFiles(config),
  };
}
function readFileContent(filePath: string, includeComments = true): string {
  try {
    let content = fs.readFileSync(filePath, 'utf-8');
    if (!includeComments) {
      content = removeComments(content);
    }
    return content;
  } catch (error: any) {
    console.error(`AäHC,,1C¼0 Cð@C, GD$5CÔ8C, DC 9C´0 ${filePath}: ${error.message}`);
    return "";
  }
}
function removeComments(content: string): string {
  return content
    .replace(/\/.*$/gm, "")
    .replace(/\/.*[s\S]*?\/.*V+/g, "")
    .replace(/^\s*[\r\n]/gm, "");
}
function getRelativePath(filePath: string): string {
  const projectRoot = path.resolve('.');
```



```

    return path.relative(projectRoot, filePath);
  }
function flattenInputFiles(inputFiles: InputFile[]): string[] {
  let flattenedFiles: string[] = [];
  inputFiles.forEach((file) => {
    if (typeof file === 'string') {
      flattenedFiles.push(file);
    } else if (typeof file === 'object') {
      for (const key in file) {
        const value = file[key];
        if (typeof value === 'string') {
          flattenedFiles.push(value);
        } else {
          flattenedFiles = flattenedFiles.concat(flattenInputFiles([value]));
        }
      }
    }
  });
  return flattenedFiles;
}
export async function combineFiles(config: ConsolidatorConfig): Promise<void> {
  const flattenedFiles = flattenInputFiles(config.inputFiles);
  const doc = new PDFDocument();
  const outputDir = path.dirname(config.outputFile);
  if (!fs.existsSync(outputDir)) {
    fs.mkdirSync(outputDir, { recursive: true });
  }
  const stream = fs.createWriteStream(config.outputFile);
  doc.pipe(stream);
  for (let i = 0; i < flattenedFiles.length; i++) {
    const filePath = flattenedFiles[i];
    const absolutePath = path.resolve(filePath);
    const relativePath = getRelativePath(absolutePath);
    if (shouldIgnorePath(relativePath, config.ignorePaths)) {
      continue;
    }
    const fileContent = readFileContent(absolutePath, config.includeComments);
    const displayPath = config.useAbsolutePaths ? absolutePath : relativePath;
    doc.fontSize(14).text(`Content of ${displayPath}`, { underline: true });
    doc.moveDown();
    doc.fontSize(10).text(fileContent);
    if (config.newPageForEachFile && i < flattenedFiles.length - 1) {
      doc.addPage();
    } else if (!config.newPageForEachFile) {
      doc.moveDown(2);
    }
  }
  return new Promise<void>((resolve, reject) => {
    stream.on('finish', () => {
      console.log(`PDF created: ${config.outputFile}`);
      resolve();
    });
    stream.on('error', (err) => {
      reject(err);
    });
    doc.end();
  });
}

```

```
});  
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/server/core/generator.ts

```
import * as fs from 'fs';
import * as path from 'path';
export function generateFilesStructure(outputPath: string): void {
  interface FileTree {
    [key: string]: string | FileTree;
  }
  const ignoredDirectories = [
    'node_modules',
    '.git',
    'dist',
    'build',
    'tmp',
    'coverage',
    'nx',
    '.nx',
    '.next',
    '.nuxt',
  ];
  const ignoredFiles = [
    '.DS_Store',
    '*.log',
    '*.tmp',
    '*.swp',
    'yarn.lock',
    'package-lock.json',
    'pnpm-lock.yaml',
    'project_files.ts',
    'out.gen.pdf',
    'project_code.txt',
    'project_code.pdf',
    'out.gen.txt',
  ];
  const ignoredExtensions = [
    '.old',
    '.svg',
    '.png',
    '.jpg',
    '.jpeg',
    '.gif',
    '.bmp',
    '.ico',
    '.webp',
    '.tiff',
    '.pdf',
    '.exe',
    '.dll',
    '.so',
    '.dylib',
    '.zip',
    '.tar',
    '.gz',
  ];
```

```

'.rar',
'.7z',
'.mp3',
'.mp4',
'.avi',
'.mov',
'.wmv',
'.flv',
'.ttf',
'.woff',
'.woff2',
'.eot',
'.pdf',
];
function shouldIgnore(file: string, stat: fs.Stats): boolean {
  if (stat.isDirectory() && ignoredDirectories.includes(file)) {
    return true;
  }
  if (stat.isFile()) {
    if (ignoredFiles.includes(file)) {
      return true;
    }
    for (const pattern of ignoredFiles) {
      if (
        new RegExp(pattern.replace(/\.\/g, '\\.').replace(/\/g, '.*')).test(
          file,
        )
      ) {
        return true;
      }
    }
    const ext = path.extname(file).toLowerCase();
    if (ignoredExtensions.includes(ext)) {
      return true;
    }
  }
  return false;
}
function getAllFiles(dir: string, fileTree: FileTree = {}): FileTree {
  const files = fs.readdirSync(dir);
  files.forEach((file) => {
    const fullPath = path.join(dir, file);
    const stat = fs.statSync(fullPath);
    if (shouldIgnore(file, stat)) {
      return;
    }
    if (stat.isDirectory()) {
      fileTree[file.replace(/^[a-zA-Z0-9]/g, '_')] = getAllFiles(fullPath);
    } else {
      const key = file.replace(/^[a-zA-Z0-9]/g, '_');
      fileTree[key] = fullPath;
    }
  });
  return fileTree;
}
function generateObject(fileTree: FileTree, indentLevel: number = 0): string {

```

```

let obj = "";
const indent = ' '.repeat(indentLevel * 4);
for (const key in fileTree) {
  const quotedKey = `"${key}"`;
  if (typeof fileTree[key] === 'string') {
    obj += `${indent}${quotedKey}: "${fileTree[key]}",\n`;
  } else {
    obj += `${indent}${quotedKey}: {\n`;
    obj += generateObject(fileTree[key] as FileTree, indentLevel + 1);
    obj += `${indent}},\n`;
  }
}
return obj;
}
function writeObjectToFile(object: string, outputPath: string): void {
  try {
    fs.writeFileSync(
      outputPath,
      `export const projectFiles = {\n${object}};\n`,
      'utf-8',
    );
  } catch (error: any) {
    console.error(`AÃHC,,1C¼0 CÔ@C, 7C ?C,,AC, 2 DD0C"; ${outputPath}: ${error.message}`);
  }
}
const projectRoot = path.resolve('.');
const fileTree = getAllFiles(projectRoot);
const object = generateObject(fileTree);
writeObjectToFile(object, outputPath);
}

```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/server/core/index.ts

```
export { generateFilesStructure } from './generator';
export {
  defineConsolidatorConfig,
  combineFiles,
  type ConsolidatorConfig,
  type InputFile
} from './combine-files';
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/server/core/pdf-generator.ts

```
import * as fs from 'fs';
import * as path from 'path';
export interface PdfGeneratorOptions {
  outputPath: string;
}
export class PdfGenerator {
  private doc: any;
  private stream!: fs.WriteStream;
  constructor(options: PdfGeneratorOptions) {
    const outputDir = path.dirname(options.outputPath);
    if (!fs.existsSync(outputDir)) {
      fs.mkdirSync(outputDir, { recursive: true });
    }
  }
  async initialize(outputPath: string): Promise<void> {
    try {
      const pdfkit = await import('pdfkit').catch(e => {
        console.error('Error importing pdfkit:', e);
        throw e;
      });
      this.doc = new pdfkit.default();
      this.stream = fs.createWriteStream(outputPath);
      this.doc.pipe(this.stream);
    } catch (error) {
      console.error('AäHC„1C¬0 Cô@C, 8CÔ8Dd8C ;C„7C FC„8 PDF:', error);
      throw error;
    }
  }
  addHeading(text: string): void {
    this.doc.fontSize(14).text(text, { underline: true });
    this.doc.moveDown();
  }
  addContent(text: string): void {
    this.doc.fontSize(10).text(text);
  }
  addNewPage(): void {
    this.doc.addPage();
  }
  addSpace(lines: number = 2): void {
    this.doc.moveDown(lines);
  }
  async end(): Promise<void> {
    return new Promise<void>((resolve, reject) => {
      this.stream.on('finish', () => {
        resolve();
      });
      this.stream.on('error', (err) => {
        reject(err);
      });
      this.doc.end();
    });
  }
}
```

}
}

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/server/file-autocomplete.ts

```
import { FileNode } from '@lib/types';
import { buildFileTree, FilterSettings, shouldIgnore } from './file-system';
import * as fs from 'fs';
import * as path from 'path';
const MAX_SUGGESTIONS = 15;
export async function generateFilePathSuggestions(
  query: string,
  filterSettings?: FilterSettings
): Promise<string[]> {
  if (!query || query.trim().length < 2) {
    return [];
  }
  const normalizedQuery = query.toLowerCase();
  try {
    const projectDir = process.env.USER_PROJECT_DIR || process.cwd();
    const fileTree = await buildFileTree(projectDir, filterSettings);
    const allPaths = extractPaths(fileTree);
    const matchingPaths = allPaths
      .filter(path => {
        const lastSegment = getLastPathSegment(path);
        return lastSegment.toLowerCase().includes(normalizedQuery);
      })
      .sort((a, b) => {
        const aLastSegment = getLastPathSegment(a);
        const bLastSegment = getLastPathSegment(b);
        const aStartsWithQuery = aLastSegment.toLowerCase().startsWith(normalizedQuery);
        const bStartsWithQuery = bLastSegment.toLowerCase().startsWith(normalizedQuery);
        if (aStartsWithQuery && !bStartsWithQuery) return -1;
        if (!aStartsWithQuery && bStartsWithQuery) return 1;
        return a.length - b.length;
      })
      .slice(0, MAX_SUGGESTIONS);
    return matchingPaths;
  } catch (error) {
    console.error('Error generating autocomplete suggestions:', error);
    return [];
  }
}

function extractPaths(node: FileNode): string[] {
  let paths: string[] = [];
  paths.push(node.path);
  if (node.children) {
    node.children.forEach(child => {
      paths = [...paths, ...extractPaths(child)];
    });
  }
  return paths;
}

function getLastPathSegment(path: string): string {
  const segments = path.split('/');
  return segments[segments.length - 1];
}
```

}

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/server/file-system.ts

```
import * as fs from 'fs';
import * as path from 'path';
export interface FileNode {
  name: string;
  path: string;
  type: 'file' | 'directory';
  children?: FileNode[];
  size?: number;
  selected?: boolean;
}
export interface FilterSettings {
  ignoredDirectories: string[];
  ignoredFiles: string[];
  ignoredExtensions: string[];
  allowedExtensions: string[];
  useDefaultIgnores: boolean;
}
const DEFAULT_IGNORED_DIRECTORIES = [
  'node_modules',
  '.git',
  'dist',
  'build',
  'tmp',
  'coverage',
  'nx',
  '.nx',
  '.next',
  '.nuxt',
];
const DEFAULT_IGNORED_FILES = [
  '.DS_Store',
  '*.log',
  '*.tmp',
  '*.swp',
  'yarn.lock',
  'package-lock.json',
  'pnpm-lock.yaml',
  'project_files.ts',
  'out.gen.pdf',
  'project_code.txt',
  'project_code.pdf',
  'out.gen.txt',
];
const DEFAULT_IGNORED_EXTENSIONS = [
  '.old',
  '.svg',
  '.png',
  '.jpg',
  '.jpeg',
  '.gif',
  '.bmp',
```

```

'.ico',
'.webp',
'.tiff',
'.pdf',
'.exe',
'.dll',
'.so',
'.dylib',
'.zip',
'.tar',
'.gz',
'.rar',
'.7z',
'.mp3',
'.mp4',
'.avi',
'.mov',
'.wmv',
'.flv',
'.ttf',
'.woff',
'.woff2',
'.eot',
'.pdf',
];
export function shouldIgnore(filePath: string, stats: fs.Stats, settings?: FilterSettings): boolean {
  const baseName = path.basename(filePath);
  const ext = path.extname(baseName).toLowerCase();
  const ignoredDirs = settings?.useDefaultIgnores
    ? [...DEFAULT_IGNORED_DIRECTORIES, ...(settings?.ignoredDirectories || [])]
    : settings?.ignoredDirectories || [];
  const ignoredFiles = settings?.useDefaultIgnores
    ? [...DEFAULT_IGNORED_FILES, ...(settings?.ignoredFiles || [])]
    : settings?.ignoredFiles || [];
  const ignoredExts = settings?.useDefaultIgnores
    ? [...DEFAULT_IGNORED_EXTENSIONS, ...(settings?.ignoredExtensions || [])]
    : settings?.ignoredExtensions || [];
  const allowedExts = settings?.allowedExtensions || [];
  if (stats.isDirectory() && ignoredDirs.includes(baseName)) {
    return true;
  }
  if (stats.isFile()) {
    if (ignoredFiles.includes(baseName)) {
      return true;
    }
    for (const pattern of ignoredFiles) {
      if (pattern.includes('*') &&
        new RegExp('^' + pattern.replace(/\*/g, '.').replace(/\.\/g, '\\.').test(baseName)) {
        return true;
      }
    }
  }
  if (ignoredExts.includes(ext)) {
    return true;
  }
  if (allowedExts.length > 0 && !allowedExts.includes(ext)) {
    return true;
  }
}

```

```

    }
  }
  return false;
}
export function getFileSize(filePath: string): number {
  try {
    const stats = fs.statSync(filePath);
    return stats.size;
  } catch (error) {
    console.error(`Error getting file size for ${filePath}:`, error);
    return 0;
  }
}
export async function buildFileTree(dirPath: string, settings?: FilterSettings): Promise<FileNode> {
  try {
    const stats = fs.statSync(dirPath);
    const name = path.basename(dirPath);
    if (stats.isFile()) {
      return {
        name,
        path: dirPath,
        type: 'file',
        size: stats.size,
        selected: false
      };
    }
    if (stats.isDirectory()) {
      const children: FileNode[] = [];
      const files = fs.readdirSync(dirPath);
      for (const file of files) {
        const filePath = path.join(dirPath, file);
        const fileStats = fs.statSync(filePath);
        if (!shouldIgnore(filePath, fileStats, settings)) {
          try {
            const node = await buildFileTree(filePath, settings);
            children.push(node);
          } catch (error) {
            console.error(`Error processing ${filePath}:`, error);
          }
        }
      }
      children.sort((a, b) => {
        if (a.type === 'directory' && b.type === 'file') return -1;
        if (a.type === 'file' && b.type === 'directory') return 1;
        return a.name.localeCompare(b.name);
      });
      return {
        name,
        path: dirPath,
        type: 'directory',
        children,
        selected: false
      };
    }
    throw new Error(`Unknown file type for ${dirPath}`);
  } catch (error) {

```

```
    console.error(`Error building file tree for ${dirPath}:`, error);
    throw error;
  }
}
export function formatFileSize(bytes: number): string {
  if (bytes === 0) return '0 Bytes';
  const k = 1024;
  const sizes = ['Bytes', 'KB', 'MB', 'GB', 'TB'];
  const i = Math.floor(Math.log(bytes) / Math.log(k));
  return parseFloat((bytes / Math.pow(k, i)).toFixed(2)) + ' ' + sizes[i];
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/server/generate-pdf.ts

```
import { defineConsolidatorConfig } from './core';
import path from 'path';
interface GeneratePdfOptions {
  files: string[];
  outputFile: string;
  includeComments: boolean;
  newPageForEachFile: boolean;
  useAbsolutePaths: boolean;
}
export async function generatePdf({
  files,
  outputFile,
  includeComments,
  newPageForEachFile,
  useAbsolutePaths
}: GeneratePdfOptions): Promise<string> {
  try {
    let outputPath = outputFile;
    if (!outputPath.toLowerCase().endsWith('.pdf')) {
      outputPath += '.pdf';
    }
    const userProjectDir = process.env.USER_PROJECT_DIR || process.cwd();
    const absoluteOutputPath = path.isAbsolute(outputPath)
      ? outputPath
      : path.resolve(userProjectDir, outputPath);
    const config = defineConsolidatorConfig({
      inputFiles: files,
      outputFile: absoluteOutputPath,
      includeComments,
      newPageForEachFile,
      useAbsolutePaths
    });
    await config.generate();
    return absoluteOutputPath;
  } catch (error) {
    console.error('Error generating PDF:', error);
    throw error;
  }
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/src/ styles/autocomplete.css

```
.autocomplete-dropdown {  
  background-color: #1e2030 !important;  
  backdrop-filter: none !important;  
  -webkit-backdrop-filter: none !important;  
  box-shadow: 0 4px 20px rgba(0,0,0,0.9) !important;  
  z-index: 9999 !important;  
  border: 1px solid #374151 !important;  
}  
.autocomplete-item {  
  background-color: #1e2030 !important;  
}  
.autocomplete-item-active {  
  background-color: #2563eb !important;  
}  
[role="listbox"],  
[role="combobox"],  
.suggestions-list {  
  background-color: #1e2030 !important;  
}
```


Content of /Users/teunlao/projects/code-consolidator/packages/web/src/types/pdfkit.d.ts

```
declare module 'pdfkit' {  
  class PDFDocument {  
    constructor(options?: any);  
    pipe(stream: any): any;  
    text(text: string, options?: any): this;  
    fontSize(size: number): this;  
    moveDown(lines?: number): this;  
    addPage(): this;  
    end(): void;  
  }  
  export default PDFDocument;  
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/next-env.d.ts

Content of /Users/teunlao/projects/code-consolidator/packages/web/ next.config.js

```
const nextConfig = {  
  reactStrictMode: true,  
  transpilePackages: ['class-variance-authority', 'clsx', 'tailwind-merge', 'lucide-react'],  
  serverExternalPackages: ['fs', 'path', 'pdfkit'],  
  experimental: {  
    externalDir: true,  
  },  
};  
module.exports = nextConfig;
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/ package.json

```
{
  "name": "@teunlao/code-consolidator",
  "version": "0.9.5",
  "private": false,
  "description": "A modern dark-themed UI for code consolidation and documentation. Easily select files from your project and generate PDF documentation.",
  "keywords": [
    "code",
    "documentation",
    "pdf",
    "consolidator",
    "dark-theme",
    "ui",
    "viewer"
  ],
  "author": "teunlao (teunlao@gmail.com)",
  "license": "MIT",
  "repository": {
    "type": "git",
    "url": "git+https:",
    "directory": "packages/web"
  },
  "scripts": {
    "dev": "next dev",
    "build": "next build && tsc -p tsconfig.bin.json",
    "start": "next start",
    "lint": "next lint",
    "build:bin": "tsc -p tsconfig.bin.json",
    "clean-next-cache": "rm -rf .next/cache",
    "before-publish": "pnpm run build",
    "publish-package": "pnpm run before-publish && pnpm run clean-next-cache && pnpm publish --access public"
  },
  "files": ["dist", ".next", "next.config.js", "package.json"],
  "bin": {
    "cc-start": "./dist/bin/start.js"
  },
  "devDependencies": {
    "@types/react-syntax-highlighter": "^15.5.0"
  },
  "dependencies": {
    "zustand": "^5.0.3",
    "next": "^15.0.0",
    "react": "^18.2.0",
    "react-dom": "^18.2.0",
    "tailwindcss": "^3.3.0",
    "react-syntax-highlighter": "^15.5.0",
    "@radix-ui/react-checkbox": "^1.0.4",
    "@radix-ui/react-dialog": "^1.0.5",
    "@radix-ui/react-dropdown-menu": "^2.0.6",
    "@radix-ui/react-label": "^2.0.2",

```

```
"@radix-ui/react-select": "^2.0.0",
"@radix-ui/react-slot": "^1.0.2",
"@radix-ui/react-switch": "^1.0.3",
"@radix-ui/react-tabs": "^1.0.4",
"@radix-ui/react-toast": "^1.1.5",
"@radix-ui/react-tooltip": "^1.0.7",
"class-variance-authority": "^0.7.0",
"clsx": "^2.0.0",
"lucide-react": "^0.290.0",
"tailwind-merge": "^1.14.0",
"tailwindcss-animate": "^1.0.7",
"pdfkit": "0.15.0",
"autoprefixer": "^10.4.16",
"postcss": "^8.4.31",
"typescript": "^5.2.2",
"@types/node": "^20.8.10",
"@types/pdfkit": "^0.13.4",
"@types/react": "^18.2.35",
"@types/react-dom": "^18.2.14",
"uuid": "^9.0.1",
"@types/uuid": "^9.0.7"
}
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/postcss.config.js

```
module.exports = {  
  plugins: {  
    tailwindcss: {},  
    autoprefixer: {},  
  },  
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/tailwind.config.js

```
module.exports = {
  darkMode: ["class"],
  content: [
    './src/pages*. {js,ts,jsx,tsx,mdx}',
    './src/components*. {js,ts,jsx,tsx,mdx}',
    './src/app*. {js,ts,jsx,tsx,mdx}',
  ],
  theme: {
    container: {
      center: true,
      padding: "2rem",
      screens: {
        "2xl": "1400px",
      },
    },
    extend: {
      colors: {
        border: "hsl(var(--border))",
        input: "hsl(var(--input))",
        ring: "hsl(var(--ring))",
        background: "hsl(var(--background))",
        foreground: "hsl(var(--foreground))",
        primary: {
          DEFAULT: "hsl(var(--primary))",
          foreground: "hsl(var(--primary-foreground))",
        },
        secondary: {
          DEFAULT: "hsl(var(--secondary))",
          foreground: "hsl(var(--secondary-foreground))",
        },
        destructive: {
          DEFAULT: "hsl(var(--destructive))",
          foreground: "hsl(var(--destructive-foreground))",
        },
        muted: {
          DEFAULT: "hsl(var(--muted))",
          foreground: "hsl(var(--muted-foreground))",
        },
        accent: {
          DEFAULT: "hsl(var(--accent))",
          foreground: "hsl(var(--accent-foreground))",
        },
        popover: {
          DEFAULT: "hsl(var(--popover))",
          foreground: "hsl(var(--popover-foreground))",
        },
        card: {
          DEFAULT: "hsl(var(--card))",
          foreground: "hsl(var(--card-foreground))",
        },
      },
    },
  },
}
```

```
borderRadius: {
  lg: "var(--radius)",
  md: "calc(var(--radius) - 2px)",
  sm: "calc(var(--radius) - 4px)",
},
keyframes: {
  "accordion-down": {
    from: { height: 0 },
    to: { height: "var(--radix-accordion-content-height)" },
  },
  "accordion-up": {
    from: { height: "var(--radix-accordion-content-height)" },
    to: { height: 0 },
  },
},
animation: {
  "accordion-down": "accordion-down 0.2s ease-out",
  "accordion-up": "accordion-up 0.2s ease-out",
},
},
plugins: [require("tailwindcss-animate")],
}
```


Content of /Users/teunlao/projects/code-consolidator/packages/web/tsconfig.bin.json

```
{
  "compilerOptions": {
    "target": "es2018",
    "module": "commonjs",
    "lib": ["es2018"],
    "declaration": true,
    "outDir": "dist",
    "rootDir": "src",
    "strict": true,
    "esModuleInterop": true,
    "skipLibCheck": true,
    "forceConsistentCasingInFileNames": true,
    "resolveJsonModule": true
  },
  "include": ["src/bin*.ts"],
  "exclude": ["node_modules", "**/*.test.ts"]
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/tsconfig.json

```
{
  "compilerOptions": {
    "target": "es5",
    "lib": ["dom", "dom.iterable", "esnext"],
    "allowJs": true,
    "skipLibCheck": true,
    "strict": true,
    "forceConsistentCasingInFileNames": true,
    "noEmit": true,
    "esModuleInterop": true,
    "module": "esnext",
    "moduleResolution": "node",
    "resolveJsonModule": true,
    "isolatedModules": true,
    "jsx": "preserve",
    "incremental": true,
    "plugins": [
      {
        "name": "next"
      }
    ],
    "paths": {
      "@*.*ts", "**.*ts"
    },
    "exclude": ["node_modules"]
  }
}
```

Content of /Users/teunlao/projects/code-consolidator/packages/web/tsconfig.tsbuildinfo

```
{
  "program": {
    "fileNames": [
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es5.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2015.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2016.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2017.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2018.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2019.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2020.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2021.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2022.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2023.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.esnext.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.dom.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.dom.iterable.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2015.core.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2015.collection.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2015.generator.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2015.iterable.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2015.promise.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2015.proxy.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2015.reflect.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2015.symbol.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2015.symbol.wellknown.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2016.array.include.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2016.intl.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2017.date.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2017.object.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2017.sharedmemory.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2017.string.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2017.intl.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2017.typedarrays.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2018.asyncgenerator.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2018.asynciterable.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2018.intl.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2018.promise.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2018.regexp.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2019.array.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2019.object.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2019.string.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2019.symbol.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2019.intl.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2020.bigint.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2020.date.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2020.promise.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2020.sharedmemory.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2020.string.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2020.symbol.wellknown.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2020.intl.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2020.number.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2021.promise.d.ts",
      "../../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/lib.es2021.string.d.ts"
    ]
  }
}
```

lib.es2021.weakref.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2021.intl.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2022.array.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2022.error.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2022.intl.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2022.object.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2022.sharedmemory.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2022.string.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2022.regex.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2023.array.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2023.collection.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.es2023.intl.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.esnext.array.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.esnext.collection.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.esnext.intl.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.esnext.disposable.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.esnext.string.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.esnext.promise.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.esnext.decorators.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.esnext.object.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.esnext.regex.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.decorators.d.ts", "../node_modules/.pnpm/typescript@5.5.3/node_modules/typescript/lib/
lib.decorators.legacy.d.ts", "../node_modules/.pnpm/@types+react@18.3.20/node_modules/@types/
react/global.d.ts", "../node_modules/.pnpm/csstype@3.1.3/node_modules/csstype/index.d.ts", "../
node_modules/.pnpm/@types+prop-types@15.7.14/node_modules/@types/prop-types/index.d.ts", "../
node_modules/.pnpm/@types+react@18.3.20/node_modules/@types/react/index.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/styled-jsx/types/css.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/styled-jsx/types/macro.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/styled-jsx/types/style.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/styled-jsx/types/global.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/styled-jsx/types/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/amp.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/amp.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/get-page-files.d.ts", "../
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/assert.d.ts", "../
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/assert/strict.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/header.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/readable.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/file.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/fetch.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/formdata.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/connector.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/client.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/errors.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/dispatcher.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/global-dispatcher.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/global-origin.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/pool-stats.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/pool.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/handlers.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/balanced-pool.d.ts", "../
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/agent.d.ts", "../

node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/mock-interceptor.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/mock-agent.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/mock-client.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/mock-pool.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/mock-errors.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/proxy-agent.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/api.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/cookies.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/patch.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/filereader.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/diagnostics-channel.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/websocket.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/content-type.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/cache.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/interceptors.d.ts", "../..
node_modules/.pnpm/undici-types@5.26.5/node_modules/undici-types/index.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/globals.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/async_hooks.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/buffer.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/child_process.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/cluster.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/console.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/constants.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/crypto.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/dgram.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
diagnostics_channel.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/
node/dns.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/dns/
promises.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
domain.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/dom-
events.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
events.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
fs.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/fs/
promises.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
http.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
http2.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
https.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
inspector.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
module.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
net.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/os.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/path.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/perf_hooks.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/process.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/punycode.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/querystring.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/readline.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/readline/promises.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/repl.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/sea.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/stream.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/stream/promises.d.ts", "../..
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/stream/
consumers.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
stream/web.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
string_decoder.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
test.d.ts", "../..node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/

timers.d.ts", "../node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/timers/
promises.d.ts", "../node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
tls.d.ts", "../node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
trace_events.d.ts", "../node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/
tty.d.ts", "../node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/url.d.ts", "../
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/util.d.ts", "../
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/v8.d.ts", "../
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/vm.d.ts", "../
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/wasi.d.ts", "../
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/worker_threads.d.ts", "../
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/zlib.d.ts", "../
node_modules/.pnpm/@types+node@20.14.10/node_modules/@types/node/globals.global.d.ts", "../
node_modules/.pnpm/@types+react@18.3.20/node_modules/@types/react/canary.d.ts", "../
node_modules/.pnpm/@types+react@18.3.20/node_modules/@types/react/experimental.d.ts", "../
node_modules/.pnpm/@types+react-dom@18.3.6_@types+react@18.3.20/node_modules/@types/react-
dom/index.d.ts", "../node_modules/.pnpm/@types+react-dom@18.3.6_@types+react@18.3.20/
node_modules/@types/react-dom/canary.d.ts", "../node_modules/.pnpm/@types+react-
dom@18.3.6_@types+react@18.3.20/node_modules/@types/react-dom/experimental.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/lib/fallback.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/compiled/webpack/
webpack.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/config.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/lib/load-custom-routes.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/image-config.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/build/webpack/plugins/subresource-integrity-plugin.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/body-
streams.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/server/lib/cache-control.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/setup-exception-
listeners.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/lib/worker.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/constants.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/client/components/app-router-headers.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/rendering-mode.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/server/lib/router-utils/build-prefetch-segment-data-route.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/require-
hook.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/server/lib/experimental/ppr.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/webpack/plugins/app-build-
manifest-plugin.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/page-types.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/build/segment-config/app/app-segment-config.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/segment-
config/pages/pages-segment-config.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/analysis/get-page-static-
info.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/build/webpack/loaders/get-module-build-info.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/webpack/
plugins/middleware-plugin.d.ts", "../node_modules/.pnpm/next@15.3.1_react-

dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/node-polyfill-crypto.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/node-environment-baseline.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/node-environment-extensions/error-inspect.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/node-environment-extensions/random.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/node-environment-extensions/date.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/node-environment-extensions/web-crypto.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/node-environment-extensions/node-crypto.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/node-environment.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/page-extensions-type.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/webpack/plugins/flight-manifest-plugin.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-kind.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-definitions/route-definition.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-modules/route-module.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/deep-readonly.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/load-components.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-definitions/app-page-route-definition.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/cache-handlers/types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/response-cache/types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/resume-data-cache/cache-store.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/resume-data-cache/resume-data-cache.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/render-result.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/webpack/plugins/next-font-manifest-plugin.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/router-reducer/router-reducer-types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/flight-data-helpers.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/router-reducer/fetch-server-response.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/app-router-context.shared-runtime.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/router/utils/middleware-route-matcher.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-definitions/locale-route-definition.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-definitions/pages-route-definition.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/mitt.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/with-router.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/router.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/route-loader.d.ts", "../node_modules/.pnpm/next@15.3.1_react-

dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/page-loader.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/shared/lib/bloom-filter.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/router/router.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/shared/lib/router-context.shared-runtime.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/loadable-context.shared-
runtime.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/shared/lib/loadable.shared-runtime.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/
image-config-context.shared-runtime.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/hooks-client-
context.shared-runtime.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/head-manager-
context.shared-runtime.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/amp-context.shared-
runtime.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/shared/lib/server-inserted-html.shared-runtime.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-
modules/pages/vendored/contexts/entrypoints.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-modules/pages/
module.compiled.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/templates/pages.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/server/route-modules/pages/module.d.ts", "../node_modules/.pnpm/@types+react@18.3.20/
node_modules/@types/react/jsx-runtime.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/react-dev-overlay/
pages/pages-dev-overlay.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/render.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/server/response-cache/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/webpack/plugins/pages-
manifest-plugin.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-definitions/pages-api-
route-definition.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-matches/pages-api-
route-match.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/instrumentation/
types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/server/route-matchers/route-matcher.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-
matcher-providers/route-matcher-provider.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/i18n-provider.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/server/route-matcher-managers/route-matcher-manager.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/
normalizers/normalizer.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/normalizers/locale-route-
normalizer.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/normalizers/request/
pathname-normalizer.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/normalizers/request/
suffix.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/server/normalizers/request/rsc.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/
normalizers/request/prefetch-rsc.d.ts", "../node_modules/.pnpm/next@15.3.1_react-

dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/normalizers/request/next-data.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/after/builtin-request-context.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/normalizers/request/segment-prefix-rsc.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/base-server.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/next-url.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/compiled/@edge-runtime/cookies/index.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/spec-extension/cookies.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/spec-extension/request.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/spec-extension/fetch-event.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/spec-extension/response.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/segment-config/middleware/middleware-config.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/types.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/adapters/adapters.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/use-cache/cache-life.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/types.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/modern-browserslist-target.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/constants.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/webpack/loaders/metadata/types.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/webpack/loaders/next-app-loader/index.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/app-dir-module.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/spec-extension/adapters/request-cookies.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/async-storage/draft-mode-provider.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/spec-extension/adapters/headers.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/cache-signal.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/dynamic-rendering.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/work-unit-async-storage-instance.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/request/fallback-params.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/lazy-result.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/implicit-tags.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/work-unit-async-storage.external.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/router/utils/parse-relative-url.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/clean-async-snapshot-instance.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/clean-async-snapshot.external.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/app-

render.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/shared/lib/server-inserted-metadata.shared-runtime.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/server/route-modules/app-page/vendored/contexts/entrypoints.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/
components/error-boundary.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/layout-
router.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/client/components/render-from-template-context.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-
render/action-async-storage-instance.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/action-async-
storage.external.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/client-
page.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/client/components/client-segment.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/request/
search-params.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/hooks-server-
context.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/client/components/http-access-fallback/error-boundary.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/lib/metadata/types/alternative-urls-types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/metadata/types/extra-
types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/lib/metadata/types/metadata-types.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/metadata/
types/manifest-types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/metadata/types/opengraph-
types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/lib/metadata/types/twitter-types.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/metadata/
types/metadata-interface.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/metadata/types/
resolvers.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/metadata/types/icons.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/lib/metadata/resolve-metadata.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/metadata/metadata.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/client/components/metadata/metadata-boundary.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-
render/rsc/preloads.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/rsc/
postpone.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/rsc/
taint.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/server/app-render/collect-segment-data.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-
render/entry-base.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/templates/app-page.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/server/route-modules/app-page/module.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-modules/app-page/
module.compiled.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-definitions/app-route-

route-definition.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/async-storage/work-store.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/http.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-modules/app-route/shared-modules.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/redirect-status-code.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/redirect-error.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/templates/app-route.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-modules/app-route/module.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-modules/app-route/module.compiled.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/segment-config/app-segments.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/static-paths/types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/utls.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/turborepo-access-trace/types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/turborepo-access-trace/result.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/turborepo-access-trace/helpers.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/turborepo-access-trace/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/export/routes/types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/export/types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/export/worker.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/worker.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/incremental-cache/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/after/after.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/after/after-context.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/work-async-storage-instance.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/app-render/work-async-storage.external.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/request/params.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/route-matches/route-match.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/request-meta.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/cli/next-test.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/config-shared.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/base-http/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/api-utils/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/router/utls/parse-url.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/base-http/node.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/async-callback-set.d.ts", "../node_modules/.pnpm/next@15.3.1_react-

dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/router/utils/route-regex.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/router/utils/route-matcher.d.ts","../node_modules/.pnpm/sharp@0.34.1/node_modules/sharp/lib/index.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/image-optimizer.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/next-server.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/lib/coalesced-function.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/router-utils/types.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/trace/types.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/trace/trace.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/trace/shared.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/trace/index.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/load-jsconfig.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/webpack-config.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/swc/generated-native.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/build/swc/types.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/dev/parse-version-info.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/react-dev-overlay/types.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/dev/dev-indicator-server-state.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/dev/hot-reloader-types.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/telemetry/storage.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/render-server.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/router-server.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/router/utils/path-match.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/router-utils/filesystem.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/router-utils/setup-dev-bundler.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/types.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/lru-cache.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/lib/dev-bundler-service.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/dev/static-paths-worker.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/dev/next-dev-server.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/next.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/types.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/html-context.shared-runtime.d.ts","../node_modules/.pnpm/@next+env@15.3.1/node_modules/@next/env/dist/index.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/utils.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/pages/_app.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/app.d.ts","../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/

node_modules/next/dist/server/web/spec-extension/unstable-cache.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/
spec-extension/revalidate.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/spec-extension/unstable-
no-store.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/server/use-cache/cache-tag.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/cache.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/
runtime-config.external.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/config.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/pages/
_document.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/document.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/shared/lib/dynamic.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dynamic.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/pages/_error.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/error.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/
head.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/head.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/request/cookies.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/server/request/headers.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/request/draft-mode.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/headers.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/get-img-props.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/dist/client/image-component.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/shared/lib/image-external.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/image.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/link.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/link.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/client/components/redirect.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/not-
found.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/client/components/forbidden.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/
unauthorized.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/unstable-
rethrow.server.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/components/unstable-
rethrow.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/
node_modules/next/dist/client/components/navigation.react-server.d.ts", "../node_modules/.pnpm/
next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/
components/navigation.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/navigation.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/router.d.ts", "../node_modules/.pnpm/next@15.3.1_react-
dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/client/script.d.ts", "../
node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/
next/script.d.ts", "../node_modules/.pnpm/next@15.3.1_react-

dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/spec-extension/user-agent.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/compiled/@edge-runtime/primitives/url.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/web/spec-extension/image-response.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/compiled/@vercel/og/satori/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/compiled/@vercel/og/emoji/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/compiled/@vercel/og/types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/after/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/request/root-params.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/dist/server/request/connection.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/server.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/types/global.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/types/compiled.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/types.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/index.d.ts", "../node_modules/.pnpm/next@15.3.1_react-dom@18.3.1_react@18.3.1__react@18.3.1/node_modules/next/image-types/global.d.ts", "/next-env.d.ts", "/dist/bin/start.d.ts", "/src/lib/types.ts", "/src/server/file-system.ts", "/src/server/file-autocomplete.ts", "/src/app/api/file-autocomplete/route.ts", "/src/app/api/file-content/route.ts", "/src/app/api/file-tree/route.ts", "/src/server/core/generator.ts", "../node_modules/.pnpm/@types+pdfkit@0.13.4/node_modules/@types/pdfkit/index.d.ts", "/src/server/core/combine-files.ts", "/src/server/core/index.ts", "/src/server/generate-pdf.ts", "/src/app/api/generate-pdf/route.ts", "/src/app/api/open-file-location/route.ts", "/src/bin/start.ts", "../node_modules/.pnpm/@radix-ui+react-context@1.1.2_@types+react@18.3.20_react@18.3.1/node_modules/@radix-ui/react-context/dist/index.d.ts", "../node_modules/.pnpm/@radix-ui+react-primitive@2.1.0_@types+react-dom@18.3.6_@types+react@18.3.20__@types+react@18.3.20_zeyypm4rlhlmbul7tazrcty7cm/node_modules/@radix-ui/react-primitive/dist/index.d.ts", "../node_modules/.pnpm/@radix-ui+react-dismissable-layer@1.1.7_@types+react-dom@18.3.6_@types+react@18.3.20__@types+react@18.3.20_ivm2noauh3nylye65gakooowrf4/node_modules/@radix-ui/react-dismissable-layer/dist/index.d.ts", "../node_modules/.pnpm/@radix-ui+react-toast@1.2.11_@types+react-dom@18.3.6_@types+react@18.3.20__@types+react@18.3.20_7iqcrc2hdbvrk7w62skshv56di/node_modules/@radix-ui/react-toast/dist/index.d.ts", "../node_modules/.pnpm/clsx@2.1.1/node_modules/clsx/clsx.d.ts", "../node_modules/.pnpm/class-variance-authority@0.7.1/node_modules/class-variance-authority/dist/types.d.ts", "../node_modules/.pnpm/class-variance-authority@0.7.1/node_modules/class-variance-authority/dist/index.d.ts", "../node_modules/.pnpm/lucide-react@0.290.0_react@18.3.1/node_modules/lucide-react/dist/lucide-react.d.ts", "../node_modules/.pnpm/tailwind-merge@1.14.0/node_modules/tailwind-merge/dist/lib/tw-join.d.ts", "../node_modules/.pnpm/tailwind-merge@1.14.0/node_modules/tailwind-merge/dist/lib/types.d.ts", "../node_modules/.pnpm/tailwind-merge@1.14.0/node_modules/tailwind-merge/dist/lib/create-tailwind-merge.d.ts", "../node_modules/.pnpm/tailwind-merge@1.14.0/node_modules/tailwind-merge/dist/lib/validators.d.ts", "../node_modules/.pnpm/tailwind-merge@1.14.0/node_modules/tailwind-merge/dist/lib/default-config.d.ts", "../node_modules/.pnpm/tailwind-merge@1.14.0/node_modules/tailwind-merge/dist/lib/extend-tailwind-merge.d.ts", "../node_modules/.pnpm/tailwind-merge@1.14.0/node_modules/tailwind-merge/dist/lib/from-theme.d.ts", "../node_modules/.pnpm/tailwind-merge@1.14.0/node_modules/tailwind-merge/dist/lib/merge-configs.d.ts", "../node_modules/.pnpm/tailwind-merge@1.14.0/node_modules/tailwind-merge/dist/lib/tw-merge.d.ts", "../node_modules/.pnpm/tailwind-merge@1.14.0/node_modules/tailwind-merge/dist/index.d.ts", "/src/lib/utls.ts", "/src/components/ui/toast.tsx", "/src/components/ui/use-toast.ts", "/src/lib/file-system.ts", "/src/lib/format-utls.ts", "/src/lib/path-finder.ts", "../node_modules/.pnpm/@types+uuid@9.0.8/node_modules/@types/uuid/index.d.ts", "/src/lib/projects-storage.ts", "/src/lib/tree-utls.ts", "/src/lib/use-projects.ts", "/src/lib/hooks/use-local-storage.ts", "../

node_modules/.pnpm/zustand@5.0.3_@types+react@18.3.20_react@18.3.1/node_modules/zustand/
vanilla.d.ts", "../node_modules/.pnpm/zustand@5.0.3_@types+react@18.3.20_react@18.3.1/
node_modules/zustand/react.d.ts", "../node_modules/.pnpm/
zustand@5.0.3_@types+react@18.3.20_react@18.3.1/node_modules/zustand/index.d.ts", "../
node_modules/.pnpm/zustand@5.0.3_@types+react@18.3.20_react@18.3.1/node_modules/zustand/
middleware/redux.d.ts", "../node_modules/.pnpm/
zustand@5.0.3_@types+react@18.3.20_react@18.3.1/node_modules/zustand/middleware/
devtools.d.ts", "../node_modules/.pnpm/zustand@5.0.3_@types+react@18.3.20_react@18.3.1/
node_modules/zustand/middleware/subscribewithselector.d.ts", "../node_modules/.pnpm/
zustand@5.0.3_@types+react@18.3.20_react@18.3.1/node_modules/zustand/middleware/
combine.d.ts", "../node_modules/.pnpm/zustand@5.0.3_@types+react@18.3.20_react@18.3.1/
node_modules/zustand/middleware/persist.d.ts", "../node_modules/.pnpm/
zustand@5.0.3_@types+react@18.3.20_react@18.3.1/node_modules/zustand/middleware.d.ts", "/src/lib/
stores/projects-store.ts", "/src/server/core/pdf-generator.ts", "/src/types/pdfkit.d.ts", "/src/components/ui/
toast.tsx", "/src/app/layout.tsx", "../node_modules/.pnpm/@radix-ui+react-
switch@1.2.2_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.1_tj3u6pj3oqv12ihwoj3m22tkxq/
node_modules/@radix-ui/react-switch/dist/index.d.ts", "/src/components/ui/switch.tsx", "../
node_modules/.pnpm/@radix-ui+react-slot@1.2.0_@types+react@18.3.20_react@18.3.1/
node_modules/@radix-ui/react-slot/dist/index.d.ts", "/src/components/ui/button.tsx", "/src/components/ui/
input.tsx", "../node_modules/.pnpm/@radix-ui+react-label@2.1.4_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.2_66refq5fxwoqz6is4xg73eb574/
node_modules/@radix-ui/react-label/dist/index.d.ts", "/src/components/ui/label.tsx", "../
node_modules/.pnpm/@radix-ui+react-arrow@1.1.4_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.2_ybwjocwgp7uchjib3jv67vfry/
node_modules/@radix-ui/react-arrow/dist/index.d.ts", "../node_modules/.pnpm/@radix-ui+react@1.1.1/
node_modules/@radix-ui/react/dist/index.d.ts", "../node_modules/.pnpm/@radix-ui+react-
popover@1.2.4_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.1_s45s625mh5lxv6oopwi45m4blu/
node_modules/@radix-ui/react-popover/dist/index.d.ts", "../node_modules/.pnpm/@radix-ui+react-
portal@1.1.6_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.1_c62wyq6kw32ar3cpewmh56ub3u/
node_modules/@radix-ui/react-portal/dist/index.d.ts", "../node_modules/.pnpm/@radix-ui+react-
tooltip@1.2.4_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.1_dbowtayh3h5afzhwib4txijlw4/
node_modules/@radix-ui/react-tooltip/dist/index.d.ts", "/src/components/ui/tooltip.tsx", "/src/components/
open-file-button.tsx", "../node_modules/.pnpm/@radix-ui+react-focus-scope@1.1.4_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.2_zy4cr4mqefdv2inektj755jdre/node_modules/
@radix-ui/react-focus-scope/dist/index.d.ts", "../node_modules/.pnpm/@radix-ui+react-
dialog@1.1.11_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.1_2hixqqusikvkss4ttqrzcfp7ye/
node_modules/@radix-ui/react-dialog/dist/index.d.ts", "/src/components/ui/dialog.tsx", "/src/components/
ui/textarea.tsx", "/src/components/bulk-select-dialog.tsx", "/src/components/config-panel.tsx", "/src/
components/ui/checkbox.tsx", "../node_modules/.pnpm/@types+react-syntax-highlighter@15.5.13/
node_modules/@types/react-syntax-highlighter/index.d.ts", "/src/components/code-viewer.tsx", "/src/
components/file-tree.tsx", "../node_modules/.pnpm/@radix-ui+react-roving-focus@1.1.7_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.2_kmu47xh7hk2p4zpn6mibqklie/node_modules/
@radix-ui/react-roving-focus/dist/index.d.ts", "../node_modules/.pnpm/@radix-ui+react-
tabs@1.1.9_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.20_7mlggzflhynwdrddpexq2hgx7m/
node_modules/@radix-ui/react-tabs/dist/index.d.ts", "/src/components/ui/tabs.tsx", "/src/components/
editable-list.tsx", "/src/components/filter-settings.tsx", "/src/components/ui/badge.tsx", "/src/components/
project-info.tsx", "../node_modules/.pnpm/@radix-ui+react-menu@2.1.12_@types+react-
dom@18.3.6_@types+react@18.3.20__@types+react@18.3.2_luysprn5rpf7rkoejvairfwde/
node_modules/@radix-ui/react-menu/dist/index.d.ts", "../node_modules/.pnpm/@radix-ui+react-
dropdown-menu@2.1.12_@types+react-

dom@18.3.6_@types+react@18.3.20__@types+rea_4lhbnwpbxo6rgaufwsilp3xbou/node_modules/
@radix-ui/react-dropdown-menu/dist/index.d.ts", ".src/components/ui/dropdown-menu.tsx", ".src/
components/project-manager.tsx", ".src/components/search-filter.tsx", ".src/app/page.tsx", ".src/
components/ui/portal.tsx", ".next/types/cache-life.d.ts", ".next/types/app/layout.ts", ".next/types/app/
page.ts", ".next/types/app/api/file-tree/route.ts", ".next/types/app/api/generate-pdf/route.ts", ".next/types/
app/api/open-file-location/route.ts"], "fileInfos": [{"version": "44e584d4f6444f58791784f1d530875970993129
442a847597db702a073ca68c", "affectsGlobalScope": true}, {"45b7ab580deca34ae9729e97c13cfd999df044
16a79116c3bfb483804f85ded4", "3facaf05f0c5fc569c5649dd359892c98a85557e3e0c847964caeb67076f
4d75", "9a68c0c07ae2fa71b44384a839b7b8d81662a236d4b9ac30916718f7510b1b2d", "5e1c4c362065a6
b95ff952c0eab010f04dcd2c3494e813b493ecfd4fcb9fc0d8", "68d73b4a11549f9c0b7d352d10e91e5dca8fa
a3322bfb77b661839c42b1ddec7", "5efce4fc3c29ea84e8928f97adec086e3dc876365e0982cc8479a07954
a3efd4", "feecb1be483ed332fad555aff858affd90a48ab19ba7272ee084704eb7167569", "5514e54f17d6d7
4ecefedc73c504eadffdeda79c7ea205cf9febead32d45c4bc", "27bdc30a0e32783366a5abeda841bc22757c
1797de8681bbe81fbc735eeb1c10", "17edc026abf73c5c2dd508652d63f68ec4efd9d4856e3469890d27598
209feb5", {"version": "4af6b0c727b7a2896463d512fafd23634229adf69ac7c00e2ae15a09cb084fad", "affect
sGlobalScope": true}, {"version": "9c00a480825408b6a24c63c1b71362232927247595d7c97659bc24dc68a
e0757", "affectsGlobalScope": true}, {"version": "6920e1448680767498a0b77c6a00a8e77d14d62c3da8967
b171f1ddffa3c18e4", "affectsGlobalScope": true}, {"version": "dc2df20b1bcd8c8c2d34af4926e2c3ab15ffe116
0a63e58b7e09833f616eff44", "affectsGlobalScope": true}, {"version": "4443e68b35f3332f753eacc66a04ac1
d2053b8b035a0e0ac1d455392b5e243b3", "affectsGlobalScope": true}, {"version": "bc47685641087c015972
a3f072480889f0d6c65515f12bd85222f49a98952ed7", "affectsGlobalScope": true}, {"version": "0dc1e7ceda9
b8b9b455c3a2d67b0412feab00bd2f66656cd8850e8831b08b537", "affectsGlobalScope": true}, {"version": "c
e691fb9e5c64efb9547083e4a34091bcbe5bdb41027e310ebba8f7d96a98671", "affectsGlobalScope": true},
{"version": "8d697a2a929a5fcb38b7a65594020fce05ec1630804a33748829c5ff53640d0", "affectsGlobalS
cope": true}, {"version": "4ff2a353abf8a80ee399af572debb8faab2d33ad38c4b4474cff7f26e7653b8d", "affect
sGlobalScope": true}, {"version": "93495ff27b8746f55d19fcbcbdbacc99fd95f19d057aed1bd2c0cafe1335fbf0
", "affectsGlobalScope": true}, {"version": "6fc23bb8c3965964be8c597310a2878b53a0306edb71d4b5a4dfe7
60186bcc01", "affectsGlobalScope": true}, {"version": "ea011c76963fb15ef1cdd7ce6a6808b46322c527de20
77b6cfd23ae6f5f9ec7", "affectsGlobalScope": true}, {"version": "38f0219c9e23c915ef9790ab1d680440d954
19ad264816fa15009a8851e79119", "affectsGlobalScope": true}, {"version": "bb42a7797d996412ecdc5b278
7720de477103a0b2e53058569069a0e2bae6c7e", "affectsGlobalScope": true}, {"version": "4738f2420687fd
85629c9efb470793bb753709c2379e5f85bc1815d875ceadcd", "affectsGlobalScope": true}, {"version": "2f11f
f796926e0832f9ae148008138ad583bd181899ab7dd768a2666700b1893", "affectsGlobalScope": true}, {"ve
rsion": "4de680d5bb41c17f7f68e0419412ca23c98d5749dcaaea1896172f06435891fc", "affectsGlobalScop
e": true}, {"version": "9fc46429fbe091ac5ad2608c657201eb68b6f1b8341bd6d670047d32ed0a88fa", "affects
GlobalScope": true}, {"version": "61c37c1de663cf4171e1192466e52c7a382afa58da01b1dc75058f032ddf08
39", "affectsGlobalScope": true}, {"version": "b541a838a13f9234aba650a825393ffc2292dc0fc87681a5d81ef
0c96d281e7a", "affectsGlobalScope": true}, {"version": "9e9fbd7030c440b33d021da145d3232984c8bb7916f
277e8ffd3dc2e3ae2bdb", "affectsGlobalScope": true}, {"version": "811ec78f7efcabbd4bfa93b3eb67d9ae1
66ef95f9bff989d964061cbf81a0c", "affectsGlobalScope": true}, {"version": "717937616a17072082152a2ef3
51cb51f98802fb4b2fdabd32399843875974ca", "affectsGlobalScope": true}, {"version": "d7e7d9b7b50e5f22c
915b525acc5a49a7a6584cf8f62d0569e557c5fc4b2ac2", "affectsGlobalScope": true}, {"version": "71c37f4c
9543f31dfced6c7840e068c5a5aacb7b89111a4364b1d5276b852557", "affectsGlobalScope": true}, {"versio
n": "576711e016cf4f1804676043e6a0a5414252560eb57de9faceee34d79798c850", "affectsGlobalScope": t
rue}, {"version": "89c1b1281ba7b8a96efc676b11b264de7a8374c5ea1e6617f11880a13fc56dc6", "affectsGl
obalScope": true}, {"version": "74f7fa2d027d5b33eb0471c8e82a6c87216223181ec31247c357a3e8e2fddc5
b", "affectsGlobalScope": true}, {"version": "ae37d6ccd1560b0203ab88d46987393adaaa78c919e51acf32fb8
2c86502e98c", "affectsGlobalScope": true}, {"version": "063600664504610fe3e99b717a1223f8b1900087fab
0b4cad1496a114744f8d", "affectsGlobalScope": true}, {"version": "934019d7e3c81950f9a8426d093458b65
d5aff2c7c1511233c0fd5b941e608ab", "affectsGlobalScope": true}, {"version": "bf14a426dbbf1022d11bd08d
6b8e709a2e9d246f0c6c1032f3b2edb9a902adbe", "affectsGlobalScope": true}, {"version": "5e07ed3809d48
205d5b985642a59f2eba47c402374a7cf8006b686f79efadcbd", "affectsGlobalScope": true}, {"version": "2b72
d528b2e2fe3c57889ca7baef5e13a56c957b946906d03767c642f386bbc3", "affectsGlobalScope": true}, {"ve
rsion": "479553e3779be7d4f68e9f40cdb82d038e5ef7592010100410723ceced22a0f7", "affectsGlobalScop
e": true}, {"version": "368af93f74c9c932edd84c58883e736c9e3d53cec1fe24c0b0ff451f529ceab1", "affectsGl
obalScope": true}, {"version": "af3dd424cf267428f30ccfc376f47a2c0114546b55c44d8c0f1d57d841e28d74",

"affectsGlobalScope":true},{ "version":"995c005ab91a498455ea8dfb63aa9f83fa2ea793c3d8aa344be4a1678d06d399","affectsGlobalScope":true},{ "version":"d3d7b04b45033f57351c8434f60b6be1ea71a2dfec2d0a0c3c83badbb0e3e693","affectsGlobalScope":true},{ "version":"956d27abdea9652e8368ce029bb1e0b9174e9678a273529f426df4b3d90abd60","affectsGlobalScope":true},{ "version":"4fa6ed14e98aa80b91f61b9805c653ee82af3502dc21c9da5268d3857772ca05","affectsGlobalScope":true},{ "version":"e6633e05da3ff36e6da2ec170d0d03ccf33de50ca4dc6f5aeecb572cedd162fb","affectsGlobalScope":true},{ "version":"d8670852241d4c6e03f2b89d67497a4bbefe29ecaa5a444e2c11a9b05e6fccc6","affectsGlobalScope":true},{ "version":"8444af78980e3b20b49324f4a16ba35024fef3ee069a0eb67616ea6ca821c47a","affectsGlobalScope":true},{ "version":"cacc56c72713969e1cfe5c3d44e5bab151544d9d2b373d7dbe5a1e4166652be","affectsGlobalScope":true},{ "version":"3287d9d085fbd618c3971944b65b4be57859f5415f495b33a6adc994edd2f004","affectsGlobalScope":true},{ "version":"b4b67b1a91182421f5df999988c690f14d813b9850b40acd06ed44691f6727ad","affectsGlobalScope":true},{ "version":"08a58483392df5fcc1db57d782e87734f77ae9eab42516028acbfef46f29a3ef7","affectsGlobalScope":true},{ "version":"436aaf437562f276ec2ddbee2f2cdedac7664c1e4c1d2c36839ddd582eeb3d0a","affectsGlobalScope":true},{ "version":"8e3c06ea092138bf9fa5e874a1fdb9d54805d074bee1de31b99a11e2fec239d","affectsGlobalScope":true},{ "version":"0b11f3ca66aa33124202c80b70cd203219c3d4460cfc165e0707aa9ec710fc53","affectsGlobalScope":true},{ "version":"6a3f5a0129cc80cf439ab71164334d649b47059a4f5afca90282362407d0c87f","affectsGlobalScope":true},{ "version":"811c71eee4aa0ac5f7adf713323a5c41b0cf6c4e17367a34fbce379e12bbf0a4","affectsGlobalScope":true},{ "version":"15b98a533864d324e5f57cd3cfc0579b231df58c1c0f6063ea0fcb13c3c74ff9","affectsGlobalScope":true},{ "version":"0a6282c8827e4b9a95f4bf4f5c205673ada31b982f50572d27103df8ceb8013c","affectsGlobalScope":true},{ "version":"ac77cb3e8c6d3565793eb90a8373ee8033146315a3dbead3bde8db5eaf5e5ec6","affectsGlobalScope":true},{ "version":"d4b1d2c51d058fc21ec2629fff7a76249dec2e36e12960ea056e3ef89174080f","affectsGlobalScope":true},{ "version":"2fef54945a13095fdb9b84f705f2b5994597640c46afeb2ce78352fab4cb3279","affectsGlobalScope":true},{ "version":"56e4ed5aab5f5920980066a9409bfaf53e6d21d3f8d020c17e4de584d29600ad","affectsGlobalScope":true},{ "version":"33358442698bb565130f52ba79bfd3d4d484ac85fe33f3cb1759c54d18201393","affectsGlobalScope":true},{ "version":"782dec38049b92d4e85c1585fba5474a219c6984a35b004963b00beb1aab538","affectsGlobalScope":true},{ "version":"36a2e4c9a67439aca5f91bb304611d5ae6e20d420503e96c230cf8fcdc948d94","affectsGlobalScope":true},{ "version":"8a8eb4ebffd85e589a1cc7c178e291626c359543403d58c9cd22b81fab5b1fb9","affectsGlobalScope":true},{ "version":"b2546f0fbaeae6ef5e232c04100e1d8c49d36d1fff8e4755f663a3e3f06e7f2d6","affectsGlobalScope":true},{ "version":"acd8fd5090ac73902278889c38336ff3f48af6ba03aa665eb34a75e7ba1dccc4","affectsGlobalScope":true},{ "version":"d6258883868fb2680d2ca96bc8b1352cab69874581493e6d52680c5ffecdb6cc","affectsGlobalScope":true},{ "version":"1b61d259de5350f8b1e5db06290d31eaebebc6baafd5f79d314b5af9256d7153","affectsGlobalScope":true},{ "version":"f258e3960f324a956fc76a3d3d9e964fff2244ff5859dcc6ce5951e5413ca826","affectsGlobalScope":true},{ "version":"643f7232d07bf75e15bd8f658f664d6183a0efaca5eb84b48201c7671a266979","affectsGlobalScope":true},{ "version":"0f6666b58e9276ac3a38fdc80993d19208442d6027ab885580d93aec76b4ef00","affectsGlobalScope":true},{ "version":"05fd364b8ef02fb1e174fbac8b825bdb1e5a36a016997c8e421f5fab0a6da0a","affectsGlobalScope":true},{ "version":"631eff75b0e35d1b1b31081d55209abc43e16b49426546ab5a9b40bdd40b1f60","affectsGlobalScope":true},{ "version":"2db0dd3aaa2ed285950273ce96ae8a450b45423aa9da2d10e194570f1233fab","affectsGlobalScope":true},{ "version":"7394959e5a741b185456e1ef5d64599c36c60a323207450991e7a42e08911419","affectsGlobalScope":true},{ "version":"5929864ce17fba74232584d90cb721a89b7ad277220627cc97054ba15a98ea8f","affectsGlobalScope":true},{ "version":"7180c03fd3cb6e22f911ce9ba0f8a7008b1a6ddbe88ccf16a9c8140ef9ac1686","affectsGlobalScope":true},{ "version":"25c8056edf4314820382a5fdb4bb7816999acdcb929c8f75e3f39473b87e85bc","affectsGlobalScope":true},{ "version":"54cb85a47fd760da1c13c00add10d26b5118280d44d58e6908d8e89abbd9d7725","affectsGlobalScope":true},{ "version":"3e4825171442666d31c845aeb47fcd34b62e14041bb353ae2b874285d78482aa","affectsGlobalScope":true},{ "version":"c6fd2c5a395f2432786c9cb8deb870b9b0e8ff7e22c029954fabdd692bff6195","affectsGlobalScope":true},{ "version":"a967bfe3ad4e62243eb604bf956101e4c740f5921277c60debaf325c1320bf88","affectsGlobalScope":true},{ "version":"e9775e97ac4877aebf963a0289c81abe76d1ec9a2a7778dbe637e5151f25c5f3","affectsGlobalScope":true},{ "version":"471e1da5a78350bc55ef8cef24eb3aca6174143c281b8b214ca2beda51f5e04a","affectsGlobalScope":true},{ "version":"cad8aced301244057c4e7e73fbcae534b0f5b12a37b150d80e5a45aa4bebcdb","affectsGlobalScope":true},{ "version":"385aab901643aa54e1c36f5ef3107913b10d1b5bb8cbcd933d4263b80a0d7f20","affectsGlobalScope":true},{ "version":"9670d44354bab9d9982eca21945686b5c24a3f893db73c0dae0fd74217a4c219","affectsGlobalScope":true},{ "version":"db3435f3525cd785bf21ec6769bf8da7e8a776be1a99e2e7efb5f244a2ef5fee","affectsGlobalScope":true},{ "version":"c3b170c45fc031db31f782e612adf7314b167e60439d304b49e704010e7baf5","affectsGlobalScope":true},{ "version":"40383ebef22b943d503c6ce2cb2e060282936b952a01bea5f9f493d5fb487cc7","affectsGlobalScope":true},{ "version":"4893a895ea92c85345017a04ed427cbd6a1710453338df26881a6019432febdd","affectsGlobalScope":true},{ "version":"3a84b7cb891141824bd00ef8a50b6a44596aded4075da937f180c90e362fe5f6","affectsGlobalScope":true},{ "version":"13f6f39e12b1518c6650bbb220c8985999020fe0f21d818e28f512b7771d00f9","affectsGlobalScope":true},{ "version":"9b5369969f6e7175740bf51223112ff209f94ba43ecd3bb09eefff9fd675624a","affectsGlobalScope":true},{ "version":"4fe9e626e7164748e8769bbf74b538e09607f07ed17c2f20af8d680ee49fc1da","affectsGlobalScope":true},{ "version":"24515859bc0b836719105bb6cc3d68255042a9f02a6022b3187948b204946bd2","affectsGlobalScope":true},{ "version":"33203609eba548914dc83ddf6cadbc0bcb6e8ef89f6d648ca0908ae887f9fcc5","affectsGlobalScope":true},{ "version":"0db18c6e78ea846316c012478888f33c11ffadab9efd1cc8bcc12daded7a60b6","affectsGlobalScope":true},{ "version":"89167d696a849fce5ca508032aabfe901

c0868f833a8625d5a9c6e861ef935d2","e53a3c2a9f624d90f24bf4588aacd223e7bec1b9d0d479b68d2f4a9e6011147f","339dc5265ee5ed92e536a93a04c4ebbc2128f45eeec6ed29f379e0085283542c","9f0a92164925aa37d4a5d9dd3e0134cff8177208dba55fd2310cd74beea40ee2","8bfdb79bf1a9d435ec48d9372dc93291161f152c0865b81fc0b2694aedb4578d","2e85db9e6fd73cfa3d7f28e0ab6b55417ea18931423bd47b409a96e4a169e8e6","c46e079fe54c76f95c67fb89081b3e399da2c7d109e7dca8e4b58d83e332e605","d32275be3546f252e3ad33976caf8c5e842c09cb87d468cb40d5f4cf092d1acc","4a0c3504813a3289f7fb1115db13967c8e004aa8e4f8a9021b95285502221bd1","{"version":"e7be367719c613d580d4b27fdf8fe64c9736f48217f4b322c0d63b2971460918","affectsGlobalScope":true},"3d77c73be94570813f8cadd1f05ebc3dc5e2e4fdefe4d340ca20cd018724ee36","{"version":"392eadc2af403dd10b4debfbcb655c089a7fa6a9750caeb770cfb30051e55e848","affectsGlobalScope":true},"62f1c00d3d246e0e3cf0224f91e122d560428ec1ccc36bb51d4574a84f1dbad0","53f0960fdcc53d097918adfd8861ffbe0db989c56ffc16c052197bf115da5ed6","{"version":"662163e5327f260b23ca0a1a1ad8a74078aabb587c904fcb5ef518986987eaff","affectsGlobalScope":true},"a40826e8476694e90da94aa008283a7de50d1dafd37beada623863f1901cb7fb","{"version":"c48c503c6b3f63baf18257e9a87559b5602a4e960107c762586d2a6a62b64a18","affectsGlobalScope":true},"b0c0d1d13be149f790a75b381b413490f98558649428bb916fd2d71a3f47a134","3c884d9d9ec454bdf0d5a0b8465bf8297d2caa4d853851d92cc417ac6f30b969","0364f8bb461d6e84252412d4e5590feda4eb582f77d47f7a024a7a9ff105dfdc","5433f7f77cd1fd53f45bd82445a4e437b2f6a72a32070e907530a4fea56c30c8","d0ca5d7df114035258a9d01165be309371fcccc0cccd9d57b1453204686d1ed0","{"version":"ee1ee365d88c4c6c0c0a5a5701d66ebc27ccd0bcfcfaa482c6e2e7fe7b98edf7","affectsGlobalScope":true},"{"version":"9a30b7fef7f8abbca4828d481c61c18e40fe5ff107e113b1c1fcd2c8dcf2743","affectsGlobalScope":true},"173b6275a81ebdb283b180654890f46516c21199734fed01a773b1c168b8c45c","304f66274aa8119e8d65a49b1cff84cbf803def6afe1b2cc987386e9a9890e22","1b9adafe8a7fefaef9099a0e06f602903f6268438147b843a33a5233ac71745","98273274f2dbb79b0b2009b20f74eca4a7146a3447c912d580cd5d2d94a7ae30","c933f7ba4b201c98b14275fd11a14abb950178afd2074703250fe3654fc10cd2","2eaa31492906bc8525aff3c3ec2236e22d90b0dfeee77089f196cd0adf0b3e3b","{"version":"ea455cc68871b049bcecd9f56d4cf27b852d6dafd5e3b54468ca87cc11604e4d","affectsGlobalScope":true},"8f5814f29dbaf8bacd1764aebdf1c8a6eb86381f6a188ddbac0fcbab855ce52","a63d03de72adfb9177784015bd3b4125abd2f5ef867fc5a13920b5649e8f52b","d20e003f3d518a7c1f749dbe27c6ab5e3be7b3c905a48361b04a9557de4a6900","{"version":"1d4d78c8b23c9ddaaaa49485e6adc2ec01086dfe5d8d4d36ca4cdc98d2f7e74a","affectsGlobalScope":true},"{"version":"44fc16356b81c0463cc7d7b2b35dcf324d8144136f5bc5ce73ced86f2b3475b5","affectsGlobalScope":true},"575fb200043b11b464db8e42cc64379c5fd322b6d787638e005b5ee98a64486d","6de2f225d942562733e231a695534b30039bdf1875b377bb7255881f0df8ede8","56249fd3ef1f6b90888e606f4ea648c43978ef43a7263aafad64f8d83cd3b8aa","139ad1dc93a503da85b7a0d5f615bddbae61ad796bc68fedd049150db67a1e26","7b166975fdbd3b37afb64707b98bca88e46577bbc6c59871f9383a7df2daacd1","9eece5e586312581ccd106d4853e861aaaa1a39f8e3ea672b8c3847eedd12f6e","81505c54d7cad0009352eaa21bd923ab7cdee7ec3405357a54d9a5da033a2084","269929a24b2816343a178008ac9ae9248304d92a8ba8e233055e0ed6dbe6ef71","93452d394fdd1dc551ec62f5042366f011a00d342d36d50793b3529bfc9bd633","3c1f19c7abcda6b3a4cf9438a15c7307a080bd3b51dfd56b198d9f86baf19447","2ee1645e0df9d84467cfe1d67b0ad3003c2f387de55874d565094464ee6f2927","{"version":"7da97d603bf3dd0000f56467c56cb6efaf5f94692980474925fae6c33412b12a","affectsGlobalScope":true},"{"version":"9cf780e96b687e4bdf1907ed26a688c18b89797490a00598fa8b8ab683335dd","affectsGlobalScope":true},"98e00f3613402504bc2a2c9a621800ab48e0a463d1eed062208a4ae98ad8f84c","9ae88ce9f73446c24b2d2452e993b676da1b31fca5ceb7276e7f36279f693ed1","e49d7625faff2a7842e4e7b9b197f972633fca685afcf6b4403400c97d087c36","b82c38abc53922b1b3670c3af6f333c21b735722a8f156e7d357a2da7c53a0a0","{"version":"b423f53647708043299ded4daa68d95c967a2ac30aa1437adc4442129d7d0a6c","affectsGlobalScope":true},"{"version":"7245af181218216bacb01fbd51095617a51661f20d77178c69a377e16fb69ed","affectsGlobalScope":true},"4f0fc7b7f54422bd97cfaf558ddb4bca86893839367b746a8f86b60ac7619673","4cdd8b6b51599180a387cc7c1c50f49eca5ce06595d781638fd0216520d98246","d91a7d8b5655c42986f1bdf2105c4408f472831c8f20cf11a8c3345b6b56c8c","{"version":"8704423bf338bff381ebc951ed819935d0252d90cd6de7dffe5b0a5debb65d07","affectsGlobalScope":true},"7c6929fd7cbf38499b6a600b91c3b603d1d78395046dc3499b2b92d01418b94b","{"version":"ab9b9a36e5284fd8d3bf2f7d5fcbcb60052f25f27e4d20954782099282c60d23e","affectsGlobalScope":true},"a42be67ed1ddaec743582f41fc219db96a1b69719fccac6d1464321178d610fc","3609e455ffcba8176c8ce0aa57f8258fe10cf03987e27f1fab68f702b4426521","d1bd4e51810d159899aad1660ccb859da54e27e08b8c9862b40cd36c1d9ff00f","17ed71200119e86cccf2d96b73b02ce8854b76ad6bd21b5021d4269bec527b5f","5dbf2a502a7fcd85bfe753b585cfc6c9f60294570ee6a18084e574cf93be3fa0","bb7a61dd55dc4b9422d13da3a6bb9cc5e89be88ef23bbcf6558aa9726b89a1c","413df52d4ea14472c2fa5bee62f7a40abd

1eb49be0b9722ee01ee4e52e63beb2","db6d2d9daad8a6d83f281af12ce4355a20b9a3e71b82b9f57cddcc
a0a8964a96","7bd32a723a12f78ed756747468f2030bdd55774c68f628de07598dba5b912b14","24f85623
08dd8ba6013120557fa7b44950b619610b2c6cb8784c79f11e3c4f90","a1d3d6e9718cceaf1e4352845387a
f0620564d3d2dff02611a5c3276f73c26cb","a86f82d646a739041d6702101afa82dcb935c416dd93cbca7fd
754fd0282ce1f","57d6ac03382e30e9213641ff4f18cf9402bb246b77c13c8e848c0b1ca2b7ef92","ce75b1a
ebb33d510ff28af960a9221410a3eaf7f18cf5f21f9404075fba77256","e3b0c44298fc1c149afb4c8996fb924
27ae41e4649b934ca495991b7852b855","57e47d02e88abef89d214cdf52b478104dc17997015746e288c
bb580beaef266","b1177acd771acfcc2648a03fc03ad3b3a1b1d2bdfa6769db0f669293b596ca13","3494c5
bf00c1a40293ee5ff5128334b63d346abbf560c8987202c92dbc5bdc48","9e2739b32f741859263fdb0a0244c
194ca8e96da49b430377930b8f721d77c000","99d62b942e98f691f508fc752637fec27661970aa3b0f5eb5
a1e2775b995c273","a9af0e608929aaf9ce96bd7a7b99c9360636c31d73670e4af09a09950df97841","48d3
7b90a04e753a925228f50304d02c4f95d57bf682f8bb688621c3cd9d32ec","361e2b13c6765d7f85bb7600b
48fde782b90c7c41105b7dab1f6e7871071ba20","c86fe861cf1b4c46a0fb7d74dffe596cf679a2e5e8b14568
81313170f092e3fa","b6db56e4903e9c32e533b78ac85522de734b3d3a8541bf24d256058d464bf04b","24
daa0366f837d22c94a5c0bad5bf1fd0f6b29e1fae92dc47c3072c3fdb2fbd5","b68c4ed987ef5693d3dccc852
22d60769463aca404f2ffca1c4c42781dce388e","889c00f3d32091841268f0b994beba4dceaa5df7573be12
c2c829d7c5fbc232c","65f43099ded6073336e697512d9b80f2d4fec3182b7b2316abf712e84104db00","e3
b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855","e3b0c44298fc1c149afb4c8
996fb92427ae41e4649b934ca495991b7852b855","8e609bb71c20b858c77f0e9f90bb1319db8477b13f9f9
65f1a1e18524bf50881","12b8dfed70961bea1861e5d39e433580e71323abb5d33da6605182ec569db584"
,"8e609bb71c20b858c77f0e9f90bb1319db8477b13f9f965f1a1e18524bf50881","7e560f533aaf88cf9d3b42
7dcf6c112dd3f2ee26d610e2587583b6c354c753db","71e0082342008e4dfb43202df85ea0986ef8e003c92
1a1e49999d0234a3019da","27ab780875bcb65e09da7496f2ca36288b0c541abaa75c311450a077d54ec
15","b620391fe8060cf9bedc176a4d01366e6574d7a71e0ac0ab344a4e76576fcb8","380647d8f3b7f852c
ca6d154a376dbf8ac620a2f12b936594504a8a852e71d2f","3e7efde639c6a6c3edb9847b3f61e308bf7a69
685b92f665048c45132f51c218","df45ca1176e6ac211eae7ddf51336dc075c5314bc5c253651bae639defd
5eec5","ef61792acbf8c27c9bd113f02731e66229f7d3a169e3c1993b508134f1a58e0","9c82171d836c47
486074e4ca8e059735bf97b205e70b196535b5efd40cbe1bc5","94fe3281392e1015b22f39535878610b4fa
6f1388dc8d78746be3bc4e4bb8950","106c6025f1d99fd468fd8bf6e5bda724e11e5905a4076c5d29790b6c
3745e50c","ce41407ff95aad31e28897741dfffb236d966eb38894f7a791c3a575b53f9d02","fac1803c07fbc
9574815fdb83afddd9d0d4a2ce13f56d4e4cbb4525f8c09ee0a","824c76aec8d8c7e65769688cbee102238c
0ef421ed6686f41b2a7d8e7e78a931","5eef43ef86c9c3945780211c2ce25cb9b66143a102713e56a2bea8
5163c5c3c7","a2a1cdf7273ad6641938a487ecf2fdd38f60abce41907817e44ab39e482e8739","c5426dbfc
1cf90532f66965a7aa8c1136a78d4d0f96d8180ecbfc11d7722f1a5","ca921bf56756cb6fe957f6af693a3525
1b134fb932dc13f3dff0bb7106f80b4","4548fac59ea69a3ffd6c0285a4c53e0d736d936937b74297e3b5c4d
fcd902419","4da246ee3b86027888dd51913e6407a09ca43530db886e7bec2a592c9b9bde6","8c05ac9e
ad787bfc3e144b88bdc7d1ad8c0c7f1cd8412ab58cd3e1208d1990af","a23185bc5ef590c287c28a91baf28
0367b50ae4ea40327366ad01f6f4a8edbc5","65a15fc47900787c0bd18b603afb98d33ede930bed1798fc98
4d5ebb78b26cf9","9d202701f6e0744adb6314d03d2eb8fc994798fc83d91b691b75b07626a69801","de9d
2df7663e64e3a91bf495f315a7577e23ba088f2949d5ce9ec96f44fba37d","c7af78a2ea7cb1cd009cfb5bdb4
8cd0b03dad3b54f6da7aab615c2e9e9d570c5","1ee45496b5f8bdee6f7abc233355898e5bf9bd51255db65f
5ff7ede617ca0027","0c7c947ff881c4274c0800deaa0086971e0bfe51f89a33bd3048eaa3792d4
876","affectsGlobalScope":true},{ "version":"db01d18853469bcb5601b9fc9826931cc84cc1a1944b33cad7
6fd6f1e3d8c544","affectsGlobalScope":true}, {"dba114fb6a32b355a9cfc26ca2276834d72fe0e94cd2c34940
05547025015369","{ "version":"a8f8e6ab2fa07b45251f403548b78eaf2022f3c2254df3dc186cb2671fe4996d
","affectsGlobalScope":true},"fa6c12a7c0f6b84d512f200690bfc74819e99efae69e4c95c4cd30f6884c526e"
,"f1c32f9ce9c497da4dc215c3bc84b722ea02497d35f9134db3bb40a8d918b92b","{ "version":"b73c319af2cc
3ef8f6421308a250f328836531ea3761823b4cabbdd133047aefa","affectsGlobalScope":true},"e433b0337b8
106909e7953015e8fa3f2d30797cea27141d1c5b135365bb975a6","15b36126e0089bfef173ab61329e828
6ce74af5e809d8a72edcafd0cc049057f","ddff7fc6edbd5163a09e22bf8df7bef75f75369ebd7ecea95ba55c
4386e2441","13283350547389802aa35d9f2188effaeac805499169a06ef5cd77ce2a0bd63f","2e4f37ffe886
2b14d8e24ae8763daaa8340c0df0b859d9a9733def0eee7562d9","d07cbc787a997d83f7bde3877fec5fb5b
12ce8c1b7047eb792996ed9726b4dde","6ac6715916fa75a1f7ebdfecac09513b4d904b667d827b7535e8
4ff59679aff","8bba776476c48b0e319d243f353190f24096057accede3c2f620fee17ff885dba","b83cb14474f
a60c5f3ec660146b97d122f0735627f80d82dd03e8caa39b4388c","42c169fb8c2d42f4f668c624a9a11e719
d5d07dacbebb63cbcf7ef365b0a75b3","2b2f9dac86b659e6d5cd623bcc21519910a48114fc0cef52d8f8696

2c48d44e2","7e8b76334c75984d57a810a0652c61066ffacede59001dfc5c633565f791ee60","72ca9ca89c
a15055cbb6ce767b6bf56615be5f1ea6a87ab432ee0603c8d19010","7274fbffbd7c9589d8d0ffba68157237
afd5cecff1e99881ea3399127e60572f","b73cbf0a72c8800cf8f96a9acfe94f3ad32ca71342a8908b8ae484d
61113f647","bae6dd176832f6423966647382c0d7ba9e63f8c167522f09a982f086cd4e8b23","208c9af9429
dd3c76f5927b971263174aaa4bc7621ddec63f163640cbd3c473c","20865ac316b8893c1a0cc383ccfc1801
443fbcc2a7255be166cf90d03fac88c9","c9958eb32126a3843deedda8c22fb97024aa5d6dd588b90af2d7f2
bfac540f23","d682336018141807fb602709e2d95a192828fcb8d5ba06dda3833a8ea98f69e3","461d0ad8a
e5f2ff981778af912ba71b37a8426a33301daa00f21c6ccb27f8156","e927c2c13c4eaf0a7f17e6022eee8519
eb29ef42c4c13a31e81a611ab8c95577","fcafff163ca5e66d3b87126e756e1b6dfa8c526aa9cd2a2b0a9da8
37d81bbd72","70246ad95ad8a22bdf806cb5d383a26c0c6e58e7207ab9c431f1cb175aca657","f00f3aa5d
64ff46e600648b55a79dcd1333458f7a10da2ed594d9f0a44b76d0b","772d8d5eb158b6c92412c03228bd9
902ccb1457d7a705b8129814a5d1a6308fc","45490817629431853543adcb91c0673c25af52a456479588b
6486daba34f68bb","802e797bcab5663b2c9f63f51bdf67eff7c41bc64c0fd65e6da3e7941359e2f","b01bd5
82a6e41457bc56e6f0f9de4cb17f33f5f3843a7cf8210ac9c18472fb0f","8b4327413e5af38cd8cb97c59f48c3
c866015d5d642f28518e3a891c469f240e","cecad464ddaf764e5490018d248a8df1733f3d63435fbdac72
941c1f4005b66","6124e973eab8c52cabf3c07575204efc1784aca6b0a30c79eb85fe240a857efa","0d8917
35a21edc75df51f3eb995e18149e119d1ce22fd40db2b260c5960b914e","3b414b99a73171e1c4b7b7714e
26b87d6c5cb03d200352da5342ab4088a54c85","51b1709e7ad186919a0e30237a8607100143a86d2877
1b3d3f046359aca1e65c","0a437ae178f999b46b6153d79095b60c42c996bc0458c04955f1c996dc68b971"
,"74b2a5e5197bd0f2e0077a1ea7c07455bbea67b87b0869d9786d55104006784f","4a7baeb6325920044f
66c0f8e5e6f1f52e06e6d87588d837bdf44feb6f35c664","6dcf60530c25194a9ee0962230e874ff29d34c596
05d8e069a49928759a17e0a","56013416784a6b754f3855f8f2bf6ce132320679b8a435389aca0361bce4df
6b","43e96a3d5d1411ab40ba2f61d6a3192e58177bcf3b133a80ad2a16591611726d","224e9eedb2ea67e
27f28d699b19b1d966e9320e9ea8ac233b2a31dbd753b0dfe","002eae065e6960458bda3cf695e578b0d1e
2785523476f8a9170b103c709cd4f","c51641ab4bfa31b7a50a0ca37edff67f56fab3149881024345b13f2b4
8b7d2de","a57b1802794433adec9ff3fed12aa79d671faed86c49b09e02e1ac41b4f1d33a","52abbd5035a9
7ebfb4240ec8ade2741229a7c26450c84eb73490dc5ea048b911","1042064ece5bb47d6aba91648fbe063
5c17c600ebdf567588b4ca715602f0a9d","4360ad4de54de2d5c642c4375d5eab0e7fe94ebe8adca907e6c
186bbef75a54d","4a889f2c763edb4d55cb624257272ac10d04a1cad2ed2948b10ed4a7fda2a428","7bb79
aa2fead87d9d56294ef71e056487e848d7b550c9a367523ee5416c44cfa","9c9cae45dc94c2192c7d25f806
49414fa13c425d0399a2c7cb2b979e4e50af42","6c87b6bcf4336b29c837ea49afbdde69cc15a91cbbfd9f20
c0af8694927dec08","27ff4196654e6373c9af16b6165120e2dd2169f9ad6abb5c935af5abd8c7938c","6dd9
bcf10678b889842d467706836a0ab42e6c58711e33918ed127073807ee65","8c030e515014c10a2b98f9f4
8408e3ba18023dfd3f56e3312c6c2f3ae1f55a16","dafc31e9e8751f437122eb8582b93d477e00283986441
0ff782504a12f2a550c","ef9efc827cdad89c4ee54142164c793f530aa4d844ca9121cc35368310d5fb9c","64
3672ce383e1c58ea665a92c5481f8441edbd3e91db36e535abccbc9035adeb","8fa022ea514ce0ea78ac9b
7092a9f97f08ead20c839c779891019e110fce8307","c93235337600b786fd7d0ff9c71a00f37ca65c4d63e5
d695fc75153be2690f09","fa45f48f2def181ab2fb107a032c91b6c043ad05a179f3fbaaf8e5411fd01e4","a8
e493c0355aabdd495e141bf1c4ec93454a0698c8675df466724adc2fcfe630","99702c9058170ae70ea72ac
bf01be3111784f06152dbf478f52c9afe423528bd","cf32f58a7ad3498c69c909121772971ffdee176b882f39
c78532d0e0ab41a30d","e2bbc579a2fda9473e06b2a68d693e56928900f73ccfc03dabea789fe144e8a5","c
e0df82a9ae6f914ba08409d4d883983cc08e6d59eb2df02d8e4d68309e7848b","796273b2edc727e78a04e8
6d7c58ae94d370ab93a0ddfd40b1aa85a37a1c29ecd7","5df15a69187d737d6d8d066e189ae4f97e41f4d53
712a46b2710ff9f8563ec9f","e17cd049a1448de4944800399daa4a64c5db8657cc9be7ef46be66e2a2cd0e
7c","d05fb434f4ba073aed74b6c62eff1723c835de2a963dbb091e000a2decbb5a691","bff8c8bfff5f302a30c
cb1c0557dae477892d50a80eecfe393bd89bac7fb41d","43ba4f2fa8c698f5c304d21a3ef596741e8e85a810
b7c1f9b692653791d8d97a","4d4927cbee21750904af7acf940c5e3c491b4d5ebc676530211e389dd37560
7a","72105519d0390262cf0abe84cf41c926ade0ff475d35eb21307b2f94de985778","8a97e578a9bc40eb4f
1b0ca78f476f2e9154ecbbfd5567ee72943bab37fc156a","a58abf1f5c8feb335475097abeddd32fd71c4dc20
65a3d28cf15cacabad9654a","ccf6dd45b708fb74ba9ed0f2478d4eb9195c9dfef0ff83a6092fa3cf2ff53b4f","
2d7db1d73456e8c5075387d4240c29a2a900847f9c1bff106a2e490da8fbd457","2b15c805f48e4e970f8ec
0b1915f22d13ca6212375e8987663e2ef5f0205e832","f22d05663d873ee7a600faf78abb67f3f719d322668
03440cf11d5db7ac0cab2","f0f05149debcbf31b3a717ce8dd16e0323a789905cb9e27239167b604153b8885
","35069c2c417bd7443ae7c7cafd1de02f665bf015479fec998985ffbbf500628c","b4f4d239a6632b86b315a
6e4cfe0fac4e4bf6c934263bc07dd2bf5c7dbb8e6a5","0d44227395ae4a117dd7c8c9a048e18ade1f1f631bc
5b883f9d469126e3cedab","9e21f8e2c0cfea713a4a372f284b60089c0841eb90bf3610539d89dbcd12d65a

045b752f44bf9bbdcffdd882424ab0e15cb8d11fa94e1448942e338c8ef19fba", "2894c56cad581928bb37607810af011764a2f511f575d28c9f4af0f2ef02d1ab", "0a72186f94215d020cb386f7dca81d7495ab6c17066eb07d0f44a5bf33c1b21a", "a072c5f254d5cbb6522c0d4eeeb7cc4a6ce7f2f8ad84e2593d903bfe3aa44176", "52b390f86821086a1be50100487faa9f7b23fc04343efb590f304382b4950e04", "87122b31fe473758a5724388c93826caab566f62be2196aefc2ae8b04b814b52", "063ab26d3488a665d2c3bc963b18ce220dad7351190629179165bc8c499c6cd9", "6ac6715916fa75a1f7ebdfecac09513b4d904b667d827b7535e84ff59679aff", "2652448ac55a2010a1f71dd141f828b682298d39728f9871e1cdf8696ef443fd", "fb400501bee56d86fa9b490e9d8b07d7df163d34d8235fcea27c3f9e8d064d1a", "120599fd965257b1f4d0ff794bc696162832d9d8467224f4665f713a3119078b", "5433f33b0a20300cca35d2f229a7fc20b0e8477c44be2affeb21cb464af60c76", "db036c56f79186da50af66511d37d9fe77fa6793381927292d17f81f787bb195", "bd4131091b773973ca5d2326c60b789ab1f5e02d8843b3587effe6e1ea7c9d86", "794998dc1c5a19ce77a75086fe829fb9c92f2fd07b5631c7d5e0d04fd9bc540c", "409678793827cdf5814e027b1f9e52a0445acb1c322282311c1c4e0855a0918e", "6ac6715916fa75a1f7ebdfecac09513b4d904b667d827b7535e84ff59679aff", "0427df5c06fadc5fe126d14b9becdd24160a288deff40e838bfb92a35f8d0d00", "3545dc8a9bdbc33db34462af7eed83f730383e4fee9135dadbbba7edfe1e7db3c", "7b5153a9fb237898879441e5ddb576ded76ef3ab4c5baee4bb7749ca5c72fc395d", "49c346823ba6d4b12278c12c977fb3731c06b9ca719015978cb145eb86da1c61", "bfac6e50ea7e73bb66b7e052c38fdc8ccfc8dbde2777648642af33cf349f7f1", "92f7c1a4da7fbfd67a2228d1687d5c2e1faa0ba865a94d3550a3941d7527a45d", "f53b120213a9289d9a26f5af90c4c686dd71d91487a0aa5451a38366c70dc64b", "83fe880c090afe485a5c02262c0b7cdd76a299a50c48d9bde02be8e908fb4ae6", "d5c2934185201f0768fb80d220f0e617cd05aa4c0c791ffcd508646c474b3c44", "57d67b72e06059adc5e9454de26bbfe567d412b962a501d263c75c2db430f40e", "6511e4503cf74c469c60aafd6589e4d14d5eb0a25f9bf043dcbecdf65f261972", "e326c507507d6c6f3df4152e9e132a6189b30e14a262782796c2a627ba5d42cc", "75efc43fb206f3825eb219c96b1e59fdabf2f2f042f424fa5f96335b99897540", "a67b87d0281c97dfc1197ef28dfe397fc2c865ccd41f7e32b53f647184cc7307", "771ffb773f1ddd562492a6b9aaca648192ac3f056f0e1d997678ff97dbb6bf9b", "232f70c0cf2b432f3a6e56a8dc3417103eb162292a9fd376d51a3a9ea5fbbbf6", "ca651584d8d718c1f0655ec4b0c340fbcd967ec1e1758807af3a3f43bc81f81e", "cfb5f0ab72180f4e0b9ed1534847a63d5394b9a8ee685ae149d25fd53f1aec66", "8a0e762ceb20c7e72504feef83d709468a70af4abccb304f32d6b9bac1129b2c", "f613e4e752659ebd241be4d991c05200248b50e753fcec50a249d30f4367794", "9252d498a77517aab5d8d4b5eb9d71e4b225bbc7123df9713e08181de63180f6", "de1cceff0cb3623291d55871e39eb7005cb79d8da519cb46959b0ba5e2422184f", "35e6379c3f7cb27b111ad4c1aa69538fd8e788ab737b8ff7596a1b40e96f4f90", "1fffe726740f9787f15b532e1dc870af3cd964dbe29e191e76121aa3dd8693f2", "7cd657e359eac7829db5f02c856993e8945ffccc71999cdfb4ab3bf801a1bbc6", "1a82deef4c1d39f6882f28d275cad4c01f907b9b39be9c9c472fc2cf051e05b", "4b20fcd10a5413680e39f5666464859fc56b1003e7dfe2405ced82371ebd49b6", "f0f3b7e29b40e9cb0c4b155a96de2f61e51700d2c335dd547ef3c85e668c6a8", "f7d628893c9fa52b23ab01bcb5e79191636c4331ee5667ec6373bcfcff8ae12", "0a5b52f4275ea76a4082a46597d1d23f7fede2887e591d8e02f9874934912c6f", "6a76daf108400ca1333e325772f24f04ebdde2120ef68f8c87d7a1adf0257541", "313698394e61f0343ebf11b64e5cde7e948110eaba98e8dbd7bdd67ee8df2639", "6459054aabb306821a043e02b89d54da508e3a6966601a41e71c166e4ea1474f", "bb37588926aba35c9283fe8d46ebf4e79ffe976343105f5c6d45f282793352b2", "05c97cddbaf99978f83d96de2d8af86aded9332592f08ce4a284d72d0952c391", "72179f9dd22a86deaad4cc3490eb0fe69ee084d503b686985965654013f1391b", "2e6114a7dd6feef85b2c80120fbbfb59a5529c0dcc5bfa8447b6996c97a69f5", "7b6ff760c8a240b40dab6e4419b989f06a5b782f4710d2967e67c695ef3e93c4", "c8f004e6036aa1c764ad4ec543cf89a5c1893a9535c80ef3f2b653e370de45e6", "91357dba2d5a7234ccfae834dc8363b5635e08f373bd18f548a9046b01864619", "f31bbb122869d8903ff13c1036bdfec1e6a5bac9b2c3c35e42a9de84d43cd04a", "c7fdbcf0991e15215e2a5751676115cac943b39289791546c7197d7bb889c51", "f974e4a06953682a2c15d5bd5114c0284d5abf8bc0fe4da25cb9159427b70072", "50256e9c31318487f3752b7ac12ff365c8949953e04568009c8705db802776fb", "7d73b24e7bf31dfb8a931ca6c4245f6bb0814dfae17e4b60c9e194a631fe5f7b", "4eac446ac161245bfc6daa95f2cc64d2da4f7844e36a7a5641abfd4771ef0923", "8de9fe97fa9e00ec00666fa77ab6e91b35d25af8ca75dabcb01e14ad3299b150", "076527b1c2fd207de3101ba10e0c2b7d155aa8369cc7fe3eed723811e428223d", "6c800b281b9e89e69165fd11536195488de3ff53004e55905e6c0059a2d8591e", "7d4254b4c6c67a29d5e7f65e67d72540480ac2cfb041ca484847f5ae70480b62", "397f568f996f8ffcf12d9156342552b0da42f6571eadba6bce61c99e1651977d", "ff0c0d446569f8756be0882b520fd94429468de9f922ab6bf9eed4da55eb0187", "d663134457d8d669ae0df34eabd57028bddc04fc444c4

a4c6f3fdae1b712960f11f6482c6f1769bab056c2e",{"version":"a3128a84a9568762a2996df79717d92154d18dd894681fc0ab3a098fa7f8ee3b","affectsGlobalScope":true},"347791f3792f436950396dd6171d6450234358001ae7c94ca209f1406566ccb","dd80b1e600d00f5c6a6ba23f455b84a7db121219e68f89f10552c54ba46e4dc9","2896c2e673a5d3bd9b4246811f79486a073cbb03950c3d252fba10003c57411a","616775f16134fa9d01fc677ad3f76e68c051a056c22ab552c64cc281a9686790","65c24a8baa2cca1de069a0ba9fba82a173690f52d7e2d0f1f7542d59d5eb4db0","f9fe6af238339a0e5f7563acee3178f51db37f32a2e7c09f85273098cee7ec49","51bf55bb6eb80f11b3aa59fb0a9571565a7ea304a19381f6da5630f4b2e206c4","77e71242e71ebf8528c5802993697878f0533db8f2299b4d36aa015bae08a79c","98a787be42bd92f8c2a37d7df5f13e5992da0d967fab794adbb7ee18370f9849","5c96bad5f78466785cdad664c056e9e2802d5482ca5f862ed19ba34ffbb7b3a4","b7fff2d004c5879cae335db8f954eb1d61242d9f2d28515e67902032723caeab","5f3dc10ae646f375776b4e028d2bed039a93eebbba105694d8b910febbe8b9c","bb0cd7862b72f5eba39909c9889d566e198fcaddf7207c16737d0c2246112678","4545c1a1ceca170d5d83452dd7c4994644c35cf676a671412601689d9a62da35","320f4091e33548b554d2214ce5fc31c96631b513dffa806e2e3a60766c8c49d9","a2d648d333cf67b9aeac5d81a1a379d563a8ffa91ddd61c6179f68de724260ff","d90d5f524de38889d1e1dbc2aeef00060d779f8688c02766ddb9ca195e4a713d","a3f41ed1b4f2fc3049394b945a68ae4defdf49fa1739c32f149d32c0545d67f5","bad68fd0401eb90fe7da08565c8aee9c7a7021c2577aec92fa1382e8876071a","47699512e6d8bebf7be488182427189f999affe3addc1c87c882d36b7f2d0b0e","fec01479923e169fb52bd4f668dbeef1d7a7ea6e6d491e15617b46f2cacfa37d","8a8fb3097ba52f0ae6530ec6ab34e43e316506eb1d9aa29420a4b1e92a81442d","44e09c831fefb6fe59b8e65ad8f68a7ecc0e708d152cfcbe7ba6d6080c31c61e","1c0a98de1323051010ce5b958ad47bc1c007f7921973123c999300e2b7b0ecc0","4655709c9cb3fd6db2b866cab7c418c40ed9533ce8ea4b66b5f17ec2feea46a9","87affad8e2243635d3a191fa72ef896842748d812e973b7510a55c6200b3c2a4","ad036a85efcd9e5b4f7dd5c1a7362c8478f9a3b6c3554654ca24a29aa850a9c5","fedebeae32c5cdd1a85b4e0504a01996e4a8adf3dfa72876920d3dd6e42978e7","22b87e96a61c525464e115db0148593a861e77806fd37ab280e1903019a6e212","cdf21eee8007e339b1b9945abf4a7b44930b1d695cc528459e68a3adc39a622e","330896c1a2b9693edd617be24fbf9e5895d6e18c7955d6c08f028f272b37314d","1d9c0a9a6df4e8f29dc84c25c5aa0bb1da5456ebede7a03e03df08bb8b27bae6","84380af21da938a567c65ef95aefb5354f676368ee1a1cbb4cae81604a4c7d17","1af3e1f2a5d1332e136f8b0b95c0e6c0a02aaabd5092b36b64f3042a03debf28","30d8da250766efa99490fc02801047c2c6d72dd0da1bba6581c7e80d1d8842a4","03566202f5553bd2d9de22dfab0c61aa163cabb64f0223c08431fb3fc8f70280","9a01f12466488eccd8d9eafc8fecb9926c175a4bf4a8f73a07c3bcf8b3363282","b80f624162276f24a4ec78b8e86fbee80ca255938e12f8b58e7a8f1a6937120b","1de80059b8078ea5749941c9f863aa970b4735bdbbb003be4925c853a8b6b4450","1d079c37fa53e3c21ed3fa214a27507bda9991f2a41458705b19ed8c2b61173d","5bf5c7a44e779790d1eb54c234b668b15e34affa95e78ead73e5757f61ed76a","5835a6e0d7cd2738e56b671af0e561e7c1b4fb77751383672f4b009f4e161d70","5c634644d45a1b6bc7b05e71e05e52ec04f3d73d9ac85d5927f647a5f965181a","4b7f74b772140395e7af67c4841be1ab867c11b3b82a51b1aeb692822b76c872","27be6622e2922a1b412eb057faa854831b95db9db5035c3f6d4b677b902ab3b7","b95a6f019095dd1d48fd04965b50dfd63e5743a6e75478343c46d2582a5132bf","c2008605e78208cfa9cd70bd29856b72dda7ad89df5dc895920f8e10bcb9cd0a","a61e739f0b2c0165086c77a28d7e4b58a2a8703c646cd1e1641788484afc6ff2","63a7595a5015e65262557f883463f934904959da563b4f788306f699411e9bac","9e40365afca304124bc53eb03412643abf074a1580e4dc279a7a16000d11f985","4ba137d6553965703b6b55fd2000b4e07ba365f8cae0359162ad7247f9707a6",{"version":"ceec3c81b2d81f5e3b855d9367c1d4c664ab5046dff8fd56552df015b7ccbe8f","affectsGlobalScope":true},{"version":"4e18cfe14fa8602c7ff80cbbddb91e31608e5ae20bd361fe7e6a607706cb033c","affectsGlobalScope":true},{"a1219ee18b9282b4c6a31f1f0bcc9255b425e99363268ba6752a932cf76662f0","3dc14e1ab45e497e5d5e4295271d54ff689aeae00b4277979fdd10fa563540ae","1d63055b690a582006435ddd3aa9c03aac16a696fac77ce2ed808f3e5a06efab","b789bf89eb19c777ed1e956dbad0925ca795701552d22e68fd130a032008b9f9","f2b3bca04d1bfe583daae1e1f798c92ec24bb6693bd88d0a09ba6802dee362a8","43e818adf60173644896298637f47b01d5819b17eda46eaa32d0c7d64724d012",{"version":"02d221ac1e636e59836d949624932dda194823a17454917a89fa5c9f56242ef7","signature":"3256ac146f11732328db8e7767eb222cda4b5d290f13022bb508fe0dcd93b19c"},{"version":"cc277fab4cc3d65bbd10619cf03077c6e4fbb7ae21088d7fb436c662d695bf0b","signature":"e26d8cc512e8b3f1a17be92113f61a4186ce4fd4077cdefbed442cf9c61d8eba"},{"version":"c7f2964f73886554efde3aec8d503092ddc89644a78525cecd9b7ed211eedf23","signature":"821e13244cdad91c02d3590ef468d00c9d022310004fc8eb276be11b6227682d"},{"version":"9cbeddc71ee910bb3adb6236fd1a94f3b1d4ac106762e7cb20f5a32d03d8573a","signature":"912ef1d4f5c1519dca6a40d7a2ea796344c85d92ef91df8f447f5fe23bad29b5"},{"version":"997d2462b34c0a804961436f8ab2b4d3da53e38e9b54d009c1929b5d0a5f848f","signature":"ded023c523dc93535cff07d4aac4cc11154542bbeb277f324e285c5487d11b35"},{"version":"bad64633ba1

aedef13a447ff4590ce6950500267b61e5d2646504c422575dad3","signature":"1dd8b064b86139e9de0b9219bae8f24335d17e6ae00141de01efd2ee2ce3919c"},{"version":"0e7acf0dda83be330b9500e4259e21715e79f7673969f7694d10e11ff8ba55b9","signature":"47b8decc2d6590f558af77c6af0874dfd8e587346c97a096ede3ad7002c02d6f"},{"version":"3342694d4755e1edd3706c14a6790ec804627e998a2b84a3e251b6bd c6f70b1b","affectsGlobalScope":true}, {"version":"32142e2a7fd535216d5fa7b84de4d77dad7f8950f56b57a6a2364c42dd07ad85","signature":"239b9537116718d6f1fb4217bfa23f7acef953c0b7e53e0c46dad5859f084aad"}, {"b25f7887e59696f212d0ac03c54311c78e3e509792a8b3930f0c3c85acf3c4ad"}, {"9e5d968c58627f0f4a523f978d108404cf38b2e37cbfe43953e88e9f589c8b9a"}, {"cac3f9404099137e705808b3340de18499d32e669547a34df77247f09e656b67"}, {"version":"3f169ce6b9ac91a79d7b936085923f681a93e865e686d92c50835d5996a13b76","signature":"eeaca1a42278bfb7eaeeca7f7d089522ab9b37c8b850a2b65b97791158b277d3"}, {"version":"c864b0811e7ab7ba117fad32b64274b1c8666c14b5dce987d1d310134b619774","signature":"43e818adf60173644896298637f47b01d5819b17eda46eaa32d0c7d64724d012"}, {"a9373d52584b48809ffd61d74f5b3dfd127da846e3c4ee3c415560386df3994b"}, {"caf4af98bf464ad3e10c46cf7d340556f89197aab0f87f032c7b84eb8ddb24d9"}, {"7ec047b73f621c526468517fea779fec2007dd05baa880989def59126c98ef79"}, {"148ad734850375f1a3d51523b329997d20d661381c7e9cbe26dd35e5238f8778"}, {"ef73bcfe9907c8b772a30e5a64a6bd86a5669cba3d210fcdcc6b625e3312459"}, {"2fbe402f0ee5aa8ab55367f88030f79d46211c0a0f342becaa9f648bf8534e9d"}, {"b94258ef37e67474ac5522e9c519489a55dcb3d4a8f645e335fc68ea2215fe88"}, {"80a8fcbff78e4254b7f09ab07d233a4a51f4c36fe3f2d68a006fe3c4db8c0c6b"}, {"30ac06db9b6af5453925718fad5aef3f9fa8fa8356f19fd4937d30360615eac8"}, {"9f04a3005fc55f6ca1843e3e0ff2d1c70c85accdc54f865decca0916e4c50024"}, {"7d174edda64c43878daeacd832b7c9c922274858346ee7bc3d3ebc5133a4ce65"}, {"c2c4e36b74333f30eec973f09edbadd77339094f54b550b24a77f7ea13eb3afd"}, {"06ff821d1b8e8f91e0c357bd3a91935c379de1987af82658f4c983bdd79e5e29"}, {"2096dd30268ccc5173ff3b6bde2fdded21f5c495331d4bf0340f06d9218a08b03"}, {"bd894069d6bfe248a8658bd1abbb0bc782efa5eae9ba838d2cc46e669a843664"}, {"2316112d41469d7fad96608b2584c235de540644fb83daccac230897a8ffccbf"}, {"3a2b832012c99669690ca696e4edd54b286afe88a740dec34ee0c4746e7f44d"}, {"546090a0f36f3782b41791a34cd8f93953a7c26ef06717e0234c4619f29bf7cc"}, {"version":"a85995c6acfe62da31da45dcb480d43bbab2f6edd8fb2abdfadb9eb6a108e765","signature":"2ec9edae45c536bb2668dbaa8a525bbdf1728f6f7e97b0103faf45365c6a0474"}, {"version":"a44693aa2bb77d21c8ef6566b68b8e6df0e51cb7a4438e7c08694420b9833c2f","signature":"b9223829327cd197e12511158c5a1581385a77bb9cc2acfb3494d98211a349e"}, {"version":"73b494978f86258f6bc2a4778f2696762e7fd4bbab8503d492ef396b50b102f2","signature":"61c80d84cec9618b656e395f956fdabcf85e34b9af8ca3262d671a9952400de2"}, {"version":"a79af1ebacce1e372d968d544ced894964fbbec167d54bdeb4eb0c029258141","signature":"c4044add7e3c096265657dd3192af0d0cbbfd e35b7022f3f3c19255ae742610a"}, {"version":"6a8a1a3e565431ad33c0b9ddfd25765ad2e9f247cdb33ce7a1300b5d8f83059d0","signature":"8ed549544831fac3a544dd43595b8d28be1fc582309749e70ff8d597698ac613"}, {"version":"b22ee8d7c2cb78785a98d3ee6e4737f9e1fddfd8f92c2f415a6fce6070752c81","signature":"7e3d4195091d25ff815e058fa1d2b813bcf2b56ea7b6d7138bd3e03702e343b7"}, {"7d2b7fe4adb76d8253f20e4dbdce044f1cdfab4902ec33c3604585f553883f7d"}, {"version":"076c7b35a0af5baf250f24010f82aa9de0deaa63ebe56b1dd28519e6ce695e3e","signature":"4d333b1eda3d359725cb1537b0f7922c7d77d26ce7d350cd0b35806f9e56460a"}, {"version":"08aa90be63d224c4b2a9e154c1d42da4b3b918d34dc79a52b7443875aba69662","signature":"9100a37949eed4ef4b068ba63fa84796a7b2be462eb871cb30c5f1a5df97d3ab"}, {"version":"c1b45ce2051cf74eb38421636b73ad47f437460265fcf56b2104e51d5b337241","signature":"f7b9b155aada2731e1cff7aea428686a44f78dbc27965864be3a4460a05b8c3c"}, {"version":"60061875cc17a aeec06e6366f24ff821c5d66daba9558fba315cb6e062e6aa70","signature":"642c803bdcdfdfdf24490c5d8bf29ee4f7b43400cc535caa4c355cc33d438c"}, {"4d7d964609a07368d076ce943b07106c5ebee8138c307d3273ba1cf3a0c3c751"}, {"0e48c1354203ba2ca366b62a0f22fec9e10c251d9d6420c6d435da1d079e6126"}, {"0662a451f0584bb3026340c3661c3a89774182976cd373eca502a1d3b5c7b580"}, {"17f98ccbbe1795bda3446f87252e0d905e961410257a303b306cd16c1a83ed0e"}, {"fef1a68f0a55ee1f023d350d9b2d1be9441caccd57d894d9fea9ab10beb1bb2d"}, {"b8f34439ec229601a6f96c8f63038625cd555aff0ba92293ceb8ea1105f40d17"}, {"d76808c6f66891b54adb7b77fa06ef74c71882f9dc35bbfcf3e65c733c99095b"}, {"1c08c0fd96add23426a2c4607afcf66f7c5a0699cdd3819893b29a9dbd1c635e"}, {"28ae0f42b0dc0442010561fb2c472c1e9ef4de9af9c28feded2e99c5ab2a68ea"}, {"version":"2751e269f39d4502dda88017543a32e9e440220ae9a3f207c61706400b85dc10","signature":"8282193097ed06cfceea52bf132950afacbb04ad9fd3c868dd1dbbe6eda49d1a8"}, {"version":"161407c25fc05c9474f74adcf00e57a48309f49ec52ff227c17d9bfc412e1dc4","signature":"c3f430fc550c955962f6b548a89748a564d1b111cf940135adc330fc103aa300"}, {"3b2b5bc17d80707a1f20895305e307ceac811f60d97461b9263e200d5d43c47d"}, {"version":"cda0603c41527aa3197c2ce2218e099138932d4bbdc9d27276c188b4300cb975","signature":"69c1bca7d225c0d1c0e98c3bb671e2caa0ad5bbb569d

61dee619d523f6b33806"}, {"version": "164be64bc1a488391a94e8c2020d7d6998154dd18d8ac5af5d95ea44ae13de91", "signature": "01a977ade994fe0de990222140f158a0dc3b03529994c449aa39333d0facac02"}, {"4a5aa16151dbec524bb043a5cbce2c3fec75957d175475c115a953aca53999a9"}, {"version": "4fc68e695ffacea5f1585acdb300830b8c7b05687627c29854de0cc9189b6fb7", "signature": "28d467acfb73e11cbdf5f52393a820861e2893f7bc07dd00c9b3c3e7fbe56194"}, {"a80ec72f5e178862476deaeed532c305bdfcd3627014ae7ac2901356d794fc93"}, {"version": "2ed95cac5ecf13470343718e22547cc8665c6aa9b2a000749690afee49ee18f2", "signature": "ff1cbda3fbbe0ac3c288efb3fcca4c48890a48f3f049dcdbab838ce21071a48f"}, {"version": "ee872d2141e689536fa3ed3d5123b1a92b3a6053d8401884d75a98a7b11e4d08", "signature": "d27a9356be69b5c023f5284d747415f8716cfea95d3c7da1736c2a8312327027"}, {"71acd198e19fa38447a3cbc5c33f2f5a719d933fccf314aaff0e8b0593271324"}, {"version": "bdc5dedee7aec6157d492b96eca4c514c43ab48f291471b27582cd33a3e72e86", "signature": "7451735d0a0be9057a65e70dfd7ca493954e5622bb92c0d51b73a7befd35b028"}, {"6b5f886fe41e2e767168e491fe6048398ed6439d44e006d9f51cc31265f08978", "56a87e37f91f5625eb7d5f8394904f3f1e2a90fb08f347161dc94f1ae586bdd0", "6b863463764ae572b9ada405bf77aac37b5e5089a3ab420d0862e4471051393b", "904d6ad970b6bd825449480488a73d9b98432357ab38cf8d31ffd651ae376ff5", "233267a4a036c64aee95f66a0d31e3e0ef048ccc57dd66f9cf87582b38691e4"}, {"version": "751f841f46c8b2cd6da7b24cb6b545006e74a1f5816dca03bb0a1b68e514f200", "signature": "fc55c712db00df87b9302b6935a93f2889f9b4d8c28cca6484900a042d5b806f"}, {"version": "fc341c81b4225f6629b12a9e1348bed84a930251fdf013268670c88f59a177cb", "signature": "1f6519324249dfc8f27792b86e84246d6c17f7d8c3207c15e9176534845978ae"}, {"8dd450de6d756cee0761f277c6dc58b0b5a66b8c274b980949318b8cad26d712", "dfcf16e716338e9fe8cf790ac7756f61c85b83b699861df970661e97bf482692"}, {"version": "ebbd0dac2a4c92f01c98d72433fc2512a02a971683521b9604b22272e769f5f52", "signature": "cde49a37811aa0e0a469f87c7a97d69af95ea70103dd4db4dfc6f95685655df2"}, {"version": "88c96bdbeca72351cefc1f3c49e6323f2d35cf41b4b9b14c9fde543937de418", "signature": "c8fab490b8a42a53aa01594322eaf34deac8bd23be2083897929bd0254e3ba65"}, {"version": "91f89ee5b59750e14b7a81f3ab3d24f17b42c5a771087595a50aa5e8b1557665", "signature": "00680b0fdcf27f8afbe48a851ed98353a6be47d781a3047dc1270e4fcb8181c9"}, {"version": "b163a985b96940b07c8df9573540edfa08a46527d020c731272bec25d9032429", "signature": "1758203d8d582c4042e808d1ba20cd502ed2013bd261da2d9ff693b65e6dc49f"}, {"version": "16cdd2e1f24c118a50cc19425e216ffb5601e16acc05183994bef7c9d2fb62e9", "signature": "e84329cc927877dd33156783dbf78bc93d12d5564c7b096d5173bf2b4a93b968"}, {"version": "3cef134032da5e1bfabba59a03a58d91ed59f302235034279bb25a5a5b65ca62", "affectsGlobalScope": true}, {"version": "9e35187f779e6cc0b3a2cf5a3224802d9fac143ca8556132352fa604ef5ef331", "signature": "ee268107dfe674fa3380dcc3ab6bc175bd27a6dabbbf960ecd28d0f945ba8a4a2"}, {"version": "c9867febbf18b5a340082c1b8354f552df56b800808d2cb6a8e2980615851369", "signature": "30fcad8261cb2069db035949d6ff08225b5505720dc79bfa7bf52b3c034998cf"}, {"68b6a7501a56babd7bcd840e0d638ee7ec582f1e70b3c36ebf32e5e5836913c8", "7a14bf21ae8a29d64c42173c08f026928daf418bed1b97b37ac4bb2aa197b89b"}, {"version": "0a16955983c96c27e2a315ac3c930f624ff28f41a2815aa17151aa3bc574ebba", "signature": "eb7569396fa4507aa7a9c288ea9065bae3df13ff8f9022f3230ad2e6b1c631f9"}, {"version": "9ec48c54922c6f2849897e552b5011b0777060db6b327934508533e90a08f925", "signature": "79cffd61ad4c99d1f70596caf4bd9c9b65d7c5387e0455344477dc2b31924979"}, {"version": "7ef60e2e2215829d3039b2bd601f5524986a09e47801be5c38e093f2c71f26d3", "signature": "9c70407a63b2c7819a03889a4abaeaa896a8dfea0dd339cd0b70ccf42483081f"}, {"version": "db977d821af56ae3fb7952182d9c0a076a10c75c38bc2d2b000827e720423d32", "signature": "17d170715d901b52c518987439a8ff596b69c102f4f641a5c91c9c49878442cc"}, {"7de7a09523c62ef54aa7413596d3b89e6e4c43c02cc90c0e7150ba6873b7eab3", "89783bd45ab35df55203b522f8271500189c3526976af533a599a86caaf31362", "26e6c521a290630ea31f0205a46a87cab35faac96e2b30606f37bae7bcda4f9d"}, {"version": "b0eb7335630d2d5cdb98149ca0dd761f10ff871d685f503021b90291e766cfd6", "signature": "00e3df429b6777bfbe88ed24c7ce2700f096784bad25fd35a40a1ded854a7246"}, {"0dd159034cb27360f0d5bc247141353734101556f637e3ea30fef2c38864b9e5"}, {"version": "ee003ac8f42e391ae5627c96c69a1c4ee9876ab7b7ca0d7d16527a9d759bb4b9", "signature": "fcd200098ab2eb8797696d7edab4bfb0c1fa9720ee0294b124b247eabbfe7be9"}, {"version": "c26ede13263ed415a74f2ea4ebc1b6e52afcefa5c85b51cdcef790c428691da7", "signature": "56ec08d6222d3db0a043c909364e35813ae6a67a419d848728bba063f0232821"}, {"version": "64a4dca3d90bb25f85b6230e345dfd54390ffea191612462e6909d6f4a28ec88", "signature": "edf9491ea61a314fb19a7edaf6403849d1ab4ac2e2ce5a8901b0256278c2d221"}, {"c3085aa7c267e4a12c37d1330a7a4a29c38f8626db50456302ec5a79c215f656"}, {"version": "9aa96f82f2f80402b717ca811a6b2c94d2d4ecbe2ac6bc8cc5a7062493653adff", "signature": "89b0f68f8f0b901f9dfff2b9e7255520283a783d6af7f2bc2953d771232317a2"}, {"917eff08eee1bb000592abd46dece9e8960d7bf58d93653d1997a27bd34ac39e"}, {"version": "b1caa50660c5d0bc736b64c63c004f2361e22d9ac0b388b6cda030c2e1db01a9", "signature": "89b0f68f8f0b901f9d"}]

fff2b9e7255520283a783d6af7f2bc2953d771232317a2"},"5ddf8c8d243bfc777fe6eb1f52da0bc781daa893f
f90113aea3c351003e56e58",{"version":"6291c3f8fee58c33e3757380523f46052fcf66088a8d1a11f83f4fd0
3f62feeb","signature":"89b0f68f8f0b901f9dff2b9e7255520283a783d6af7f2bc2953d771232317a2"}],{"root"
:[458,466],[468,473],[492,497],[499,502],[512,516],518,520,521,523,529,530,[533,537],539,540,
[543,547],[550,560]],"options":{"allowJs":true,"esModuleInterop":true,"jsx":1,"module":99,"skipLibCheck":tr
ue,"strict":true,"target":1},"fileIdsList":[[467,514],[77,467,475,514],[77,467,514],
[77,467,474,475,476,514,527,531],[77,467,474,475,514,548],[77,467,474,475,476,514,526,527,531,541],
[77,467,474,475,514,524,525],[77,467,474,475,514],[77,467,474,475,514,541],[77,467,474,475,476,514],
[77,467,474,475,476,514,526,527],[86,467,514],[121,467,514],[122,127,156,467,514],
[123,128,134,135,142,153,164,467,514],[123,124,134,142,467,514],[125,165,467,514],
[126,127,135,143,467,514],[127,153,161,467,514],[128,130,134,142,467,514],[121,129,467,514],
[130,131,467,514],[134,467,514],[132,134,467,514],[121,134,467,514],[134,135,136,153,164,467,514],
[134,135,136,149,153,156,467,514],[119,122,169,467,514],[130,134,137,142,153,164,467,514],
[134,135,137,138,142,153,161,164,467,514],[137,139,153,161,164,467,514],[86,87,120,121,122,123,124
125,126,127,128,129,130,131,132,133,134,135,136,137,138,139,140,141,142,143,144,145,146,147,148
149,150,151,152,153,154,155,156,157,158,159,160,161,162,163,164,165,166,167,168,169,170,171,467
514],[134,140,467,514],[141,164,169,467,514],[130,134,142,153,467,514],[143,467,514],[144,467,514],
[121,145,467,514],[142,143,146,163,169,467,514],[147,467,514],[148,467,514],[134,149,150,467,514],
[149,151,165,167,467,514],[122,134,153,154,155,156,467,514],[122,153,155,467,514],
[153,154,467,514],[156,467,514],[157,467,514],[121,153,467,514],[134,159,160,467,514],
[159,160,467,514],[127,142,153,161,467,514],[162,467,514],[142,163,467,514],
[122,137,148,164,467,514],[127,165,467,514],[153,166,467,514],[141,167,467,514],[168,467,514],
[122,127,134,136,145,153,164,167,169,467,514],[153,170,467,514],[172,514],[77,175,176,177,467,514],
[77,175,176,467,514],[77,467,514,538],[77,81,174,400,448,467,514],[77,81,173,400,448,467,514],
[74,75,76,467,514],[467,478,479,514],[467,478,514],[83,467,514],[404,467,514],
[406,407,408,409,467,514],[411,467,514],[181,195,196,197,199,363,467,514],
[181,185,187,188,189,190,191,352,363,365,467,514],[363,467,514],[196,215,332,341,359,467,514],
[181,467,514],[178,467,514],[383,467,514],[363,365,382,467,514],[286,329,332,454,467,514],
[296,311,341,358,467,514],[246,467,514],[346,467,514],[345,346,347,467,514],[345,467,514],
[85,137,178,181,185,188,192,193,194,196,200,208,209,280,342,343,363,400,467,514],
[181,198,235,283,363,379,380,454,467,514],[198,454,467,514],[209,283,284,363,454,467,514],
[454,467,514],[181,198,199,454,467,514],[192,344,351,467,514],[148,249,359,467,514],
[249,359,467,514],[77,249,467,514],[77,249,303,467,514],[226,244,359,437,467,514],
[338,431,432,433,434,436,467,514],[249,467,514],[337,467,514],[337,338,467,514],
[189,223,224,281,467,514],[225,226,281,467,514],[435,467,514],[226,281,467,514],
[77,182,425,467,514],[77,164,467,514],[77,198,233,467,514],[77,198,467,514],[231,236,467,514],
[77,232,403,467,514],[77,81,137,172,173,174,400,446,447,467,514],[137,467,514],
[137,185,215,251,270,281,348,349,363,364,454,467,514],[208,350,467,514],[400,467,514],
[180,467,514],[77,286,300,310,320,322,358,467,514],[148,286,300,319,320,321,358,467,514],
[313,314,315,316,317,318,467,514],[315,467,514],[319,467,514],[77,232,249,403,467,514],
[77,249,401,403,467,514],[77,249,403,467,514],[270,355,467,514],[355,467,514],[137,364,403,467,514],
[307,467,514],[121,306,467,514],[210,214,221,252,281,293,295,296,297,299,331,358,361,364,467,514],
[298,467,514],[210,226,281,293,467,514],[296,358,467,514],
[296,303,304,305,307,308,309,310,311,312,323,324,325,326,327,328,358,359,454,467,514],
[291,467,514],
[137,148,210,214,215,220,222,226,256,270,279,280,331,354,363,364,365,400,454,467,514],
[358,467,514],[121,196,214,280,293,294,354,356,357,364,467,514],[296,467,514],
[121,220,252,273,287,288,289,290,291,292,295,358,359,467,514],[137,273,274,287,364,365,467,514],
[196,270,280,281,293,354,358,364,467,514],[137,363,365,467,514],[137,153,361,364,365,467,514],[137,
148,164,178,185,198,210,214,215,221,222,227,251,252,253,255,256,259,260,262,265,266,267,268,269,
281,353,354,359,361,363,364,365,467,514],[137,153,467,514],
[181,182,183,193,361,362,400,403,454,467,514],[137,153,164,212,381,383,384,385,386,454,467,514],
[148,164,178,212,215,252,253,260,270,278,281,354,359,361,366,367,373,379,396,397,467,514],
[192,193,208,280,343,354,363,467,514],[137,164,182,185,252,361,363,371,467,514],[285,467,514],
[137,393,394,395,467,514],[361,363,467,514],[293,294,467,514],[214,252,353,403,467,514],
[137,148,260,270,361,367,373,375,379,396,399,467,514],[137,192,208,379,389,467,514],

[181,227,353,363,391,467,514],[137,198,227,363,374,375,387,388,390,392,467,514],
[85,210,213,214,400,403,467,514],[137,148,164,185,192,200,208,215,221,222,252,253,255,256,268,270
,278,281,353,354,359,360,361,366,367,368,370,372,403,467,514],
[137,153,192,361,373,393,398,467,514],[203,204,205,206,207,467,514],[259,261,467,514],
[263,467,514],[261,467,514],[263,264,467,514],[137,185,220,364,467,514],
[137,148,180,182,210,214,215,221,222,248,250,361,365,400,403,467,514],
[137,148,164,184,189,252,360,364,467,514],[287,467,514],[288,467,514],[289,467,514],[359,467,514],
[211,218,467,514],[137,185,211,221,467,514],[217,218,467,514],[219,467,514],[211,212,467,514],
[211,228,467,514],[211,467,514],[258,259,360,467,514],[257,467,514],[212,359,360,467,514],
[254,360,467,514],[212,359,467,514],[331,467,514],
[213,216,221,252,281,286,293,300,302,330,361,364,467,514],
[226,237,240,241,242,243,244,301,467,514],[340,467,514],
[196,213,214,274,281,296,307,311,333,334,335,336,338,339,342,353,358,363,467,514],[226,467,514],
[248,467,514],[137,213,221,229,245,247,251,361,400,403,467,514],
[226,237,238,239,240,241,242,243,244,401,467,514],[212,467,514],[274,275,278,354,467,514],
[137,259,363,467,514],[273,296,467,514],[272,467,514],[268,274,467,514],[271,273,363,467,514],
[137,184,274,275,276,277,363,364,467,514],[77,223,225,281,467,514],[282,467,514],[77,182,467,514],
[77,359,467,514],[77,85,214,222,400,403,467,514],[182,425,426,467,514],[77,236,467,514],
[77,148,164,180,230,232,234,235,403,467,514],[198,359,364,467,514],[359,369,467,514],
[77,135,137,148,180,236,283,400,401,402,467,514],[77,173,174,400,448,467,514],
[77,78,79,80,81,467,514],[127,467,514],[376,377,378,467,514],[376,467,514],
[77,81,137,139,148,172,173,174,175,177,178,180,256,319,365,399,403,448,467,514],[413,467,514],
[415,467,514],[417,467,514],[419,467,514],[421,422,423,467,514],[427,467,514],
[82,84,405,410,412,414,416,418,420,424,428,430,439,440,442,452,453,454,455,467,514],[429,467,514],
[438,467,514],[232,467,514],[441,467,514],
[121,274,275,276,278,310,359,443,444,445,448,449,450,451,467,514],[172,467,514],[153,172,467,514],
[467,482,483,484,485,486,487,488,489,490,514],[467,482,483,514],[467,483,485,514],[467,483,514],
[467,482,514],[96,100,164,467,514],[96,153,164,467,514],[91,467,514],[93,96,161,164,467,514],
[142,161,467,514],[91,172,467,514],[93,96,142,164,467,514],[88,89,92,95,122,134,153,164,467,514],
[88,94,467,514],[92,96,122,156,164,172,467,514],[122,172,467,514],[112,122,172,467,514],
[90,91,172,467,514],[96,467,514],[90,91,92,93,94,95,96,97,98,100,101,102,103,104,105,106,107,108,10
9,110,111,113,114,115,116,117,118,467,514],[96,103,104,467,514],[94,96,104,105,467,514],
[95,467,514],[88,91,96,467,514],[96,100,104,105,467,514],[100,467,514],[94,96,99,164,467,514],
[88,93,94,96,100,103,467,514],[122,153,467,514],[91,96,112,122,169,172,467,514],
[467,503,504,506,507,508,510,514],[467,506,507,508,509,510,514],[467,503,506,507,508,510,514],
[452,465,467,514],[452,467,471,514],[452,467,472,514],[319,467,514,516],[319,467,514,553],
[456,457,467,514],[452,461,462,467,514],[135,144,452,467,514],[144,452,461,467,514],
[452,467,470,514],[123,135,143,144,452,467,514],[456,467,514,515],
[77,460,467,481,497,500,512,514,520,530,533,536,540,545,547,551,552],[123,135,137,144,467,514],
[77,467,481,514,520,533,534],[77,467,481,514,520,533,538],
[77,467,481,492,514,518,520,521,523,530,535],[77,467,481,514,520,521],
[77,460,467,481,492,496,502,514,537,539],[77,460,467,481,514,518,520,523,533,543,544],
[77,467,481,492,514,520,529],[77,467,481,496,512,514,546],
[77,467,481,512,514,520,521,523,533,534,537,550],[77,461,467,481,492,514,520,521,529],
[77,467,480,492,514],[77,467,480,492,514,519],[77,467,481,492,514],[77,467,481,492,514,532],
[77,467,481,492,514,549],[77,467,492,514],[77,467,480,492,514,522],[77,467,492,514,517],
[77,467,492,514,542],[77,467,477,480,481,492,514],[467,493,494,514],[77,467,492,514,528],
[77,467,493,514],[460,467,514],[460,467,498,514],[460,467,498,505,511,514],[77,467,499,514],
[467,478,491,514],[135,144,467,514],[466,467,468,514],[135,144,460,461,467,514],[144,467,469,514],
[467]],"referencedMap":[[402,1],[524,2],[474,3],[532,4],[476,2],[549,5],[531,2],[522,2],[548,6],[526,7],
[527,2],[475,3],[541,8],[519,3],[517,8],[542,9],[477,10],[528,11],[525,1],[86,12],[87,12],[121,13],[122,14],
[123,15],[124,16],[125,17],[126,18],[127,19],[128,20],[129,21],[130,22],[131,22],[133,23],[132,24],[134,25],
[135,26],[136,27],[120,28],[171,1],[137,29],[138,30],[139,31],[172,32],[140,33],[141,34],[142,35],[143,36],
[144,37],[145,38],[146,39],[147,40],[148,41],[149,42],[150,42],[151,43],[152,1],[153,44],[155,45],[154,46],
[156,47],[157,48],[158,49],[159,50],[160,51],[161,52],[162,53],[163,54],[164,55],[165,56],[166,57],[167,58],
[168,59],[169,60],[170,61],[467,62],[76,1],[176,63],[177,64],[175,3],[538,65],[173,66],[174,67],[74,1],

[77,68],[249,3],[498,1],[480,69],[479,70],[478,1],[75,1],[481,3],[84,71],[405,72],[410,73],[412,74],[198,75],[353,76],[380,77],[209,1],[190,1],[196,1],[342,78],[277,79],[197,1],[343,80],[382,81],[383,82],[330,83],[339,84],[247,85],[347,86],[348,87],[346,88],[345,1],[344,89],[381,90],[199,91],[284,1],[285,92],[194,1],[210,93],[200,94],[222,93],[253,93],[183,93],[352,95],[362,1],[189,1],[308,96],[309,97],[303,98],[433,1],[311,1],[312,98],[304,99],[324,3],[438,100],[437,101],[432,1],[250,102],[385,1],[338,103],[337,1],[431,104],[305,3],[225,105],[223,106],[434,1],[436,107],[435,1],[224,108],[426,109],[429,110],[234,111],[233,112],[232,113],[441,3],[231,114],[272,1],[444,1],[447,1],[446,3],[448,115],[179,1],[349,116],[350,117],[351,118],[374,1],[188,119],[178,1],[181,120],[323,121],[322,122],[313,1],[314,1],[321,1],[316,1],[319,123],[315,1],[317,124],[320,125],[318,124],[195,1],[186,1],[187,93],[404,126],[413,127],[417,128],[356,129],[355,1],[268,1],[449,130],[365,131],[306,132],[307,133],[300,134],[290,1],[298,1],[299,135],[328,136],[291,137],[329,138],[326,139],[325,1],[327,1],[281,140],[357,141],[358,142],[292,143],[296,144],[288,145],[334,146],[364,147],[367,148],[270,149],[184,150],[363,151],[180,77],[386,1],[387,152],[398,153],[384,1],[397,154],[85,1],[372,155],[256,1],[286,156],[368,1],[185,1],[217,1],[396,157],[193,1],[259,158],[295,159],[354,160],[294,1],[395,1],[389,161],[390,162],[191,1],[392,163],[393,164],[375,1],[394,150],[215,165],[373,166],[399,167],[202,1],[205,1],[203,1],[207,1],[204,1],[206,1],[208,168],[201,1],[262,169],[261,1],[267,170],[263,171],[266,172],[265,172],[269,170],[264,171],[221,173],[251,174],[361,175],[451,1],[421,176],[423,177],[293,1],[422,178],[359,141],[450,179],[310,141],[192,1],[252,180],[218,181],[219,182],[220,183],[216,184],[333,184],[228,184],[254,185],[229,185],[212,186],[211,1],[260,187],[258,188],[257,189],[255,190],[360,191],[332,192],[331,193],[302,194],[341,195],[340,196],[336,197],[246,198],[248,199],[245,200],[213,201],[280,1],[409,1],[279,202],[335,1],[271,203],[289,116],[287,204],[273,205],[275,206],[445,1],[274,207],[276,207],[407,1],[406,1],[408,1],[443,1],[278,208],[243,3],[83,1],[226,209],[235,1],[283,210],[214,1],[415,3],[425,211],[242,3],[419,98],[241,212],[401,213],[240,211],[182,1],[427,214],[238,3],[239,3],[230,1],[282,1],[237,215],[236,216],[227,217],[297,41],[366,41],[391,1],[370,218],[369,1],[411,1],[244,3],[301,3],[403,219],[78,3],[81,220],[82,221],[79,3],[80,1],[388,222],[379,223],[378,1],[377,224],[376,1],[400,225],[414,226],[416,227],[418,228],[420,229],[424,230],[457,231],[428,231],[456,232],[430,233],[439,234],[440,235],[442,236],[452,237],[455,119],[454,1],[453,238],[371,239],[491,240],[484,241],[486,242],[487,241],[488,243],[489,243],[482,1],[490,244],[483,1],[485,1],[72,1],[73,1],[12,1],[13,1],[15,1],[14,1],[2,1],[16,1],[17,1],[18,1],[19,1],[20,1],[21,1],[22,1],[23,1],[3,1],[24,1],[4,1],[25,1],[29,1],[26,1],[27,1],[28,1],[30,1],[31,1],[32,1],[5,1],[33,1],[34,1],[35,1],[36,1],[6,1],[40,1],[37,1],[38,1],[39,1],[41,1],[7,1],[42,1],[47,1],[48,1],[43,1],[44,1],[45,1],[46,1],[8,1],[52,1],[49,1],[50,1],[51,1],[53,1],[9,1],[54,1],[55,1],[56,1],[59,1],[57,1],[58,1],[60,1],[61,1],[10,1],[62,1],[1,1],[63,1],[64,1],[11,1],[69,1],[66,1],[65,1],[70,1],[68,1],[71,1],[67,1],[103,245],[110,246],[102,245],[117,247],[94,248],[93,249],[116,238],[111,250],[114,251],[96,252],[95,253],[91,254],[90,255],[113,256],[92,257],[97,258],[98,1],[101,258],[88,1],[119,259],[118,258],[105,260],[106,261],[108,262],[104,263],[107,264],[112,238],[99,265],[100,266],[109,267],[89,268],[115,269],[505,270],[511,271],[509,272],[507,272],[510,272],[506,272],[508,272],[504,272],[503,1],[558,273],[559,274],[560,275],[556,276],[557,277],[555,73],[459,1],[458,278],[463,279],[464,280],[465,281],[471,282],[472,283],[516,284],[553,285],[473,286],[535,287],[539,288],[536,289],[544,290],[540,291],[545,292],[530,293],[547,294],[551,295],[552,296],[546,297],[520,298],[537,299],[533,300],[550,301],[521,302],[523,303],[554,63],[518,304],[543,305],[534,302],[493,306],[515,307],[529,308],[494,309],[495,310],[496,1],[502,3],[497,310],[499,311],[512,312],[500,310],[460,1],[501,313],[492,314],[468,315],[466,315],[469,316],[513,315],[462,317],[461,315],[470,318],[514,319]], "affectedFilesPendingEmit": [558,559,560,556,557,463,464,465,471,472,516,553,473,535,539,536,544,540,545,530,547,551,552,546,520,537,533,550,521,523,554,518,543,534,493,515,529,494,495,496,502,497,499,512,500,460,501,492,468,466,469,513,462,461,470]], "version": "5.5.3"}