

Calculus

The Mathematics of Modern Science

Thomas E. Vaughan

Copyright © 2014 Thomas E. Vaughan

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled “GNU Free Documentation License”.

Contents

Preface	v
1 Preliminaries	1
1.1 Reasoning	1
1.1.1 Logic	1
1.1.2 Implication and Contrapositive Expression	2
1.1.3 Proof	2
1.2 Set	4
1.2.1 Examples	5
1.2.2 Membership	5
1.2.3 Equality of Sets	5
1.2.4 Subset	5
1.2.5 Union	6
1.2.6 Intersection, Empty Set	6
1.2.7 Brace Notation	6
1.2.8 Exercises	6
1.3 Function	7
1.3.1 Relation	7
1.3.2 Function	8
1.3.3 Injection	8
1.3.4 Surjection	8
1.3.5 Bijection	9
1.3.6 Exercises	9
2 Real Numbers	11
2.1 Coordinate	11
2.1.1 Displacement	12
2.1.2 Order	14
2.1.3 Distance	14
2.1.4 Exercises	14
A Solutions to Selected Exercises	15
B GNU Free Documentation License	17
C GNU General Public License	21



Preface

In the Summer of the year 2014 since the Incarnation of the Logos,¹ I began to write the present book. My hope is that some day it will be used in a home school, perhaps even for my younger children, if I should finish the book soon enough.

My mother read Wray G. Brady's and Maynard J. Mansfield's *Calculus* (1960) when she attended the University of St. Thomas Aquinas in Houston, Texas. She did not see the point of studying the calculus. I dislike some of the notation in Brady and Mansfield, but I do like their approach. The authors develop the calculus by theorems from definitions of the set, the function, and the limit. This approach, enabled by mathematical ideas introduced in the 19th Century, frees the calculus from ambiguities and logical inconsistencies that for at least

¹Referring to the Logos—the reason behind the existence of all things—as αὐτοῦ (him), the third verse of the Gospel of John in English is, “It was through him that all things came into being, and without him came nothing that has come to be.” πάντα δι’ αὐτοῦ ἐγένετο, καὶ χωρὶς αὐτοῦ ἐγένετο οὐδὲ ἓν ὃ γέγονεν. (Original Greek and English translation from newadvent.org). I invoke the Logos here for several reasons.

1. Thinking about the origin of the present book reminds me of origins in general. From the Incarnation of the Logos derives the existence of all space, all past, and all future. Christmas is not the *temporal* origin of things, but Christmas is the *logical* origin of all physical reality, including the present book. Man cannot merely by study of ordinary things in the physical universe be certain of its age (or even, as Aquinas pointed out, whether its age be *finite*). Based on assumptions that can be neither proved nor disproved, the belief in a young age for the universe can be more or less reasonable, but the insistence on everyone's holding such assumptions—lest one risk eternal damnation—is wrong. St. Augustine, the great doctor of the Church, himself argued in the early 400s A.D. both for an old Earth and a for a process of evolution for the human body; see his *De Genesi ad Litteram*. The entire history of the physical world is not so much defined by the conditions at the beginning of time as by the conditions at the Incarnation; unlike the temporal beginning of the physical universe, the logical beginning of all things, including time, is located in a special way in the middle of history.
2. In my experience, the number of the year is too often used without any reference to the origin of the temporal coordinate system. We should at least occasionally mention what the first year is.
3. Because the present book promotes modern mathematics and science, to begin by mentioning the tradition in which they arose is fitting. Doubly fitting is so to begin in the midst of a culture awash in the false perception of a substantial conflict between what is proper to modern science and what is proper to traditional Christianity.
4. The Logos is ultimately what science and mathematics are all about. The idea of comprehensible, logical, consistent reason behind things is the very idea of the Logos. On the one hand, the traditional Christian identifies the Logos as the Second Person of the Trinity. On the other hand, modern science is squarely directed toward the Logos, though in the attempt to connect mathematics to the physical universe, science can never grasp the Logos.

2,500 years plagued mathematical thought on the concept of the vanishingly small. I shall at least roughly follow Brady and Mansfield, but I shall use different notation; also, I shall add some material from geometry, physics, and philosophy.

Because of my positive high-school experience in simultaneously studying the calculus and calculus-based physics, I have long thought that the calculus ought ideally to be introduced along with some basic physics. So I plan to present both here. The combination might address my mother's dislike for the absence of any recognizable motivation for the calculus. The main results of the calculus, established by Newton and Leibniz more than 200 years before the rigorous approach of the 19th Century was worked out, are well motivated by physical intuition. Newton developed the calculus to serve as the language of physical theory. Because the calculus is arguably most naturally intuited in the context of Newtonian mechanics, I shall develop here along with the calculus some relevant aspects of the mechanics.

Developing the mathematics in the context of the mechanical theory gives me the opportunity to make careful distinctions. In my recent reading of Carl B. Boyer's *The History of the Calculus and Its Conceptual Development*, I was, particularly in his chapter on mathematics in the ancient world, reminded of man's perennial and unfortunate tendency to confuse mathematics with nature. Looking back on the emergence of modern science in the 17th Century, one sees that there are three relevant domains carefully to be distinguished:

1. mathematics,
2. scientific theory, and
3. the natural world.

Surveying the long history of mathematics, Boyer notes “that mathematics is the study of relationships in general and must not be hampered by any preconceived notions, derived from sensory perception, of what these relationships should be.”² The problem is that logic applied to definitions and postulates can lead to conclusions apparently inconsistent with sense experience. Among the possible responses to the inconsistency are two extremes, each of which seems wrong:

- On the one hand, to throw away a piece of mathematics with intrinsic beauty, internal consistency, and practical utility seems wrong.

²Boyer, *The History of the Calculus and Its Conceptual Development*, p. 13.



- On the other hand, to disregard what is known by sense experience seems wrong.

A moderate approach is to admit that while the seemingly obvious definitions and postulates at the root of a mathematical conclusion do not correspond exactly to the world of sense experience, there is some utility in seeing how far any given correspondence can be taken. Around the same time as the development of the rigorous approach to the calculus, and after about 200 years of consistency with sense experience, the modern scientific theory of Newtonian mechanics began in the late 19th Century to draw conclusions inconsistent with sense experience. Already with the advent of Maxwell's equations, there was a mathematical inconsistency between the Newtonian mechanics and the new electromagnetic theory; this inconsistency eventually led to Einstein's development of special relativity. The first observational inconsistency, though, appeared in measurements of the radiation emitted by an object of a given temperature. The Newtonian mechanics predicted a spectral energy distribution different from what was observed. The inconsistency arose not because of any error in the mathematics but because technological advancement exposed the error of the scientific postulate—the scientific hypothesis—by which the mathematical is connected to the physical. In this case, the hypothesis is that the same mathematics describing the motion of objects large enough directly to be perceived by the senses also describes the motion of objects too small to be perceived. This hypothesis, however, led to a failure adequately to account for what is in fact observed by the senses. Nature is imperfectly described by scientific theory, and the imperfection in the theory lies in the assertion of a particular connection between mathematics and nature.

Newtonian mechanics and later scientific theories based in one way or another on the calculus are amazingly good at predicting what the observer of a scientific experiment will perceive through the senses. Nevertheless, I intend in the text at least occasionally to point out that modern science can *never* determine what in nature lies beyond sense experience. A modern scientific theory inevitably attempts to connect mathematics to nature at points that are outside the realm of perception. These are precisely the points at which we cannot be certain what—if any—mathematics ought to apply. Regardless of the excellent quality of the predictions made, for example, by quantum field theory, the existence of the electron is not a certainty.³ At some point in the future, predictions made on the basis of the idea of the electron might fail to match what is perceived by the senses. As Edward Harrison points out in his *Cosmology*, a mask that hides a face should not be mistaken for the face itself. A scientific theory and the sense perceptions that it explains form a mask that covers nature's face. The amazing ability of modern scientific theory, enabled by the calculus, to predict sense experience across a wide range of conditions presents

the strong temptation to mistake the mask for the face, but the face will forever remain hidden.

My purpose here is to write a calculus textbook that, through careful development of both the mathematics and some exemplifying aspects of the mechanical theory, makes clear what the calculus is, how it can be applied in the service of scientific theory, and what the limits of scientific theory are.

Thomas E. Vaughan
2014 August

³The electron might exist only as a mathematical model in the mind and not as a reality in itself. I do not deny the possibility of the electron's existence in itself, but I *do* deny that anyone could ever be certain of such existence. The best scientific theory 1,000 years from now might not refer to the present idea of the electron except as an approximation that is appropriate in certain contexts.

Chapter 1

Preliminaries

Mathematics originated in *reasoning* about number and geometry. Within mathematics, the calculus is a subject involving the idea of an arbitrarily small quantity. We approach the calculus first by reviewing some aspects of reasoning. Then we reason about the *set*, which can provide a basis for mathematical thought. At the end of the chapter, we reason about the *function*, which plays a central role in the calculus.

1.1 Reasoning

In mathematics, every important result can be expressed as an *implication*. The *mind* may *prove* an implication. A deep discussion of the mind is beyond our scope, but we shall discuss three crucial acts of the human mind. These acts culminate in reasoning, which allows the proof of an implication.

The ability of the human mind to reason can be viewed as evidence for the mind's having an immaterial aspect.¹ *Materialism* is the philosophical position according to which everything that exists is matter. Modern science describes the world just as consisting of

- bits of matter,
- the space through which they move, and
- the forces by which they interact.

So *scientism*, according to which everything that exists can be understood in terms of science, is the modern form of materialism. Because materialism is a popular position,² the claim of the mind's immateri-

¹In fact, each of the mind's three acts that we discuss in the text can on its own be taken as requiring the mind's immateriality.

²Scientism is popular because of the lack of appreciation for (a) the God of classical theism and (b) the qualitative distinction between the scientist and what the scientist studies, between the observer and the observed, between the subject and the object.

(a) Modern scientific theory allows one reasonably to imagine how any ordinary physical thing could come to be without divine interference in the natural order. Both classical theism and modern atheism oppose the idea of explaining ordinary things by way of divine interference. Even if all gaps in the natural explanation of ordinary things were closed, then only the gods of pantheism would be eliminated. The God of classical theism would not thus be eliminated. According to classical theism, logic requires God as the primary cause. The natural, ordinary causes which science explores

ality is controversial. Below we discuss, as an example of reasoning, Roger Penrose's argument according to which either

1. certain behaviors of the brain cannot be described by quantum mechanics and general relativity, or else
2. the mind is not merely the physical brain.

Penrose himself is a materialist and therefore thinks that modern physics fails to describe the brain. After all, on Penrose's understanding, one who holds that modern physics *does* well describe the brain must conclude that the mind is not merely the physical brain. Our purpose here is not to assert the truth of Penrose's view, and we do not claim to demonstrate that materialism is false. We do however claim that materialism is a philosophical choice that is required neither by modern science nor by reason.

Merely to provide an interesting example of an argument, we shall look in more detail at Penrose's thesis below, first when we consider what an implication is and then, after we introduce the three acts of the mind, when we discuss the proof of an implication.

1.1.1 Logic

A *proposition* is a statement proposed as a truth. The proposition might be either true or false, but it represents a claim about what is true. For example, "the sky is cloudy" is a proposition. Below we shall consider the mind's role in determining whether a proposition be true.

are secondary causes. The primary cause is the cause of the secondary causes.

(b) Beyond the secondary causes that science can explore are not only God's primary causality but also aspects of the explorer, the human person. While the human body might be the product of a natural process of evolution stretching over billions of years, the free will and the acts of the mind cannot even in principle be described in terms of science. Also, if subjective experience be real, then there is the problem of accounting for the subjective. A perfect scientific description of the human brain, its interface to the ear, the properties of the concert hall in which the body sits, and the properties of a grand piano could never allow a deaf person to know the experience of hearing the pitch of Concert A on the piano. Science will always fail to capture some aspect of subjective experience. If subjective experience be real, then the scientist is not entirely scrutable in terms of science.

The defender of scientism will not be impressed with these observations and will have answers that in turn do not impress the classical theist. The point here is that scientism is not a part of modern science, and modern science does not imply scientism.



$$\begin{aligned} 2 + x = 7 &\Rightarrow x = 5 \\ x \neq 5 &\Rightarrow 2 + x \neq 7 \end{aligned}$$

Figure 1.1: The positive expression of an implication (top) and its contrapositive expression (bottom). In this example, $2 + x = 7$ is the hypothesis of the implication, and $x = 5$ is the conclusion. An implication is the assertion that if the hypothesis be true, then the conclusion must be true. The contrapositive expression of the implication is the assertion that if the conclusion be false, then the hypothesis must be false.

1.1.2 Implication and Contrapositive Expression

An implication has the form of a conditional, “if H , then C ”, where each of H and C stands for a proposition. An implication is written compactly in the form, “ $H \Rightarrow C$ ” and can be read, “ H implies C ”. Each of the *hypothesis* H and the *conclusion* C stands for a statement that could be either true or false, but $H \Rightarrow C$ is the claim that C must be true when H be true, that H is a sufficient condition for C . Also, $H \Rightarrow C$ is equivalent to its *contrapositive* expression, that C is a necessary condition for H , or $[\neg C] \Rightarrow [\neg H]$, where the symbol “ \neg ” means “not”. That is, H is false when C be false. See Figure 1.1. For an implication, a true hypothesis implies a true conclusion, and a false conclusion implies a false hypothesis.

Consider, for example, the Pythagorean Theorem. A theorem might not always be written in the form of an implication, but a theorem can always be rewritten as an implication. In its usual form, the Pythagorean Theorem is the claim that for a right triangle the square of the length of the hypotenuse is equal to the sum of (1) the square of the length of one side and (2) the square of the length of the other side. Here is the Pythagorean Theorem as an implication: If a be the length of one leg of a right triangle, and b be the length of the other leg, then the length of the hypotenuse is $\sqrt{a^2 + b^2}$. Here is the contrapositive expression of the same theorem: If the length of a right triangle’s hypotenuse be not $\sqrt{a^2 + b^2}$, then it is not the case that both a is the length of one leg, and b is the length of the other leg. See Figure 1.2.

Consider, for another example, Penrose’s Thesis: If the human brain operate according to general relativity and quantum mechanics, then the human brain is not the human mind. Here is the contrapositive expression: If the human brain be the human mind, then the human brain does not operate according to general relativity and quantum mechanics.

Exercise 1.1.1: Invent two implications. For each implication, identify the hypothesis and the conclusion. Write each implication in its contrapositive expression.




Figure 1.2: Contrapositive expression of the Pythagorean Theorem. If the hypotenuse of a right triangle have some length other than $c = \sqrt{a^2 + b^2}$, then the triangle cannot have both a leg of length a and a leg of length b . In the figure, one regards first a right triangle that does have length c for its hypotenuse. By extending the hypotenuse to a length c' larger than c but holding one leg’s length fixed at a , one finds that the other leg’s length must grow to a length b' larger than b . Similar reasoning applies to the shortening of the hypotenuse.

In mathematics, an implication that is widely useful is a *theorem*. An implication of limited use, typically as an intermediate step in the proof of a theorem, is a *lemma*. Proving an implication involves the construction of a sequence of *valid arguments* that, taken together, are equivalent to the implication. The importance of the contrapositive expression lies in its utility in a proof: Sometimes, proving an implication’s contrapositive expression is easier than proving the positive expression. In any event, proving an implication is the essence of reasoning, which produces useful results in mathematics.

1.1.3 Proof

One must, in order to prove an implication, be able to grasp the meaning of each term mentioned in a proposition, to judge the proposed relationships among the terms, and to gather relevant propositions together in the right order to form a judgment about another proposition. St. Thomas Aquinas identifies these as the three acts of the mind.

1. The mind *simply apprehends* the concept behind a word or a phrase.³

³Coppens, *A Brief Text-Book of Logic and Mental Philosophy*, Chapter I, Article I: “9. *Simple apprehension* is the act of perceiving an object intellectually, without affirming or denying anything concerning it. . . . The mind cannot take an object physically into itself; but it knows an object by taking it in intellectually, in a manner suited to its own nature; forming to itself an intellectual image. . . . The act of forming this mental image is called a *conception*, and the fruit of it, the image itself, is the *concept*, *idea*, or *notion* of the object. The word ‘simple’ added to apprehension emphasizes the fact that the apprehension neither affirms nor denies the existence of the object. . . . 10. This intellectual image should not be confounded with the sensible image, or *phantasm*, which is a material representation of material objects, and which is formed by the imagination, by means of the material organ of the brain. . . . For instance, I intellectually *conceive* a triangle by apprehending a figure enclosed by three lines and



2. The mind *judges* whether the two ideas connected by a proposition (like “modesty is praiseworthy”) ought so to be connected.⁴
3. The mind *reasons* to derive some of its judgments from other judgments.⁵

In its third act, which operates on products of the other two acts, the mind reasons by arranging propositions into an valid argument.

An *argument* is a set of two or more propositions, one of which is the *conclusion* and the rest of which are *premises*. The mind may judge an argument by comparing (a) the claims made in the premises, taken together as though they were a single proposition, with (b) the claim made in the conclusion. If the meaning of the conclusion be contained in the premises, then the argument is *valid*; otherwise, it is *invalid*. Every argument purports to be an implication whose hypothesis comprises the premises.

For example: If every man be mortal, and Socrates be a man, then Socrates is mortal. This bit of reasoning is expressed in Figure 1.3. In comparing the premises to the conclusion, one recognizes the argument as valid. Every valid argument is obviously an implication.

Even if an argument’s conclusion be not contained in the hypothesis, and so long as the argument contain no contradiction, then something additional might be provided in order for one to grasp that the argument is an implication. What might be provided is a chain of arguments, each of which can be recognized as valid, such that the chain is equivalent to the purported implication. The first valid argument in the chain has among its premises the hypothesis of the implication under examination, plus zero or more true statements brought in as necessary. The conclusion of that first valid argument

thus having three angles. My notion or idea contains this and nothing more; it is very precise, and every one who conceives a triangle conceives it exactly the same way. But when I *imagine* a triangle, I cannot help imagining it with sensible material accidents, as being of such or such a size and shape, a foot long at one time, a mile long at another. The picture may be vague, various pictures of triangles may be blended together; but it can never be universal, representing all possible triangles, as my idea does. . . .”

⁴Coppens, Chapter I, Article III: “17. A *judgment* may be defined as ‘an act of the mind affirming or denying the agreement of two objective ideas’. The mind in judging compares two ideas . . . and affirms or denies that they agree with one another; e.g., ‘modesty is praiseworthy’. . . . [If] the agreement or disagreement [be] seen to exist by the mere consideration or analysis of the ideas compared, the judgment is *analytic*; it is also styled *a priori*, i.e., formed antecedently to experience. . . . But if the agreement or disagreement [be] discovered consequently on experience, e.g., ‘gold is malleable’, the judgment receives the opposite appellations of *synthetic* [or] *a posteriori*. . . . 18. If a judgment of either kind [be] arrived at by reasoning, it is *mediately evident*; if the agreement or disagreement [be] seen without the aid of reasoning, the judgment is *immediately evident*. That ‘ice is cold’, is an immediate a posteriori judgment; that ‘there is nothing without a reason for it’, is immediately known a priori; that ‘the sum of the angles of a triangle is equal to two right angles’, is known mediately a priori; the physical laws are known mediately a posteriori. 19. A judgment expressed in words is called a *proposition*. The subject and predicate together are its *matter*, and the affirmation or negation its *form*; the *copula* is always the verb ‘to be’ in the present indicative, expressed or implied: ‘I see’ is equivalent to ‘I am seeing’, ‘He said’ to ‘He is one who said’, etc.”

⁵Coppens, Chapter II: “22. *Reasoning* is the mental act or process of deriving judgments, called conclusions, from other judgments, called premises. The principle underlying all valid reasoning is that the conclusion is implicitly contained in the premises; therefore whoever grants the truth of the premises thereby really grants the truth of the conclusion.”

<p>Every man is mortal. Socrates is a man.</p> <hr/> <p>Socrates is mortal.</p>

Figure 1.3: A valid argument. The premises lie above the line, and the conclusion lies below the line. If the premises be true, then the conclusion must be true.

<p>The human brain operates according to QM and GR.</p> <hr/> <p>The human brain is not the human mind.</p>

Figure 1.4: An invalid argument that might still be an implication. ‘QM’ stands for ‘quantum mechanics’, and ‘GR’ stands for ‘general relativity’.

then serves as a premise for the next valid argument in the chain. That valid argument may itself bring in additionally zero or more true statements as premises. This is repeated as necessary. The conclusion of the final valid argument in the chain is the conclusion of the implication under examination.

As an example, let us consider Penrose’s thesis in some detail. Figure 1.4 shows the initial argument. Figure 1.5 shows a summary of Penrose’s proof. There are two valid arguments in the chain of reasoning. The first takes the original hypothesis and adds a premise about the algorithmic nature of quantum mechanics and general relativity. The first conclusion is then combined with the Incompleteness Theorem of Gödel in order to form a valid argument whose conclusion is the same as the conclusion of the implication under examination. In a proof, any new premises brought in must be true. So an opponent of Penrose might try to attack each of the two new premises

<p>The human brain operates according to QM and GR. QM and GR provide an algorithmic description.</p> <hr/> <p>The human brain operates according to an algorithm. No algorithm can do math like the human mind. (Gödel)</p> <hr/> <p>The human brain is not the human mind.</p>
--

Figure 1.5: A chain of two valid arguments that Penrose uses to establish that the argument in Figure 1.4 is an implication. The conclusion of the first is one of the premises of the second. The second premise of the second argument refers to the Incompleteness Theorem of Kurt Gödel.



as not being true, but Penrose does seem to have provided deductively valid arguments in his chain. A chain of valid arguments is thus advanced to prove that the argument is an implication.

The conclusion of an implication that has been proved is *deduced* from the premises. A deduction is certain to be true if the premises be true.

The conclusion of an argument that is not an implication is *induced* from the premises. An induction is not certain to be true even if the premises be true. The *problem of induction*, for a given set of true premises, is to determine the probability of the conclusion's being true. An argument has an inductive strength proportional to the probability of its conclusion's truth, given the truth of the premises.

The word "sound" when applied to an argument indicates both that the argument is valid and that the premises are true.⁶ One of the problems with reasoning is that it cannot operate in a vacuum. While the hypothesis of an implication might be the conclusion of another implication, any line of reasoning can be traced back to a point at which at least one premise is not itself the result of reasoning. So every application of reasoning depends ultimately on some truths that are known independently of any reasoning. We can know some truths directly by the second act of the mind, and the soundness of an argument must depend upon truths of that kind.

While a theorem in mathematics is a strict and certain implication, a theory in modern science is not. A scientific theory involves, in its chain of reasoning, one or more strong but invalid arguments. The Pythagorean Theorem takes the lengths of the legs and concludes that the length of the hypotenuse is a definite and certain value. However, even if the Sun is risen every morning since the beginning of history, the conclusion that the Sun will rise again tomorrow morning is *not* certainly true. The conclusion of the Pythagorean Theorem is a deduction, but the claim about the Sun is, of its scientific nature, a particular kind of induction taking the form of a prediction about what will be observed with the senses. A mathematical theorem may be proved true, but a scientific theory can *never* be proved true; there is always the chance that eventually a bit of evidence ruling out the scientific theory will turn up.

There is still a sense of proof in modern science, though. When a repeatable observation be inconsistent with the prediction of a scientific theory, the theory is proved false. After it has been ruled out by observation, the theory is no longer a candidate for a true description of the physical world. The theory may remain useful for engineering, but the theory has been shown inconsistent with what is known directly through sense experience. Modern science progresses by experimental proof of the *lack* of implication in the assertion of a scientific theory. Such progress ensures plenty of work for theorists, who must come up with new theories as the old ones are ruled out.

Mathematics proceeds positively, where modern science proceeds negatively. In modern science, the theorist proposes a theory that

stands for a time until it is ruled out, after which a latter theory is proposed to take the place of the former. In mathematics, proofs are advanced to construct a body of theorems, which stand for all time. In what follows, we shall build up a body of theorems and see how the mathematics, which in itself stands forever, can be used in a scientific theory, which is destined to be ruled out.

1.2 Set

The idea of a *set* is foundational in mathematics. The development of *axiomatic set theory*, which can arguably serve as the basis for all of mathematics, is beyond the scope of this book. Nevertheless, a naive set theory can serve as the basis for the calculus.

Brady and Mansfield claim that the "concept of a *set of elements* is so fundamental" as not to warrant a definition "in terms of what would necessarily be less basic concepts."⁷ It does seem desirable to define a word in terms of more basic concepts, and we do seem unable to make such a definition for "set". Still, we define "set" here to minimize the scope of the meaning.

One might occasionally see or hear the claim that a set is any arbitrary collection of things, such as the collection of deciduous trees in Kansas. Now the collection of deciduous trees in Kansas is *something*, but it is not what we shall call "a set". Our notion of a set must needs be purely mathematical to avoid a confusion between mathematics and the world of sense experience.⁸ The collection of deciduous trees in Kansas combines the mathematical idea of a collection with something in nature: particular plants in a particular place. A combination of the mathematical and the natural is what one finds in a scientific theory, not in a purely mathematical idea. Even if one restrict one's conception of the set to the abstract, one might still run into trouble if one allow such a concept as *the set of all sets*. In fact, the inconsistent nature of a set theory that allows such a conception led to the recognition of the need for an axiomatic basis. For our purpose, it is sufficient to reject the notion of a set as an arbitrary collection of things, and we note, even in restricting elements to abstractions, that not every abstract idea of a set is permissible.

Definition 1.1: A set is a coherent collection of mathematical abstractions in the mind.

We have not defined "set" in terms of more basic concepts, for coherence, mathematical abstractions, and the mind seem hardly more basic than the set, but, in restricting the set and its elements to the mental, we have taken care from the outset not to confuse mathematics, which is constructed from mental abstractions, with nature, which is made of concrete things. Also, in referring here to coherence, we mean to discourage speculation about bizarre abstractions, such as the set of all sets.

⁷Brady and Mansfield, *Calculus*, p. 1.

⁸Boyer, in *The History of the Calculus and Its Conceptual Development*, has pointed out that progress in mathematics has at several points in history been thwarted by the confusion between mathematics (geometry in particular) and the world of sense experience.

⁶The root "sund" in the German word "gesund", which in English means "healthy", derives from the same root as does one of the English words spelled as "sound". There is more than one English word with the same spelling. A sound that one hears is not related to "gesund", but a sound argument is indeed properly a healthy argument.



1.2.1 Examples

Each of the following is an example of a set.

- In the plane, the set of all points equidistant from a central point.
- The set of all triangles.
- On the number line, the set of all points greater than 0.
- The set of all sets of two distinct real numbers.⁹

1.2.2 Membership

Definition 1.2: A member or element of a set S is a mathematical abstraction that is collected by the mind into the set. We define the symbol “ \in ” so that $s \in S$ means that s is an element of the set S . We define the symbol “ \notin ” so that $n \notin S$ means that n is not an element of the set S .

For example, if $\mathbb{N} = \{1, 2, 3, \dots\}$ be the set of natural numbers, then $1 \in \mathbb{N}$, and $0 \notin \mathbb{N}$.

1.2.3 Equality of Sets

Definition 1.3: For any two sets S and T , by “ S and T are equal” we mean that both

1. for every $s \in S$, it is also true that $s \in T$, and
2. for every $t \in T$, it is also true that $t \in S$;

and we write $S = T$. By “ S and T are unequal” we mean that at least one of the above criteria fails, and we write $S \neq T$.

Three properties follow from this definition. The proof for one of them is left as an exercise.

Lemma 1.1: If A be a set, then $A = A$.

Proof. In many a case, to write a proof, one begins by looking at what is to be proved and by finding the relevant definition. In this case, we look at the Definition 1.3 of equality. In the text of the definition, S stands for the set on the left side of the equal sign, and T stands for the set on the right side. Two criteria must be satisfied in order for S to be equal to T .

1. We first show that for every element s of the set on the left side, s is also an element of the set on the right. The set on the left is A , and so $s \in A$ by hypothesis. The set on the right is A , and so we must show that $s \in A$. The hypothesis is the same as the conclusion; thus we have satisfied the first criterion.

⁹Note that this is not the set of all sets but a well defined set of sets. The qualification, “of two distinct real numbers”, is crucial.




Figure 1.6: Region S is a proper subset of Region T , which completely encloses Region S .

2. We next show that for every element t of the set on the right side, t is also an element of the set on the left. The set on the right is A , and so $t \in A$ by hypothesis. The set on the left is A , and so we must show that $t \in A$. The hypothesis is the same as the conclusion; thus we have satisfied the second criterion. □

Lemma 1.2: If A and B be sets, and if $A = B$, then $B = A$.

Lemma 1.3: If A , B , and C be sets such that $A = B$, and $B = C$, then $A = C$.

Proof. We must show both that every element of A is in C and that every element of C is in A .

1. Suppose that $x \in A$. Because $A = B$, we know that $x \in B$. Because $B = C$, we know that $x \in C$. So every element of A is also an element of C .
2. Suppose that $x \in C$. Because $B = C$, we know that $x \in B$. Because $A = B$, we know that $x \in A$. So every element of C is also an element of A . □

1.2.4 Subset

Definition 1.4: For any two sets S and T , by “ S is a subset of T ” we mean that for every $s \in S$, it is also true that $s \in T$, and we write $S \subset T$. By “ S is a proper subset of T ” we mean that both

1. $S \subset T$, and
2. $S \neq T$.

For “ S is not a subset of T ” we write $S \not\subset T$.

In Figure 1.6, Region S inside the circle is drawn as a proper subset of Region T inside the rectangle. Several properties follow from the definition of subset. The proof of each is left as an exercise.

Lemma 1.4: If A and B be sets, and if $A = B$, then $A \subset B$, and $B \subset A$.

Lemma 1.5: If A and B be sets such that $A \subset B$, and $B \subset A$, then $A = B$.




Figure 1.7: The hatched region of points either in Region S or in Region T (or in both) represents $S \cup T$.




Figure 1.8: The cross-hatched region in which Region S overlaps Region T represents $S \cap T$. When there be no overlap, $S \cap T = \emptyset$.

Lemma 1.6: If A , B , and C be sets such that $A \subset B$, and $B \subset C$, then $A \subset C$.

Lemma 1.7: If A be a set, then $A \subset A$.

Note that although every set A is a subset of itself, A is not a proper subset of itself.

1.2.5 Union

Definition 1.5: By “the union of the sets S and T ” we refer to the set whose every element is also an element of S , of T , or else of both S and T , and we write $S \cup T$.

In Figure 1.7, Region S inside one circle and Region T inside another circle might or might not overlap. In either case, the union $S \cup T$ is indicated by the hatched region, every point of which is in at least one of S and T .

1.2.6 Intersection, Empty Set

Definition 1.6: By “the intersection of the sets S and T ” we refer to the set whose every element is also an element of both S and T , and we write $S \cap T$.

In Figure 1.8, the case on the left depicts the situation in which Region S inside one circle and Region T inside another circle overlap. The intersection $S \cap T$ is indicated by the cross-hatched region, every point of which is in both S and T .

Definition 1.7: By “the null set” or “the empty set” we refer to the set that has no members, and we write \emptyset or $\{\}$.

It is possible for two sets S and T not to have any elements in common. Such a case is depicted in the case on the right in Figure 1.8. In such a case, $S \cap T = \emptyset$. The null set has the interesting property of being a subset of every set.

Theorem 1.1: If A be a set, then $\emptyset \subset A$.

Proof. We must show that for any set A , every element of \emptyset is an element of A . Because \emptyset has by definition no elements, one might argue that we have nothing to do and that $\emptyset \subset A$ is true simply by definition of \emptyset .

There is, however, another approach. One can rephrase the definition of the subset: $P \subset Q$ means that for every set U and for every $u \in U$, if $u \in P$, then $u \in Q$. By applying modus tollens,¹⁰ we find the equivalent assertion that if $u \notin Q$, then $u \notin P$. So we must show that, for any sets A and U , and for every $u \in U$, if $u \notin A$ then $u \notin \emptyset$. Because, by definition of the null set, no element is in \emptyset , every u not in A is also not in \emptyset . \square

1.2.7 Brace Notation

A set may be constructed either by listing its elements explicitly or by referring to a property that every element shares. In either case, curly braces are used in writing such a construction. An explicit list may be finite or infinite. For example, $A = \{2, 4, 6\}$ is the set whose members are 2, 4, and 6, and $B = \{2, 4, 6, \dots\}$ is the set of all positive, even integers. For an infinite set so constructed, enough of the members must be listed so that the pattern is clearly evident. An example of construction by property is $C = \{x \in B : x \text{ is a perfect square}\}$; C is then the set containing only every even number that is a perfect square.

We are now in a position to write a compact expression for each of the union and the intersection. If for some set U , both $A \subset U$ and $B \subset U$, then

$$A \cup B = \{x \in U : x \in A \text{ or } x \in B\} \quad (1.1)$$

$$A \cap B = \{x \in U : x \in A \text{ and } x \in B\}. \quad (1.2)$$

1.2.8 Exercises

Exercise 1.2.1: Give three examples of a set. Make sure that each example is not already included in the text above.

Exercise 1.2.2: Let $\mathbb{Z} = \{\dots, -3, -2, -1, 0, 1, 2, 3, \dots\}$ be the set of all integers. Find a set A and a set B such that $A \subset B \subset \mathbb{Z}$.

Exercise 1.2.3: List the eight subsets of $\{a, b, c\}$.

¹⁰The Latin words “modus tollens” mean “the method of denying”. Suppose that if some proposition S be true, then some other proposition T must also be true. In that case, whenever T be false, then one knows also that S is false. For example, suppose that if rain be falling, then there must be a cloud in the sky. If one observe that there is not a cloud in the sky, then, if one feel water drops falling upon one’s skin, one knows that the drops are not drops of rain.



Exercise 1.2.4: Let $A = \{1, 2, 3, 4, 5\}$, $B = \{2, 4\}$, and $C = \{3, 5\}$. Find $A \cup B$, $(A \cup B) \cup C$, $(B \cup A) \cap C$, $(A \cap B) \cup C$, and $(A \cap B) \cap C$.

Exercise 1.2.5: Prove all of the unproved lemmas in the text above.

Exercise 1.2.6: Prove that $A \cap B \subset A$ and that $A \subset A \cup B$.

1.3 Function

In the previous section, we explored some possibilities for the relationship between two sets. We considered whether an element of one set is also an element of the other. We defined the subset, the intersection, and the union.

In the present section, we explore some other possibilities. We now consider pairs of elements. We define terms involved in the consideration of pairs. We use these terms to talk about a generic *relation* from one set to another, a specific relation called a *function*, and three subspecies of function.

Definition 1.8: An ordered pair is a set with two elements along with the ordering according to which one of the elements is the first element, and the other is the second. If the first element be a and the second be b , then we write the ordered pair as (a, b) .

Definition 1.9: The Cartesian product $A \times B$ of any two sets A and B is the set of all ordered pairs (a, b) , such that $a \in A$ and $b \in B$.

For example, if $A = \{1, 2\}$ and $B = \{3, 4, 5\}$, then

$$A \times B = \{(1, 3), (1, 4), (1, 5), (2, 3), (2, 4), (2, 5)\}.$$

1.3.1 Relation

Definition 1.10: A relation from a set A to a set B is a subset of $A \times B$.

A relation from a set A to a set B is an association between each of zero or more members of the first set and zero or more members of the second set. Suppose that $A = \{1, 2, 3, 4\}$, and $B = \{5, 6, 7, 8\}$. An example of a relation from A to B is

$$R = \{(2, 5), (2, 7), (3, 6), (3, 7)\}.$$

Figure 1.9 shows the *diagram* and the *graph* for the relation. Each of the diagram and the graph expresses the idea of R . In the diagram, each ordered pair of the relation corresponds to an arrow that points from a member of A to a member of B . In the graph, each ordered pair of the relation corresponds to a black dot whose column is given by the first element of the ordered pair and whose row is given by the second element of the ordered pair.

A relation can also be defined on a single set; that is, from a set to itself. Consider, as an example of such a relation, the idea given




Figure 1.9: Diagram (left) and graph (right) showing a relation from one set, whose every element is represented by a , to another set, whose every element is represented by b . In the diagram of a relation, each of zero or more elements in the left column may point to zero or more elements in the right column. Similarly, in the graph of a relation, each of zero or more columns may contain zero or more dots.




Figure 1.10: Diagram (left) and graph (right) of the less-than relation on a small set of consecutive integers.




Figure 1.11: Function from a domain, whose every element is represented by a , to a codomain, whose every element is represented by b . In the diagram of a function, every element in the left column points to exactly one element in the right column. Similarly, in the graph of a function, every column contains exactly one dot.




Figure 1.12: Injection. In the diagram of an injective function, every element in the right column is pointed to by no more than one element in the left column. Similarly, in the graph of an injective function, every row contains no more than one dot.

by the words “less than” on the set A in the previous example. The relation is a subset of $A \times A$ and can be written as

$$R = \{(1, 2), (1, 3), (1, 4), (2, 3), (2, 4), (3, 4)\}.$$

The first element of each ordered pair is less than the second. The diagram and graph are shown in Figure 1.10. In the diagram, each arrow expresses the idea that the element at the tail is less than the element at the head. In the graph, the presence of a dot indicates that the element corresponding to the dot’s column is less than the element corresponding to the dot’s row.

1.3.2 Function

Definition 1.11: A function f is a relation from a set A to a set B such that every element of A is associated with exactly one element of B . The set A is the domain, and B is the codomain. For every $a \in A$, the corresponding element in B is written $f(a)$.

A mere relation from A to B might associate more than one element of B with an element of A , and it might not make an association for every element of A . A function, however, associates every element of A with exactly one element of B , though not every element of B need have an association, and an element of B might be associated with more than one element of A . Suppose that $A = \{1, 2, 3, 4\}$, and $B = \{5, 6, 7, 8\}$. An example of a function from A to B is

$$f = \{(1, 5), (2, 5), (3, 7), (4, 8)\}.$$

The diagram and graph for f are shown in Figure 1.11. In the diagram, every element of A lies at the tail of an arrow, and no more than one arrow originates at an element of A . In the graph, there is a dot for every element of A (for every column), and no column contains more than one dot. This is characteristic of a function.

A function may be defined by specifying a single rule that operates on every member of the domain. For example $f(x) = x^2$ defines

a function that maps every element of the domain to the element’s square.

1.3.3 Injection

Definition 1.12: An injection¹¹ f from a set A to a set B is a function such that, for every $a_1 \in A$ and $a_2 \in A$, if $a_1 \neq a_2$, then $f(a_1) \neq f(a_2)$. An injection maps from its domain to its codomain in a one-to-one way; so an injection is sometimes called a “one-to-one function”.

Suppose that $A = \{1, 2, 3, 4\}$, and $B = \{-5, -6, -7, -8, -9\}$. An example of an injection from A to B is

$$f = \{(1, -5), (2, -6), (3, -7), (4, -8)\}.$$

The diagram and graph for f are shown in Figure 1.12. In the diagram, no more than one arrow terminates at any single element of B . In the graph, no row contains more than one dot. This is characteristic of an injection.

1.3.4 Surjection

Definition 1.13: A surjection¹² f from a set A to a set B is a function such that, for every element $b \in B$, there is at least one element $a \in A$ for which $b = f(a)$. A surjection maps its domain onto its codomain; so a surjection is sometimes called an “onto function”.

¹¹By its etymology, “injection” indicates that which is thrown into something else. The word is used to name a function that might not map its domain completely to cover the codomain (so the domain is thrown somewhere inside the codomain) but does make sure that every element of the domain does map to its own element of the codomain.

¹²In coming to us from Latin through French, the prefix “super” changed to “sur”. By its etymology, “surjection” indicates that which is thrown over or on top of something else. The word is used to name a function that throws its domain on top of its codomain so that the codomain is completely covered by the domain.




Figure 1.13: Surjection. In the diagram of a surjective function, every element in the right column is pointed to by at least one element in the left column. Similarly, in the graph of a surjective function, every row contains at least one dot.




Figure 1.14: Bijection. In the diagram of a bijective function, every element in the right column is pointed to by exactly one element in the left column. Similarly, in the graph of a bijective function, every row contains exactly one dot.

Suppose that $A = \{1, 2, 3, 4, 5\}$, and $B = \{-6, -7, -8, -9\}$. An example of an surjection from A to B is

$$f = \{(1, -6), (2, -7), (3, -8), (4, -9), (5, -9)\}.$$

For every element $b \in B$, there is at least one $a \in A$ such that $b = f(a)$. So, for a surjection, the diagram and graph may refer to $f(a)$ rather than to b . The diagram and graph for f are shown in Figure 1.13. In the diagram, every element of B has at least one arrow terminating on the element. In the graph, every row contains at least one dot. This is characteristic of a surjection.

Definition 1.14: For any function f , the image of its domain A is the set $\{f(a) : a \in A\}$.

By this definition, a surjection is just a function whose codomain is equal to the image of the domain.

1.3.5 Bijection

Definition 1.15: A bijection f from a set A to a set B is both an injection and a surjection.

Suppose that $A = \{1, 2, 3, 4\}$, and $B = \{-6, -7, -8, -9\}$. An example of an bijection from A to B is

$$f = \{(1, -6), (2, -7), (3, -9), (4, -8)\}.$$

For every element $b \in B$, there is exactly one $a \in A$ such that $b = f(a)$. The diagram and graph for f are shown in Figure 1.14. In the diagram, every element of B has exactly one arrow terminating on the element. In the graph of f , every row has exactly one dot in it. This is characteristic of a bijection. A bijection both

- pairs every element of the domain with exactly one element of the codomain and
- pairs every element of the codomain with exactly one element of the domain.

Theorem 1.2: For every bijection f from a set A to a set B , there is an inverse function g from B to A such that for every $b \in B$, $f(g(b)) = b$, and for every $a \in A$, $g(f(a)) = a$.

Definition 1.16: For a bijection f , its inverse is written f^{-1} .

1.3.6 Exercises

Exercise 1.3.1: Let $A = \{0, 2, 4\}$ and $B = \{1, 3, 5\}$. What is $A \times B$?

Exercise 1.3.2: Pick a set of six numbers, and define on the set the relation expressing the idea given by the words “greater than”. List the elements of the relation; draw the diagram of the relation; and draw the graph of the relation.

Exercise 1.3.3: Pick a set of six numbers, and define a function from the set to itself. List the elements of the function; draw the diagram of the function; and draw the graph of the function.

Exercise 1.3.4: Pick a set of six numbers, and define an injection from the set to itself. List the elements of the function; draw the diagram of the function; and draw the graph of the function.

Exercise 1.3.5: Pick a set of six numbers, and define a surjection from the set to itself such that the function is also an injection. List the elements of the function; draw the diagram of the function; and draw the graph of the function.

Exercise 1.3.6: Pick a set of six numbers, and define a surjection from the set to itself such that the function is not also an injection. List the elements of the function; draw the diagram of the function; and draw the graph of the function.

Exercise 1.3.7: Pick two sets of numbers, and define an injection from one set to the other such that the function is not also a surjection. List the elements of the function; draw the diagram of the function; and draw the graph of the function.



Exercise 1.3.8: Prove Theorem 1.2. Hint: Remember that a bijection f from a set A to a set B is a kind of function, which is a kind of relation, which is a subset of $A \times B$. Consider the elements of f . Each element is an ordered pair. Now consider from $B \times A$ the subset g that is obtained by reversing the order of every element of f . Show that the elements of g behave exactly as they would if $g = f^{-1}$.

Chapter 2

Real Numbers

The calculus depends on a system of numbers. They are called “the continuum”, “the real numbers”, or simply “the reals”. Geometry provides a way to visualize the reals: Imagine a straight line and associate a different number with every point on the line, so that the numbers increase in one direction and decrease in the opposite direction. See Figure 2.1, which illustrates a *real number line* or a *coordinate line*. For every *displacement* from the origin, there is a corresponding real number, which may be rational¹, irrational², or even non-computable³. The calculus refers to the *limit* of a sequence of numbers, and, even if every member of a sequence be rational, the limit of the sequence might be irrational or non-computable.⁴ The set of real numbers contains every limit required by the calculus.

The name “real” was introduced in the 1600s by René Descartes.⁵ Descartes distinguished the *real* square root of a positive number

¹Equal to the ratio of two integers. The decimal representation of every rational number, like $\frac{1}{2} = 0.5 = 0.50$, repeats. Between every two distinct points on the number line, no matter how close together they are, there is an infinite number of rationals. So one might imagine that every point on the number line corresponds to a rational number. However, at least so far back as the Fourth Century, B.C., Greek mathematicians were aware that $\sqrt{2}$ is not rational. Despite the fact that the rationals are everywhere dense on the number line, there are also irrationals on the number line.

²Not equal to the ratio of two integers. The decimal representation of an irrational number, like 0.2122122212221 . . . , never repeats and, like the decimal representation of $\pi = 3.14159265358979$. . . , might not have an obvious pattern.

³A *non-computable* number has no algorithm that can be used to calculate its value so precisely as desired. Every irrational number (like $\sqrt{2}$ or π) that is used as an example in ordinary algebra, geometry, or calculus is a *computable number*. Among the computables are only every real number whose value can be approximated, by way of some algorithm, to arbitrary precision. On the one hand, because the set of algorithms is *countably* infinite, the set of computables is also countably infinite. On the other hand, the set of reals is *uncountably* infinite because, as Cantor proved in 1874 and in a different way in 1891, there exists no bijection between the natural numbers and the real numbers.

In his *Shadows of the Mind: A Search for the Missing Science of Consciousness*, Roger Penrose provides a good discussion of what an algorithm is and why the strange non-computables lead to the uncountability of the reals.

⁴Consider the sequence, (0.21, 0.21221, 0.212212221, . . .). Every member of the sequence is rational, but the limit of the sequence is irrational. In this example, the limit is computable. There has been some interesting work on determining how much of the calculus can be retained on the replacement of the reals with the computables.

⁵Descartes was a mathematician and a philosopher. His contribution to mathematics is substantial. However, we view his departure from the hylemorphic metaphysics of Aristotle and St. Thomas Aquinas as a crucial error in the history of philosophy. For a good introduction to the hylemorphism, see *Aquinas: A Beginner's Guide* by Edward Feser.




Figure 2.1: A Cartesian coordinate system on a line allows one to visualize every real number r as the coordinate of a point. The coordinate gives the point’s displacement from the origin, whose coordinate is 0. A displacement is not merely a distance but a directed distance. The unit u of displacement is the directed distance from the origin to the point whose coordinate is 1.

from the *imaginary* square root of a negative number. As Newton later did explicitly, Descartes implicitly treated every real number as the ratio of a length to a unit length.⁶ The ancient Greeks, too, thought of number in terms of length. We shall develop the reals in a way that reflects this ancient tradition of regarding a number as a ratio of lengths.

The set of real numbers is denoted by the symbol “ \mathbb{R} ”. We take the idea of displacement to be more fundamental than distance, and we introduce the idea of a dimensioned quantity, in which a fundamentally geometric unit is scaled by a real number. Considering the ideas of order and distance, we introduce the idea of open and closed intervals on \mathbb{R} . The development of some basic intuition about \mathbb{R} prepares us for the discussion of the limit.

2.1 Coordinate

The real numbers are not simply the elements of the set \mathbb{R} ; each real number is related to every other real number in certain, well defined ways. For any two distinct real numbers, one is *greater than* the other, and so the reals are ordered. Also, for any two real numbers, there is

⁶According to the encyclopedia entry on Descartes at thefreedictionary.com, “Descartes treated a real number as the ratio of any line segment to the unit segment, although such a definition for real numbers was explicitly stated much later by I. Newton; negative numbers were given a real interpretation in Descartes’s work as directed ordinates.”



a distance between them, and so \mathbb{R} is a *metric space*.⁷ In their ordered and metric nature, the reals are more than just a set of elements.

Some of the structure of the reals can be exposed by way of geometry; we can identify a deep correspondence between geometry and number. Recall Figure 2.1, which depicts the coordinate line. Considering order and distance together, we may define for any two distinct real numbers a *displacement*, the directed distance from the first to the second. Because the first is either less than or greater than the second, the displacement is either *positive* or *negative* in its direction. Noting the similarity between the coordinate line and a ruler, we use the coordinate line to visualize the nature given to \mathbb{R} by ordinary arithmetic operations and comparisons.

2.1.1 Displacement

An abstract geometric displacement, which has both a length and a direction, is an example of a *vector*. In the one-dimensional metric space of a line, a symbol like “ v ”, representing any vector, has no special notation to distinguish it from a symbol representing a number. (We shall in a later chapter see that in a two-dimensional or higher-dimensional space, the symbol for a vector will appear as “ \vec{v} ”.) Although it can be scaled—multiplied—by a number, a displacement is not itself a number. Whenever we establish a fundamental unit of displacement, in terms of which most or all other displacements are expressed, we represent this unit without italics, with a symbol like “ u ”. Thus we might write $v = -2.1 u$. The sign of the number indicates the direction along the line; the magnitude of the number scales the length of the unit; and the sense is that the number *multiplies* the unit of displacement even though the unit is not itself a number.

We develop, on the basis of geometric intuition, a feel for the relationships among the elements of \mathbb{R} . We distinguish among three different kinds of displacement:

1. the *number* that is the difference between two elements of \mathbb{R} ,
2. the *abstract, directed distance* between two points on the coordinate line, and
3. the *concrete, directed distance* that can be measured by a physical device in the world of sense experience.


Displacement of the third kind does not yet concern us, for to speak of a relationship between \mathbb{R} and the world of sense experience would be to invoke a scientific hypothesis (an hypothesis in physics), and we are concerned in the present section only with mathematics. We look now at the first two kinds of displacement and attach to the idea of numeric displacement our intuition about geometric displacement.

We regard any straight line L as a set of points. We assume that the reader knows what “straight”, “line”, and “point” mean, and so we do not attempt to define them here.

⁷A metric space is a space of measurement. The idea is that we can, at least in an abstract sense, *measure* the distance between any two elements of the space.


Definition 2.1: For any line L and any two points p and q on L , the displacement d along L from p to q is the directed distance from p to q . We define the symbol “ $-$ ” for points such that $d = q - p$.

The difference between two numbers is another number, but we have defined the difference between two points *not* to be another point. Instead, the difference between two points is the directed distance from one point to the other. The following figure illustrates the idea.



Definition 2.2: For any line L , any displacement d along L , and every point p on L , there is on L a point q displaced by d from p , and we define a sense of the symbol “ $+$ ” such that $q = p + d = d + p$.

The ordinary operation of addition combines a pair of numbers and produces a number, but the operation defined above combines a point and a displacement to produce a point. Definition 2.2 expresses the idea that although a displacement can be defined in terms of the directed distance between two particular points, the displacement is not located at a particular location. The same displacement applies equally well to every pair of points that share the same relationship to each other. The following example illustrates the idea.



Sliding a displacement from one location to another does not cause the displacement to lose its identity.


Definition 2.3: Scaling For any displacement d , a real number r scales d as by multiplication to form another displacement $e = rd = dr$, so that r is the ratio of the length of e to the length of d .

- If $r = 0$, then e is the null displacement 0, which has neither length nor direction.
- If $r < 0$, then e points in the direction opposite to that of d .
- If $r = 1$, then $e = d$.
- We define the symbol “ $-$ ” for the displacement such that if $r = -1$, then $e = -d$.

Scaling the displacement, the real number is in this context called a scalar.



Definition 2.3 provides the fundamental basis for our geometric intuition about the nature of the reals. The following example illustrates the definition by way of $-\sqrt{2}$, an irrational scalar.⁸




The negative sign in $-\sqrt{2}$ causes $-\sqrt{2}d$ to point in the direction opposite to that of d . The size of $\sqrt{2}$ causes $-\sqrt{2}d$ to be a bit more than 1.41 times the length of d .

Definition 2.4: For any two displacements d and e on a line, we define a sense of the symbol “+” such that the sum is written $f = d + e$, and, when the displacements be visualized with arrows, if the head of d be placed at the tail of e , and if the tail of f be placed at the tail of d , then the head of f is located at the head of e .

Just as the ordinary operation of addition combines a pair of numbers and produces a number, so, too, the operation defined above combines a pair of displacements and produces another displacement. We saw that the difference of two points is a displacement and that the sum of a point and a displacement is another point. For the sum of two displacements to be another displacement makes displacements, considered by themselves under addition, like ordinary numbers. In fact, we shall see below that the relationship is deep, and we can sensibly define a one-to-one relationship between displacements along the line and real numbers. The illustration below shows that, according to Definition 2.4, displacements add together in a *head-to-tail* manner. In the sum $d + e$, the head of the augend d is attached to the tail of the addend e , and the sum points from the tail of the augend to the head of the addend.⁹

⁸When the proof for the irrationality of $\sqrt{2}$ was recognized by the ancient Greeks, the proof appears to have caused some controversy. At least for a time, the Greeks preferred to imagine that a unit length could be scaled only by a rational number, the ratio of two integers. The idea is that, for an integer n , a unit length could be subdivided into n equal subunits. Then an integer number m of subunits could be stacked end-to-end in order to make, by the appropriate choice of n and m , an overall length of any desired magnitude. That is equivalent to multiplying the original unit length by the rational number m/n . The side of a square, chosen as the unit length, would need to be scaled by $\sqrt{2}$ in order to equal the length of the diagonal. For $\sqrt{2}$ to be irrational means that there exists no n that can subdivide the side in such a way that m subunits would equal the length of the diagonal. The problem for us is that although the rational scaling is easy to visualize, we must somehow comfortably visualize an irrational scaling. In its decimal representation, an irrational number does not repeat, but by truncating or rounding the decimal expression at any desired level of accuracy, we may approximate the irrational number by a rational number. We can get an idea of the irrational scaling by thinking of a rationally scaled length that converges to the right, irrationally scaled length as we extend the decimal expression further and further out. The intuitive, geometric idea of convergence comes from recognizing that, with each successive digit in the decimal expression, the correction to the length becomes about ten times smaller than the previous correction.

⁹The augend is that which is to be augmented, and the addend is that which is to be added.




Theorem 2.1: For any displacement d on a line and for any two real numbers r and s , $rd + sd = [r + s]d$.


Definition 2.5: For any two displacements d and e on a line L , we define the symbol “−” for the difference of displacements such that $e - d = e + [-d]$.

Theorem 2.2: For any sum $f = d + e$ of displacements on a line L , $d = f - e$, and $e = f - d$.

Proof. By hypothesis we have $f = d + e$. By Definition 2.4, the displacements may be arranged head-to-tail.




By Definition 2.3, $-e$ has the same length as e does and so will fit in its place, though with head and tail reversed.




By Definition 2.4, $d = f + [-e]$. By Definition 2.5, $d = f - e$. The same process may be applied to reverse d (instead of e) in order to derive $e = f - d$. \square

Definition 2.6: A Cartesian coordinate system κ on a line is a bijection from the real numbers to the points on the line, such that for any real number r , there is on the line a point $\kappa(r) = \kappa(0) + r u_\kappa$, where r is the coordinate; the point $\kappa(0)$ is the origin; and $u_\kappa = \kappa(1) - \kappa(0)$ is the unit displacement under κ .

The unit displacement u_κ can be visualized as follows:



When there is only one coordinate system under consideration, we draw the coordinate line as follows:





Theorem 2.3: For a Cartesian coordinate system κ on a line L , and for any two real numbers r and s , the displacement between the corresponding points is $\kappa(s) - \kappa(r) = [s - r]\mathbf{u}_\kappa$.


Theorem 2.3 expresses the relationship between a displacement of the first kind (the difference $s - r$) and a displacement of the second kind (the abstract, geometric displacement $\kappa(s) - \kappa(r)$).

2.1.2 Order

Definition 2.7: For a Cartesian coordinate system κ on a line L , the positive direction on L is the direction of \mathbf{u}_κ . The negative direction on L is the direction of $-\mathbf{u}_\kappa$.

When there is a single coordinate line, it is almost always drawn horizontally with the positive direction to the right.

The set $S_{>a} = \{r \in R : r > a\}$ is depicted on the line as a positively directed ray emanating from the point labeled a (or labeled $\kappa(a)$ when the coordinate system is made explicit). Because $a \notin S_{>a}$, an open circle is placed around the point corresponding to a .



2.1.3 Distance

2.1.4 Exercises

Exercise 2.1.1: Draw a diagram like the one used to illustrate Definition 2.4, but reverse the order of the addition. That is, show geometrically that the same result f obtains by adding the displacements head-to-tail in the order $e + d$.

Exercise 2.1.2: Pick any two displacements d and e that point in the same direction along a line. Draw a diagram showing that their sum is the same, regardless of the order in which they are added.

Exercise 2.1.3: Pick two displacements d and e that point in the same direction along a line, and let d be longer than e . Draw a diagram showing that their difference depends on the order in which they are subtracted.

Exercise 2.1.4: (Optional, difficult.) Prove Theorem 2.1.

Exercise 2.1.5: Prove Theorem 2.3. Avoid algebraic rearrangement of any expression involving points. Hint: Draw a diagram with points $\kappa(0)$, $\kappa(r)$, and $\kappa(s)$ on the line. Use Definition 2.4 and Theorem 2.1.

Appendix A

Solutions to Selected Exercises


1.2.3 Remember that the empty set is a subset of every set and that every set is a subset of itself. So the subsets of $\{a, b, c\}$ are $\emptyset, \{a\}, \{b\}, \{c\}, \{a, b\}, \{a, c\}, \{b, c\}$, and $\{a, b, c\}$

1.2.6 There are two statements to prove.

1. To prove that $A \cap B \subset A$, we must show that every element of $A \cap B$ is an element of A . By the definition of intersection, every element of $A \cap B$ is both an element of A and an element of B . Therefore, every element of $A \cap B$ is an element of A .
2. To prove that $A \subset A \cup B$, we must show that every element of A is an element of $A \cup B$. By the definition of union, $A \cup B$ contains every element that is either in A or in B . Therefore, every element of A is an element of $A \cup B$.

2.1.4 There are three cases to consider.

1. Either $r = 0$ or $s = 0$ (or $r = s = 0$). Suppose that $s = 0$. By Definition 2.3, $sd = 0d = 0$, which has zero length. By Definition 2.4, $rd + sd = rd$ because the head and the tail of sd are at the same point. Finally, we write $rd + sd = [r + 0]d = [r + s]d$. The same result obtains by a similar argument on the supposition that $r = 0$.
2. Either both $r < 0$ and $s < 0$ or both $r > 0$ and $s > 0$; that is, r and s have the same sign. In this case, by Definition 2.3, both rd and sd point in the same direction. Then by Definition 2.4, the length of $rd + sd$ is the sum of the lengths of rd and sd .




By Definition 2.3, the ratio of the length of rd to the length of d is r ; the ratio of the length of sd to the length of d is s ; and, because the length of the sum of the displacements is in this case the sum of the lengths of the displacements, the ratio of the length of $rd + sd$ to the length of d is $|r + s|$. The sign of $r + s$

is the same as the sign of r and s . By Definition 2.4, $rd + sd$ points in the same direction as rd and sd , and, by Definition 2.3, the sign of the scalar directs the product; therefore $rd + sd = [r + s]d$.


3. Either both $r < 0$ and $s > 0$ or both $r > 0$ and $s < 0$; that is, r and s have opposite signs. In this case, by Definition 2.3, rd and sd point in opposite directions. There are three subcases to consider.

- (a) Suppose that $|r| = |s|$ so that rd is the same length as sd . Then by Definition 2.4, the length of $rd + sd$ is zero. We have by hypothesis, however, that $r + s = 0$, because r and s are of opposite signs but equal magnitude. So we can write that $rd + sd = 0d = [r + s]d$.
- (b) Suppose that $|r| > |s|$ so that rd is longer than sd . Then by Definition 2.4, the length of $rd + sd$ is the length of rd minus the length of sd .



By Definition 2.3, the ratio of the length of rd to the length of d is r ; the ratio of the length of sd to the length of d is s ; and, because the length of the sum of the displacements is in this case the difference of the lengths of the displacements, the ratio of the length of $rd + sd$ to the length of d is $|r| - |s|$. Because $|r| > |s|$ and because r and s have opposite signs, $|r| - |s| = |r + s|$. The sign of $r + s$ is the same as the sign of r . By Definition 2.4, $rd + sd$ points in the same direction as rd , and, by Definition 2.3, the sign of the scalar directs the product; therefore $rd + sd = [r + s]d$.

- (c) Suppose that $|s| > |r|$ so that sd is longer than rd . Then by Definition 2.4, the length of $rd + sd$ is the length of sd minus the length of rd .



By Definition 2.3, the ratio of the length of rd to the length of d is r ; the ratio of the length of sd to the length of d is s ; and, because the length of the sum of the displacements is in this case the difference of the lengths of the displacements, the ratio of the length of $rd + sd$ to the length of d is $|s| - |r|$. Because $|s| > |r|$ and because r and s have opposite signs, $|s| - |r| = |s + r| = |r + s|$. The sign of $r + s$ is the same as the sign of s . By Definition 2.4, $rd + sd$ points in the same direction as sd , and, by Definition 2.3, the sign of the scalar directs the product; therefore $rd + sd = [r + s]d$.

Appendix B

GNU Free Documentation License

GNU Free Documentation License

Version 1.3, 3 November 2008

Copyright (C) 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.

<http://fsf.org>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document “free” in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of “copyleft”, which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The “Document”, below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as “you”. You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A “Modified Version” of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A “Secondary Section” is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document’s overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The “Invariant Sections” are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The “Cover Texts” are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A “Transparent” copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not “Transparent” is called “Opaque”.

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The “Title Page” means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, “Title Page” means the text near the most prominent appearance of the work’s title, preceding the beginning of the body of the text.

The “publisher” means any person or entity that distributes copies of the Document to the public.

A section “Entitled XYZ” means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as “Acknowledgements”, “Dedications”, “Endorsements”, or “History”.) To “Preserve the Title” of such a section when you modify the Document means that it remains a section “Entitled XYZ” according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.



You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.

N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.

O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply



to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

```
Copyright (c) YEAR YOUR NAME.
Permission is granted to copy, distribute and/or
modify this document under the terms of the GNU
Free Documentation License, Version 1.3 or any
later version published by the Free Software
Foundation; with no Invariant Sections, no
Front-Cover Texts, and no Back-Cover Texts. A copy
of the license is included in the section entitled
"GNU Free Documentation License".
```

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

```
with the Invariant Sections being LIST THEIR
TITLES, with the Front-Cover Texts being LIST, and
with the Back-Cover Texts being LIST.
```

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.



Appendix C

GNU General Public License

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc.

<http://fsf.org>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

PREAMBLE

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program—to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to

a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.



The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the In-



stallation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright

holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying



the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR

OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief
idea of what it does.>
```

```
Copyright (C) <year> <name of author>
```

```
This program is free software: you can redistribute
it and/or modify it under the terms of the GNU
General Public License as published by the Free
Software Foundation, either version 3 of the
License, or (at your option) any later version.
```

```
This program is distributed in the hope that it
will be useful, but WITHOUT ANY WARRANTY; without
even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU
General Public License for more details.
```

```
You should have received a copy of the GNU General
Public License along with this program. If not,
see <http://www.gnu.org/licenses/>.
```

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

```
This program comes with ABSOLUTELY NO WARRANTY; for
details type 'show w'. This is free software, and
you are welcome to redistribute it under certain
conditions; type 'show c' for details.
```



The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.



Bibliography

- Boyer, C. B. *The History of the Calculus and Its Conceptual Development*. Dover: 1949.
- Brady, W. G. and M. J. Mansfield. *Calculus*. Little, Brown and Company: 1960.
- Coppens, C. *A Brief Text-Book of Logic and Mental Philosophy*. Schwartz, Kirwin, and Fauss: 1891.¹
- Feser, E. *Aquinas: A Beginner's Guide*. Oneworld Publications: 2009.
- Harrison, E. *Cosmology: The Science of the Universe*. Cambridge University Press: 2000.
- Penrose, R. *Shadows of the Mind: A Search for the Missing Science of Consciousness*. Oxford University Press: 1994.
- Wade, T. L. *Introductory College Mathematics*. John Wiley & Sons, Inc.: 1959.

¹Available (as of 2014 July) free of charge on the World-Wide Web at <https://www3.nd.edu/Departments/Maritain/etext/lamp.htm>.