```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\login\login.php
 1 <?php
 3 include '../common.php';
 4
 5 $ucid = isset($_POST["ucid"])? $_POST["ucid"]:'';
6 $password = isset($_POST["pass"])? $_POST["pass"]:'';
 8 if (empty($ucid) || empty($password)) {
 9
        http_response_code(400);
     echo encode_json(['message' => 'Bad Request - You must provide the \'ucid\' and \'pass\' as part of the parameters for the POST request', 'error' => true]);
10
         exit(-1);
12 }
13
14 if (checkPassword($ucid, $password)) {
15
         http_response_code(200);
         echo encode_json(['message' => 'Your credentials are correct.', 'error' => false, '
16
    account' => selectUser($ucid)]);
17 }else {
18
        http_response_code(200);
19
         echo encode_json(['message' => 'Your credentials are incorrect.', 'error' => true]);
20 }
21
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\login\create.php
 1 <?php
 3 include '../common.php';
 4
 5 $ucid = isset($_POST["ucid"])? $_POST["ucid"]:'';
6 $ucid_pass = isset($_POST["ucid_pass"])? $_POST["ucid_pass"]:'';
7 $user_pass = isset($_POST["user_pass"])? $_POST["user_pass"]:'';
 8 $user_name = isset($_POST["user_name"])? $_POST["user_name"]:'';
 9 $email = isset($_POST["email"])? $_POST["email"]:'';
10
11 if (empty($ucid) || empty($ucid_pass) || empty($user_pass) || empty($user_name) || empty(
   $email)) {
12
        http_response_code(400);
        die(encode_json(['message' => "Bad Request - Must provide the ucid, ucid_pass, user_pass
13
      user_name, email when creating an account", 'error' => true]));
14 }
15
16 $response = loginNjit($ucid, $ucid_pass);
17 if (strpos($response, 'loginok.html') != false) {
        $result = createUser($user_name, $user_pass, $email, $ucid);
18
19
        if (is_null($result)) {
20
             http_response_code(400);
             die(encode_json(['message' => "The ucid or username already exists. Please login.",
21
    'error' => true]));
22
        } else if (!is_null($result)) {
23
             http_response_code(201);
             die(encode_json(['message' => "Account created",
24
                  'account' => $result, 'error' => false]));
25
26
27
             http_response_code(404);
             die(json_encode(['message' => "Error contacting database, are you on NJIT network?",
28
     'error' => true]));
29
        }
30 } else {
        http_response_code(401);
31
        die(encode_json(['message' => "Unauthorized - NJIT password is incorrect",'error' =>
32
33
34
35
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\login\remove.php
 1 <?php
 3 require '../common.php';
 4
 5 $ucid = isset($_POST["ucid"])? $_POST["ucid"]:'';
 7 if (empty($ucid)) {
        http_response_code(400);
 8
   die(encode_json(['message' => 'Bad Request - You must provide the \'ucid\' and \'pass\'
as part of the parameters for the POST request', 'error' => true]));
10 }
11
12 if (deleteUser($ucid)) {
        http_response_code(200);
13
        die(encode_json(['message' => "User deleted", 'error' => false]));
14
16
        http_response_code(400);
        die(encode_json(['message' => "There was an error deleting user", 'error' => true]));
17
18 }
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\login\update.php
  1 <?php
 3 include '../common.php';
 4
 6 $ucid = isset($_POST["ucid"])? $_POST["ucid"]:'';
7 $user_pass = isset($_POST["user_pass"])? $_POST["user_pass"]:'';
8 $user_name = isset($_POST["user_name"])? $_POST["user_name"]:'';
9 $first_name = isset($_POST["first_name"])? $_POST["first_name"]:'';
10 $last_name = isset($_POST["last_name"])? $_POST["last_name"]:'';
11
12 if (empty($ucid) || empty($user_pass)) {
    http_response_code(400);
encode_json(['message'=> "Bad Request - Must provide the ucid, user_pass when updating account", 'error' => true]);
13
14
15 }
16
17 $result = updateUser($ucid, $user_name, $last_name, $first_name, $user_pass);
18 if (!is_null($result)) {
19
          http_response_code(200);
          return encode_json(['message'=> "Account updated", 'account' => [$result], 'error' =>
20
    false]);
21 } else {
22
          http_response_code(400);
    return encode_json(['message'=> "There was an error updating account", 'account' => [
$result], 'error' => true]);
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\login\testlogin.php
  1 <?php
 3 $fields = "user=tj76&pass=pass";
  4 $result = postRequest('https://web.njit.edu/~tj76/api/login/login.php', [], $fields);
  5 var_dump($result);
 7 function postRequest($url, $headers, $fields) {
 8
           $ch = curl_init();
           curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_USERAGENT, 'Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1
  9
10
    ; .NET CLR 1.1.4322)');
          curl_setopt($ch, CURLOPT_RETURNTRANSFER, 1);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_FOLLOWLOCATION, TRUE);
curl_setopt($ch, CURLOPT_CONNECTTION);
curl_setopt($ch, CURLOPT_CONNECTTION);
11
12
13
14
15
           curl_setopt($ch, CURLOPT_TIMEOUT, 5);
          curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, false);
curl_setopt($ch, CURLOPT_POSTFIELDS, $fields);
curl_setopt($ch, CURLOPT_HTTPHEADER, $headers);
16
17
18
19
           $data = curl_exec($ch);
20
           curl_close($ch);
21
           return $data;
```

22 }

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\login\create-no-njit.php
 1 <?php
 3 include '../common.php';
 4
 5 $ucid = isset($_POST["ucid"])? $_POST["ucid"]:'';
 6 $ucid_pass = isset($_POST["ucid_pass"])? $_POST["ucid_pass"]:'';
 7 $user_pass = isset($_POST["user_pass"])? $_POST["user_pass"]:'';
8 $user_name = isset($_POST["user_name"])? $_POST["user_name"]:'';
 9 $email = isset($_POST["email"])? $_POST["email"]:'';
10
11 if (empty($ucid) || empty($ucid_pass) || empty($user_pass) || empty($user_name) || empty(
   $email)) {
12
       http_response_code(400);
        die(encode_json(['message' => "Bad Request - Must provide the ucid, ucid_pass, user_pass
13
     user_name, email when creating an account", 'error' => true]));
14 }
15
16 $response = loginNjit($ucid, $ucid_pass);
17
18 if (strpos($response, 'loginok.html') != false || true) {
19
        $result = createUser($user_name, $user_pass, $email, $ucid);
20
        if (is_null($result)) {
21
            http_response_code(400);
            die(encode_json(['message' => "The ucid or username already exists. Please login.",
22
    'error' => true]));
23
       } else if (!is_null($result)) {
24
            http_response_code(201);
25
            die(encode_json(['message' => "Account created",
                 'account' => $result, 'error' => false]));
26
27
        } else {
28
            http_response_code(404);
            die(json_encode(['message' => "Error contacting database, are you on NJIT network?",
29
     'error' => true]));
30
       }
31 } else {
       http_response_code(401);
32
       die(encode_json(['message' => "Unauthorized - NJIT password is incorrect", 'error' =>
33
   true]));
34
   }
35
36
```