```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\0908.html
 1 <!doctype html>
 2 <html lang="en">
 3 <head>
 4
        <meta charset="utf-8">
 5
        <title>Page Not Found</title>
 6
        <meta name="viewport" content="width=device-width, initial-scale=1">
 7
        <style>
 8
 9
            * {
10
                line-height: 1.2;
                margin: 0;
11
            }
12
13
14
            html {
15
                color: #888;
16
                display: table;
17
                font-family: sans-serif;
18
                height: 100%;
19
                text-align: center;
20
                width: 100%;
21
            }
22
23
            body {
24
                display: table-cell;
25
                vertical-align: middle;
26
                margin: 2em auto;
            }
27
28
            h1 {
29
30
                color: #555;
31
                font-size: 2em;
32
                font-weight: 400;
33
            }
34
35
            p {
                margin: 0 auto;
36
37
                width: 280px;
38
            }
39
40
            @media only screen and (max-width: 280px) {
41
42
                body, p {
43
                    width: 95%;
44
                }
45
46
                h1 {
47
                     font-size: 1.5em;
48
                    margin: 0 0 0.3em;
49
                }
50
51
            }
52
53
        </style>
54 </head>
55 <body>
56
        <h1>Page Not Found</h1>
```

60 <!-- IE needs 512+ bytes: http://blogs.msdn.com/b/ieinternals/archive/2010/08/19/http-error-

Sorry, but the page you were trying to view does not exist.

57

58 </body> 59 </html>

pages-in-internet-explorer.aspx -->

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\test.html
 1 <!DOCTYPE html>
 2 <html>
 3 <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.0/jquery.min.js"></script>
 4 <script src="https://code.jquery.com/ui/1.10.4/jquery-ui.js"></script>
 5 <script type="text/javascript" src="js/test.js"></script>
 7 <link rel="stylesheet" href="css/test.css">
 8 <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,700' rel='stylesheet' type</pre>
   ='text/css'>
 9
10 <body>
11 <div class="left">
12
13
       <h4><b>Profiles</b></h4>
14
       Users will have the ability to create their own public profiles,
           complete with contact information and hobbies. Users will have the ability create
15
   posts on
16
           their own page.
17
       <h4><b>Groups</b></h4>
18
19
       Students will be able to create groups based on whatever interests them.
20
       21
       <h4><b>Reviews</b></h4>
22
       >
23
           Students will have the ability to rate professors and review the classes
24
           they have taken. The professor ratings page will have ratings (0-10) of the
   professor's class and a
25
           short review.
26
       27
       <h4><b>Recommendations</b></h4>
28
29
           The system will generate recommendations for users to communicate
30
           with based off of similar interests
31
       32
       <h4><b>Dead Ideas</b></h4>
33
34
       ul>
35
           Messaging
           Layers of privacy
36
37
       38
       <form id="form-create-account" action="../login/create.php" method="post">
39
                <div class="form">
40
                   <h3>Creating an account</h3>
                   <label>UCID:</label><input type="text" placeholder="ucid" name="ucid" class=</pre>
41
   "input-box">
42
                   <label>UCID Password:</label><input type="password" placeholder="ucid_pass"</pre>
   name="ucid_pass" class="input-box">
43
                    <label>Username:</label><input type="text" placeholder="user_name" name="</pre>
   user_name" class="input-box">
44
                   <label>Create Password:</label><input type="password" placeholder="user_pass</pre>
     name="user_pass" class="input-box">
45
                   <label>Email:</label><input type="email" placeholder="email" name="email"</pre>
   class="input-box"><br><br>
46
                   <input type="submit" value="Submit">
47
                </div>
48
                <div class="right details">
49
                   Save ucid and user_pass to use to authenticate future requests
50
                </div>
       </form>
51
52
       <form id="form-create-account-no-njit" action="../login/create-no-njit.php" method="post</pre>
53
   ">
54
           <div class="form">
55
               <h3>Creating an account (No NJIT Check)</h3>
                <label>UCID:</label><input type="text" placeholder="ucid" name="ucid" class="</pre>
56
   input-box">
57
                <label>UCID Password:</label><input type="password" placeholder="ucid pass" name</pre>
   ="ucid_pass" class="input-box">
                <label>Username:</label><input type="text" placeholder="user_name" name="</pre>
   user_name" class="input-box">
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\test.html
                 <label>Create Password:</label><input type="password" placeholder="user pass"</pre>
    name="user_pass" class="input-box">
                 <label>Email:</label><input type="email" placeholder="email" name="email" class</pre>
 60
    ="input-box"><br><br>
 61
                 <input type="submit" value="Submit">
 62
            </div>
            <div class="right details">
 63
                 Save ucid and user_pass to use to authenticate future requests
 64
 65
            </div>
 66
        </form>
 67
        <form id="form-login-account" action="../login/login.php" method="post">
 68
 69
            <div class="form">
 70
                 <h3>Login into account</h3>
 71
                 <label>UCID:</label><input type="text" placeholder="ucid" name="ucid" class="</pre>
    input-box">
 72
                 <label>Password:</label><input type="password" placeholder="pass" name="pass"</pre>
    class="input-box"><br><br>
 73
                 <input type="submit" value="Submit">
 74
            </div>
 75
            <div class="right details">
 76
                 When logging in the server returns a profile object. If it is null redirect
     to the create a profile page else redirect to their own page.
 77
            </div>
 78
        </form>
 79
 80
        <form id="form-delete-account" action="../login/remove.php" method="post">
 81
            <div class="form">
 82
                 <h3>Remove account</h3>
 83
                 <label>UCID:</label><input type="text" placeholder="ucid" name="ucid" class="</pre>
    input-box"><br><br>
                 <input type="submit" value="Submit">
 84
 85
            </div>
 86
            <div class="right details">
 87
            </div>
 88
        </form>
 90
        <form id="form-create-profile" action="../profile/create.php" method="post">
 91
 92
            <div class="form">
 93
                 <h3>Create a profile</h3>
                 <label>UCID:</label><input type="text" placeholder="ucid" name="ucid" class="</pre>
 94
    input-box">
 95
                 <label>First Name:<//label><input type="text" placeholder="first name" name="</pre>
                 class="input-box">
    first_name"
 96
                 <label>Last Name:<//label><input type="text" placeholder="last_name" name="</pre>
    last_name" class="input-box">
 97
 98
                 <label> About </label>
 99
                 <textarea class="textarea" name="about" placeholder="about" rows="5" cols="30">
    </textarea>
100
                 <label for="class-select"> Class Level</label>
101
102
                 <select class="class-select" name="class level">
                     <option value="1">Freshman</option>
103
104
                     <option value="2">Sophomore</option>
                     <option value="3">Junior</option>
105
                     <option value="4">Senior</option>
106
                 </select>
107
108
                 <label for="relationship-select"> Relationship Status </label>
109
                 <select class="relationship-select" name="relationship">
110
111
                     <option value="1">Single</option>
                     <option value="2">Dating</option>
112
                     <option value="3">Married</option>
113
114
                     <option value="4">Complicated</option>
115
                 </select>
116
117
                 <label for="gender-select"> Gender </label>
118
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\test.html
                <select class="gender-select" name="gender">
                     <option value="1">Male</option>
120
121
                     <option value="2">Female/option>
                     <option value="3">0ther</option>
122
123
                </select> <br>
124
125
                <label>Interests: </label>
126
                <input class="interests-select"><br>
127
                128
                 129
130
                <label>Profile Image: </label><input type="file" placeholder="file" name="file"</pre>
     class="input-box"><br><br>
131
132
                <input type="submit" value="Submit">
133
            </div>
134
            <div class="right details">
135
                Save ucid and user_pass to use to authenticate future requests
136
            </div>
137
        </form>
138
139
        <form id="form-update-profile" action="../profile/update.php" method="post" >
140
            <div class="form">
141
                <h3>Update a profile</h3>
142
                <label>UCID:</label><input type="text" placeholder="ucid" name="ucid" class="</pre>
    input-box">
                <label>First Name:</label><input type="text" placeholder="first_name" name="</pre>
143
    first_name"
                class="input-box">
144
                 <label>Last Name:<//label><input type="text" placeholder="last_name" name="</pre>
    last_name" class="input-box">
145
146
                <label> About </label>
147
                 <textarea class="textarea" name="about" placeholder="about" rows="5" cols="30">
    </textarea>
148
149
                <label for="class-select"> Class Level</label>
150
                <select id="class-select" name="class_level">
151
                     <option selected disabled hidden style='display: none' value=''></option>
152
153
                     <option value="1">Freshman</option>
                     <option value="2">Sophomore</option>
154
                     <option value="3">Junior</option>
155
156
                     <option value="4">Senior</option>
157
                </select>
158
159
                <label for="relationship-select"> Relationship Status </label>
160
                <select id="relationship-select" name="relationship">
161
                     <option selected disabled hidden style='display: none' value=''></option>
162
                     <option value="1">Single</option>
163
                     <option value="2">Dating</option>
164
                     <option value="3">Married</option>
165
                     <option value="4">Complicated</option>
166
                </select>
167
168
                <label for="gender-select"> Gender </label>
<select id="gender-select" name="gender">
169
170
                     <option selected disabled hidden style='display: none' value=''></option>
171
172
                     <option value="1">Male</option>
173
                     <option value="2">Female</option>
                     <option value="3">0ther</option>
174
175
                 </select> <br>
176
177
                <label>Interests: </label>
                <input class="interests-select" placeholder="interests[]"><br>
178
179
                180
                 181
182
                <label>Profile Image: </label><input type="file" placeholder="file" name="file"</pre>
     class="input-box"><br><br>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\test.html
184
                 <input type="submit" value="Submit">
185
            </div>
186
            <div class="right details">
187
                 Save ucid and user pass to use to authenticate future requests
188
            </div>
189
        </form>
190
191
192
        <form id="form-select-profile" action="../profile/index.php" method="post" >
193
            <div class="form">
194
                 <h3>Get a profile</h3>
195
                 <label>Profile UCID</label><input type="text" placeholder="ucid" name="ucid"</pre>
    class="input-box">
196
                 <label>Signed in user UCID</label><input type="text" placeholder="</pre>
    signed_in_ucid" name="signed_in_ucid" class="input-box"><br><br>
                 <input type="checkbox" name="profile" value="true" checked class="input-box">
197
    Get profile info<br>
198
                 <input type="checkbox" name="posts" value="true" checked class="input-box">Get
    All Posts <br>
199
                 <input type="checkbox" name="interests" value="true" checked class="input-box">
    Get all interests<br>
200
                 <input type="checkbox" name="reviews" value="true" checked class="input-box">
    Get reviews made<br>
201
                 <input type="checkbox" name="groups_own" value="true" checked class="input-box</pre>
    ">Get Groups Owned<br>
                 <input type="checkbox" name="recommend_people" value="true" checked class="</pre>
202
    input-box">Get Recommended People<br>
203
                 <input type="checkbox" name="recommend_groups" value="true" checked class="</pre>
    input-box">Get Recommended Groups<br>
204
205
                 <br><input type="submit" value="Submit">
206
            </div>
            <div class="right details">
207
                 Provide the ucid of the profile you want to view and the ucid of the person
208
    currently signed in. I use this to hide certain information from the outsiders1.
209
            </div>
210
        </form>
211
212
        <form id="form-search-profile-interest" action="../profile/search.php" method="post" >
            <div class="form">
213
214
                 <h3>Search profile by interest</h3>
215
                 <label>Interest </label>
                 <input class="interests-select" placeholder="interest"><br>
216
                 <br><input type="submit" value="Submit">
217
218
            </div>
            <div class="right details">
219
220
            </div>
        </form>
221
222
223
        <form id="form-search-profile-name" action="../profile/search.php" method="post" >
224
            <div class="form">
225
                 <h3>Search profile by name</h3>
226
                 <label>First or last name</label><input type="text" placeholder="name" name="</pre>
    name" class="input-box">
227
                 <br><input type="submit" value="Submit">
228
            </div>
229
            <div class="right details">
230
                 An empty search will list all
231
            </div>
232
233
        </form>
234
            <form id="form-search-profile-ucid" action="../profile/search.php" method="post" >
235 <!--
236
            <div class="form">
237
                 <h3>Search profile by ucid</h3>
                 <label>UCID: </label><input type="text" placeholder="ucid" name="ucid" class="</pre>
    input-box">
239
                 <br><input type="submit" value="Submit">
240
            </div>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\test.html
            <div class="right details">
242
            </div>
243
        </form>-->
244
245
        <form id="form-create-post" action="../profile/post/create.php" method="post" >
246
            <div class="form">
247
                <h3>Create a post</h3>
                <label>Post to:</label><input type="text" placeholder="to ucid" name="to ucid"</pre>
248
    class="input-box">
                <label>From:<//allahel><input type="text" placeholder="from_ucid" name="from_ucid"</pre>
249
     class="input-box">
250
                <label> About </label>
251
                <textarea class="textarea" name="text" placeholder="text" rows="5" cols="30">
    textarea><br>
252
253
                <input type="submit" value="Submit">
254
            </div>
            <div class="right details">
255
256
            </div>
257
        </form>
258
259
        <form id="form-remove-post" action="../profile/post/remove.php" method="post" >
260
            <div class="form">
261
                <h3>Remove a post</h3>
262
                <label>Post ID</label><input type="text" placeholder="post_id" name="post_id"</pre>
    class="input-box"><br><br>
263
                <input type="submit" value="Submit">
264
            </div>
265
            <div class="right details">
266
            </div>
267
        </form>
268
269
        <form id="form-create-group" action="../group/create.php" method="post" >
270
271
            <div class="form">
272
                <h3>Create a group</h3>
                <label>Ucid: </label><input type="text" placeholder="ucid" name="ucid" class="</pre>
273
    input-box">
274
                <label>Group Name: </label><input type="text" placeholder="group_name" name="</pre>
    group_name" class="input-box"><br><br>
275
                <label>Interests: </label>
                <input class="interests-select" placeholder="interests[]"><br>
276
277
                278
                <input type="submit" value="Submit">
279
280
            </div>
281
            <div class="right details">
282
            </div>
        </form>
283
284
285
        <form id="form-update-group" action="../group/update.php" method="post" >
286
            <div class="form">
287
                <h3>Update a group</h3>
288
                <label>Group ID: </label><input type="text" placeholder="group id" name="</pre>
    group_id" class="input-box">
289
                <label>New Owner Id: </label><input type="text" placeholder="owner id" name="</pre>
    owner_id" class="input-box">
290
                <label>Group Name: </label><input type="text" placeholder="group_name" name="</pre>
    group_name" class="input-box"><br><br>
291
              <!-- <label>Interests: </label>
                <input class="interests-select" placeholder="interests[]"><br>
292
293
                294
                -->
                <input type="submit" value="Submit">
295
296
            </div>
297
            <div class="right details">
298
            </div>
299
        </form>
300
        <form id="form-select-group" action="../group/index.php" method="post" >
301
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\test.html
            <div class="form">
303
                <h3>Select a group</h3>
                 <label>Group ID </label><input type="text" placeholder="group_id" name="</pre>
304
    group_id" class="input-box">
305
                 <input type="submit" value="Submit">
306
            </div>
307
            <div class="right details">
308
            </div>
309
        </form>
310
        <form id="form-delete-group" action="../group/remove.php" method="post" >
311
312
            <div class="form">
313
                 <h3>Remove a group</h3>
314
                 <label>Group Id </label><input type="text" placeholder="group_id" name="</pre>
    group_id" class="input-box">
315
                <br><input type="submit" value="Submit">
316
            </div>
317
            <div class="right details">
318
            </div>
319
        </form>
320
321
        <form id="form-create-group-post" action="../group/post/create.php" method="post" >
322
            <div class="form">
                <h3>Create a group post</h3>
323
324
                <label>Post to:</label><input type="text" placeholder="group_id" name="group_id"
    " class="input-box">
325
                <label>From:</label><input type="text" placeholder="from_ucid" name="from_ucid"</pre>
     class="input-box">
326
                <label> Post Content: </label>
                <textarea class="textarea" name="text" placeholder="text" rows="5" cols="30">
327
    textarea><br>
328
329
                <input type="submit" value="Submit">
330
            </div>
            <div class="right details">
331
332
            </div>
        </form>
333
334
        <form id="form-search-group-name" action="../group/search.php" method="post" >
335
336
            <div class="form">
337
                <h3>Search groups by name</h3>
                <label>Name </label><input type="text" placeholder="keyword" name="keyword"</pre>
338
   class="input-box">
                <br><input type="submit" value="Submit">
339
340
            </div>
341
            <div class="right details">
342
            </div>
343
        </form>
344
345
        <form id="form-search-group-interest" action="../group/search.php" method="post" >
346
            <div class="form">
347
                <h3>Search groups by interest</h3>
                <label>Interests: </label>
348
349
                <input class="interests-select"><br>
350
                351
                352
353
                <input type="submit" value="Submit">
354
            </div>
355
            <div class="right details">
356
            </div>
357
        </form>
358
359
        <form id="form-list-group" action="../group/search.php" method="post" >
360
            <div class="form">
361
                <h3>List all groups</h3>
                 <input type="submit" value="Submit">
362
363
            </div>
            <div class="right details">
364
365
            </div>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\test.html
        </form>
367
        <form id="form-create-review" action="../review/create.php" method="post" >
368
369
            <div class="form">
                <h3>Create a review</h3>
370
371
372
                <label>UCID:</label><input type="text" placeholder="ucid" name="ucid" class="</pre>
    input-box">
373
374
                <label>Select a professor </label>
375
                <input class="professor-select" placeholder="professor_id"><br>
376
                377
                378
379
380
                <label>Select a class </label>
381
                <input class="class-select" placeholder="class_id"><br>
382
                383
                384
385
                <label>Rate professor 1-10 </label>
386
                <select name="rating">
                    <option value="1">1</option>
387
                   <option value="2">2</option>
388
389
                   <option value="3">3</option>
                   <option value="4">4</option>
390
                   <option value="5">5</option>
391
                   <option value="6">6</option>
392
                   <option value="7">7</option>
393
                   <option value="8">8</option>
394
                   <option value="9">9</option>
395
                   <option value="10">10</option>
396
397
                </select><br><br>
398
399
                <textarea class="textarea" name="text" placeholder="text" rows="5" cols="30">
    textarea><br>
400
401
402
                <input type="submit" value="Submit"><br><br>
           </div>
403
404
           <div class="right details">
405
           </div>
406
        </form>
407
408
        <form id="form-select-review" action="../review/index.php" method="post" >
409
            <div class="form">
                <h3>Select reviews by professor</h3>
410
411
                <input class="professor-select" placeholder="professor_id"><br>
412
                413
               414
415
                <input type="submit" value="Submit">
416
           </div>
            <div class="right details">
417
418
           </div>
419
        </form>
420
421
        <form id="form-select-class-review" action="../review/index.php" method="post" >
           <div class="form">
422
423
                <h3>Select reviews by class</h3>
                <input class="class-select" placeholder="class_id"><br>
424
425
426
                <input type="submit" value="Submit">
427
           </div>
428
            <div class="right details">
429
            </div>
430
431
432
        <form id="form-select-student-review" action="../review/index.php" method="post" >
           <div class="form">
433
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\test.html
                <h3>Select reviews made by ucid</h3>
                <label>UCID:</label><input type="text" placeholder="ucid" name="ucid" class="</pre>
435
    input-box">
436
                <br><input type="submit" value="Submit">
437
            </div>
            <div class="right details">
438
439
            </div>
      </form>
440
441
        <form id="form-delete-student-review" action="../review/remove.php" method="post" >
442
            <div class="form">
443
444
                <h3>Delete review</h3>
445
                <label>UCID:</label><input type="text" placeholder="review_id" name="review_id"</pre>
     class="input-box">
446
                <br><input type="submit" value="Submit">
447
            </div>
448
            <div class="right details">
449
            </div>
450
        </form>
451
452 </div>
453 <div class="results-panel">
454
        <div class="results">
455
            <h3>Results</h3>
456
            457
            458
        </div>
459 </div>
460 </body>
461 </html>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\group.html
 1 <!DOCTYPE html>
 2 <html lang="en">
 3 <link rel="stylesheet" href="css/styles.css">
 4 <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,700' rel='stylesheet' type
   ='text/css'>
 5 <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.0/jquery.min.js"></script>
 6 <script src="https://code.jquery.com/ui/1.10.4/jquery-ui.js"></script>
 7 <script type="text/javascript" src="js/group.js"></script>
 8 <script type="text/javascript" src="js/main.js"></script>
 9 <script>
10
       getSession(function(response) {
11
           if(response.error) {
12
               window.location.href = "login.html";
13
14
       });
15 </script>
16 <head>
       <meta charset="UTF-8">
17
       <title>Group</title>
18
19 </head>
20 <body>
21
22 <main>
23
       <nav>
24
           <div class="container">
25
               <div class="left">
26
                   <div id="logo">NJIT SOCIAL</div>
27
                   ul id="menu">
28
                       <a href="profile.html">Profile</a>
29
                       <a style="color: #ec2327;" href="group.html">Groups</a>
30
                       <a href="review.html">Reviews</a>
31
                   32
               </div>
               <div class="right">
33
34
                   <span class="logged-in-as">Logged in as <b>tj76</b></span>
35
                   <a href="logout.html">Logout</a>
36
               </div>
37
38
           </div>
39
       </nav>
       <div id="content">
40
41
           <div class="content-left">
42
               <div class="utility-box">
                   <div class="meta-info">
43
44
                       <div class="item">
45
                           <h3 class="name">PHP support group with a very long name</h3>
46
                       </div>
47
48
                       <div class="item">
49
                           <h4><b>0wner</b></h4>
50
                           51
                       </div>
52
53
                       <div class="item">
54
55
                           <h4><b>Focus</b></h4>
                           56
57
                       </div>
58
59
                       <div class="item" style="margin: 0 auto">
                           <button id="meta-edit" type="button">Edit Group</button><br><br>
60
                           <a id="meta-delete" href="#">Delete Group</a>
61
62
                       </div>
63
                       <div style="display: none;" id="meta-update">
64
                           <div class="update-group">
65
                               <h3>Update your group</h3>
                               <form id="form-update-group" action="../group/update.php" method</pre>
   ="post"><br>
67
                                   <label>Group Name</label><br><input type="text" name="
   group_name" class="input-box"><br>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\group.html
                                     <label>Change owner UCID</label><br><input type="text" name</pre>
    ="owner_id" class="input-box"><br>
 69
                                     70
                                     <br>
 71
                                     <button id="close-button">Close</putton>
                                     <input type="submit" value="Submit">
 72
 73
                                 </form>
                             </div>
 74
 75
                         </div>
 76
                     </div>
 77
                 </div>
 78
 79
                 <div class="utility-box">
 80
                     <div class="search-name">
 81
                         <div class="title">Search by name</div>
 82
 83
                         <form id="form-search-group-name" action="search.html" method="get" >
 84
                             <input type="text" placeholder="Name" name="group" class="input-box</pre>
    ">
 85
                             <br><input type="submit" value="Search">
 86
                         </form>
                     </div>
 87
 88
                     <div class="clearfix"></div>
 89
 90
                 </div>
 91
 92
                 <div class="utility-box">
 93
                     <div class="search-interest">
 94
                         <div class="title">Search by interest</div>
 95
                         <hr>
 96
                         <form id="form-search-group-interest" action="search.html" method="get"</pre>
 97
                             <input class="interests-select">
 98
                             <br><input type="submit" value="Search">
 99
                         </form>
                     </div>
100
                     <div class="clearfix"></div>
101
102
                 </div>
103
            </div>
104
105
            <div class="content-middle">
106
107
                 <div class="utility-box">
                     <div class="make-post">
108
109
                         <form id="form-create-post" action="../group/post/create.php" method="</pre>
    post">
110
                             <textarea class="post-input" name="text" placeholder="Make a post!"</pre>
    ></textarea><br>
                             <input type="submit" value="Submit">
111
112
                         </form>
                     </div>
113
114
                     <div class="clearfix"></div>
115
                 </div>
116
                 <div class="posts">
                     <div class="utility-box">
117
118
                     </div>
                 </div>
119
            </div>
120
121
122
            <div class="content-right">
                 <div class="utility-box">
123
                     <div class="your-groups">
124
                         <div class="title">Your Groups</div>
125
126
                         <div class="listing">
127
128
                         </div>
129
                     </div>
                 </div>
130
131
                 <div class="utility-box">
```

<div class="your-recommend-groups">

132

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\login.html
```

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <link rel="stylesheet" href="css/styles.css">
4 <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,700' rel='stylesheet' type
  ='text/css'>
 5 <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.0/jquery.min.js"></script>
6 <script type="text/javascript" src="js/main.js"></script>
7 <script>
8
       getSession(function(response) {
9
          if(!response.error) {
10
               window.location.href = "profile.html";
11
12
       });
13 </script>
14 <head>
15
       <meta charset="UTF-8">
16
       <title>Login</title>
17 </head>
18 <body>
19
20 <main>
21
       <nav>
22
          <div class="container">
23
               <div class="left">
24
                   <div id="logo">NJIT SOCIAL</div>
25
26
               </div>
27
               <div class="right">
28
                   <span class="logged-in-as">Don't have an account?</span>
29
                   <a href="create-account.html">Create an account</a>
30
31
               </div>
32
          </div>
       </nav>
33
34
       <div id="content">
35
          <div class="content-middle">
36
               <div class="utility-box">
37
38
                   <h3>Login</h3>
                   <div class="login">
39
                       <form id="form-login" action="../login/login.php" method="post"><br>
40
                           <label>UCID</label><br><input type="text" name="ucid" class="input-</pre>
41
  box"><br>
                           <label>Password</label><br><input type="password" name="pass" class=</pre>
42
   "input-box"><br>
43
                           <input type="submit" value="Submit">
44
45
                       </form>
46
                   </div>
47
                   <div class="clearfix"></div>
48
               </div>
49
          </div>
50
51
       </div>
52 </main>
53 </body>
54 </html>
```

File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\logout.html

```
1 <!DOCTYPE html>
 2 <html lang="en">
 3 <script type="text/javascript" src="js/main.js"></script>
 4 <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.0/jquery.min.js"></script>
 5 <script>
       end_session(function(response) {
           if(!response.error) {
               window.location.href = "login.html";
 8
 9
10
       })
11 </script>
12 <head>
13
       <meta charset="UTF-8">
       <title>Logout</title>
14
15 </head>
16 <body>
17
18 </body>
19 </html>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\review.html
 1 <!DOCTYPE html>
 2 <html lang="en">
 3 <link rel="stylesheet" href="css/styles.css">
 4 <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,700' rel='stylesheet' type
   ='text/css'>
 5 <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.0/jquery.min.js"></script>
 6 <script src="https://code.jquery.com/ui/1.10.4/jquery-ui.js"></script>
 7 <script type="text/javascript" src="js/review.js"></script>
 8 <script type="text/javascript" src="js/main.js"></script>
 9 <script>
10
       getSession(function(response) {
11
           if(response.error) {
12
               window.location.href = "login.html";
13
14
       });
15 </script>
16 <head>
       <meta charset="UTF-8">
17
       <title>Review</title>
18
19 </head>
20 <body>
21
22 <main>
23
       <nav>
24
           <div class="container">
25
                <div class="left">
26
                   <div id="logo">NJIT SOCIAL</div>
27
                    ul id="menu">
28
                        <a href="profile.html">Profile</a>
                        <a href="group.html">Groups</a><a style=" color: #ec2327;" href="review.html">Reviews</a>
29
30
                    31
32
                </div>
                <div class="right">
33
34
                    <span class="logged-in-as">Logged in as <b>tj76</b></span>
35
                    <a href="logout.html">Logout</a>
36
                </div>
37
38
           </div>
       </nav>
39
       <div id="content">
40
41
           <div class="content-left">
42
                <div class="utility-box">
                   <div class="meta-info">
43
44
                        <div class="item">
45
                            <h3 class="name">Tevin Jeffrey</h3>
46
                        </div>
47
                        <div class="item">
48
                            <h4><b>Average</b></h4>
49
                            </div>
50
51
                    </div>
                </div>
52
                <div class="utility-box">
53
                                    <div class="search-class">
54
55
                        <div class="title">Search by Class</div>
56
                        <br>
                        <form id="form-search-class" action="review.html" method="get" >
57
58
                            <input class="class-select">
59
                            <br><input type="submit" value="Search">
                        </form>
60
                    </div>
61
                    <div class="clearfix"></div>
62
63
64
                </div>
65
                <div class="utility-box">
66
67
                    <div class="search-professor">
```

<div class="title">Search by Professor</div>

<hr>

68

69

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\review.html
                         <form id="form-search-professor" action="review.html" method="get" >
                             <input class="professor-select">
 71
 72
                             <br><input type="submit" value="Search">
 73
                         </form>
 74
                     </div>
 75
                     <div class="clearfix"></div>
 76
 77
                 </div>
 78
            </div>
 79
 80
            <div class="content-middle">
 81
                 <div class="utility-box">
 82
                     <div class="create-review">
 83
                         <h3>Create a review</h3>
 84
                         <form id="form-create-review" action="../profile/create.php" method="</pre>
    post">
 85
                             <label>Professor </label><br><input class="professor-select"</pre>
    placeholder=""><br>
                             <label>Class </label><br><input class="class-select" placeholder=""</pre>
 86
    ><br>
 87
                             <label>Rating (1-10) </label><br>
 88
                             <select name="rating">
                                  <option value="Ĭ">1</option>
 89
                                 <option value="2">2</option>
 90
 91
                                 <option value="3">3</option>
 92
                                 <option value="4">4</option>
 93
                                 <option value="5">5</option>
                                 <option value="6">6</option>
 94
                                  <option value="7">7</option>
 95
 96
                                 <option value="8">8</option>
                                 <option value="9">9</option>
 97
 98
                                 <option value="10">10</option>
 99
                             </select><br>
100
                             <textarea class="textarea" name="text" placeholder="Your review"
    rows="5" cols="30"></textarea><br>
101
102
103
                             <input type="submit" value="Submit"><br><br>
104
                         </form>
                     </div>
105
                 </div>
106
                 <div class="utility-box">
107
108
                     <div class="reviews">
109
110
                     </div>
111
                 </div>
112
            </div>
113
114
            <div class="content-right">
115
116
117
             </div>
        </div>
118
119
        </div>
120 </main>
121 </body>
122 </html>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\search.html
 1 <!DOCTYPE html>
 2 <html lang="en">
 3 link rel="stylesheet" href="css/styles.css">
 4 <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,700' rel='stylesheet' type
   ='text/css'>
 5 <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.0/jquery.min.js"></script>
 6 <script src="https://code.jquery.com/ui/1.10.4/jquery-ui.js"></script>
 7 <script type="text/javascript" src="js/search.js"></script>
 8 <script type="text/javascript" src="js/main.js"></script>
 9 <script>
       /* getSession(function(response) {
10
        if(response.error) {
11
12
        window.location.href = "login.html";
13
14
        });*/
15 </script>
16 <head>
       <meta charset="UTF-8">
17
       <title>Search</title>
18
19 </head>
20 <body>
21
22 <main>
23
       <nav>
           <div class="container">
24
25
               <div class="left">
26
                   <div id="logo">NJIT SOCIAL</div>
                   ul id="menu">
27
28
                       <a href="profile.html">Profile</a>
29
                       <a href="group.html">Groups</a>
                       <a href="review.html">Reviews</a>
30
31
                   32
               </div>
               <div class="right">
33
34
                   <span class="logged-in-as">Logged in as <b>tj76</b></span>
35
                   <a href="logout.html">Logout</a>
36
               </div>
37
38
           </div>
39
       </nav>
       <div id="content">
40
           <div class="content-left">
41
42
           </div>
43
44
45
           <div class="content-middle">
46
               <div class="utility-box">
47
                   <div>Search Results</div>
48
49
                   <div id="search-results">
50
51
                   </div>
52
               </div>
53
           </div>
54
55
```

56

57 58 59

60

61

62 </main>
63 </body>
64 </html>

<div class="content-right">

</div>

</div>

</div>

</div>

</div>

</div>

<div class="item">

<div class="item">

<h4>Class Level</h4>

<h4>Interests/Hobbies</h4>

61

62 63

64

65

66

67 68

69

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\profile.html
                         <div class="item" style="margin: 0 auto">
 71
 72
                             <button id="meta-edit" type="button">Edit Profile</button><br><br>
                             <a id="meta-delete" href="#">Delete Profile</a>
 73
 74
                         </div>
 75
 76
                         <div style="display: none;" id="meta-update">
                             <div class="create-profile">
 77
 78
                                 <h3>Update your profile</h3>
                                 <form id="form-update-profile" action="../profile/update.php"</pre>
 79
    method="post"><br>
 80
                                      <label>First Name</label><br><input id="first-name" type="</pre>
    text" name="first name" class="input-box"><br>
 81
                                      <label>Last Name</label><br><input id="last-name" type="
    text" name="last name" class="input-box"><br>
 82
 83
                                      <label> About </label><br>
 84
                                      <textarea id="about" class="textarea" name="about" rows="5"
     cols="30"></textarea>
 85
 86
                                      <label>Class Level</label><br>
                                      <select id="class-select" class="class-select" name="</pre>
 87
    class_level">
 88
                                          <option selected disabled hidden style='display: none'</pre>
    value=''></option>
                                          <option value="1">Freshman</option>
<option value="2">Sophomore</option>
 89
 90
                                          <option value="3">Junior</option>
 91
                                          <option value="4">Senior</option>
 92
 93
                                      </select><br>
 94
 95
                                      <label>Relationship Status
 96
                                      <select id="relationship-select" class="relationship-select</pre>
      name="relationship">
 97
                                          <option selected disabled hidden style='display: none'</pre>
    value=''></option>
                                          <option value="1">Single</option>
                                          <option value="2">Dating</option>
 99
100
                                          <option value="3">Married</option>
101
                                          <option value="4">Complicated</option>
102
                                      </select><br>
103
104
                                      <label>Gender</label><br>
                                      <select id="gender-select" class="gender-select" name="</pre>
105
    gender">
106
                                          <option selected disabled hidden style='display: none'</pre>
    value=''></option>
107
                                          <option value="1">Male</option>
                                          <option value="2">Female</option>
108
109
                                          <option value="3">0ther</option>
                                      </select> <br>
110
111
                                      <label>Interests </label><br>
112
113
                                      <input class="interests-select"><br>
                                      <div class="interest-list">
114
115
                                      </div>
                                      <br>
116
117
                                      <label>Profile Image </label><br><input type="file"</pre>
    placeholder="file" name="file" class="input-box"><br>
                                      118
                                      <button id="close-button">Close</button>
119
                                      <input type="submit" value="Submit">
120
                                      <div class="clearfix"></div>
121
122
                                  </form>
                             </div>
123
                         </div>
124
125
                     </div>
                 </div>
126
127
128
                 <div class="utility-box">
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\profile.html
                     <div class="search-name">
130
                         <div class="title">Search by name</div>
131
                         <form id="form-search-profile-name" action="search.html" method="get" >
132
                             <input type="text" placeholder="First or last name" name="user"</pre>
133
    class="input-box">
134
                             <br><input type="submit" value="Search">
135
                         </form>
136
                     </div>
                     <div class="clearfix"></div>
137
138
139
                 </div>
140
141
142
                 <div class="utility-box">
143
                     <div class="search-name">
144
                         <div class="title">Search by Interest</div>
145
146
                         <form id="form-search-profile-interest" action="search.html" method="</pre>
    get" >
147
                             <input class="interests-select">
148
                             <br><input type="submit" value="Search">
149
                         </form>
                     </div>
150
151
                     <div class="clearfix"></div>
152
153
                 </div>
154
155
156
            </div>
157
             <div class="content-middle">
158
159
                 <div class="utility-box">
160
                     <div class="make-post">
                         <form id="form-create-post" action="../profile/post/create.php" method=</pre>
161
     "post">
                             <textarea class="post-input" name="text" placeholder="How are you
162
    feeling today?"></textarea><br>
163
                              <input type="submit" value="Submit">
164
                         </form>
                     </div>
165
166
                     <div class="clearfix"></div>
167
                 </div>
                 <div class="posts">
168
169
                     <div class="utility-box">
170
                     </div>
171
                 </div>
172
            </div>
173
174
             <div class="content-right">
175
176
                 <div class="utility-box">
                     <div class="your-groups">
177
178
                         <div class="title">Your Groups</div>
                         <div class="listing">
179
180
                         </div>
181
                     </div>
182
183
                 </div>
184
                 <div class="utility-box">
185
186
                     <div class="your-recommended-people">
                         <div class="title">People You May Like</div>
187
188
                         <div class="listing">
189
190
                         </div>
191
                     </div>
192
                 </div>
193
                 <div class="utility-box">
194
```

```
File-C:\label{lem:condition} File-C:\label{
                                                                                                                                                                                                                                  <div class="your-reviews">
     <div class="title">Reviews</div>
     <div class="listing">
     196
     197
     198
     199
                                                                                                                                                                                                                                                                                 </div>
     200
                                                                                                                                                                                                                                                                                 </div>
     201
                                                                                                                                                                                                                                    </div>
     202
                                                                                                                                                                                   </div>
                                                                                                                                         </div>
     203
                                                                                            </div>
     204
     205 </main>
   206 </body>
207 </html>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\create-account.html
 1 <!DOCTYPE html>
 2 <html lang="en">
 3 <link rel="stylesheet" href="css/styles.css">
 4 <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,700' rel='stylesheet' type
   ='text/css'>
 5 <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.0/jquery.min.js"></script>
 6 <script type="text/javascript" src="js/main.js"></script> 7 <script type="text/javascript" src="js/create-account.js"
                                                                   "></script>
 8
 9 <script>
10
       getSession(function(response) {
11
            if(!response.error) {
12
                window.location.href = "profile.html";
13
14
       });
15 </script>
16 <head>
       <meta charset="UTF-8">
17
       <title>Create an account</title>
18
19 </head>
20 <body>
21
22 <main>
23
       <nav>
24
            <div class="container">
25
                <div class="left">
26
                    <div id="logo">NJIT SOCIAL</div>
27
28
                </div>
29
                <div class="right">
30
                    <span class="logged-in-as">You're not logged in.</span>
                    <a href="login.html">Log in</a>
31
32
33
                </div>
34
            </div>
35
       </nav>
       <div id="content">
36
37
            <div class="content-middle">
38
                <div class="utility-box">
39
                    <h3>Create an account</h3>
                    <div class="create-profile">
40
                         <form id="form-create-account" action="../login/create-no-njit.php"</pre>
41
   method="post"><br>
42
                             <label>UCID:</label><br><input type="text" name="ucid" class="input-</pre>
   box"><br>
43
                             <label>UCID Password:</label><br><input type="password" name="</pre>
   ucid_pass" class="input-box"><br>
44
                             <label>Username:</label><br><input type="text" name="user name"
   class="input-box"><br>
45
                             <label>Create Password:</label><br><input type="password" name="</pre>
   user pass" class="input-box"><br>
46
                             <label>Email:</label><br><input type="email" name="email" class="</pre>
   input-box"><br><br>
47
                             48
                             <input type="submit" value="Submit">
49
                         </form>
                    </div>
50
                    <div class="clearfix"></div>
51
                </div>
52
53
            </div>
54
55
       </div>
56 </main>
57 </body>
58 </html>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\create-profile.html
 1 <!DOCTYPE html>
 2 <html lang="en">
 3 <link rel="stylesheet" href="css/styles.css">
 4 <link href='https://fonts.googleapis.com/css?family=Open+Sans:400,700' rel='stylesheet' type
   ='text/css'>
 5 <script src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.0/jquery.min.js"></script>
 6 <script src="https://code.jquery.com/ui/1.10.4/jquery-ui.js"></script>
 7 <script type="text/javascript" src="js/create-profile.js"></script>
 8 <script type="text/javascript" src="js/main.js"></script>
10 <head>
       <meta charset="UTF-8">
11
12
       <title>Profile</title>
13 </head>
14 <body>
15
16 <main>
17
       <nav>
           <div class="container">
18
                <div class="left">
19
20
                    <div id="logo">NJIT SOCIAL</div>
21
22
                </div>
23
                <div class="right">
24
                    <span class="logged-in-as">Logged in as <b>tj75</b></span>
                    <a href="logout.html">Log out</a>
25
26
27
                </div>
28
           </div>
29
       </nav>
       <div id="content">
30
31
32
           <div class="content-middle">
33
                <div class="utility-box">
34
                    <h3>Create a profile</h3>
35
                    <div class="create-profile">
                        <form id="form-create-profile" action="../profile/create.php" method="</pre>
36
   post"><br>
37
                            <label>First Name</label><br><input id="first-name" type="text" name</pre>
   ="first_name" class="input-box"><br>
                            <label>Last Name/label><br><input id="last-name" type="text" name="</pre>
38
   last_name" class="input-box"><br>
39
40
                            <label> About </label><br>
                            <textarea id="about" class="textarea" name="about" rows="5" cols="30</pre>
41
   "></textarea>
42
43
                            <label>Class Level</label><br>
44
                            <select id="class-select" class="class-select" name="class level">
45
                                <option selected disabled hidden style='display: none' value=''>
   </option>
46
                                <option value="1">Freshman</option>
                                <option value="2">Sophomore</option>
47
48
                                <option value="3">Junior</option>
                                <option value="4">Senior</option>
49
                            </select><br>
50
51
                            <label>Relationship Status</label><br>
52
                            <select id="relationship-select" class="relationship-select" name="</pre>
53
   relationship">
54
                                <option selected disabled hidden style='display: none' value=''>
   </option>
55
                                <option value="1">Single</option>
56
                                <option value="2">Dating</option>
                                <option value="3">Married</option>
57
58
                                <option value="4">Complicated</option>
59
                            </select><br>
60
61
                            <label>Gender</label><br>
                            <select id="gender-select" class="gender-select" name="gender">
62
```

File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\create-profile.html

```
<option selected disabled hidden style='display: none' value=''</pre>
  ></option>
64
                             <option value="1">Male</option>
                             <option value="2">Female</option>
65
66
                              <option value="3">0ther</option>
67
                          </select> <br>
68
69
                          <label>Interests </label><br>
70
                          <input class="interests-select"><br>
71
                          <div class="interest-list">
72
                          </div>
73
                          <br>
74
                          <label>Profile Image </label><br><input type="file" placeholder="</pre>
   file" name="file" class="input-box"><br><br>
                          75
76
                          <input type="submit" value="Submit">
77
                      </form>
78
                  </div>
79
                  <div class="clearfix"></div>
80
              </div>
          </div>
81
82
      </div>
83
84 </main>
85 </body>
86 </html>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\main.js
 1 $(document).ready(function(){
 3
        var $form_login = $('#form-login');
 4
 5
        $form login.submit(function() {
 6
            var $this = $(this);
 7
            postRequest($(this), function(response) {
 8
                if (response.error) {
 9
                    $(".result").text("Your credentials are not correct")
10
                } else {
11
                    start_session(response.account.ucid, $this.serializeArray()[1].value);
12
                     if (response.account.profile != null) {
13
                         window.location.href = "profile.html"
                    } else {
14
15
                         window.location.href = "create-profile.html";
                    }
16
17
                }
            });
18
19
20
            return false
21
        });
22
23
24 });
25
26 var qs = (function(a) {
27    if (a == "") return {};
       var b = \{\};
28
29
        for (var i = 0; i < a.length; ++i)
30
31
            var p=a[i].split('=', 2);
            if (p.length == 1)
32
                b[p[0]] = "";
33
34
            else
35
                b[p[0]] = decodeURIComponent(p[1].replace(/\+/g, " "));
36
37
        return b;
38 })(window.location.search.substr(1).split('&'));
39
40 var submitAction = function(){
        postRequest($(this));
41
42
        return false;
43 };
44
45 var submitMultipartAction = function(){
46
        postMultipartRequest($(this));
47
        return false;
48 };
49
50 function onSelectInterest($form) {
        return function( event, ui ) {
   var interest_id = "interest-" + ui.item.interest_id;
51
52
            var button_id = "button-" + ui.item.interest_id;
53
54
            // Create a shadow input field that will be transferred to the server.
55
56
            var input = $('<input id="'+interest_id+'">').attr({'type':'hidden', 'name':'
   interests[]'}).val(ui.item.interest_id);
57
            // Add it to the form to be submitted. Problem, there's no way to remove a selection
   once selected.
58
            $form.append($(input));
59
60
            // Empty the box after select
            $form.find('.interests-select').val("");
61
62
            // Display the selected value
63
            var $button = $('<button id="'+button_id+'" style="margin-right: 5px;" type="button
64
   " disabled="disabled" name="'+interest_id+'">');
            /* $button.click(function(){
65
             $('#'+button_id+'').remove();
66
             $('#'+interest_id+'').remove()
67
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\main.js
              });*/
            $form.find(".interest-list").append($button.text(ui.item.label));
 69
 70
 71
            return false;
 72
        }
 73 }
 74
 75 function onSelectSingleInterest($form) {
 76
        return function( event, ui ) {
 77
            // Create a shadow input field that will be transferred to the server.
            var input = $("<input>").attr({'type':'hidden', 'name':'interest'}).val(ui.item.
 78
    interest id);
 79
            // Add it to the form to be submitted. Problem, there's no way to remove a selection
     once selected.
 80
            $form.append($(input));
 81
            return false;
 82
        }
 83 }
 84
 85
 86
 87 function onSelectProfessor($form) {
 88
        return function( event, ui )
            // Create a shadow input field that will be transferred to the server.
 89
 90
            var input = $("<input>").attr({'type':'hidden', 'name':'professor'}).val(ui.item.
    professor_id);
 91
            // Add it to the form to be submitted. Problem, there's no way to remove a selection
     once selected.
 92
            $form.append($(input));
 93
            return false;
 94
        }
 95 }
 96
 97 function onSelectClass($form) {
        return function( event, ui ) {
 98
 qq
            // Create a shadow input field that will be transferred to the server.
100
            var input = $("<input>").attr({'type':'hidden', 'name':'class'}).val(ui.item.
    class_id);
            // Add it to the form to be submitted. Problem, there's no way to remove a selection
101
     once selected.
102
            $form.append($(input));
103
            return false;
104
        }
105 }
106
107 function postRequest($form, callback) {
108
        $.post($form.attr('action'), $form.serialize(), function(response, status, xhr){
109
                 console.log(response);
                 callback(JSON.parse(résponse));
110
111
            },'text')
             .fail(function(xhr, textStatus, errorThrown) {
112
113
                 console.log(xhr.responseText);
114
                 callback(JSON.parse(xhr.responseText));
115
            });
116 }
117
118 function postMultipartRequest($form, callback) {
119
        var formData = new FormData($form[0]);
120
        $.ajax({
            url: $form.attr('action'),
type: 'POST',
121
122
            data: formData,
123
124
            async: true,
            cache: false,
125
            contentType: false,
126
127
            processData: false,
128
            success: function(response, status, xhr){
129
                 callback(xhr.responseText)
130
            error : function(xhr, textStatus, errorThrown) {
131
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\main.js
                 callback(xhr.responseText)
133
134
        });
135
        return false
136 }
137
138 function start_session(ucid, pass) {
        console.log("-->Starting Session");
139
        $.post('php/login.php', 'ucid='+ucid+'&pass='+pass, function(response, status, xhr){
140
141
                 console.log(response);
             },'json')
142
143
             .fail(function(xhr, textStatus, errorThrown) {
144
                 console.log(xhr.responseText);
145
             });
146 }
147
148 function getSession(callback) {
149
        console.log("-->Getting Session");
150
        $.ajax({
151
             url: 'php/getlogin.php',
             type: 'GET'
152
            async: false, cache: false,
153
154
             contentType: false,
155
156
             processData: false,
157
             success: function(response, status, xhr){
158
                 console.log(JSON.parse(xhr.responseText));
                 callback(JSON.parse(xhr.responseText))
159
160
             },
161
             error : function(xhr, textStatus, errorThrown) {
162
                 callback(JSON.parse(xhr.responseText))
163
             }
164
        });
165 }
166
167 function end_session(callback) {
        console.log("-->Ending Session");
168
169
        $.ajax({
             url: 'php/logout.php',
type: 'GET',
170
171
             async: false,
172
173
             cache: false,
174
             contentType: false,
175
             processData: false,
176
             success: function(response, status, xhr){
177
                 callback(JSON.parse(xhr.responseText))
178
             },
179
             error : function(xhr, textStatus, errorThrown) {
180
                 callback(JSON.parse(xhr.responseText))
181
             }
182
        });
183 }
184
185
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\test.js
 1 $(document).ready(function(){
        var $results = $('.output');
$results.text("no data");
 3
 4
 5
 6
        var submitAction = function(){
            $results.text("Talking to server...");
 7
 8
            postRequest($(this));
 9
            return false;
10
11
12
        var submitMultipartAction = function(){
            $results.text("Talking to server...");
13
14
            postMultipartRequest($(this));
15
            return false;
16
        };
17
18
        function postRequest($form) {
            $.post($form.attr('action'), $form.serialize(), function(response, status, xhr){
19
20
                     $results.text(xhr.responseText)
                 },'json')
21
22
                 .fail(function(xhr, textStatus, errorThrown) {
23
                     $results.text(xhr.responseText)
                 });
24
            return false
25
26
        }
27
        function postMultipartRequest($form) {
28
29
            var formData = new FormData($form[0]);
30
            $.ajax({
31
                 url: $form.attr('action'),
                 type: 'POST'
32
33
                 data: formData,
34
                 async: true,
35
                 cache: false,
                 contentType: false,
36
                 processData: false,
37
38
                 success: function(response, status, xhr){
39
                     $results.text(xhr.responseText)
40
41
                 error : function(xhr, textStatus, errorThrown) {
42
                     $results.text(xhr.responseText)
43
44
            });
45
            return false
46
47
48
        var $form_create_account = $('#form-create-account');
        var $form_create_account_no_njit = $('#form-create-account-no-njit');
49
50
        var $form_login_account = $('#form-login-account');
        var $form_delete_account = $('#form-delete-account');
51
52
        var $form_create_profile = $('#form-create-profile');
var $form_update_profile = $('#form-update-profile');
53
54
        var $form_select_profile = $('#form-select-profile');
55
56
        var $form_search_profile_interest = $('#form-search-profile-interest');
        var $form_search_profile_name = $('#form-search-profile-name');
57
        var $form_search_profile_ucid = $('#form-search-profile-ucid');
58
59
        var $form_create_post = $('#form-create-post');
        var $form_remove_post = $('#form-remove-post');
60
61
62
        var $form_select_group = $('#form-select-group');
        var $form_delete_group = $('#form-delete-group');
63
64
        var $form_search_group_name = $('#form-search-group-name');
65
        var $form_search_group_interest = $('#form-search-group-interest');
66
        var $form_list_group = $('#form-list-group');
        var $form_create_group = $('#form-create-group');
var $form_update_group = $('#form-update-group');
67
68
69
        var $form_create_group_post = $('#form-create-group-post');
70
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\test.js
        var $form create review = $('#form-create-review');
        var $form_select_review = $('#form-select-review');
 72
 73
        var $form_select_class_review = $('#form-select-class-review');
 74
        var $form_select_student_review = $('#form-select-student-review');
 75
        var $form_delete_student_review = $('#form-delete-student-review');
 76
 77
 78
 79
        $form_create_account.submit(submitAction);
 80
        $form_create_account_no_njit.submit(submitAction);
 81
        $form_login_account.submit(submitAction);
 82
        $form delete account.submit(submitAction);
 83
 84
        $form_create_profile.submit(submitMultipartAction);
 85
        $form update profile.submit(submitMultipartAction);
        $form_select_profile.submit(submitAction);
 86
 87
        $form_search_profile_interest.submit(submitAction);
 88
        $form_search_profile_name.submit(submitAction);
 89
        $form_search_profile_ucid.submit(submitAction);
 90
        $form_create_post.submit(submitAction);
 91
        $form_remove_post.submit(submitAction);
 93
        $form_select_group.submit(submitAction);
 94
        $form delete group.submit(submitAction);
 95
        $form_search_group_name.submit(submitAction);
 96
        $form_search_group_interest.submit(submitAction);
 97
        $form_create_group.submit(submitAction);
 98
        $form_update_group.submit(submitAction);
 99
        $form_create_group_post.submit(submitAction);
100
        $form_list_group.submit(submitAction);
101
102
        $form_create_review.submit(submitAction);
103
        $form_select_review.submit(submitAction);
104
        $form_select_class_review.submit(submitAction);
105
        $form_select_student_review.submit(submitAction);
106
        $form_delete_student_review.submit(submitAction);
107
108
        $form_create_profile.find('.interests-select').autocomplete({
109
            source: "../interests.php",
110
            minLength: 2,
111
            // When option is selected
112
            select: onSelectInterest($form_create_profile)
113
        });
114
        115
116
117
            minLength: 2,
118
            // When option is selected
119
            select: onSelectInterest($form_update_profile)
120
        });
121
        122
123
124
            minLength: 2,
125
            // When option is selected
126
            select: onSelectSingleInterest($form_search_profile_interest)
127
        });
128
129
        $form_create_group.find(".interests-select").autocomplete({
            source: "../interests.php",
130
131
            minLength: 2,
132
            // When option is selected
133
            select: onSelectInterest($form_create_group)
134
        });
135
136
        $form_update_group.find(".interests-select").autocomplete({
            source: "../interests.php",
137
            minLength: 2,
138
139
            // When option is selected
140
            select: onSelectInterest($form_update_group)
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\test.js
        });
142
143
        $form_search_group_interest.find(".interests-select").autocomplete({
144
            source: "../interests.php",
145
            minLength: 2,
146
            // When option is selected
147
            select: onSelectSingleInterest($form_search_group_interest)
        });
148
149
        $form_create_review.find(".class-select").autocomplete({
150
            source: "../classes.php",
151
152
            minLength: 2,
153
            // When option is selected
154
            select: onSelectClass($form_create_review)
155
        });
156
157
        $form_create_review.find(".professor-select").autocomplete({
            source: "../professors.php",
158
159
            minLength: 2,
160
            // When option is selected
161
            select: onSelectProfessor($form_create_review)
162
        });
163
164
        $form select review.find(".professor-select").autocomplete({
            source: "../professors.php",
165
166
            minLength: 2,
167
            // When option is selected
            select: onSelectProfessor($form_select_review)
168
169
170
171
        $form_select_class_review.find(".class-select").autocomplete({
            source: "../classes.php",
172
173
            minLength: 2,
174
            // When option is selected
175
            select: onSelectClass($form_select_class_review)
        });
176
177
178
        function onSelectInterest($form) {
179
            return function( event, ui ) {
180
                 // Create a shadow input field that will be transferred to the server.
                 var input = $("<input>").attr({'type':'hidden', 'name':'interests[]'}).val(ui.
181
    item.interest_id);
182
                 // Add it to the form to be submitted. Problem, there's no way to remove a
    selection once selected.
183
                 $form.append($(input));
184
                 // Empty the box after select
                 $form.find('.interests-select').val("");
185
186
                 // Display the selected value
                 $form.find(".interest-list").append($('').text(ui.item.label));
187
188
                 return false;
189
            }
190
        }
191
192
        function onSelectSingleInterest($form) {
            return function(event, ui) {
    // Create a shadow input field that will be transferred to the server.
193
194
                 var input = $("<input>").attr({'type':'hidden', 'name':'interest'}).val(ui.item
195
    .interest_id);
196
                 // Add it to the form to be submitted. Problem, there's no way to remove a
    selection once selected.
197
                 $form.append($(input));
198
                 return false;
            }
199
200
        }
201
202
        function onSelectProfessor($form) {
203
             return function( event, ui ) {
204
                 // Create a shadow input field that will be transferred to the server.
205
                 var input = $("<input>").attr({'type':'hidden', 'name':'professor_id'}).val(ui.
    item.professor_id);
```

```
// Add it to the form to be submitted. Problem, there's no way to remove a
    selection once selected.
207
               $form.append($(input));
208
               return false;
209
           }
       }
210
211
       function onSelectClass($form) {
212
213
           return function( event, ui ) {
               // Create a shadow input field that will be transferred to the server.
214
215
               var input = $("<input'>").attr({'type':'hidden', 'name':'class_id'}).val(ui.item
    .class_id);
216
               // Add it to the form to be submitted. Problem, there's no way to remove a
    selection once selected.
217
               $form.append($(input));
218
               return false;
219
           }
220
       }
221 });
222
```

```
File-C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\group.js
 1 $(document).ready(function() {
        var logged_in_ucid;
 3
        var pass;
 4
        var isAdmin;
 5
 6
        getSession(function(response) {
 7
            logged_in_ucid = response.message.ucid;
 8
            pass = response.message.pass;
 9
            isAdmin = response.message.admin;
10
            $(".logged-in-as").text("Logged in as " + logged_in_ucid);
11
12
13
            if (qs['id'] != null) {
14
                 LoadGroup(qs['id']);
15
            } else {
16
                CreateGroup(logged_in_ucid);
17
            }
18
19
            GetProfileGroups(logged_in_ucid, function(response) {
20
                console.log(response);
21
                GetGroups(response.account);
22
                GetRecommendedGroups(response.account)
23
24
            })
25
        });
26
27
        function CreateGroup() {
28
            console.log("Create group");
29
            $('.make-post').parent().hide();
$('.meta-info').parent().hide();
30
31
32
33
            var $createGroup = $('<div></div>').load("elements/group-create.html", function (
   content, status, xhr) {
34
35
                 var $form = $('#form-create-group');
                var $owner = $("<input>").attr({'type':'hidden', 'name':'ucid'}).val(
36
   logged_in_ucid);
37
                 $form.append($owner);
                 $form.submit(function() {
38
39
40
                     postRequest($form, function(response) {
41
                         if (!response.error) {
42
                             var group_id = response.account.profile.groups_own[0].id;
43
                             window.location.href = 'group.html?id=' + group_id;
44
                         } else {
45
                             $('.result').text(response.message);
46
47
                     });
48
                     return false;
49
                });
                $form.find(".interests-select").autocomplete({
    source: "../interests.php",
50
51
52
                     minLength: 2,
53
                     // When option is selected
54
                     select: onSelectInterest($form)
55
                });
56
57
            });
58
59
            $('.content-middle .utility-box').append($createGroup);
60
61
            function checkInput($input) {
                 if (\sin val() == '' || \sin val() == null || \sin val() == undefined) {
62
                     $('.result').text('Must provide all fields');
63
64
                     validation_failed = true;
65
                }
            }
66
67
        }
68
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\group.js
 70
         function LoadGroup(id) {
 71
             console.log("Load group " + id);
 72
             var $form_create_post = $('#form-create-post');
var from = $("<input>").attr({'type':'hidden', 'name':'from_ucid'}).val(
 73
 74
    logged_in_ucid);
             var group_id = $("<input>").attr({'type':'hidden', 'name':'group_id'}).val(id);
 75
 76
             $form_create_post.append(from);
 77
             $form_create_post.append(group_id);
 78
             $form_create_post.submit(function(){
 79
                 postRequest($(this), function(response) {
 80
                      if (!response.error) {
 81
                          window.location.reload(false);
 82
                      } else {
 83
                          alert(response.message);
 84
 85
                 });
 86
                 return false;
 87
             });
 88
 89
             GetGroup(id, function(response) {
 90
                  console.log(response);
 91
                 if (response.error) {
                      window.location.href = "404.html";
 92
 93
                 }
 94
                 var group = response.group
 95
 96
                 $('.meta-info .name').text(group.name);
 97
 98
                 $('.meta-info .owner-name').append('<a href="profile.html?id='+group.ownerUcid+</pre>
     '">'+group.ownerUcid+'</a>');
 99
100
                 for (var i in group.interests) {
101
                      $(".meta-info .interests").append(document.createTextNode(group.interests[i
     ].name + "
                 }
102
103
                 var $delete_group = $('#meta-delete');
104
                 var $edit_group = $('#meta-edit');
105
106
107
                  if (group.ownerUcid != logged_in_ucid && !isAdmin) {
108
                      $delete_group.hide();
109
                      $edit_group.hide();
110
                 }
111
112
                 $delete_group.click(function() {
113
                      var bool = confirm("Are you sure?");
                      if (bool == true) {
114
115
                          alert("Deleting group not implemented yet. Uncomment to enable!");
116
117
                 });
118
119
                  $edit group.click(function() {
                      $group_update.show();
$group_update.find('.result').text("");
120
121
122
                      $group_update.dialog("open");
123
                 });
124
125
                 for (var j in group.posts) {
126
127
                      console.log(group.posts[j]);
128
                      MakePost(group, group.posts[j])
129
                 }
130
131
                 if (group.posts == 0) {
132
                      $('.posts .utility-box').text("There are no posts here, try making one!");
133
                 }
134
             });
         }
135
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\group.js
137
         function MakePost(group, postData) {
              var postId ='post-' + postData.id;
138
              var postDiv = '<div id="' + postId + '"></div>';
139
             var $postV = 'ddv' td=' postId' / ydv',
var $post = $(postDiv).load("elements/post.html", function (content, status, xhr) {
    $("#" + postId + " .post-header img").attr("src", postData.posted_by.image);
    $("#" + postId + " .profile-link").attr("href", "profile.html?id="+postData.")
140
141
142
    posted_by.ucid)
143
                       .text(postData.posted_by.first_name + " " + postData.posted_by.last_name);
                  $("#" + postId + " .date").text(postData.timeStamp);
144
145
146
                  $("#" + postId + " .post-body p").text(postData.postText);
147
148
                  // Delete post
149
                  var $delete_post = $("#" + postId + " .post-delete");
150
                  $delete_post.click(function(){
151
                       var bool = confirm("Are you sure");
152
                           if (bool == true) {
153
                                DeletePost(postData.id, function(response) {
154
                                window.location.reload(false);
155
                           })
156
                       }
157
                  });
158
159
                  if (postData.posted_by.ucid != logged_in_ucid) {
160
                       $delete_post.hide();
161
                  }
162
163
                  if (group.ownerUcid == logged_in_ucid || isAdmin) {
164
                       $delete_post.show();
165
166
167
168
169
              });
$(".posts .utility-box").append($post);
170
171
              // Does not work
172
173
174
              // console.log(JSON.stringify(postDiv));
175
         }
176
177
         function GetGroups(account) {
178
              var $your_groups = $('.your-groups .listing');
179
180
              for (var i in account.profile.groups_own) {
181
                  $your_groups.append(MakeGroupListing(account.profile.groups_own[i]));
182
183
184
              if ((account.profile.groups_own).length == 0) {
185
                  $('.your-groups .title').text('You have no groups, try creating one!');
186
              }
187
         }
188
189
         function GetRecommendedGroups(account) {
190
              var $your recommended groups = $('.your-recommend-groups .listing');
191
192
              for (var i in account.profile.recommend groups) {
193
                  var group = account.profile.recommend_groups[i];
194
                  $your_recommended_groups.append(MakeGroupListing(group));
              }
195
196
197
              if ((account.profile.recommend_groups).length == 0) {
198
                  $('.your-recommend-groups .title').text('You have no recommended groups. Try
     adding some hobbies.');
199
              }
200
201
202
         function MakeGroupListing(group) {
203
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\group.js
            var $listing = $('<div class="group-listing"></div>');
            $listing.append('<a href="group.html?id='+group.id+'">'+group.name+'</a>');
205
206
207
            var string = "";
208
            if (group.reason != undefined) {
                 string = "Because you like " + group.reason;
209
210
            } else {
                 string = "Focused on ";
211
212
                 for (var i in group.interests) {
                     string += group.interests[i].name + ", "
213
214
215
216
                 string = string.slice(0, -2);
217
                 if (group.interests.length == 0) {
218
219
                     string = ""
220
                 }
221
222
            $listing.append(''+string+'');
223
            return $listing
224
        }
225
226
        var $group_update = $('#meta-update');
227
228
        $group_update.dialog({
229
            autoOpen: false, modal:true
230
231
232
        $group_update.dialog('option', 'position', 'center');
233
234
        $('#close-button').click(function() {
235
            $group_update.hide();
236
237
238
        var $form_group_update = $('#form-update-group');
        var $group_id = $("<input>").attr({'type':'hidden', 'name':'group_id'}).val(qs['id']);
239
240
        $form_group_update.append($group_id);
241
        $form_group_update.submit(function () {
242
            postRequest($form_group_update, function(response) {
243
                 if (!response.error) {
244
                     window.location.reload(false);
245
                 } else {
246
                     $('.result').text(response.message);
247
248
            });
249
            return false;
250
        });
251
252
253
        var $form_search_group_interest = $('#form-search-group-interest');
        $form_search_group_interest.append($("<input>").attr({'type':'hidden', 'name':'type'}).
254
    val("group"));
        $form_search_group_interest.find(".interests-select").autocomplete({
255
            source: "../interests.php",
256
257
            minLength: 2,
258
            // When option is selected
259
            select: onSelectSingleInterest($form_search_group_interest)
260
261 });
262
263 function GetProfileGroups(ucid, callback) {
264
        var params = {
265
            ucid:ucid,
266
            signed_in_ucid:ucid,
            recommend_groups:true,
267
268
            groups_in:true,
269
            groups own:true};
270
271
        callback(JSON.parse($.ajax({
            type: "POST",
272
```

```
File - C: \label{lem:condition} File - C: \label{lem:condition} Level open the work \label{lem:condition} Level open the lev
                                                                                                     url: '../profile/index.php',
data: $.param(params),
async: false
   274
   275
  276
277 }
                                                                       }).responseText));
   278
   279 function GetGroup(id, callback) {
   280
                                                                      var params = {
     281
                                                                                                       group_id:id};
   282
                                                                     callback(JSON.parse($.ajax({
    type: "POST",
    url: '../group/index.php',
    data: $.param(params),
    async: false
   283
   284
     285
   286
   287
     288
                                                                       }).responseText));
   289 }
```

```
File-C: \label{lem:condition} File-C: \label{lem:condition} Level open on the condition of the condition o
   1 $(document).ready(function() {
                var logged_in_ucid;
   3
                var pass;
   4
                var isAdmin;
   5
   6
                getSession(function(response) {
   7
                        logged_in_ucid = response.message.ucid;
   8
                        pass = response.message.pass;
   9
                        isAdmin = response.message.admin;
 10
                        $(".logged-in-as").text("Logged in as " + logged_in_ucid);
 11
 12
                        if (qs['class'] != null) {
 13
 14
                                 LoadByClass(qs['class']);
                        } else if (qs['professor'] != null) {
 15
                                 LoadByProfessor(qs['professor']);
 16
 17
                        } else {
 18
                                 LoadNormal()
 19
 20
                });
 21
                function LoadByClass(classId) {
   console.log("Loading class "+ classId);
 22
 23
                        $('.create-review').parent().hide();
 24
 25
                        GetClassReviews(classId, function(response) {
 26
                                 console.log(response);
 27
                                 $('.meta-info .name').text(response.class.name);
                                 $('.meta-info .average').text(response.class.average);
 28
 29
                                 var reviews = response.class.reviews;
 30
                                 if (reviews.length == 0) {
 31
                                          $('.reviews').text("This class have no reviews, try making one")
                                 } else {
 32
 33
                                         for (var i in reviews) {
 34
                                                  MakeClassReview(false, reviews[i]);
 35
                                 }
 36
 37
 38
                        })
 39
 40
 41
                function LoadByProfessor(professorId) {
 42
 43
                        console.log("Loading professor "+ professorId);
                        $('.create-review').parent().hide();
 44
 45
                        GetProfessorReviews(professorId, function(response) {
 46
                                 console.log(response);
                                 $('.meta-info .name').text(response.professor.name);
$('.meta-info .average').text(response.professor.average);
 47
 48
                                 var reviews = response.professor.reviews;
 49
 50
                                 if (reviews.length == 0) {
 51
                                         $('.reviews').text("This professor have no reviews, try making one.")
 52
                                 } else {
 53
                                         for (var i in reviews) {
 54
                                                  MakeProfessorReview(false, reviews[i]);
 55
 56
                                 }
 57
 58
                        })
 59
                }
 60
 61
 62
                function LoadNormal() {
 63
                        $('.meta-info').parent().hide();
                        console.log("Loading user review "+ logged_in_ucid);
 64
 65
                        GetUserReviews(logged_in_ucid, function(response) {
                                 console.log(response.reviews);
 66
 67
                                 var reviews = response.reviews.reviews;
 68
                                 if (reviews.length == 0) {
 69
                                         $('.reviews').text("You have no reviews, try making one")
 70
                                 } else {
```

```
File - C: \label{lem:cs-490} File - C: \label{lem:cs-490} I even \label{lem:cs-490} I even \label{lem:cs-490} File - C: \label{lem:cs-490} I even 
                                         $('.reviews').append('<h3>Your Reviews</h3><br>');
  72
                                         for (var i in reviews) {
  73
                                                 MakeNormalReview(true, reviews[i]);
   74
   75
                                }
                        })
   76
   77
                }
   78
   79
                function MakeClassReview(creator, review) {
   80
                         console.log("Making review from " + review)
                        var id = review.id;
   81
   82
                        var professorId = review.professor id;
   83
                        var professorName = review.professor_name;
   84
                        var reviewClass = review.class;
   85
                        var classId = review.class_id;
                        var rating = review.rating;
   87
                        var review = review.review;
   88
                        var reviewId = 'review-' + id;
   89
                        var reviewDiv = '<div id="' + reviewId + '"></div>';
   90
   91
   92
                        var $review = $(reviewDiv).load("elements/review.html", function (content, status,
         xhr) {
   93
                                 $("#" + reviewId + " .score").text(rating);
                                 $("#" + reviewId + " .heading a").attr("href", "review.html?professor=" +
   94
        professorId).text(professorName);
   95
                                 $("#" + reviewId +
                                                                         ' .subheading a").attr("href", "review.html?class=" +
         classId).text("");
   96
  97
                                 $("#" + reviewId + " .review-content p").text(review);
  98
  99
                                 // Delete review
                                 var $delete_review = $("#" + reviewId + " .delete");
101
                                 $delete_review.click(function () {
102
                                         var bool = confirm("Are you sure");
103
                                         if (bool == true) -
                                                 DeleteReview(id, function (response) {
104
105
                                                         if (!response.error) {
106
                                                                 $review.hide();
107
                                                         } else {
108
                                                                 alert(response.message);
109
110
                                                 })
                                         }
111
                                 });
112
113
114
                                 $delete_review.hide();
115
                                 if (creator || isAdmin) {
116
117
                                         $delete_review.show();
                                 }
118
119
                        });
$(".reviews").append($review);
120
121
122
123
                function MakeProfessorReview(creator, review) {
124
                        var id = review.id;
125
                        var professorId = review.professor_id;
126
                        var professorName = review.professor_name;
127
                        var reviewClass = review.class;
128
                        var classId = review.class_id;
129
                        var rating = review.rating;
130
                        var review = review.review;
131
132
                        var reviewId = 'review-' + id;
                        var reviewDiv = '<div id="' + reviewId + '"></div>';
133
134
135
                        var $review = $(reviewDiv).load("elements/review.html", function (content, status,
        xhr) {
                                 $("#" + reviewId + " .score").text(rating);
136
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\review.js
                 $("#" + reviewId + " .subheading a").attr("href", "review.html?professor=" +
    professorId).text("");
                 $("#" + reviewId + " .heading a").attr("href", "review.html?class=" + classId).
    text(reviewClass);
139
                 $("#" + reviewId + " .review-content p").text(review);
140
141
142
                 // Delete review
143
                 var $delete_review = $("#" + reviewId + " .delete");
144
                 $delete_review.click(function () {
                     var bool = confirm("Are you sure");
145
146
                     if (bool == true) {
147
                         DeleteReview(id, function (response) {
148
                              if (!response.error) {
149
                                  $review.hide();
150
                              } else {
151
                                  alert(response.message);
152
                              }
153
                         })
154
                     }
155
                 });
156
157
                 $delete_review.hide();
158
159
                 if (creator || isAdmin) {
                     $delete_review.show();
160
161
                 }
            });
$(".reviews").append($review);
162
163
164
165
166
        function MakeNormalReview(creator, review) {
167
             console.log("Making review from " + review);
168
             var id = review.id;
169
             var professorId = review.professor_id;
170
             var professorName = review.professor_name;
             var reviewClass = review.class;
171
172
             var classId = review.class_id;
173
             var rating = review.rating;
174
             var review = review.review;
175
176
             var reviewId = 'review-' + id;
             var reviewDiv = '<div id="' + reviewId + '"></div>';
177
178
179
             var $review = $(reviewDiv).load("elements/review.html", function (content, status,
    xhr) {
                 $("#" + reviewId + " .score").text(rating);
$("#" + reviewId + " .heading a").attr("href", "review.html?professor=" +
180
181
    professorId).text(professorName);
182
                 $("#" + reviewId + " .subheading a").attr("href", "review.html?class=" +
    classId).text(reviewClass);
183
                 $("#" + reviewId + " .review-content p").text(review);
184
185
186
                 // Delete review
187
                 var $delete review = $("#" + reviewId + " .delete");
                 $delete_review.click(function () {
188
189
                     var bool = confirm("Are you sure");
190
                     if (bool == true) {
191
                         DeleteReview(id, function (response) {
192
                              if (!response.error) {
193
                                  $review.hide();
194
                              } else {
195
                                  alert(response.message);
196
197
                         })
198
                     }
                 });
199
200
                 $delete review.hide();
201
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\review.js
                   if (creator || isAdmin) {
203
204
                       $delete_review.show();
205
             });
$(".reviews").append($review);
206
207
208
209
         var $form_search_class = $('#form-search-class');
$form_search_class.find(".class-select").autocomplete({
210
211
              source: "../classes.php",
212
213
              minLength: 2,
214
              // When option is selected
215
              select: onSelectClass($form_search_class)
216
         });
217
         var $form_search_professor = $('#form-search-professor');
$form_search_professor.find(".professor-select").autocomplete({
218
219
              source: "../professors.php",
220
221
              minLength: 2,
222
              // When option is selected
223
              select: onSelectProfessor($form_search_professor)
224
         });
225
226 });
227
228
229
230 function DeleteReview(reviewid, callback) {
231
         var params = {
232
              review_id:reviewid};
233
234
         callback(JSON.parse($.ajax({
              type: "POST",
url: '../review/remove.php',
235
236
              data: $.param(params),
237
238
              async: false
239
         }).responseText));
240 }
241
242
243 function GetUserReviews(ucid, callback) {
244
         var params = {
245
              ucid:ucid};
246
247
         callback(JSON.parse($.ajax({
              type: "POST",
url: '../review/index.php',
248
249
              data: $.param(params),
250
251
              async: false
252
         }).responseText));
253 }
254
255
256 function GetClassReviews(id, callback) {
257
         var params = {
258
              class_id:id};
259
         callback(JSON.parse($.ajax({
260
              type: "POST",
url: '../review/index.php',
261
262
              data: $.param(params),
263
264
              async: false
265
         }).responseText));
266 }
267
268 function GetProfessorReviews(id, callback) {
269
         var params = {
270
              professor_id:id};
271
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\search.js
 1 $(document).ready(function(){
 3
        var logged_in_ucid;
 4
        var pass;
 5
        var isAdmin;
 6
 7
        getSession(function(response) {
 8
            logged_in_ucid = response.message.ucid;
 9
            pass = response.message.pass;
10
            isAdmin = response.message.admin;
11
12
            $(".logged-in-as").text("Logged in as " + logged in ucid);
13
        });
14
15
        console.log(qs['user']);
16
        if (qs['user'] != null) {
17
            SearchUserName(qs['user'])
        } else if (qs['interest'] != null) {
   if (qs['type'] === "profile") {
18
19
            SearchUserInterest(qs['interest'])
} else if (qs['type'] === "group") {
20
21
22
                SearchGroupInterests(qs['interest'])
23
24
        } else if (qs['group'] != null) {
25
           SearchGroupName(qs['group'])
26
27
28
29
        function SearchUserName(name) {
30
            SearchProfile(name, function(response) {
31
                 if (!response.error) {
32
                     for (var i in response.profiles) {
33
                         $('#search-results').append(MakeProfile(response.profiles[i]));
34
                     }
35
                }
36
            });
37
        }
38
39
        function SearchUserInterest(interest) {
            SearchProfileInterest(interest, function(response) {
40
41
                 if (!response.error) {
42
                     for (var i in response.profiles) {
                         $('#search-results').append(MakeProfile(response.profiles[i]));
43
44
45
                }
46
            });
47
        }
48
49
        function SearchGroupName(name) {
50
            SearchGroup(name, function(response) {
51
                 if (!response.error) {
52
                     for (var i in response.groups) {
                         $('#search-results').append(MakeGroup(response.groups[i]));
53
54
55
56
            });
57
        }
58
59
        function SearchGroupInterests(interest) {
60
            SearchGroupInterest(interest, function(response) {
61
                if (!response.error) {
62
                     for (var i in response.groups) {
                         $('#search-results').append(MakeGroup(response.groups[i]));
63
                     }
64
65
66
            });
67
68
69
        function MakeProfile(person) {
            var $listing = $('<div class="generic-listing"></div>');
70
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\search.js
           $listing.append('<a href=profile.html?id='+person.ucid+'> <img src="'+person.image+
    '"></a>');
 72
           var $right = $('<div class="right"></div>');
 73
           74
 75
 76
            $right.append(''+person.username+'');
 77
            $listing.append($right);
 78
            $listing.append('<div class="clearfix"></div>');
 79
 80
            return $listing
 81
 82
 83
        function MakeGroup(group) {
 84
           var $listing = $('<div class="generic-listing"></div>');
            85
 86
 87
            $listing.append('<a style="font-size: 12px; color: #757575;" href="profile.html?
    id='+group.ownerId+'"> Owner: '+group.ownerUcid+'</a>');
 88
 89
            $listing.append('<div class="clearfix"></div>');
 90
            return $listing
 91
 92 });
 93
 94 function SearchProfile(name, callback) {
 95
        var params = {
 96
           name: name};
 97
 98
        callback(JSON.parse($.ajax({
           type: "POST",
url: '../profile/search.php',
 99
100
           data: $.param(params),
101
102
           async: false
        }).responseText));
103
104 }
105
106 function SearchProfileInterest(interest, callback) {
        var params = {
107
108
            interest:interest};
109
110
        callback(JSON.parse($.ajax({
           type: "POST",
url: '../profile/search.php',
111
112
           data: $.param(params),
113
114
           async: false
115
        }).responseText));
116 }
117
118 function SearchGroup(name, callback) {
119
        var params = {
120
            keyword:name};
121
        callback(JSON.parse($.ajax({
122
           type: "POST",
url: '../group/search.php',
123
124
           data: $.param(params),
125
126
           async: false
127
        }).responseText));
128 }
129
130 function SearchGroupInterest(interest, callback) {
131
        var params = {
132
            interest:interest};
133
134
        callback(JSON.parse($.ajax({
135
            type: "POST",
           url: '../group/search.php',
136
137
           data: $.param(params),
           async: false
138
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\profile.js
 1 $(document).ready(function(){
 3
        var logged_in_ucid;
 4
        var pass;
 5
        var isAdmin;
 6
 7
        getSession(function(response) {
 8
            logged_in_ucid = response.message.ucid;
 9
            pass = response.message.pass;
10
            isAdmin = response.message.admin;
11
12
            $(".logged-in-as").text("Logged in as " + logged in ucid);
13
14
            if (qs['id'] != null) {
15
                 LoadProfile(qs['id']);
16
17
                 LoadProfile(logged_in_ucid);
18
            }
19
        });
20
21
        var $form_create_post = $('#form-create-post');
22
        var to_ucid;
23
        var from_ucid = logged_in_ucid;
        if (qs['id'] != null) {
24
25
            to_ucid = qs['id'];
26
        } else {
27
            to_ucid = logged_in_ucid;
28
29
        var to = $("<input>").attr({'type':'hidden', 'name':'to_ucid'}).val(to_ucid);
var from = $("<input>").attr({'type':'hidden', 'name':'from_ucid'}).val(from_ucid);
30
31
32
        $form_create_post.append(to);
33
        $form_create_post.append(from);
34
        $form_create_post.submit(function(){
            postRequest($(this), function(response) {
35
36
                 if (!response.error) {
37
                     window.location.reload(false);
38
                 } else {
39
                     alert(response.message);
40
41
            });
42
            return false;
43
        });
44
45
46
        function LoadProfile(ucid) {
    console.log("Load ucid " + ucid);
47
48
49
            GetProfile(ucid, function(response) {
50
                 console.log(response);
51
52
                 if (response.account == undefined) {
53
                     window.location.href = "404.html";
54
55
56
                 if (response.account.profile == null && qs['id'] == null) {
57
                     console.log("Profile not created yet");
                          window.location.href = "create-profile.html";
58
59
                 }
60
61
                 var account = response.account;
                 var profile = account.profile;
62
63
                 // Set display image
64
                 if (profile.image == null) {
                     profile.image = "http://i.imgur.com/cIiHMjg.png";
65
66
                 }
67
                 document.title = profile.first_name + " " + profile.last_name + " - " + account.
68
   ucid;
69
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\profile.js
                $(".display-image img").attr("src", profile.image);
 71
 72
                // Set full name
 73
                $(".meta-info .name").text(profile.first_name + " " + profile.last_name);
 74
 75
                 // Set about me
 76
                $(".meta-info .about").text(profile.about);
 77
 78
                 // Set email
 79
                $(".meta-info .email").text(account.email);
 80
 81
                 // Set class
 82
                $(".meta-info .class").text(profile.class_level);
 83
 84
                // Set relationship status
 85
                $(".meta-info .relationship").text(profile.relationship);
 86
 87
                // Set gender
 88
                $(".meta-info .gender").text(profile.gender);
 89
 90
                var $delete_profile = $('#meta-delete');
                var $edit_profile = $('#meta-edit');
 91
 92
 93
                if (account.ucid != logged_in_ucid && !isAdmin) {
 94
                     $delete_profile.hide();
 95
                     $edit_profile.hide();
 96
 97
 98
                 $delete_profile.click(function() {
 99
                    var bool = confirm("Are you sure?");
100
                     if (bool == true) {
101
                         alert("Deleting profile not implemented yet. Uncomment to enable!");
102
                });
103
104
105
                $edit_profile.click(function() {
                     $profile_update.show();
106
                     $profile_update.find('.result').text("");
107
108
                     $profile_update.dialog("open");
109
                });
110
111
                for (var i in profile.interests) {
                    112
                   "));
    [i].name +
113
114
115
                if (Object.keys(profile.posts).length == 0) {
116
                     $(".posts .utility-box").text("There are no posts here yet. Try making one
117
                }
118
119
                for (var j in profile.posts) {
120
                    MakePost(account, profile.posts[j])
121
122
123
                // If the logged in user is viewing their own page
124
                if (account.ucid == logged_in_ucid) {
125
                     GetGroups(account);
126
                     GetRecommendedPeople(account)
                } else {
    $('.your-groups').parent().hide();
    $('.your-recommended-people').parent().hide();
127
128
129
130
131
132
                GetReviews(account)
133
            });
134
135
136
        function MakePost(account, postData) {
            var postId ='post-' + postData.id;
137
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\profile.js
             var postDiv = '<div id="' + postId + '"></div>'
             var $post = $(postDiv).load("elements/post.html", function (content, status, xhr) {
139
                 $("#" + postId + " .post-header img").attr("src", postData.posted_by.image);
$("#" + postId + " .profile-link").attr("href", "profile.html?id="+postData.")
140
141
    posted_by.ucid)
                      .text(postData.posted_by.first_name + " " + postData.posted_by.last_name);
142
143
                  $("#" + postId + " .date").text(postData.timeStamp);
144
145
                  $("#" + postId + " .post-body p").text(postData.postText);
146
147
                  // Delete post
148
                  var $delete post = $("#" + postId + " .delete");
149
                  $delete_post.click(function(){
150
                      var bool = confirm("Are you sure");
151
                      if (bool == true) {
152
                          DeletePost(postData.id, function(response) {
153
                              window.location.reload(false);
154
                          })
155
                      }
                  });
156
157
158
                  if (postData.posted_by.ucid != logged_in_ucid) {
159
                      $delete_post.hide();
160
161
162
                  if (account.ucid == logged_in_ucid || isAdmin) {
163
                      $delete_post.show();
164
165
166
167
             });
$(".posts .utility-box").append($post);
168
169
170
171
             // Does not work
172
173
             // console.log(JSON.stringify(postDiv));
174
175
176
         function GetProfile(ucid, callback) {
177
             var params = {
178
                  ucid:ucid,
179
                  signed_in_ucid:ucid,
180
                  profile:true,
181
                  interests:true,
182
                  reviews:true,
183
                  recommend_people:true,
184
                  recommend_groups:true,
185
                  groups_in:true,
186
                  groups_own:true,
187
                  posts:true};
188
189
             callback(JSON.parse($.ajax({
                  type: "POST",
190
                  url: '../profile/index.php',
191
                 data: $.param(params),
async: false
192
193
194
             }).responseText));
195
         }
196
197
         function GetGroups(account) {
198
             var $your_groups = $('.your-groups .listing');
199
200
             for (var i in account.profile.groups_own) {
201
                  $your_groups.append(MakeGroupListing(account.profile.groups_own[i]));
202
             }
203
204
             if ((account.profile.groups_own).length == 0) {
205
                  $('.your-groups .title').text('You have no groups, try creating one!');
             }
206
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\profile.js
207
208
        function GetRecommendedPeople(account) {
209
210
            var $your_groups = $('.your-recommended-people .listing');
211
212
            for (var i in account.profile.recommend_people) {
213
                $your_groups.append(MakePeopleListing(account.profile.recommend_people[i]));
214
215
        }
216
217
        function GetReviews(account) {
218
            var $your reviews = $('.your-reviews .listing');
219
220
            for (var i in account.reviews) {
                $your_reviews.append(MakeReviewListing(account.reviews[i]));
221
222
            }
223
224
            if (account.reviews.length == 0) {
225
                $('.your-reviews').append('<a href="review.html">Make a review</a>')
226
227
        }
228
229
230
231
        function MakeGroupListing(group) {
232
            var $listing = $('<div class="group-listing"></div>');
233
            $listing.append('<a href="group.html?id='+group.id+'">'+group.name+'</a>');
234
235
            var string = "Focused on ";
236
            for (var i in group.interests) {
                string += group.interests[i].name + ", "
237
            }
238
239
240
            string = string.slice(0, -2);
241
            if (group.interests.length == 0) {
                string = ""
242
243
244
245
            $listing.append(''+string+'');
246
            return $listing
247
        }
248
249
        function MakePeopleListing(person) {
            var $listing = $('<div class="generic-listing"></div>');
250
            $listing.append('<a href=profile.html?id='+person.ucid+'> <img src="'+person.image+
251
    '"></a>');
252
253
            var $right = $('<div class="right"></div>');
            254
255
256
            $right.append(''+person.username+'');
257
258
            $listing.append($right);
259
            $listing.append('<div class="clearfix"></div>');
260
            return $listing
261
262
263
        function MakeReviewListing(review) {
            var $listing = $('<div class="review"></div>');
264
265
            var $rating = $('<div style="margin-right: 8px" class="score">'+review.rating+'
266
    div>');
267
            var $professor = $('<div class="heading"><a href="review.html?professor='+review.")</pre>
268
    professor_id+'">'+review.name+'</a></div>');
269
           var $class = $('<div class="subheading"><a href="review.html?class='+review.")</pre>
    class id+'">'+review.class+'</a></div>');
270
271
            var $reviewText = $(''+review.review+'');
272
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\profile.js
             $listing.append($rating);
274
             $listing.append($professor);
275
             $listing.append($class);
276
             $listing.append($reviewText);
             $listing.append('<div class="clearfix"></div>');
277
278
             return $listing
279
        }
280
281
        function DeletePost(postid, callback) {
282
             var params = {
283
                 post_id:postid};
284
            callback(JSON.parse($.ajax({
285
                 type: "POST",
url: '../profile/post/remove.php',
286
287
                 data: $.param(params),
288
289
                 async: false
290
            }).responseText));
291
        }
292
293
        function DeleteProfile(ucid, callback) {
294
            var params = {
295
                 ucid:ucid};
296
297
             callback(JSON.parse($.ajax({
298
                 type: "POST",
url: '../login/remove.php',
299
                 data: $.param(params),
300
301
                 async: false
302
            }).responseText));
303
304
305
        var $profile_update = $('#meta-update');
306
307
        $profile_update.dialog({
308
            autoOpen: false, modal:true
309
310
311
        $('#close-button').click(function() {
312
             $profile_update.hide();
        });
313
314
315
        var form_ucid = $("<input>").attr({'type':'hidden', 'name':'ucid'}).val(logged_in_ucid)
316
        var $form_update_profile = $('#form-update-profile');
317
        $form_update_profile.append(form_ucid);
        $form_update_profile.submit(function(){
318
319
             postMultipartRequest($(this), function(response) {
320
                 if (!response.error) {
321
                     window.location.reload(false);
                 } else {
322
323
                     alert(response.message);
324
325
            });
326
             return false;
327
328
329
        $form_update_profile.find(".interests-select").autocomplete({
             source: "../../interests.php",
330
331
            minLenath: 2.
332
             // When option is selected
333
             select: onSelectInterest($form_update_profile)
        });
334
335
336
337
        var $form_search_profile_interest = $('#form-search-profile-interest');
338
        $form search profile interest.append($("<input>").attr({'type':'hidden', 'name':'type'}
    ).val("profile"));
339
        $form_search_profile_interest.find(".interests-select").autocomplete({
            source: "../interests.php",
340
```

```
1 $(document).ready(function(){
2    var $form_create_account = $('#form-create-account');
          $form_create_account.submit(function(){
  var $this = $(this);
  postRequest($(this), function(response) {
    if (!response)
 3
 4
 5
 6
                        if (!response.error) {
                             start_session(response.account.ucid, $this.serializeArray()[3].value);
window.location.href = 'create-profile.html'
 7
 8
                       } else {
    $('.result').text(response.message);
 9
10
11
12
                 });
13
                 return false;
14
           });
15 });
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\js\create-profile.js
 1 $(document).ready(function(){
 3
        var ucid;
 4
        var pass;
 5
 6
        getSession(function(response) {
 7
            ucid = response.message.ucid;
 8
            pass = response.message.pass;
 9
10
            $(".logged-in-as").text("Logged in as " + ucid);
11
        });
12
13
        var $form_create_profile = $('#form-create-profile');
14
15
        var validation_failed = false;
16
17
        $form_create_profile.submit(function(){
18
            checkInput($form_create_profile.find('#first-name'));
            checkInput($form_create_profile.find('#last-name'));
19
            checkInput($form_create_profile.find('#about'));
20
            checkInput($form_create_profile.find('#class-select'));
21
            checkInput($form_create_profile.find('#relationship-select'));
checkInput($form_create_profile.find('#gender-select'));
22
23
24
25
            if (validation_failed) {
26
                return false;
            }
27
28
            var $from = $("<input>").attr({'type':'hidden', 'name':'ucid'}).val(ucid);
29
30
            $form_create_profile.append($from);
31
            postMultipartRequest($(this), function(response) {
32
                if (!response.error) {
33
                    window.location.href = 'profile.html'
34
                } else {
35
                     $('.result').text(response.message);
36
37
            });
38
            return false;
39
        });
40
41
        $form_create_profile.find(".interests-select").autocomplete({
42
            source: "../../interests.php",
43
            minLength: 2,
44
            // When option is selected
45
            select: onSelectInterest($form_create_profile)
46
47
48
        function checkInput($input) {
            if ($input.val() == '' || $input.val() == null || $input.val() == undefined) {
49
                $('.result').text('Must provide all fields');
50
51
                validation_failed = true;
52
            }
53
        }
54 });
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\css\test.css
 2 body {
 3
        font-family: 'Open Sans', sans-serif;
 4
        padding: 2%;
 5
   }
 6 label {
 7
        display: block;
 8 }
 9
10 h4 {
        margin: 0;
11
12 }
13
14 .left {
15
        position: relative;
        float : left;
16
17
        top: 0;
        left: 0;
height: 100%;
width: 50%;
18
19
20
21 }
22
23 .form {
24
        float : left;
25
        width: 50%;
26 }
27
28 form {
        display: block;
margin-bottom: 70px;
29
30
        width: 100%;
31
32
        float: left;
33 }
34
35 .right {
        float : right;
36
37
        width: 50%;
38 }
39
40 .right .details {
41
        margin-top: 50px;
42
        margin-inside: auto;
43 }
44
45 .results {
46
        padding: 50px;
47 }
48
49 .results-panel {
        position: fixed; top: 0; right: 0; height: 100%; float: right; width: 50%; background-
  color: #f0f0f0;overflow-y:scroll;
51
        overflow-x:hidden;
52 }
53
54 pre {
        white-space: pre-wrap; /* CSS 3 */
white-space: -moz-pre-wrap; /* Mozilla, since 1999 */
55
56
57
        word-wrap: break-word;
                                        /* Internet Explorer 5.5+ */
58 }
59
60 /*jQuery UI autocomplete for bootstrap*/
61 .ui-autocomplete {
62
        position: absolute;
63
        top: 100%;
        left: 0;
z-index: 1000;
64
65
66
        float: left;
67
        display: none;
68
        min-width: 160px;
        _width: 160px;
69
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\css\test.css
```

```
padding: 4px 0;
margin: 2px 0 0 0;
 71
 72
        list-style: none;
        background-color: #ffffff;
73
 74
        border-color: #ccc;
border-color: rgba(0, 0, 0, 0.2);
 75
 76
        border-style: solid;
 77
        border-width: 1px;
 78
        -webkit-border-radius: 5px;
 79
        -moz-border-radius: 5px;
        border-radius: 5px;
 80
        -webkit-box-shadow: 0 5px 10px rgba(0, 0, 0, 0.2);
81
 82
        -moz-box-shadow: 0 5px 10px rgba(0, 0, 0, 0.2);
83
        box-shadow: 0 5px 10px rgba(0, 0, 0, 0.2);
 84
        -webkit-background-clip: padding-box;
 85
        -moz-background-clip: padding;
 86
        background-clip: padding-box;
 87
        *border-right-width: 2px;
 88
        *border-bottom-width: 2px;
 89 }
 90
 91 .ui-autocomplete .ui-menu-item > a.ui-corner-all {
 92
        display: block;
        padding: 3px 15px;
 93
 94
        clear: both;
 95
        font-weight: normal;
line-height: 18px;
96
        color: #555555;
97
98
        white-space: nowrap;
99 }
100
101 .ui-autocomplete .ui-menu-item > a.ui-corner-all.ui-state-hover, .ui-autocomplete .ui-menu-
    item > a.ui-corner-all.ui-state-active, .ui-autocomplete .ui-menu-item > a.ui-corner-all.ui
    -state-focus {
102
        color: #ffffff;
        text-decoration: none;
103
104
        background-color: #0088cc;
105
        border-radius: 0px;
106
        -webkit-border-radius: 0px;
107
        -moz-border-radius: 0px;
        background-image: none;
108
109 }
110
111 .ui-helper-hidden-accessible { display:none; }
```

```
File-C: \label{lem:cs-490} File-C: \label{lem:
   2
                       margin: 0;
   3
                       box-sizing: border-box;
    4
                       outline: none;
    5 }
   6
   7 body {
   8
                       background-color: #f5f1f1;
   9
                       font-family: 'Open Sans', sans-serif;
 10 }
 11
 12 h3 {
 13
                       font-size: 20px;
                       color: #ec2327;
 14
 15 }
 16
 17 h4 {
 18
                       font-size: 14px;
                       color: #757575;
 19
 20 }
 21
 22 h6 {
 23
                       font-size: 12px;
 24
                       color: #919191;
 25 }
 26
 27 ul {
 28
                       list-style-type: none;
 29 }
 30
 31 span {
 32
                       font-size: 12px;
 33
                       color: #919191;
 34 }
 35
 36 a {
 37
                       color: #ec2327;
38
                       text-decoration: none;
 39
                       font-weight: bold;
 40
                       font-size: 15px;
 41 }
 42
 43 a:hover {
 44
                       text-decoration: underline;
45 }
 46
 47 label {
                       font-size: 14px;
color: #757575;
 48
 49
 50
                       font-weight: bold;
 51 }
 52
 53 textarea {
                       resize: none;
 54
                      padding: 5px;
height: 70px;
width: 100%;
 55
 56
 57
                       border-radiús: 5px;
 58
 59
                       border: #e7dddd 1px solid;
                       background-color: #f5f1f1;
font-size: 15px;
 60
 61
 62
                       margin-bottom: Śpx;
 63 }
 64
 65 select {
66
                       resize: none;
 67
                       padding: 5px;
 68
                       border-radius: 5px;
 69
                       border: #e7dddd 1px solid;
                       background-color: #f5f1f1;
 70
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\css\styles.css
         font-size: 15px;
 72
         margin-bottom: 15px;
 73 }
 74
 75
 76 input {
 77
         resize: none;
 78
         padding: 5px;
 79
         border-radius: 5px;
         border: #e7dddd 1px solid;
 80
 81
         background-color: #f5f1f1;
 82
         font-size: 13px;
         margin-bottom: 15px;
 83
 84 }
 85
 86 p {
 87
         font-size: 14px;
 88
         color: #757575;
 89 }
 91 button {
        padding:8px 20px;
background-color: #757575;
 92
 93
 94
         color: white;
 95
         border: 0 none;
 96
         cursor:pointer;
 97
         -webkit-border-radius: 5px;
         border-radius: 5px;
 98
 99
         font-weight: bold;
100 }
101
102 input[type=submit]:hover {
103
         background-color: #d80003;
104 }
105
106 nav {
107
        margin: 0 auto;
108
         padding: 0;
        height: 100px;
width: 100%;
109
110
111
         background-color: white;
         border-bottom: #e7dddd 1px solid;
112
113 }
114
115 nav .container {
116
         margin: 0 auto;
117
         vertical-align: middle;
118
         width: 960px;
119 }
120
121 nav .left {
         padding-top: 35px;
122
         float: left;
123
124 }
125
126 nav .right {
         padding-top: 25px;
127
128
         float: right;
129 }
130 /*
         Profile
131
132
133
134 div#logo {
         vertical-align: middle;
135
136
         margin-right: 30px;
137
         display: inline-block;
138 }
139
140 ul#menu {
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\css\styles.css
        display: inline-block;
142
        padding: 0;
143 }
144
145 ul#menu li {
        display: inline;
146
147
        margin-right: 40px;
148 }
149
150
151 ul#menu li a {
        color: #757575;
152
153 }
154
155 #content {
156
        padding-top: 20px;
157
        margin: 0 auto;
158
        width: 960px;
159 }
160
161 .utility-box {
        border-radius: 5px;
162
163
        border: #e7dddd 1px solid;
        background-color: white;
164
165
        margin-bottom: 15px;
166
        padding: 12px;
167 }
168
169 .review .score {
170
        font-size: 40px;
171
        color: #757575;
172
        font-weight: bold;
173
        width: 40px;
        float: left;
174
175 }
176
177 .subheading a {
178
        word-wrap: break-word;
        color: #757575;
179
        width:342px;
180
181 }
182
183 .review-content {
        margin-top: 8px;
184
185 }
186
187 .right {
188
        float: left;
        display: inline-block;
189
190
        margin-left: 15px;
191 }
192
193 .review {
194
        margin-bottom: 5%;
195
        position: relative;
196 }
197
198 .meta-info h3 {
199
        margin-bottom: 3%;
200 }
201
202 .meta-info .item {
203
        margin-bottom: 5%;
204 }
205
206 .display-image img {
207
        border-radius: 5px;
208
        margin-bottom: 3%;
209
        width: 100%;
210 }
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\css\styles.css
211 #meta-update {
        background-color: white;
212
213
        padding: 10%;
214
        border-radius: 5px;
215
        box-shadow: 0px 0px 50px 1px #888888;
216 }
217
218 .listing .group-listing {
219
        margin-top: 8px;
220 }
221
222 .generic-listing {
223
        margin-top: 8px;
224 }
225
226 .generic-listing .right {
227
        float: left;
228
        display: inline-block;
229
        margin-left: 10px;
230 }
231
232
233 .generic-listing img {
        float: left;
234
235
        display: inline-block;
236
        border-radius: 5px;
237
        position: relative;
        top: 0;
238
239
        height: 50px;
240
        width: 50px;
241 }
242
243 .make-post textarea {
244
        resize: none;
        padding: 5px;
height: 70px;
245
246
247
        width: 100%;
248
        border-radius: 5px;
249
        border: #e7dddd 1px solid;
250
        background-color: #f5f1f1;
251
        font-size: 15px;
252
        margin-bottom: 5px;
253 }
254
255 input[type=submit] {
256
        padding:8px 20px;
        background-color: #ec2327;
257
258
        color: white;
        border:0 none;
259
260
        cursor:pointer;
        -webkit-border-radius: 5px;
261
        border-radius: 5px;
262
263
        font-weight: bold;
264
        float: right
265 }
266
267 .content-left {
268
        display: inline-block;
269
        width: 25%;
        float: left;
270
        margin-right: 10px;
271
272 }
273
274 .content-middle{
275
        display: inline-block;
        margin: 0 auto;
276
277
        width: 48%;
278 }
279
280 .content-right {
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\css\styles.css
         display: inline-block;
         width: 25%;
282
283
         float: right;
284 }
285
286 .post {
287
         margin-bottom: 10%;
288 }
289
290 #posts-wrapper {
291
        width: 500px;
292
         margin: 0 auto;
293 }
294
295 .post-body p {
296
        word-wrap: break-word;
297 }
298 .post-header {
299     position: relative;
300
         height: 60px;
301
         width: 100%;
302 }
303
304 .post-header img {
305
         position: relative;
306
         border-radius: 5px;
float: left;
307
         top: 0;
308
         display: inline-block;
309
        height: 50px; width: 50px;
310
311
312 }
313
314 .post-header .right {
315
        margin-left: 10px;
         float: left;
316
317
         display: inline-block;
318
         height: 60px;
319
         width: auto;
         overflow: hidden;
320
321 }
322
323 .modifiers {
         position: absolute;
324
         top: Opx;
325
326
         right: 0px;
327 }
328
329 .modifiers a {
330
         color: #757575;
331
         font-weight: normal;
332
         font-size: 11px;
333 }
334
335
336 .post-header .right span {
337
         font-size: 12px;
338
         color: #919191;
339 }
340
341 .clearfix {
342
         clear: both;
343 }
344
345
346 /*jQuery UI autocomplete for bootstrap*/
347 .ui-autocomplete {
348
         position: absolute;
349
         top: 100%;
         left: 0;
350
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\css\styles.css
        z-index: 1000;
        float: left;
352
353
        display: none;
354
        min-width: 160px;
355
        _width: 160px;
        padding: 4px 0;
margin: 2px 0 0 0;
356
357
358
        list-style: none;
359
        background-color: #ffffff;
360
        border-color: #ccc;
        border-color: rgba(0, 0, 0, 0.2);
361
362
        border-style: solid;
        border-width: 1px;
363
364
        -webkit-border-radius: 5px;
365
        -moz-border-radius: 5px;
366
        border-radius: 5px;
367
        -webkit-box-shadow: 0 5px 10px rgba(0, 0, 0, 0.2);
        -moz-box-shadow: 0 5px 10px rgba(0, 0, 0, 0.2);
368
        box-shadow: 0 5px 10px rgba(0, 0, 0, 0.2);
369
370
        -webkit-background-clip: padding-box;
371
        -moz-background-clip: padding;
372
        background-clip: padding-box;
373
        *border-right-width: 2px;
374
        *border-bottom-width: 2px;
375 }
376
377 .ui-autocomplete .ui-menu-item > a.ui-corner-all {
378
        display: block;
379
        padding: 3px 15px;
380
        clear: both;
381
        font-weight: normal;
382
        line-height: 18px;
383
        color: #555555;
384
        white-space: nowrap;
385 }
386
387 .ui-autocomplete .ui-menu-item > a.ui-corner-all.ui-state-hover, .ui-autocomplete .ui-menu-
    item > a.ui-corner-all.ui-state-active, .ui-autocomplete .ui-menu-item > a.ui-corner-all.ui
    -state-focus {
388
        color: #ffffff;
389
        text-decoration: none;
390
        background-color: #ec2327;
391
        border-radius: 0px;
392
        -webkit-border-radius: 0px;
        -moz-border-radius: 0px;
393
394
        background-image: none;
395 }
396
397 .ui-dialog-titlebar-close {
398
        visibility: hidden;
399 }
400
401 .ui-helper-hidden-accessible { display:none; }
402
403 .ui-dialog {
        position: absolute;
404
405 }
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\php\login.php

1 <?php
2 session_start();
3
4 $ucid = isset($_POST['ucid'])?$_POST['ucid']:'';
5 $password = isset($_POST['pass'])?$_POST['pass']:'';
6
7 if (empty($ucid)) {
8         die(json_encode(['message' => "Bad Request - Must provide the ucid to save session", 'error' => true]));
9 }
10
11 $_SESSION['ucid'] = $ucid;
12 $_SESSION['pass'] = $password;
13
14 die(json_encode(['message' => "Session started with ucid = $ucid", 'error' => false]));
15
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\session\php\login.php
 1 <?php
 2 session_start();
 3 include 'common.php';
 4 ?>
 5 <!DOCTYPE html>
 6 <html>
 7 <body>
 8 <div>
 9
        <form id="form-login-account" method="post">
             <div class="form">
10
                  <h3>Login into account</h3>
11
                  <label>UCID:</label><input type="text" placeholder="ucid" name="ucid" class="</pre>
12
    input-box">
                  <label>Password:</label><input type="password" placeholder="pass" name="pass"</pre>
13
   class="input-box"><br><br>
14
                  <input type="submit" value="Submit">
15
             </div>
16
             <div class="right details">
17
             <?php
18
                  if ($ SERVER['REQUEST METHOD'] === 'POST') {
                      if (empty($_POST['ucid']) || empty($_POST['pass'])) {
   echo "Your ucid or password is empty";
19
20
                           exit(-1);
21
22
23
                      $result = login($_POST['ucid'], $_POST['pass']);
24
                      if ($result["error']) {
25
                           echo "":
                           echo $result['message'];
echo "";
26
27
28
                      } else {
                           $_SESSION['ucid'] = $result['account']['ucid'];
header('Location: '.URL.'php/profile.php?ucid='.$result['account']['ucid
29
30
    ']);
31
                      }
32
                 }
             ?>
33
34
             </div>
35
        </form>
36 </div>
```

37 </body> 38 </html>

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\session\php\common.php
 1 <?php
 3 define('URL', 'http://localhost/site/session/');
 4
 5 function login($username, $password) {
        $fields = "ucid=$username&pass=$password";
        $result = json_decode(postRequest("https://web.njit.edu/~tj76/api/login/login.php", [],
   $fields), true);
 8
        return $result;
 9 }
10
11 function getProfile($ucid, $signed in ucid) {
12
        $fields = "ucid=$ucid&signed_in_ucid=$signed_in_ucid&profile=true";
13
        $result = postRequest('https://web.njit.edu/~tj76/api/profile/index.php', [], $fields);
14
        return json_decode($result, true);
15 }
16
17 function postRequest($url, $headers, $fields) {
        $ch = curl_init();
18
        curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_USERAGENT, 'Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1
19
20
   ; .NET CLR 1.1.4322)');
        curl_setopt($ch, CURLOPT_RETURNTRANSFER, 1);
21
        curl_setopt($ch, CURLOPT_POST, 1);
22
        curl_setopt($ch, CURLOPT_FOLLOWLOCATION, TRUE);
curl_setopt($ch, CURLOPT_CONNECTTIMEOUT, 5);
curl_setopt($ch, CURLOPT_TIMEOUT, 5);
23
24
25
        curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, false);
26
        curl_setopt($ch, CURLOPT_POSTFIELDS, $fields);
27
28
        curl_setopt($ch, CURLOPT_HTTPHEADER, $headers);
29
        $data = curl_exec($ch);
30
        $err = curl_error($ch);
31
        curl_close($ch);
32
        if ($err) {
            return "cURL Error #:" . $err;
33
34
        } else {
35
            return $data;
36
37 }
38
```

```
File - C: \label{lem:condition} File - C: \label{lem:condition} Lemma - C: \label{lem:condition} 
       1 <?php
      2 session_start();
      3 ?>
      4 <!DOCTYPE html>
      5 <html lang="en">
      6 <head>
                                    <meta charset="UTF-8">
      8
                                   <title>Profile</title>
      9 </head>
  10 <body>
  11 <?php
  12
  13 include 'common.php';
  14
  15 $signed_in_ucid = isset($_SESSION['ucid'])?$_SESSION['ucid']:'';
  16 $ucid = isset($_GET['ucid'])?$_GET['ucid']:'';
  17
 18 $result = getProfile($ucid, $signed_in_ucid);
19 $first_name = $result['account']['profile']['first_name'];
20 $last_name = $result['account']['profile']['last_name'];
  21 $gender = $result['account']['profile']['gender'];
  22 echo "<h2> $first_name $last_name </h2>";
23 echo "<h4>Gender: $gender </h4>";
  24
  25 ?>
  26
  27 </body>
  28 </html>
```

```
File - C:\Users\Tevin\Desktop\Development\Homework\CS-490\api\site\elements\post.html
 1 <div class="post">
        <div class="post-header">
             <img src="https://scontent.xx.fbcdn.net/v/t1.0-1/p160x160/</pre>
   57A82AF9" >
             <div class="right">
                 <span><a class="profile-link" href="group.html">Tevin Jeffrey</a></span><br>
 6
                 <span class="date"> July 4, 2006</span>
 7
             </div>
 8
             <div class="modifiers">
 9 <!--
10
                 <a class="post-edit" href="#">Edit</a>
11 -->
                  <a class="delete" href="#">Delete</a>
12
13
            </div>
14
        </div>
15
        <div class="clearfix"></div>
        <div class="post-body">
16
             Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer ullamcorper
17
   tortor non erat convallis blandit. In hac habitasse platea dictumst. Nullam accumsan augue
   nisl, sit amet venenatis sem tempor ut. Nunc ligula nunc, pellentesque et libero non,
   imperdiet congue ligula. Proin mollis maximus diam in tincidunt. Vestibulum nec dolor at magna bibendum mattis sit amet sit amet nisi. Morbi fermentum ante lacinia mi bibendum porta
    . Donec convallis bibendum elit ut vestibulum. Ut sit amet congue quam. Maecenas volutpat
   elit ligula, vitae suscipit felis accumsan nec. Phasellus quis vestibulum est, non iaculis dui. Nulla vestibulum bibendum nisl vel malesuada. Quisque vel laoreet ligula. Nunc nec augue scelerisque, volutpat tellus nec, dignissim felis. Cras eget mollis tellus. Vestibulum
    maximus, diam faucibus pulvinar eleifend, justo velit lacinia elit, ut ultricies urna nisl
   faucibus neque.
18
        </div>
19 </div>
```

1 <div class="review"> <div class="score">10</div>
<div class="right"> 3 <div class="heading">Prof Theodore Nicholson</div> 4 5 <div class="subheading">CS-490 Guided Design in Software Engineering </div> 6 </div> <div class="modifiers"> 8 Delete 9 </div>

Vivamus pellentesque ullamcorper neque.

tincidunt. Phasellus imperdiet lectus sed dui porta, et

convallis tellus fringilla. Aenean id nulla massa. Quisque

ultrices ante ac diam volutpat, vel cursus sapien eleifend.

<div class="clearfix"></div>

10

11 12

13

14 15

16 17 </div>

 $File-C:\label{lem:condition} File-C:\label{lem:condition} File-C:\label{$

```
2 <form id="form-create-group" action="../group/create.php" method="post"><br>
       <label>Group Name</label><br><input id="group-name" type="text" name="group_name" class=</pre>
   "input-box"><br>
       <label>Interests </label><br><input class="interests-select"><br>
 6
7
       <div class="interest-list">
       </div>
 8
       <br>

<input type="submit" value="Submit">
 9
10
11 </form>
12
       <div class="clearfix"></div>
13
       </div>
```