


- 'n g r t



# **Contents**

1	Qui	ck Overview
	1.1	Commands for inline text
		1.1.1 Inline Styles
	1.2	Environments
	1.3	Samples
2	Usa	ge 6
		List of Unicode codepoints
		List of Unicode names
	2.3	List of Typing Shortcuts
	2.4	List of Standard Transliteration
3	Ref	erence Table
4	Ana	tolian Hieroglyphs 10
	4.1	List of Glyphs
5	Ave	stan 14
	5.1	List of Unicode codepoints
	5.2	List of Unicode names 16
	5.3	List of Typing Shortcuts
	5.4	List of Standard Transliteration
	5.5	Reference table
6	Bra	hmi 19
	6.1	List of Unicode codepoints
		List of Unicode names
		List of Typing Shortcuts

7	Carian	22
	7.1 List of Unicode codepoints	22 22
	7.2 List of Officode fiantes	22
8	Cuneiform	23
	<ul><li>8.1 List of Unicode codepoints</li></ul>	24 32
	8.3 List of Typing Shortcuts	32 46
_		
9	Cypriot Syllabary 9.1 List of Unicode codepoints	<b>48</b> 48
	9.1 List of Unicode codepoints	48
40		
10	Early Dynasitc Cuneiform	49
11	Egyptian Hieroglyphs	49
12	Elymaic	49
13	Glagolitic	49
14	Gothic	49
15	Hatran	49
16	Imperial Aramaic	49
<b>1</b> 7	Inscriptional Pahlavi	49
18	Inscriptional Parthian	49
19	Linear A	49
20	Linear B	49
21	Lycian	49
22	Lydian	49

# 1 Quick Overview

# 1.1 Commands for inline text

Ш|₩-

Unicode co	depoint
U+10380	*
\ugtransuc {U+10	0380} → ▶

Items may be accessed via the Unicode codepoint (in hexadecimal format). The command assumes that **\ugfont** has been defined.

Short command:  $\backslash \text{uguc } \{\text{U+10380}\} \mapsto \blacktriangleright$ . See §2.1 for a list of Unicode codepoints.

Unicode name		
alpa	-	
\ugtransun {	alpa} ↔ ▶►	

Items may be accessed via a shortened form of the Unicode name. The command assumes that **\ugfont** has been defined.

Short command:  $\bigcup \{alpa\} \mapsto \cdots$ . See §2.2 for a list of Unicode names.

Items may be accessed by typing arbitrarily-defined shortcuts from the keyboard.

The default shortcuts are based on the Latin qwerty keyboard. The command assumes that **\ugfont** has been defined.

Short command:  $\setminus ugts \{a\} \mapsto \longrightarrow$ .

See §2.3 for the default list of typing shortcuts.

TS-to-ST

a. 
$$^{\prime}a$$

(4)

\text{\ugtranstsst \{a.\} \rightarrow \frac{a}{a}}


Typing shortcuts, delimited with a dot (.) when needing to disambiguate, can produce scholarly (standard) transliteration: dlt 'ugrt s<sub>2</sub>ss.

Parsing of expressions is from left to right, with the longest shortcuts processed first, so that the sequence  $\usin \{sss\} \mapsto \S (sss+s)$  is different to  $\usin \{s.ss\} \mapsto \S .$ 

Short command:  $\ugst {ashgh} \mapsto \adjust{ashgh} \mapsto \adjust{ashgh} \mapsto \adjust{ashgh}$  See §2.4 for the list of transliterations.

#### 1.1.1 Inline Styles

Various inline styles are available: word + transliteration; ruby text; glosses.



Glossing: (dlt, 'royal palace guard post')

#### 1.2 Environments

The corresponding environments have an **e** at the end of their name.

Unicode codepoint environment: ugtransuce

\begin{ugtransuce}
U+10380
\end{ugtransuce}

(9)

(8)

## 

(10)

(11)

(12)

### 1.3 Samples

('ugrt, ''Ugart')'s "ruins are often called **Ras Shamra** after the headland where they lie" (*Ugarit* n.d.).

"The word (ii) is used over five hundred times in the texts from Ugarit." (Robinson 2010, p. 28)

"The (šlmm) sacrifice, for example, appears to reflect a cultic meal in which the offerer partook of the same meal as was offered to the divinity." (Pardee 2002, p. 4)

#### References

Pardee, Dennis (2002). 'Ugarit Ritual Texts'. In: *The Oriental Institute News & Notes* 172 (Winter), pp. 1–5. URL: https://oi.uchicago.edu/sites/oi.uchicago.edu/files/uploads/shared/docs/nn172.pdf.

Robinson, Jed (2010). 'The God of the Patriarchs and the Ugaritic Texts. A Shared Religious and Cultural Identity'. In: *Studia Antiqua. A Student Journal for the Study of the Ancient World* 8.1, pp. 25–33. URL: https://scholarsarchive.byu.edu/studiaantiqua/vol8/iss1/4.

Ugarit (n.d.). Wikipedia. URL: https://en.wikipedia.org/wiki/Ugarit.

## 2 Usage

Environment ugtransuce inside a quotation environment:

```
italic —— italic —— dlt abc xyz
```

Environment ugtranstse:

Environment ugtranstsste:

```
'ab[g]
šlm''ugrt dlt
ml<sup>r</sup>k''
[b]'ik.l.ks<sup>r</sup>'i
```

Environment ugrubye:

<sup>&</sup>lt;sup>1</sup>Translation in Pardee 2002; translation and transliteration in *A Manual of Ugaritic*, p 216 viewed via GoogleBooks (id = 7tYNEAAAQBAJ).

Environment ugtableture (ugtranstse + ugtranstsste):


### 2.1 List of Unicode codepoints

For command \ugtransuc {}.

```
U+10388 → ⊀
                                          U+10390 → ➤➤
                                                               U+10398 \mapsto \checkmark
[Ugaritic]
U+10380 \mapsto
                                          U+10391 →
                    U+10389 → -⊀
                                                               U+10399 → →
U\text{+}10381 \mapsto
                                                               U+1039A → -
                                          U+10392 → ¥
                     U\text{+}1038A \mapsto
U\text{+}10382 \mapsto
                                                               U+1039B →
                     U+1038B → ►
                                          U+10393 → 〈
U\text{+}10383 \mapsto
                     U+1038C → (/
                                          U+10394 → ►
                                                               U+1039C → <u>Ш</u>
U+10384 \mapsto
                     U+1038D →
                                          U+10395 →
                                                               U+1039D →
U\text{+}10385 \mapsto
                     U\text{+}1038E \mapsto
                                          U+10396 → ►
                                                               U+1039F → *
U\text{+}10386 \mapsto
                     U\text{+}1038F \mapsto
                                         U+10397 →
U+10387 →
                                                                  [End of List]
```

#### 2.2 List of Unicode names

For command \ugtransun {}.



### 2.3 List of Typing Shortcuts

For command \ugtransts {}.

[Ugaritic]	$hh \mapsto -$	$n \mapsto \longrightarrow$	$th\mapsto \blacktriangleleft$
$a\mapsto \bigvee$	$t \mapsto +$	$zz \mapsto$	$gh \mapsto \nearrow$
$b \mapsto \frac{1}{a}$	$v \mapsto \mathbf{v}$	$s \mapsto \forall$	tt → ►
$g \mapsto $	$kk \mapsto$	$j \mapsto \langle$	$i \mapsto$
$k \mapsto \downarrow$ $d \mapsto \downarrow \downarrow \downarrow \downarrow$	$sh \mapsto \langle V \rangle$	$p \mapsto \blacksquare$	$u\mapsto \coprod$
$d \mapsto \frac{d}{d}$	$1 \mapsto \bigvee$	$ss \mapsto$	$ssu \mapsto $
$W \mapsto$	$m \mapsto 7$	$q \mapsto \overline{}$	$\operatorname{div} \mapsto V$
$z\mapsto$	$dh \mapsto \checkmark$	$r \mapsto \blacksquare$	[End of List]

#### 2.4 List of Standard Transliteration

For command \ugtransst {}.

# 3 Reference Table

Glyph	Transliteration	Shortcut	U-name	Macro	Codepoint
<b>&gt;&gt;</b>	²a	a	alpa	\ugalpa	U+10380
II	b	b	beta	\ugbeta	U+10381
	g	g	gamla	\uggamla	U+10382
ŧ	ĥ	k	kha	\ugkha	U+10383
111	d	d	delta	\ugdelta	U+10384
	h	h	ho	\ugho	U+10385
<b>&gt;&gt;</b>	W	W	wo	\ugwo	U+10386
Ŧ	Z	Z	zeta	\ugzeta	U+10387
*	ķ	hh	hota	\ughota	U+10388
<b>∀</b> #★★	ţ	t	tet	\ugtet	U+10389
<b>#</b>	у	у	yod	\ugyod	U+1038A
	k	kk	kaf	\ugkaf	U+1038B
<b>&lt;!</b>	š	sh	shin	\ugshin	U+1038C
TTT	1	1	lamda	\uglamda	U+1038D
7	m	m	mem	\ugmem	U+1038E
</th <th>₫</th> <th>dh</th> <th>dhal</th> <th>\ugdhal</th> <th>U+1038F</th>	₫	dh	dhal	\ugdhal	U+1038F
	n	n	nun	\ugnun	U+10390
=	Ż	ZZ	zu	\ugzu	U+10391
Y	S	S	samka	\ugsamka	U+10392
<b>&lt;</b>	?	j	ain	\ugain	U+10393
	p	p	pu	\ugpu	U+10394
TY .	Ş	SS	sade	\ugsade	U+10395
-	q	q	qopa	\ugqopa	U+10396
<b>₩</b>	r	r	rasha	\ugrasha	U+10397
∢	ţ	th	thanna	\ugthanna	U+10398
<b>→</b>	ġ	gh	ghain	\ugghain	U+10399
	t	tt	to	\ugto	U+1039A
<u>I</u>	²i	i	i	\ugi	U+1039B
	³u	u	u	∖ugu	U+1039C
<b>{</b>   <b>{</b>   <b>{</b>	$s_2$	ssu	ssu	\ugssu	U+1039D
▼		div	worddivider	\ugworddivider	U+1039F

# 4 Anatolian Hieroglyphs



Unicode	name
a001	<b>®</b>
\ahun {a00	1} → ፡



# 4.1 List of Glyphs

$a001 \mapsto {}^{\textcircled{\tiny 0}}$	a022 → 🕄	a043 → 🖟	$a062 \mapsto $
a002 → 🖺	a023 → 🖓	a044 → ≅\$	a063 → ⊂
a003 → 🖟	a024 → ( )	a045 → 🥦	$a064 \mapsto                                   $
	a025 → ◎	a045a → 💝	a065 → 🖺
a004 → 🍒	a026 → 6	A	a066 → 🖔
a005 → 🖫	a026a → 💯	a046 → ♣	a066a → 🖔
$a006 \mapsto \overset{\circ}{\cancel{v}}$	a027 → 🦻	a046a → ♣	a066b → 🕉
a007 → 💖	a028 → 🔊		a066c → 🖟 🖏
a008 → 💖	a029 → 😽	a046b → 🗫	a067 → 🎾
a009 → 💖	a030 → □□□	a047 → 🌱	a068 → ❤️
$a010 \mapsto \bigodot$		a048 → 🖫	a069 → 📇
a010a → 🎨	a031 → 🌣	a049 → 决	a070 → 🕅
$a011 \mapsto \overline{\langle ``\rangle}$	a032 → 🆠	a050 → 💆	a071 → 🕅
$a012 \mapsto \overline{\mathbb{V}}$	a033 → 🎉	a051 → 🖺	a072 → 🖑
$a012 \mapsto \emptyset$ $a013 \mapsto 9$	a034 → 🥨	a052 → 🖫	a073 → 🌯
$a013 \mapsto 3$	a035 → 💥	_ v	a074 → 🖥
^	a036 → 🥸	a053 → 🕏	a075 → 🔊
a015 → 🕸	a037 → 🎾	a054 → ₩	a076 → 🦫
a016 → 🖏	a038 → 🔊	a055 → 🏏 a056 → 🌤	a077 → 🌂
a017 → ∄	a039 → 🖭		a078 → 🛍
a018 $\mapsto$ $\widehat{\mathbb{A}}$	a039a → 💬	a057 → 🦻	a079 → Û
a019 → \$	a040 → 📉	a058 → 🦻	a080 → ¾
C	a041 → 🗫	a059 → 🐑	a081 → 🚆
$a020 \mapsto \overset{\xi}{\circ}$	a041a → 🕥	a060 → 🚉	a082 → 실
$a021 \mapsto $	a042 → 🖫	a061 → 💮	a083 → 兆

```
a110a \mapsto \bigcirc
a084 \mapsto  
                                                         a146 → ಔ
                                                                                      a188 \mapsto \bigcirc
a085 → 🗟
                                                                                      a189 → ₩
                                                         a147 → 💱
                             a110b → 🕅
                                                                                      a190 → 🖫
                                                         a148 → ∜
                            a111 → 🌯
a086 \mapsto
                                                                                      a191 \mapsto \overline{\mathbb{P}}
                                                         a149 →
                             a112 → 🖑
a087 → 🖘
                                                                                      a192 → 🖫
                                                         a150 →
                            a113 → 🖔
a088 \mapsto \bigsqcup
                                                                                      a193 → ♠
                                                         a151 →
a089 \mapsto {\ \ } {\ \ } {\ \ } {\ \ }
                             a114 \mapsto \mathcal{L}
                                                                                      a194 \mapsto \mathfrak{N}
a090 \mapsto \mathop{\triangleleft \!\!\! \square}
                                                         a152 →
                             a115 →
a091 → 🖑
                                                                                      a195 → 🥂
                                                         a153 \mapsto \\
                            a115a \mapsto 2
                                                         a154 \mapsto \mathring{1}
a092 → 🖏
                                                                                      a196 \mapsto
                            a116 \mapsto \emptyset
                                                                                      a197 → 
a093 → 🖺
                                                         a155 → 👸
a094 → 🖎
                            a117 → 🦠
                                                         a156 \mapsto \overset{\pi}{\mathbb{F}}
                                                                                      a198 \mapsto
a095 → 🖔
                                                                                      a199 → 🔟
                            a118 → 💯
                                                         a157 →
                                                         a158 → 👺
                            a119 \mapsto 
                                                                                      a200 \mapsto M
a096 \mapsto \square \square
                                                                                      a201 → -----
a097 → 🔊
                            a120\mapsto \%
                                                         a159 →
                                                                                      a202 → 🖑
a097a → 📆
                                                         a160 →
                            a121 \mapsto
                                                                                      a202a → 👺
                                                                                      a202b \mapsto \overset{\circ}{\Leftrightarrow}
a098 \mapsto \overset{\mathcal{M}}{\overset{}_{\sim}}
                                                         a161 →
                             a122 →
                                                         a162 \mapsto {\{\!\!\!\ p \ \!\!\!\}}
                            a123 → 🕅
                                                                                      a203 \mapsto \Box
a098a → 3
a099 → 3
                                                                                      a204 \mapsto \nearrow \bigcirc
                                                         a163 \mapsto \textcircled{1}
                            a124 → 🖂
                                                                                      a205\mapsto \mathbb{T}
a100 \mapsto \mathcal{E}
                             a125 → 2/
                                                         a164 → Ж
                                                                                      a206 \mapsto 11
                                                         a165 \mapsto \widetilde{\mathbb{Z}}
a100a \mapsto \overset{\land}{\cup}
                             a125a \mapsto \\
                                                                                      a207 → 🕅
                                                         a166 \mapsto \exists \models
                             a126 → 🗸
a101 → 🛴
                                                                                      a207a → 🎕
                                                         a167 → 🐠
                            a127 \mapsto \\
a101a \mapsto
                                                                                      a208 \mapsto ^{\scriptsize 0}
                                                         a168 →
                             a128 → 🕍
                                                                                      a209 → ||
a102 \mapsto
                                                         a169 →
                             a129 → 💆
                                                                                      a209a → |
a102a →
                            a130\mapsto \text{I}
                                                                                      a210 \mapsto \emptyset
                                                         a170 \mapsto
a103 \mapsto
                                                                                      a211 \mapsto \emptyset
                                                         a171 →
                             a131 \mapsto
a104 \mapsto \mathscr{E}
                                                                                      a212 → 🖘
                                                         a172 →
                             a132 \mapsto \\
a104a \mapsto 
                                                                                      a213 \mapsto \overline{\phantom{a}}
                                                         a173 →
                             a133 →
a104b \mapsto
                                                                                      a214 → 🕏
                                                         a174 → ∜
                             a134 → 🕄
a104c \mapsto 
                                                                                      a215 \mapsto \emptyset
                                                         a175 → △ a176 → △ a176 → △
                            a135 → 🥄
a105 → 😂
                                                                                      a215a \mapsto \bigcirc
                            a135a → 🗑
                                                                                      a216 \mapsto \downarrow \uparrow
a105a → √
                                                         a177 → 🗳
                             a136 → 🔊
                                                                                      a216a → 🖁
a105b → 🖏
                                                         a178 →
                            a137 → 🖑
                                                                                      a217 → ♣
a106 →
                                                         a179 \mapsto @
                                                                                      \begin{array}{c} a218 \mapsto \begin{array}{c} \\ \\ \\ \end{array} \\ a219 \mapsto \begin{array}{c} \\ \\ \end{array} \end{array}
                            a138 → 🧺
a107 → 📖
                                                         a180 → ③
                            a139 \mapsto \circ \sim \sim
                                                         a181 → ⓒ
a107a → 🕬
                                                                                      a220 \mapsto 0
                            a140 \mapsto \infty
                                                         a182 → 🐷
a107b \mapsto \bigcirc
\begin{array}{c} a107c \mapsto 35 \\ a107c \mapsto 35 \end{array}
                            a141 → 8
                                                                                      a221 →
                                                         a183 \mapsto 600
                                                                                      a222 → 🗐
                            a142 \mapsto \mathcal{M}
                                                         a184 \mapsto \heartsuit
                                                                                      a223 → ((
                            a143 \mapsto \bigvee
                                                         a185 \mapsto \textcircled{9}
                            a144 → 🖇
a109 \mapsto \emptyset
                                                                                      a224 → 
                                                         a186 → ♦
                            a145 → 🖏
a110 \mapsto 6
                                                                                      a225 → 🖺
                                                         a187 → 🥸
```

```
a266 \mapsto \Box
                                                                                                                                            a303 → 👫
                                                                                                                                                                                                                  a339 → 🕅
 a226 \mapsto \mathbb{A}
                                                                                                                                            a304 →
                                                                                                                                                                                                                  a340 → 🎘
                                                                      a267 → 🖎
a227 → 🗟
                                                                      a267a → 🖆
                                                                                                                                            a305 \mapsto
                                                                                                                                                                                                                  a341 \mapsto \overline{ } 
 a227a → 🕾
                                                                                                                                            a306 \mapsto 
                                                                      a268 \mapsto ^{\diamondsuit}
                                                                                                                                                                                                                  a342 \mapsto \boxdot
a228 → 🕌
                                                                                                                                            a307 → 🍑
                                                                                                                                                                                                                 a343 \mapsto \overline{\mathbb{Q}}
                                                                      a269 → 🕲
a229 \mapsto 
                                                                                                                                            \begin{array}{l} a308 \mapsto \bigtriangledown \\ a309 \mapsto \circlearrowleft . \end{array}
                                                                      a270 → 🥄
                                                                                                                                                                                                                  a344 \mapsto \center{3}
a230 \mapsto \triangle
                                                                      a345 \mapsto \overline{\$}
a231 \mapsto \overline{A}
                                                                      a272 → 🖢
                                                                                                                                            a309a → X
                                                                                                                                                                                                                  a346 \mapsto \heartsuit
                                                                    a273 \mapsto \emptyset
a274 \mapsto \emptyset
a232 → ∰
                                                                                                                                            a310 → ⊕
                                                                                                                                                                                                                  a347 \mapsto \square
a233 → ∭
                                                                                                                                            a311 \mapsto
                                                                                                                                                                                                                  a348 \mapsto \mathbf{W}
                                                                                                                                                                                                                  a349 \mapsto \checkmark
a234 →
                                                                      a275 → 🕅
                                                                                                                                            a312 \mapsto \Phi
                                                                                                                                                                                                                 a350 → 🖑
                                                                     a313 \mapsto \mathfrak{D}
a235 \mapsto \overset{\text{\tiny 64}}{=}
                                                                                                                                            a314 → 📙
 a236 \mapsto \boxminus
                                                                                                                                                                                                                  a351 \mapsto \mathbb{T}
                                                                                                                                            a315 → 🖟
a237 \mapsto 
                                                                                                                                                                                                                  a352 → 뉯
                                                                      a278 → 🦠
                                                                                                                                            a316 → 🔀
a238 → 🕅
                                                                                                                                                                                                                  a353 \mapsto \\
                                                                      a279 \mapsto \,
                                                                                                                                            a317 \mapsto \square
                                                                                                                                                                                                                  a354 \mapsto \stackrel{\searrow}{2}
a239 → 🗒
                                                                      a280 \mapsto ^{\textstyle \bigcirc}\!\!\!\!/
                                                                                                                                            a318 → \(\frac{1}{2}\)
                                                                                                                                                                                                                  a355 → 
a240 → [[[]]
                                                                                                                                            a319 → 🕅
                                                                      a281 → 🖘
                                                                                                                                                                                                                 a356 \mapsto \overline{\mathbb{J}}
a241 → 🔚
                                                                                                                                            a320 → 🕅
                                                                      a282 → ��
                                                                                                                                                                                                                 a357 \mapsto 
a242 \mapsto \square \square
                                                                      a283 \mapsto \text{ } \hspace{-.05cm} \overline{ \hspace{.05cm} \hspace{.05cm} \overline{ \hspace{.05cm} \hspace{.05cm} } \hspace{-.05cm} \overline{ \hspace{.05cm} \hspace{.05cm} 
                                                                                                                                            a321 → 🎉
a243 \mapsto \triangle
                                                                     a284 \mapsto \widetilde{\aleph}
                                                                                                                                            a322 → 💷
                                                                                                                                                                                                                  a358 \mapsto \triangle \Box
a359 \mapsto \Box
                                                                                                                                            a323 \mapsto 
                                                                      a285 →
 a245 \mapsto \square
                                                                                                                                            a324 → 🗒
                                                                                                                                                                                                                  a359a → 📛
                                                                     a286 → 📆
                                                                                                                                                                                                                  a360 → 🕀
                                                                                                                                            a325 \mapsto \square \square
a246 \mapsto
                                                                     a287 → 🖏
                                                                                                                                            a326 \mapsto 
                                                                                                                                                                                                                  a361 \mapsto \mathfrak{V}
a247 \mapsto \Box
                                                                      a288 → 🖼
                                                                                                                                                                                                                  a362 \mapsto \bigcirc
 a248 → 🛀
                                                                                                                                            a327 → 🖁
                                                                      a289 → 🐚
                                                                                                                                                                                                                  a363 \mapsto \mathfrak{S}
a249 \mapsto \overset{\tilde{\bigoplus}}{\boxdot}
                                                                      a289a\mapsto \overline{\mathbb{Q}}
                                                                                                                                            a328 → 🔟
                                                                                                                                                                                                                  a364 \mapsto \bigcirc
                                                                                                                                            a329 \mapsto \mathbb{I}
a250 \mapsto \Box
                                                                      a290 \mapsto \textcircled{\$} \  \  \,
                                                                                                                                                                                                                  a364a \mapsto \mathsf{Gino}
                                                                                                                                            a329a → 🕆
                                                                                                                                                                                                                  a365 \mapsto କ୍ଲି
                                                                      a291 → ⊗
a251 → 
                                                                                                                                            a330 → 🔊
                                                                                                                                                                                                                  a366 → 🔄
                                                                      a292 → ��
a252 → 🗟
                                                                                                                                            a331 \mapsto \textcircled{1}
                                                                      a293 → 🖫
                                                                                                                                                                                                                  a367 \mapsto \blacksquare
a253 → 🔊
                                                                                                                                                                                                                  a368 → @
                                                                                                                                            a332a →
                                                                      a294 \mapsto \mathbb{Z}
a254 \mapsto \square
                                                                                                                                           a332b \mapsto \widehat{\mathbb{I}}
                                                                                                                                                                                                                  a368a → ②
a255 \mapsto \square
                                                                      a294a \mapsto \,
                                                                                                                                                                                                                  a369 → 5%
                                                                      a295 → 🕱
                                                                                                                                            a332c \mapsto \mathbb{1}
a256 \mapsto \square
                                                                                                                                                                                                                  a370 → △
                                                                      a296 \mapsto \overline{\mathbb{Z}}
a257 → 🗏
                                                                                                                                            a371 \mapsto \overline{\mathbb{R}}
\begin{array}{c} a258 \mapsto \square \\ a259 \mapsto \blacksquare \end{array}
                                                                                                                                            a334 \mapsto \square
                                                                       a297 → 🗒
                                                                                                                                            a335 → 🤡
                                                                                                                                                                                                                  a371a \mapsto \delta \delta
                                                                                                                                                                                                                 a372 \mapsto \mathbb{G}
                                                                      a298 → 🖼
                                                                                                                                           a336 \mapsto {}^{\overset{\circ}{0}}
 a260 \mapsto \blacksquare
                                                                      a299 \mapsto \blacksquare
a261 → 🕃
                                                                                                                                                                                                                  a373 → 🖞
                                                                                                                                            a336a → ₩
a262 → 🕒
                                                                                                                                                                                                                 a374 \mapsto 1
                                                                                                                                            a336b \mapsto {}^{t}
                                                                      a299a → 🗓
 a375 → ∫
                                                                                                                                            a336c → 🖁
                                                                      a300 → ₹
a264 \mapsto \textcircled{\tiny 2}
                                                                                                                                            a337 \mapsto \widetilde{\mathbb{V}}
                                                                                                                                                                                                                 a376 \mapsto \uparrow
                                                                      a301 → 🚍
a265 → 🗑
                                                                                                                                           a338 \mapsto \sqrt[7]{}
                                                                                                                                                                                                                 a377 → ‡
                                                                     a302 \mapsto \%
```

```
a378 \mapsto \mathbb{f}
                                         a414 \mapsto \bigcirc
                                                                                                                          a491 \mapsto <
                                                                                 a453 \mapsto \widehat{\mathbb{Q}}
                                         a415 \mapsto \bigcirc
                                                                                                                          a492 \mapsto \mathbb{X}
a379 \mapsto \text{@}
                                                                                 a454 → 🕮
                                        a416 \mapsto \bigcap
                                                                                                                         a493 \mapsto \mathbb{M}
a380\mapsto \mathbb{I}
                                                                                 a455 → ⋂
                                        \begin{array}{c} a417 \mapsto \overset{\triangle}{\swarrow} \\ a418 \mapsto \overset{\triangle}{\Box} \end{array}
                                                                                                                         a494 \mapsto \mathbb{A}
a381\mapsto \mathbb{I}
\mathbf{a381a} \mapsto_{\mathbf{n}} \mathbb{I}
                                                                                 a456 → 🖟
                                                                                                                         a495 \mapsto {\bf \hat{\mathbb{I}}}
                                                                                 a457 →
                                                                                                                          a496 \mapsto \overset{\$}{\wedge}
a382 \mapsto \mathbb{I}
                                        a419 \mapsto \diamondsuit
                                                                                 a457a \mapsto
                                         a420 \mapsto \diamondsuit
                                                                                                                          a497 \mapsto \bigcirc
                                                                                 a458 \mapsto \mathcal{A}
a383raorri → \

\begin{array}{c}
a421 \mapsto \lozenge \\
a422 \mapsto \lozenge
\end{array}

                                                                                                                          a501 → 📆
a383a → \
                                                                                 a459 → ☆
                                                                                                                          a502\mapsto \hbox{\large\it l}
a384 \mapsto \parallel
                                                                                 a460 →
                                         a423 \mapsto \bigoplus
a385 \mapsto \mathbb{N}
                                                                                                                          a503 \mapsto \mathbb{R}
                                                                                 a461 →
a386 \mapsto \square \square
                                        a424 \mapsto \stackrel{\textcircled{\tiny{1}}}{\textcircled{\tiny{2}}}
                                                                                                                         a504 \mapsto
                                                                                 a462 \mapsto
                                                                                                                         a505 → 🖑
a386a \mapsto \mathbb{I}\mathbb{C}
                                        a425 \mapsto \Box
                                                                                 a463 →
a387 → 🕍
                                         a426 \mapsto \square
                                                                                                                          a506 \mapsto \subseteq
                                                                                 a464 \mapsto
a388 \mapsto \text{III}
                                        a427 \mapsto \overline{\mathbb{S}}
                                                                                                                          a507 →
                                                                                 a465 \mapsto
                                        a428 \mapsto \overline{\mathbb{F}}
\begin{array}{c} a389 \mapsto \text{II-} \\ a390 \mapsto \text{1} \end{array}
                                                                                                                          a508 \mapsto
                                                                                 a466 \mapsto
                                        a509 → 🕅
                                                                                 a467 \mapsto
a391 \mapsto \text{IIII}
                                        a430 \mapsto \square
                                                                                                                          a510 →
                                                                                 a468 →
a392 \mapsto \square
                                        a431 \mapsto \overline{\mathbb{M}}
                                                                                 a469 \mapsto
                                                                                                                          a511 →
a393eight \mapsto |||||||
                                        a432 \mapsto \overline{\mathbb{W}}
a394 \mapsto \texttt{M}
                                                                                 a470 → 🗓
                                                                                                                          a512 \mapsto \\
                                         a433 \mapsto 
a395 → ||||
                                                                                 a471 \mapsto
                                                                                                                          a513 \mapsto
                                        \begin{array}{c} a434 \mapsto \bigcirc \\ a435 \mapsto \bigcirc \\ a436 \mapsto \bigcirc \\ \end{array}
a396 \mapsto {}^{\text{||||||||||}}
                                                                                 a472 \mapsto
                                                                                                                          a514 \mapsto \,
                                                                                 a473 → 🐨
a397 \mapsto \underline{\hspace{1cm}}
                                                                                                                          a515 →
                                                                                 a474 \mapsto \Xi
\begin{array}{c} a398 \mapsto \bigcirc \\ a399 \mapsto \bigcirc \\ \bigcirc \end{array}
                                        a437 \mapsto \mathbb{H}
                                                                                                                          a516 \mapsto
                                                                                 a475 → 👺
                                         a438 \mapsto 8
                                                                                                                         a517 → 🗓
a400 → &
                                         a439 \mapsto \circ \circ
                                                                                 a476 → ♡
                                                                                                                          a518 → ??
                                                                                 a477 → 🖄
                                        a440 \mapsto \text{M}
a401 \mapsto \mathbb{C}
                                                                                                                          a519 \mapsto
                                        a441 \mapsto \mathbb{S}
a402 \mapsto \bigcirc
                                                                                 a478 →
                                                                                                                          a520 → 🖔
                                        \begin{array}{c} a442 \mapsto \emptyset \\ a443 \mapsto \emptyset \end{array}
a403 \mapsto \mathbb{R}
                                                                                 a479 →
                                                                                                                          a521 \mapsto
                                                                                a480 \mapsto \vec{\beta}
a404 \mapsto \%
                                                                                                                          a522 \mapsto
                                         a444 \mapsto 89
a405 \mapsto \$\$
                                                                                 a481 → <u>B</u>V
                                                                                                                          a523 → 🕺
                                        a445 \mapsto \emptyset
a406 \mapsto \boxdot
                                                                                 a482 → 🕏

\begin{array}{c}
a446 \mapsto \\
a447 \mapsto \\
a448 \mapsto \\
\end{array}

                                                                                                                          a524 \mapsto
a407 \mapsto \bigcup
                                                                                 a483 \mapsto 6
                                                                                                                          a525 → 😽
a408 \mapsto 0
                                                                                 a484 \mapsto \Box
                                                                                 a485 → 🕏
                                                                                                                          a526 →
a409 \mapsto \emptyset
                                        a449 \mapsto \overset{\mathfrak{P}}{\mathbb{Z}}
                                                                                                                          a527 → 🚮
a410\mapsto \mathbb{D}
                                                                                 a486 \mapsto \bigcap
                                         a450 → ∛
a410a \mapsto \mathbb{C}
                                                                                 a487 → ≪
                                                                                                                          a528 → 🗸
                                        a450a → ↓
                                                                                 a488 \mapsto \Re
a411 \mapsto {\subset}
                                                                                                                          a529 \mapsto A
                                        a451 \mapsto \mathring{\mathbb{A}}
                                                                                                                         a530 \mapsto \oplus
a412 \mapsto \otimes
                                                                                 a489 → 5 ि
                                        a452 → 🏝
a413 \mapsto \bigcirc \bigcirc
                                                                                a490 \mapsto {\textstyle \triangleright}\!\!\!\!\!/ \;
                                                                                                                                [End of List]
```

#### 5 Avestan

Unicode name
$$\begin{array}{c|c}
a & \downarrow \downarrow \\
\hline \\ \text{avun } \{a\} \mapsto \downarrow \downarrow \\
\end{array}$$
(16)

Typing shortcut

a 
$$\square$$


(17)

Auvts  $\{a\} \mapsto \square$ 

Transliteration

aa 
$$\bar{a}$$
 (18)

\avst {aa}  $\mapsto \bar{a}$ 



```
ud a m
   The word euw ← (āp) means 'water', and ) 9 w 6 (madu, 'honey') is
'mead'.
   udampā
   ىندن 6 نىدور
   ansa y
                                a\ n\ s\ a\ y
   אר (yasna), as a word. עווע ווע) אין עווע (yasna), as a word.
   روبده ويد رويده ويد
   With the avestan environment (which uses luatex's \pardir and \textdir
directives), words are set RTL in RTL paragraphs, and the letter sequence
in the words is also reversed:
ىيدى ئايدور بندى ئايدور بندى ئايدور بندى ئايدور بندى ئايدور بندى
ئىدور بىدى ئاتدور بىدى ئاتدور بىدى ئايدور بىدى ئايدور بىدى ئايدور
ىيدى فاندور بندى فاندور بندن فاندور بندن فاندور بندن فاندور بندن
فتدور بيدن فاندور بيدن فتدور بيدن فيدور بيدن فيدور بيدن فيدور
                   نندق فيدور بندق فيدور بندق فيدور بندق فيدور
```

سره فلتوريسه بسه فلتوريسه فلتور

(20)Avestan environment: avestan NO TAS TAC EHT 987 654 321 \begin{avestan} 123 456 789 THE CAT SAT ON THE MAT. ung dupi ung dupi فيدور بيدن فيدور aap madu aap madu aap madu aap madu aap ىندق قىدور بىدق قىدور. madu aap madu aap madu. due aug aap madu aap madu dup dub aap madu aap madu aap due oug madu aap madu aap madu aap madu. سرو فندور سرو \end{avestan} ىندن كاندور.

#### 5.1 List of Unicode codepoints

For command \avtransuc \{\}.

```
U+10B0F \mapsto \gamma
                                                            U+10B1F \mapsto e
                                                                                          U+10B2E \mapsto 
[Avestan]
                              \text{U+10B10} \mapsto \textbf{9}
\text{U+10B00} \mapsto \textbf{J} \textbf{J}
                                                            U+10B20 \mapsto 
                                                                                          U+10B2F \mapsto \mathbf{\hat{y}}
U+10B01\mapsto 	o
                              U+10B11 \rightarrow (\mathcal{V})
                                                            U+10B21 → W
                                                                                          U+10B30 → ∫
U+10B02 \mapsto \omega
                              U+10B12 \mapsto \omega
                                                            U+10B22 \mapsto 3
                                                                                          U+10B31 \rightarrow 40
                              U+10B13 \mapsto \widetilde{\mathbf{p}}
U+10B03 \mapsto \omega
                                                            U+10B23 → ປ
                                                                                          U+10B32 \mapsto eU
U+10B04 \mapsto \gamma r
                              U+10B14 → •
                                                            U+10B24 \mapsto 3
                                                                                          U+10B33 \rightarrow 9U
U+10B05 \mapsto 2
                              U+10B15 → ט
                                                            U+10B25 \mapsto I
                                                                                          U+10B34 → ₩
\text{U+10B06} \mapsto \textbf{\{}
                              U+10B16 \rightarrow \mathbf{g}
                                                                                          U+10B35 → อั๊
                                                            U+10B26 \mapsto 1
                              U+10B17 → P
\text{U+10B07} \mapsto \pmb{\xi}
                                                                                          U+10B39 \mapsto \circ
                                                            تنے → U+10B27
                              U+10B18 → ८
\text{U+10B08} \mapsto \text{HO}
                                                                                          \text{U+10B3A} \mapsto \because
                                                            U+10B28 \mapsto \mathbf{6}
                              U+10B19 → 🎾
U+10B09 \mapsto ບ
                                                                                          U+10B3B \mapsto \bullet \bullet
                                                            U+10B29 \mapsto \mathbf{7}
                              U+10B1A \rightarrow ()
                                                                                          \text{U+10B3C} \mapsto {}^{\bullet}
U+10B0A \mapsto \mathbf{S}
                                                            U+10B2A \mapsto \mathbf{C}
                              U+10B1B \mapsto 9
U+10B0B \mapsto \Rightarrow
                                                                                          U+10B3D \mapsto 0
U+10B3E \mapsto 0
                                                            U+10B2B \mapsto \mu U
                              U+10B1C \mapsto \mathbf{6}
U+10B0C \mapsto J
                                                            U+10B2C \mapsto \mathbf{Q}
U\text{+}10B0D \mapsto \textbf{-}
                              U+10B1D \mapsto \mathbf{g}
                                                                                          U+10B3F \mapsto \circ \circ
                                                           U+10B2D \mapsto 1
U+10B0E \mapsto )
                              U+10B1E \mapsto \mathbf{Q}
                                                                                               [End of List]
```

#### 5.2 List of Unicode names

For command \avtransun {}.

[Avestan]	ke → <b>9</b>	be ↦	$se \mapsto \mathbf{\mathcal{U}}$
$a\mapsto \mathcal{J}$	xe → ໃv	$\overline{bhe} \mapsto \mathbf{eV}$	$ze \mapsto \int$
$aa \mapsto \mathcal{M}$	xye → w	$nge \mapsto $ }	she → 씨
ao → tu	$xve \mapsto \widetilde{\mathbf{p}}$	ngye → ປ	$zhe\mapsto \mathbf{W}$
aao → Łw	$ge\mapsto$ ر $c$	$ngve \mapsto 3$	shye → <b>५५</b> 0
an → χ	$\operatorname{gge}\mapsto \mathcal{oldsymbol{ u}}$	ne → I	sshe → ლ
aan → Ք	$ghe \mapsto \mathbf{\hat{y}}$	nye $\mapsto$ $\setminus$	$he \mapsto eV$
ae → <b>{</b>	ce → <b>h</b>	nne → æ	abbreviation-
aee → <b>{</b>	je → <b>K</b>	$me \mapsto 6$	$mark \mapsto \circ$
e → <b>M</b>	te → 🅦	_	$\mathtt{p1} \mapsto \mathbf{::}$
ee → M	the → <b>ひ</b>	hme $\mapsto \overleftarrow{\mathbf{v}}$	$p2 \mapsto \mathbf{\cdot \cdot}$
$0 \mapsto \mathbf{S}$	de → <u></u> 9	$yye \mapsto \mathbf{C}$	$p3 \mapsto \bullet$
00 → <b>→</b> i → →	$dhe\mapsto G$	ye → <b>州</b>	${ t p4}\mapsto$
ii → →	tte → 🕦	ve → <b>Ų</b>	$p5 \mapsto \circ \circ$
$u \mapsto \mathbf{j}$	pe → <b>Ü</b>	$ ho_{ m re} \mapsto 1$	$p6 \mapsto \circ \circ$
uu → →	$fe \mapsto \mathbf{e}$	ho  ho	[End of List]

## 5.3 List of Typing Shortcuts

For command \avtransts {}.

	ι .	1 - 3	l. <b>1</b> .
[Avestan]	uu → <b>ว</b>	$f\mapsto \mathbf{e}$	$1\mapsto \mathcal{P}$
$a\mapsto \mathcal{J}$	$k \mapsto 9$	$b\mapsto \mathbf{j}$	$s \mapsto \mathcal{D}$
$aa\mapsto oldsymbol{\omega}$	$  \mathbf{x} \mapsto \mathcal{V}$	w <del>→</del> ๗	$z\mapsto \int$
ah → ध	$xx \mapsto \omega$	$ng \mapsto $ }	sh → "
ahh → ⊱w	$xv \mapsto \widetilde{\mathbf{p}}$	ngj → ໋ປ	$zh \mapsto \mathbf{w}$
au → χν	$g\mapsto C^c$	$ngw \mapsto 3$	ssh → ምህ
auu → <b>⊬</b>	$gg\mapsto \mathcal{oldsymbol{ u}}$	$n\mapsto I$	ss → ഫ്ര
eh → <b>{</b>	$gh\mapsto \mathbf{\hat{k}}$	$ny\mapsto l$	$h\mapsto \widetilde{\mathfrak{G}}$
$ehh \mapsto \mathbf{\xi}$	$c \mapsto \mathbf{P}$	nny → ഫ	,
$e\mapstoH\!U$	j → <b>伏</b>	$m \mapsto 6$	p1 → ∵
ee → ੴ	$t \mapsto \gamma$	$mh \mapsto 6$	$p2 \mapsto \cdot \cdot$
$0\mapsto \mathbf{S}$	th → <b>(</b> )	•	$p3 \mapsto$
$90\mapsto\mathbf{\hat{7}}$	d → 9	yy → <b>-</b> C	$\mid$ $p4\mapsto$ $\bullet$
$\mathrm{i}\mapstoj$ .	$dh\mapsto G$	y → <b>M</b>	$p5 \mapsto \circ \circ$
$ ext{ii} \mapsto oldsymbol{\gamma}$	tt → පූ	$v \mapsto Q$	$p6 \mapsto {\circ \atop \circ}$
$\mathbf{u}\mapsto\mathbf{j}$	l p → Õ,	$\mid \mathbf{r} \mapsto \mathbf{l}$	[End of List]

# 5.4 List of Standard Transliteration

For command \avtransst {}.

[Avestan]	$uu\mapsto \bar u$	$\mathbf{f} \mapsto \mathbf{f}$	$\mathtt{S} \mapsto \mathtt{S}$
$a\mapsto a$	$\boldsymbol{k} \mapsto \boldsymbol{k}$	$b\mapsto b$	$\mathbf{z} \mapsto \mathbf{z}$
$aa\mapsto \bar{a}$	$\mathtt{X} \mapsto \mathtt{X}$	$w \mapsto \beta$	$sh \mapsto \check{s}$
$ah \mapsto \mathring{a}$	$xx \mapsto x$	$ng \mapsto \eta$	$zh \mapsto \check{z}$
$ahh \mapsto \mathring{\bar{a}}$	$xv\mapsto x^v$	$ngj \mapsto \acute{\eta}$	$\operatorname{ssh}\mapsto \acute{\mathtt{s}}$
$au \mapsto \boldsymbol{a}$	$g\mapsto g$	$ngw \mapsto \mathfrak{y}^v$	$ss \mapsto \check{s}$
auu → ą̇	$gg\mapsto \dot{g}$	$n\mapsto n$	$h \mapsto h$
$eh \mapsto a$	$gh\mapsto \gamma$	$ny \mapsto \acute{n}$	$\stackrel{\dots}{\mapsto}$
$ehh \mapsto \bar{ə}$	$c\mapsto c$	$nny \mapsto \dot{n}$	•
$e\mapsto e$	$j \mapsto j$	$m \mapsto m \\$	$p1 \mapsto p1$
$ee \mapsto \bar{e}$	$t\mapsto t$	$mh \mapsto m$	$p2 \mapsto p2$
$0\mapsto 0$	$th \mapsto \vartheta$	$yy \mapsto \dot{y}$	$p3 \mapsto p3$
$00\mapsto \bar{0}$	$d\mapsto d$	$y \mapsto y$	$p4\mapsto p4$
$i \mapsto i$	$dh\mapsto \delta$	$\mathtt{v}\mapsto\mathtt{v}$	$p5 \mapsto p5$
$ii\mapsto \overline{\imath}$	$tt \mapsto t$	$r\mapsto r$	$p6 \mapsto p6 \\$
$\boldsymbol{u} \mapsto \boldsymbol{u}$	$p\mapsto p$	$l \mapsto l$	[End of List]

# 5.5 Reference table


<b>GlyphTr</b>	ansliteration in the second se	onShortcı	ıtU-name	Macro	Codepoint
ىد	a	a	a	\ava	U+10B00
سد	ā	aa	aa	\avaa	U+10B01

å	ah	ao	\avao	U+10B02
å	ahh	aao	\avaao	U+10B03
ą	au	an	\avan	U+10B04
ą	auu	aan	\avaan	U+10B05
ə	eh	ae	\avae	U+10B06
ā	ehh	aee	\avaee	U+10B07
e	e	e	\ave	U+10B08
ē	ee	ee	\avee	U+10B09
0	0	0	\avo	U+10B0A
Ō	00	00	\avoo	U+10B0B
i	i	i	∖avi	U+10B0C
Ī	ii	ii	\avii	U+10B0D
u	u	u	\avu	U+10B0E
ū	uu	uu	\avuu	U+10B0F
k	k	ke	\avke	U+10B10
X	X	xe	\avxe	U+10B11
Χ́	XX	xye	\avxye	U+10B12
$\mathbf{X}^{\mathbf{v}}$	xv	xve	\avxve	U+10B13
g	g	ge	\avge	U+10B14
ġ	gg	gge	\avgge	U+10B15
γ	gh	ghe	\avghe	U+10B16
С	С	ce	\avce	U+10B17
j	j	je	\avje	U+10B18
t	t	te	\avte	U+10B19
θ	th	the	\avthe	U+10B1A
d	d	de	\avde	U+10B1B
δ	dh	dhe	\avdhe	U+10B1C
ţ	tt	tte	\avtte	U+10B1D
p	p	pe	\avpe	U+10B1E
f	f	fe	\avfe	U+10B1F
b	b	be	\avbe	U+10B20
β	W	bhe	\avbhe	U+10B21
ŋ	ng	nge	\avnge	U+10B22
ή	ngj	ngye	\avngye	U+10B23
$\mathfrak{y}^{\mathrm{v}}$	ngw	ngve	\avngve	U+10B24
	å ą ą ą ę ę ę ę ę ę ę ę ę ę ę ę ę ę ę ę	å ahh  a au  a au  b eh  b eh  c e  c e  c o  c o  c o  c o  c o  c o	å       ahh       aao         ą       au       an         ą       au       aan         e       eh       ae         ē       eh       aee         e       e       e         ē       ee       ee         e       e       e         ē       ee       ee         o       o       o         ō       oo       oo         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       i         i       i       j         i       i	å ahh aao   avaao   au an   avaan   au an   avaan   au an   avaan   au an   avaan   au aan   avaae   au aan   avaae   ae   avaee   ae   avaee   e   e   e   e   avee   avee   avoo   avoo   avoo   avoo   avoo   au au   au   au   au   au   au   au

I	n	n	ne	\avne	U+10B25
)	ń	ny	nye	∖avnye	U+10B26
Ψ̈́	ņ	nny	nne	\avnne	U+10B27
f f	m	m	me	\avme	U+10B28
6	m	mh	hme	\avhme	U+10B29
Ć	ý	уу	yye	\avyye	U+10B2A
٣	у	у	ye	\avye	U+10B2B
Ų	v	v	ve	\avve	U+10B2C
)	r	r	re	\avre	U+10B2D
ን	l	1	le	\avle	U+10B2E
ນ	S	S	se	\avse	U+10B2F
ſ	Z	Z	ze	\avze	U+10B30
ህ	š	sh	she	\avshe	U+10B31
ല	ž	zh	zhe	\avzhe	U+10B32
٣U	Ś	ssh	shye	\avshye	U+10B33
₩	Š	SS	sshe	\avsshe	U+10B34
ტ	h	h	he	\avhe	U+10B35
0	,	,	abbreviatio	onmark\avabbreviatior	markU+10B39
:	p1	p1	p1	\avpi	U+10B3A
••	p2	p2	p2	\avpii	U+10B3B
• •	<b>p</b> 3	р3	p3	\avpiii	U+10B3C
•	p4	p4	p4	\avpiv	U+10B3D
0 0	<b>p</b> 5	<b>p</b> 5	<b>p</b> 5	\avpv	U+10B3E
0 0	p6	p6	p6	\avpvi	U+10B3F

# 6 Brahmi





$$\sqrt{1}$$
 =  $\sqrt{1}$ 

# 6.1 List of Unicode codepoints

For command  $\t$ :

	I TT 4 4 0 4 D	LTT. 44007 C	LTT. 440FC . <b>h</b>
[Brahmi]	U+1101B → P	$U+11037 \mapsto \underline{\Gamma}$	U+11056 → <b>b</b>
U+11000 $\mapsto$	U+1101C → <b>力</b>	$U$ +11038 $\mapsto$ $\blacksquare$	U+11057 → <b>E</b>
$\text{U+11001} \mapsto$	$U+1101D \mapsto \zeta$	U+11039 → .	$U+11058 \mapsto 7$
U+11002 $\mapsto$ :	$U+1101E \mapsto \mathbf{O}$	U+1103A →	U+11059 → ב
$U$ +11003 $\mapsto \mathbf{X}$	U+1101F → r	U+1103B →	U+1105A → <b>′</b>
$\text{U+11004} \mapsto \boldsymbol{\otimes}$	U+11020 → <b>ბ</b>	U+1103C → <b>_</b>	$U+1105B \mapsto \mathbf{C}$
U+11005 → X	$U$ +11021 $\mapsto$ $I$	$U+1103D \mapsto \underline{}$	$U+1105C \mapsto \Theta$
U+11006 → <b>\</b>	U+11022 → <b>人</b>	$0+1103D \mapsto =$ $0+1103E \mapsto =$	U+1105D → <b>万</b>
U+11007 → :	$U+11023\mapsto \mathbf{O}$		U+1105E → \
U+11008 →	U+11024 → <b>&gt;</b>	U+1103F → •	U+1105F → <b>フ</b>
$U+11009 \mapsto L$	$U+11025 \mapsto D$	U+11040 → ~	U+11060 → <b>H</b>
U+11003 → L U+1100A → L	$U+11026 \mapsto 1$	U+11041 → _~	U+11061 → <b>¾</b>
$U+1100A \mapsto Z$	$U+11027 \rightarrow \overline{\mathbf{U}}$	U+11042 →_	$U+11062 \mapsto \mathbf{\Phi}$
	$0.11027 \rightarrow 0$ $0.11028 \rightarrow 0$	U+11043 →	$U+11063 \mapsto \bigoplus$
$U+1100C \mapsto X$	$0+11028 \mapsto 0$ $0+11029 \mapsto \mathbf{\square}$	$U$ +11044 $\mapsto$	$0.11003 \rightarrow 7$ $0.11064 \rightarrow 7$
$U+1100D \mapsto 2$		U+11045 →	_
U+1100E → <b>?</b>	$U+1102A \mapsto \mathcal{J}$	_	U+11065 → 9
$U+1100F \mapsto \Delta$	U+1102B → <b>8</b>	U+11046 →	U+11066 → •
$U+11010 \mapsto \Delta$	U+1102C → <b>↓</b>	$\mid$ U+11047 $\mapsto \mid$	$U+11067 \mapsto \sum_{n=1}^{\infty}$
$U+11011 \mapsto L$	$U+1102D\mapstoI$	$U$ +11048 $\mapsto II$	$U+11068 \mapsto 3$
$U+11012 \mapsto \mathbf{L}$	U+1102E → <b>-J</b>	$\text{U+11049} \mapsto {}^{lacktree}$	U+11069 → ₹
$U+11013 \mapsto +$	U+1102F → <b>o</b>	U+1104A $\mapsto$ =	U+1106A → 🍣
$U+11014 \mapsto 1$	U+11030 → <b>Λ</b>	$U+1104B \mapsto -$	$U+1106B \mapsto \mathcal{A}$
U+11015 $\mapsto$ $\bigwedge$	U+11031 $\mapsto$ <b>じ</b>	U+1104C → <b>Э</b>	$U+1106C \mapsto \mathbf{\lambda}$
$ ext{U+11016} \mapsto oldsymbol{oldsymbol{U}}$	U+11032 → <b>ل</b>	U+1104D → ��	$U+1106D \mapsto $
U+11017 $\mapsto$ $\square$	U+11033 → <b>Ն</b> -	$U+11052 \mapsto \overset{\bullet}{-}$	$U$ +1106E $\mapsto$ $^{oldsymbol{\zeta}}$
U+11018 → <b>d</b>	U+11034 → <b>-</b> ึ่	U+11053 → <b>=</b>	$_{ ext{U+}1106 ext{F}} \mapsto$ ବ
$U+11019 \mapsto \mathbf{\phi}$	U+11035 → <b>P</b>	U+11054 → <b>≡</b>	U+1107F $\mapsto$ $\square$
U+1101A → <b>E</b>	U+11033 + 7 <b>ห</b> ึ่	U+11055 → <b>+</b>	[End of List]
O 110111 / C	0.110001711	0.11033.7.1	[Elia of Fist]

## 6.2 List of Unicode names

For command \brtransun {}.

[Brahmi]	upadhmaniya →	letterii → ∷	lettervocalicrr
$candrabindu \mapsto `$	⊗	letteru $\mapsto$ $f L$	$\mapsto X$
anusvara →	lettera $\mapsto H$	letteruu → <b>L</b>	lettervocalicl →
visarga $\mapsto$ :	letteraa → <b>光</b>	$ $ lettervocalicr $\mapsto$	3
jihvamuliya → <b>X</b>	letteri → :•	X	$lettervocalicll \mapsto$

Ş pha  $\mapsto$  **b** thirty → **ブ**  $vocalicll \mapsto_{\mathbf{c}}$ forty  $\mapsto \mathsf{Z}$ lettere  $\mapsto \Delta$  $ba \mapsto \square$ letterai  $\mapsto \Delta$ bha → 🎵 fifty  $\mapsto J$ lettero  $\mapsto L$  $ma \mapsto \mathbf{8}$  $sixty \mapsto \mathbf{I}$ letterau  $\mapsto$  **L** ya → **J** seventy → X  $au \mapsto$  $ka \mapsto +$  $ra \mapsto I$ eighty  $\mapsto \mathbf{\Phi}$ virama →  $\begin{array}{c} kha \mapsto \mathbf{1} \\ ga \mapsto \mathbf{\Lambda} \end{array}$ la → **J** ninety  $\mapsto \mathbf{\Phi}$  $danda \mapsto I$ va → d  $\overset{\text{onehundred}}{\textbf{7}} \mapsto$ doubledanda  $\mapsto$ یا ⇔ d sha  $\mapsto \Lambda$  $nga \mapsto C$ ssa → と  $dot \mapsto {}^{\blacksquare}$ onethousand  $\mapsto$ sa → d  $ca \mapsto \mathbf{d}$  $doubledot \mapsto \blacksquare$ ل Ha → cha → **d** line  $\mapsto$   $\overline{\phantom{a}}$  $digitzero \mapsto$ lla → ♣ ja → **E** crescentbar digitone  $\rightarrow$ oldtamillla → 🎙  $jha \mapsto P$ Э oldtamilrra → Å digittwo  $\mapsto$  3 nya  $\mapsto$  **ħ** lotus  $\mapsto \bigotimes$ oldtamilnnna  $\mapsto$ one  $\mapsto$   $lue{}$ digitthree  $\mapsto 3$  $tta \mapsto \mathbf{C}$  $aa\mapsto \overline{\phantom{a}}$  $two \mapsto =$  $ttha \mapsto \mathbf{O}$  $digitfour \mapsto \boldsymbol{\diamond}$ three  $\mapsto$   $\blacksquare$  $dda \mapsto \mathbf{d}$ digitfive  $\mapsto$   $^{\mathbf{A}}$  $bhattiproluaa \mapsto$ four  $\mapsto$  +ddha → **6**  $i\mapsto \Box$ digitsix  $\mapsto \mathbf{0}$ five  $\mapsto h$ nna  $\mapsto \mathbf{I}$  $six \mapsto \mathbf{E}$ digitseven  $\mapsto \mathbf{9}$  $ii\mapsto$ ta → **人**  $\begin{array}{c} \text{seven} \mapsto 7 \\ \text{eight} \mapsto \end{array}$  $\begin{matrix} tha \mapsto \mathbf{O} \\ da \mapsto \mathbf{P} \end{matrix}$  $digiteight \mapsto {}^{\mbox{\bf \zeta}}$  $u\mapsto$   $\_$  $uu \mapsto \underline{\hspace{1cm}}$  $digitnine \mapsto \mathbf{9}$ nine  $\mapsto$  7 dha  $\mapsto \mathbf{D}$  $vocalicr \mapsto_{\mathbf{c}}$ joiner  $\mapsto \square$  $na \mapsto \mathbf{L}$  $vocalicrr \mapsto_{\,{\bf c}}$  $ten \mapsto \mathbf{C}$  $pa \mapsto b$  $vocalicl \mapsto$ twenty  $\mapsto \Theta$ [End of List]

## 6.3 List of Typing Shortcuts

For command \brtransts {}.

[Brahmi]	$lvrr \mapsto X$	$ch \mapsto \mathbf{\phi}$	$dh \mapsto D$
$cb\mapsto$	$lvl \mapsto 2$	$j \mapsto \mathbf{E}$	$n\mapsto 1$
$as \mapsto$	$ \operatorname{lvll} \mapsto 2$	$jh\mapstoP$	$p \mapsto b$
$vis \mapsto :$	$le \mapsto \Delta$	$\stackrel{,}{ny}\mapsto \mathbf{ar{h}}$	$ph\mapsto b$
$jm\mapsto \mathbf{Z}$	$\lim_{n\to\infty} \Delta$	$tt \mapsto C$	$b\mapsto \square$ .
$\operatorname{upd}\mapsto oldsymbol{\otimes}$	$lo \mapsto L$	_	bh⊢∐
$la \mapsto \mathbf{H}$	lau → <b>L</b>	$tth \mapsto O$	$m\mapsto Z$
$laa \mapsto \mathcal{Y}$	$egin{array}{c} \mathtt{k} \mapsto oldsymbol{\uparrow} \ \mathtt{kh} \mapsto oldsymbol{\uparrow} \end{array}$	$\operatorname{dd}\mapsto r'$	<b>ل</b> ب ب
$ ext{li}\mapsto \mathbf{\dot{\cdot}}$	$g \mapsto \Lambda$	ddh → <b>_</b> ტ	$r\mapsto 1$
$ ext{lii} \mapsto $	_	$nn \mapsto \mathbf{L}$	ן ⊢ לי
$lu \mapsto L$	$\operatorname{gh}\mapstoldsymbol{ullet}$	$t \mapsto \lambda$	$v \mapsto \mathbf{d}$
$luu \mapsto \mathbf{L}$	$ng \mapsto C$	th → <b>O</b>	sh → <b>/</b> \
$lvr \mapsto X$	$c \mapsto \mathbf{d}$	d → <b>&gt;</b>	$ss \mapsto c$

## 7 Carian

### 7.1 List of Unicode codepoints

For command \catransuc \{\}.

[Carian]	$U+102AC \mapsto \bigcap$	$U+102B9 \mapsto \mathbf{q}$	U+102C6 +> <b>と</b>
$U+102A0 \mapsto A$	$U+102AD \mapsto Q$	$U+102BA \mapsto \Box$	U+102C7 → <b>↑</b>
$U+102A1 \mapsto B$	$U+102AE \mapsto \mathbf{Q}$	$U+102BB \mapsto \overline{P}$	$U+102C8 \mapsto I_1I$
$U+102A2 \mapsto C$	$U+102AF \mapsto R$	$V+102BC \mapsto \overline{V}$	U+102C9 → <b>6</b>
$U+102A3 \mapsto \Delta$	$U+102B0 \mapsto M$	$U+102BD \mapsto \mathbf{Y}$	$U+102CA \mapsto \mathcal{V}$
$U+102A4 \mapsto \mathbf{E}$	$U+102B1 \mapsto \int_{C}$	$U+102BE \mapsto \mathbf{\widehat{\Delta}}$	$U+102CB \rightarrow \mathcal{N}$
$U+102A5 \mapsto \mathbf{L}$	$U+102B2 \mapsto \mathbf{Y}$	$U+102BF \mapsto \coprod I$	$U+102CC \mapsto 4$
$U+102A6 \mapsto \bot$	$U+102B3 \mapsto \mathbf{\Phi}$	$U+102C0 \mapsto \underline{X}$	$U+102CD \rightarrow V$
$U+102A7 \mapsto \blacksquare$	$U+102B4 \mapsto X$	$U+102C1 \mapsto X$	
$U+102A8 \mapsto \bigoplus$	$U+102B5 \mapsto \mathbf{Y}$	$U+102C2 \mapsto \mathcal{I}$	$U+102CE \mapsto A$
$U+102A9 \mapsto \Gamma$	$U+102B6 \mapsto \Omega$	$U+102C3 \mapsto 5$	$U+102CF \mapsto \mathbf{H}$
$U+102AA \mapsto N$	$U+102B7 \mapsto \Delta$	$U+102C4 \mapsto \mathbf{X}$	$U+102D0 \mapsto \Psi$
$\text{U+102AB} \mapsto \mathbf{O}$	$U+102B8 \mapsto 0$	$\mid$ U+102C5 $\mapsto$ $\mathbf{H}$	[End of List]

#### 7.2 List of Unicode names

For command \catransun {}.

$$\begin{array}{c|c} & & d \mapsto C \\ a \mapsto A \\ p2 \mapsto B \end{array} \qquad \begin{array}{c|c} d \mapsto C \\ l \mapsto \Delta \\ uuu \mapsto E \end{array} \qquad \begin{array}{c|c} r \mapsto F \\ ld \mapsto I \\ a2 \mapsto B \end{array} \qquad \begin{array}{c|c} q \mapsto \bigoplus \\ b \mapsto \Gamma \\ m \mapsto N \end{array}$$

$o\mapsto O$	$n \mapsto Y$	$uu \mapsto \Pi$	$ uuu2 \mapsto  I $
$d2 \mapsto \bigcap$	$tt2 \mapsto \Omega$	$g \mapsto \mathbf{X}$	$ \operatorname{rr}\mapsto 6$
$t\mapsto Q$ .	$p \mapsto \Delta\!$	$g2 \mapsto X$	$mb\mapsto\mathcal{V}$
$\operatorname{sh}\mapsto \operatorname{q}$	$ss \mapsto 0$	$st \mapsto \mathbf{C}$	$mb2 \mapsto \sum$
$sh2 \mapsto R$	$i \mapsto \underline{\mathbf{q}}$	$\begin{cases} st \mapsto f \\ st2 \mapsto f \end{cases}$	$mb3 \mapsto 4$
$s\mapsto \mathbf{M}_{\underline{}}$	$e \mapsto \Box$		$mb4 \mapsto P$
c18 → I	uuu <u>u</u>	$ng \mapsto \mathbf{X}$	$1d2 \mapsto A$
$\mathbf{u}\mapsto \mathbf{Y}$	$k\mapsto \nabla$	ii → H	$e2 \mapsto H$
$nn \mapsto \Phi$	$k2 \mapsto \mathbf{Y}$	c39 → <b>~</b>	uuu3 → <b>Ψ</b>
$x\mapsto X$	$nd\mapsto \bigstar$	$tt \mapsto T$	[End of List]

### 8 Cuneiform

Fig. 1. ERÍN ma-an-da, 'the Ummān-manda', 'troops of the terrain (of the distant eastern zone)'. Mnemonic: 'the humans of the mountains', mountain hordes.

Transliteration will be complicated. "A transliterated document ... presents the reading preferred by the transliterating scholar as well as an opportunity to reconstruct the original text." For example, with  $\Re$ , AN, DINGIR, superscript <sup>d</sup>, *an*, *il* (amongst others) are available, because<sup>4</sup>:

Function	Sumerian	Akkadian	Hittite
picture	star ⊁	<b>&gt;</b> +	
idea	an, 'sky, heaven'		
word	diĝir, 'god, goddess'	ilum, il-	
word		šamû, 'sky'	
preposition		"at", "to"	
name	An, supreme deity		
syllable	/an/	/an/, /il/	/an/
determinative	religious, divine		


<sup>&</sup>lt;sup>2</sup>Transliteration and proposed translation: Selim F Adalı (2009). 'Ummān-manda and its Significance in the First Millennium B.C.'. PhD thesis. University of Sydney. URL: https://ses.library.usyd.edu.au/bitstream/handle/2123/4890/sf-adali-2009-thesis.pdf.


 $<sup>^3</sup>Cuneiform\ transliteration\ (n.d.).$  URL: https://sumer.fandom.com/wiki/Cuneiform\_transliteration

<sup>&</sup>lt;sup>4</sup>Following *Dingir* (n.d.). Wikipedia. URL: https://en.wikipedia.org/wiki/Dingir

#### 8.1 List of Unicode codepoints


For command \cutransuc {}.























#### 8.2 List of Unicode names


For command \cutransun {}.

```
ab2timesmeplusen \mapsto
[Cuneiform]
a\mapsto 
                                  ab2timessha3 \mapsto \bigcirc
atimesa → \\
                                  ab2timestak4 →
atimesbad →
                                  ad \mapsto \blacksquare
atimesgan2tenu →
                                  ak → >
atimesha →
                                  atimesigi →
                                  aktimesshitaplusgish → >
atimeslagargunu →
                                  al \mapsto \#
atimesmush →
                                  altimesal → #
atimessag →
                                  altimesdim2 → #
a2 → 1
                                  altimesgish → #
ab \mapsto \blacksquare
                                  altimesha → #
abtimesash2 \mapsto \blacksquare
                                  altimeskad3 → #
abtimesdun3gunu → □
                                  altimeski → #
abtimesgal →
                                  altimesshe → #
abtimesgan2tenu → 🖼
                                  altimesush →
abtimesha → 🖼
                                  alan → X
abtimesigigunu → □
                                  aleph \mapsto \diamondsuit
abtimesimin →
                                  amar → 
abtimeslagab → □
                                  amartimesshe \mapsto
abtimesshesh \mapsto \blacksquare
                                  an → 🛠
abtimesuplusuplusu →
abgunu →
                                  anoveran \mapsto \Re
ab2 \mapsto \bigcirc
                                  anthreetimes \mapsto **
                                  anplusnagaopposinganplusnaga \mapsto
ab2timesbalag →
                                  *($)<$)*
ab2timesgan2tenu \rightarrow
```




dara3 → 🗱	e2timesshe →
dara4 → <b>E</b>	e2timesu →
$\operatorname{di}\mapsto igotimes$	edin → F
$\operatorname{dib}\mapsto \overset{\vee}{\blacksquare}$	egir → <b>#</b>
$\dim\mapsto {}^lacktriangledown$	$\operatorname{el}\mapsto igotimes_{f I}$
dimtimesshe → <b>▶</b>	en → ••
$\dim 2 \mapsto \overline{\mathbf{A}}$	entimesgan2 →
$\dim\mapsto \mathop{\raisebox{.5ex}{$\triangleright$}}$	entimesgan2tenu → 🎉
dinkaskalugunudish → 🎾ເ	entimesme → ♣
$\operatorname{dish}\mapsto f$	encrossingen → 🎇
$du \mapsto \Longrightarrow$	enopposingen → ↓ ↓ 【】
$duoverdu \mapsto \boldsymbol{\Xi}$	ensquared → T
dugunu → ♣	eren → <b>I</b>
dusheshig →	erin2 → 🏂
dub → ₩₩	esh2 → <b>I</b>
dubtimesesh2 →	ezen → □□□
dub2 →  dub2 →	ezentimesa → 🍱
_ '	ezentimesapluslal → 坑
dug →	ezentimesapluslaltimeslal $\mapsto$ $\Box$
dugud → <b>(</b>	ezentimesan → ♣
$duh \mapsto $	ezentimesbad → 🖽
dun → dun 3	ezentimesdun3gunu → 🔟
dun3 → IIII dun3gunu → IIIIII	ezentimesdun3gunugunu → 📳
dun3gunugunu → 💵	ezentimesha → 🗐
dun4 →	ezentimeshagunu → 📆
dur2 → □	ezentimesigigunu → 📳
e → <b>1</b>	ezentimeskaskal → 📜
etimespap → <b>ਡ</b>	ezentimeskaskalsquared 🕁 ಆರ್ಟ್ಫೌ
eoverenunovernun 🕁 野畑	ezentimesku3 →
e2 → <b>F</b>	ezentimesla →
e2timesaplushaplusda → <b>ﷺ</b>	ezentimeslaltimeslal → ♣
e2timesgar →	ezentimesli →
e2timesmi →	ezentimeslu →
e2timessal →	ezentimesu2 →
<u> </u>	






hitimesgad $\mapsto igotimes$	imsquared →
hitimeskin → 🏟	~~~ ~~
hitimesnun $\mapsto  extbf{ extit{ }}$	imin → γγγ
hitimesshe → �	$in \mapsto $
hitimesu $\mapsto$ $lack lack lack$	$\operatorname{ir}\mapsto \longrightarrow$
hu → <del> </del>	ish → ■
$hub2 \mapsto $	ka →
hub2timesan →	katimesa → �����������������������������������
hub2timeshal →	katimesadplusku3 → 🌠
hub2timeskaskal → 🎾	katimesash2 → 🎏
hub2timeslish $\mapsto \bigvee$	katimesbad →
•	katimesbalag →
hub2timesud →	katimesbar → 🎏
hul2 → 📜	katimesbi → 🎏
$i \mapsto \mathbf{E}_{\mathbf{w}}$	katimeserin2 $\mapsto$
ia ↔	katimesesh2 → ◀罩
ib → <b> </b>	katimesga → <b>4</b>
idim → ■	katimesgal → 🎏
idimoveridimbur → 🔀	katimesgan2tenu → 🌂
idimoveridimsquared $\mapsto = \parallel$	katimesgar → 🎏
	katimesgarplussha3plusa → 🍕
ig → <b>I</b>	katimesgi → 🌉 _
igi → <b>(-</b>	katimesgir2 → <b>₹</b>
igidib → <b>4</b>	katimesgishplussar $\mapsto$ 🖘
igiri → <b>∜ +   ≺ </b>	katimesgishcrossinggish → 🌂 🍱
igioverigishirovershirudoverud →	katimesgu → 🍕 🗷
	katimesgur7 → 🍕 🏧
igigunu → <b>對</b>	katimesigi → <b>≰</b>
il → III	katimesim → 🌊
	katimeskak → 🎏
iltimesgan2tenu → 🎹	katimeski → 🎑
il2 →	katimeskid → ����� katimesli → �����
$im \mapsto $	katimeslu → 🎏
<b>A</b>	katimesme → ♣
imtimestak4 → 🏚	katimesmeplusdu → 🎏
imcrossingim → 📆	katimesmeplusgi → <b>*</b>
imopposingim → 🏚 👭 🖟 🍑	katimesmepluste → 🍽





lagabtimesal $\mapsto$	lagabtimestag → 🖾
lagabtimesan → 🔻	lagabtimestak4 → ■
lagabtimesashzidatenu → 🔼	lagabtimesteplusaplussuplusna $\mapsto$
lagabtimesbad → 🗖	©M⊞>◆
lagabtimesbi → 🔁	lagabtimesu → 【【
lagabtimesdar → 💆	lagabtimesuplusa → 【■
lagabtimesen →	lagabtimesuplusuplusu $\mapsto$ $lacktree{\!$
lagabtimesga →	lagabtimesu2plusash → 🖼
lagabtimesgar → 🛂	lagabtimesud $\mapsto$ $lacksquare$
lagabtimesgud → 🗗	lagabtimesush $\mapsto$ $lacksquare$
lagabtimesgudplusgud $\mapsto$	lagabsquared → □□□
lagabtimesha → 🗷	lagar → 🎵
lagabtimeshal → 🗷	lagartimesshe → <b>Æ</b>
lagabtimeshitimesnun $\mapsto$ 🔯	lagartimessheplussum → 🐐
lagabtimesigigunu $\mapsto$ 🖭	lagargunu → 🌠
lagabtimesim $\mapsto$ $lacksquare$	lagargunuoverlagargunushe $\mapsto$
lagabtimesimplusha $\mapsto$ $lacksquare$	
lagabtimesimpluslu $\mapsto$ 🔄	lahshu → ♦
lagabtimeski → 💆	
lagabtimeskin $\mapsto$ 🖭	laltimeslal → 🚩
lagabtimesku3 $\mapsto$ 🗷	lam → 🌂
lagabtimeskul $\mapsto$ $lacksquare$	lamtimeskur → 🌂
lagabtimeskulplushiplusa 🕁 🔄	lamtimeskurplusru → 💥
lagabtimeslagab $\mapsto lacksquare$	li → <b>₩₽</b>
lagabtimeslish $\mapsto$ $oxdot$	
lagabtimeslu $\mapsto lacksquare$	limmu2 → \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
lagabtimeslul $\mapsto$	lish →
lagabtimesme $\mapsto$ $oldsymbol{\mathbb{F}}$	lu → 🖽
lagabtimesmeplusen $\mapsto$ $lacksquare$	lutimesbad → 🗷
lagabtimesmush $\mapsto$ 🔄	lu2 →
lagabtimesne $\mapsto$ $\blacksquare$	lu2timesal →
lagabtimessheplussum $\mapsto$ $lacksquare$	lu2timesbad →
lagabtimesshitaplusgishpluserin2	lu2timesesh2 →
	lu2timesesh2tenu →
lagabtimesshitaplusgishtenu →	lu2timesgan2tenu →
lagabtimesshu2 → 【	lu2timeshitimesbad →
lagabtimesshu2plusshu2 → Щ	lu2timesim →
lagabtimessum $\mapsto$ 🗷	lu2timeskad2 →













```
ushtimesa → 📆
                                    dishplusshu →
                                    dubtimesshe → 📆
ushtimesku → 📆
                                    ezentimesgud →
ushtimeskur → 🎞
ushtimestak4 → 🌉
                                    ezentimesshe → 🕍
ushx \mapsto \blacksquare
                                    ga2timesanpluskakplusa → 🗱 👭
                                    ga2timesash2 → 📲
ush2 \mapsto \frown
ushumx → →
                                    ge22 \mapsto \checkmark
utuki → ►
                                    gig \mapsto \langle \downarrow \downarrow \downarrow \rangle
uz3 → ►
                                   hush \mapsto \bigcirc
uz3timeskaskal → ►
                                    katimesanshe \mapsto
uzu → 🗱
                                    katimesash3 → 📲
za \mapsto 
                                    katimesgish → 💶
zatenu → 💜
                                    katimesgud → ₹
zasquaredtimeskur \mapsto 
                                    katimeshitimesash2 → 🍑
zag → ■
                                    katimeslum →
zamx \mapsto \checkmark \diamondsuit
                                    katimespa → 💵
ze2 → ₩
                                    katimesshul → 🗱
zi \mapsto \frac{11}{11}
                                    katimestu → 4
                                    katimesur2 \mapsto 4
zioverzi →
                                    lagabtimesgi → 🌆
zi3 →
                                    lu2sheshigtimesbad → 🍂
zib \mapsto  
zibkabatenu → ₩
                                    lu2timesesh2pluslal →
zig \mapsto 
                                    lu2timesshu →
ziz2 \mapsto 
                                    mesh \mapsto \blacksquare
                                    mush3timesza → 🚻
zu \mapsto \blacksquare
                                    na4 \mapsto 
zu5 → —
                                    nin \mapsto \Box
zu5timesa → 🖼 👚
                                    nin9 → 🖼
zubur → W
                                    ninda2timesbal → ≒
zum → 🎉
                                    ninda2timesgi \mapsto \Xi
kapelamite →
                                    nu11rotatedninetydegrees \mapsto
abtimesnun → Ξ
ab2timesa \mapsto
                                    pesh2asterisk → (□
amartimeskug → (
                                    pir2 \mapsto 
dagkisim5timesu2plusmash
                                    sagtimesigigunu → 🍱
ti2 \mapsto \mathbf{a}
dag3 \mapsto \overline{\mu}
                                    umtimesme → □
```


 $uu\mapsto {\displaystyle \not \hspace{1.5cm} \big(}\hspace{1.5cm} {\color{black} \hspace{1.5cm}}\hspace{1.5cm} {\color{black} \hspace{1.5cm}}\hspace{1.5cm}} {\color{black} \hspace{1.5cm}}\hspace{1.5cm} {\color{black} \hspace{1.5cm}}\hspace{1.5cm}} {\color{black} \hspace{1.5cm}}\hspace{1.5cm} {\color{black} \hspace{1.5cm}}\hspace{1.5cm} {\color{black} \hspace{1.5cm}}\hspace{1.5cm} {\color{black} \hspace{1.5cm}}\hspace{1.5cm} {\color{black} \hspace{1.5cm}}\hspace{1.5cm} {\color{black} \hspace{1.5cm}}\hspace{1.5cm}\hspace{1.5cm} {\color{black} \hspace{1.5cm}}\hspace{1.5cm} {\color{black} \hspace{1.5cm}}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace{1.5cm}\hspace$ 

## 8.3 List of Typing Shortcuts

For command \cutransts {}.







## 9 Cypriot Syllabary

## 9.1 List of Unicode codepoints

For command \cytransuc {}.

$U+10800 \mapsto X$ $U+10801 \mapsto X$ $U+10802 \mapsto X$ $U+10803 \mapsto X$ $U+10804 \mapsto Y$ $U+10805 \mapsto 0$ $U+10808 \mapsto X$ $U+1080B \mapsto X$ $U+1080B \mapsto X$ $U+1080D \mapsto X$ $U+1080B \mapsto X$ $U+1080B \mapsto X$ $U+1080B \mapsto X$ $U+1080B \mapsto X$	$U+10811 \mapsto \angle$ $U+10812 \mapsto +$ $U+10813 \mapsto \bigcirc$ $U+10814 \mapsto X$ $U+10815 \mapsto X$ $U+10816 \mapsto 2$ $U+10817 \mapsto \bigcirc$ $U+10818 \mapsto X$ $U+10819 \mapsto \top$ $U+1081A \mapsto \bigcirc$ $U+1081B \mapsto 2$ $U+1081C \mapsto \nearrow$ $U+1081D \mapsto X$	$U+1081F \mapsto \begin{picture}(20,0) \put(0,0){\line(0,0){$}} \put(0,0){\l$	$\begin{array}{c} \text{U+1082D} \mapsto \mbox{$\vdash$} \\ \text{U+1082E} \mapsto \mbox{$\rlap$$\bot} \\ \text{U+10830} \mapsto \mbox{$\rlap$$ \\ \text{U+10831} \mapsto \mbox{$\rlap$$ \\ \text{U+10832} \mapsto \mbox{$\rlap$$$\bot} \\ \text{U+10833} \mapsto \mbox{$\rlap$$$\bot} \\ \text{U+10834} \mapsto \mbox{$\rlap$$$\raisebox{\hoose}{$\rlap$$}\raisebox{\hoose}{$\rlap$$}\raisebox{\hoose}{$\rlap$$}\raisebox{\hoose}{$\rlap$$}\raisebox{\hoose}{$\rlap$}\raisebox{\hoose}{}\raisebox{\hoose}{$\rlap$}\raisebox{\hoose}{$\rlap$}\raisebox{\hoose}{$\rlap$}\raisebox{\hoose}{}\raisebox$
	$\begin{array}{c} \text{U+1081D} \mapsto \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $		$U \text{+} 1083F \mapsto \text{\$}$ [End of List]

## 9.2 List of Unicode names

For command \cytransun {}.

$mi \mapsto \mathbf{Y}$	pe → <b>5</b>	$sa \mapsto V$	wa → 💥
$mo \mapsto \mathbf{\Phi}$	$pi \mapsto $	se → F	$we\mapsto I$
$mu\mapsto \underline{\hspace{1em}}$	$po \mapsto S$	$si \mapsto \frac{1}{2}$	wi → X
$na \mapsto \overline{\overline{T}}$	$pu \mapsto \mathbf{\Psi}$	so → <b>¥</b>	$wo \mapsto \mathcal{T}$
ne → ۱۶۱	$ra \mapsto Q$	$\begin{vmatrix} \operatorname{su} \mapsto \mathcal{N} \\ \operatorname{ta} \mapsto \end{vmatrix}$	$xa \mapsto )($
$ni \mapsto 2$	re → 🏠	$te \mapsto \mathbf{\Psi}$	$xe \mapsto (H)$
$no \mapsto \gamma$	$ri \mapsto \mathcal{S}$	$ti\mapsto \mathbf{ f}$	$za \mapsto \chi$
nu → ≯i	$ro \mapsto \mathbf{X}$	to $\mapsto \overline{\underline{F}}$	$zo \mapsto \%$
pa → <b>‡</b>	ru → <b>)</b> (	tu → hī	[End of List]

- 10 Early Dynasitc Cuneiform
- 11 Egyptian Hieroglyphs
- 12 Elymaic
- 13 Glagolitic
- 14 Gothic
- 15 Hatran
- 16 Imperial Aramaic
- 17 Inscriptional Pahlavi
- 18 Inscriptional Parthian
- 19 Linear A
- 20 Linear B
- 21 Lycian
- 22 Lydian