Listen to this page

API Troubleshooting

Introduction

When processing transactions on our platform, you will face the task to treat errors accordingly. Depending on your request, you might encounter errors related to:

- Rejections from acquirers/issuers.
- Our **Fraud Prevention** tools.
- Our platform due to technical issues.
- Missing/wrong properties in your request.
- Wrong API endpoint your request is sent to.

To help you understand and amend these errors, we walk through the most common ones and provide our recommendations.

> i Before delving into specific error scenarios, it is recommended to read our dedicated

Statuses guide, providing a general overview of all possible transaction/request outcomes.

HTTP response codes

Our Direct API uses standard HTTP response codes to indicate the status of each request made to the system.

Response Code Ranges

Understanding the significance of HTTP response codes is crucial for effective interaction with the Direct API. Below, you can explore the different response code ranges and their implications:

- **2xx Series**: Successful responses, indicating that the request was handled correctly.
- **4xx Series**: Client error responses, signifying issues with the request itself or transaction rejection.
- **5xx Series**: Server error responses, indicating a problem on one of the parties involved in processing your request.

HTTP Response Code

The Direct API uses the following HTTP response codes:

HTTP Response Code	Meaning	Description
200	Successful	Your request was processed corre
201	Created	Your request was processed corre The URI of this created resource is
202	Accepted	Specific to requests sent via integr Your request has been accepted fo completed.
400	Bad Request	Your request is not correct and car Please correct the mistake and try
402	Payment Rejected	Your request was rejected either b or one of our downstream partners
403	Not authorized	You are trying to do something tha do.
404	Not found	The object you were trying to acce
409	Conflict	Your request resulted in a conflict. Either you submitted a duplicate re you are trying to create something
410	Gone	The object that you are trying to re
500	Internal Server Error	Something went wrong on our end
502	Bad Gateway	We were unable to process a mess

HTTP Response Code	Meaning	Description
503	Service Unavailable	The service that you are trying to r Please try again later.

Make sure your application can handle HTTP error codes not included in this list.

Error Notifications

We distinguish between two types of errors

- **Technical errors**: These occur when our platform cannot process a request due to issues with the request itself or our platform.This could be related to:
  - A non-existent/wrong API endpoint your request is sent to.
  - API key/secret/PSPID mismatches with the data on our platform.
  - Missing/wrong properties in your request.
  - A wrong payload.

- **Transaction exceptions**: These happen when a request is technically correct but is rejected by our **platform**, the **acquirer** or **issuer**.

If you send a request (i.e. **CreatePayment** /**CreateHostedCheckout**/**GetPaymentDetails**) to our platform causing an error, the JSON properties in the response will help you find the root cause and find a solution:

Property	Description
`errorID`	The unique identifier of your request on our platform. If you need our help to solve the error linked to this request, make sure to add it in your message **when contacting us.**
`errors.category`	Human-readable description of the global error category. This can be both ***technical errors*** and ***transaction exceptions.***
`errors.code`	4- to 8-digit error code linked to `errors.category`, indicating the specific error category.
`errors.errorCode`	8-digit error code linked to ***technical errors*** (for 5xxxxxxx errors) or ***transaction exceptions.***
`status` `errors.httpStatusCode`	3-digit error code linked to standard HTTP status codes.

`errors.id`	Human-readable description of the specific category the error falls into.
`errors.message`	Human-readable description of the specific category the error falls into, providing detailed information if available.
`errors.propertyName`	The property from your request causing the error (i.e. invalid or missing values sent in your request).

A typical error message depending on the type of error looks like this:

Error type	JSON returned from our platform
Technical error (non-existent/wrong API endpoint)	`header content-lenght = 0`
Technical error (API key/secret/PSPID mismatch)	


```
{
  "errorId": "8c0e1431-4c6c-4fcf-8c58-c8c083736
  "errors": [
    {
      "code": "9007",
      "id": "ACCESS_TO_MERCHANT_NOT_ALLOWED",
      "category": "DIRECT_PLATFORM_ERROR",
      "message": "ACCESS_TO_MERCHANT_NOT_ALLOWE
      "httpStatusCode": 403
    }
  ],
```

```
  "status": 403
}
```


Technical error (Missing/wrong properties)


```
{
  "errorId": "4dac7acb-70c1-4917-80cd-068833fd8
  "errors": [
    {
      "errorCode": "50001130",
      "category": "DIRECT_PLATFORM_ERROR",
      "code": "1002",
      "httpStatusCode": 404,
      "id": "UNKNOWN_PAYMENT_ID",
      "message": "UNKNOWN_PAYMENT_ID",
      "propertyName": "paymentId",
      "retriable": false
    }
  ]
}
```


Technical error (Wrong payload)


```
{
  "errorId": "5298814d-ca42-4fd5-926e-ceed1b69
  "errors": [
    {
      "errorCode": "50001111",
      "category": "DIRECT_PLATFORM_ERROR",
      "code": "1008",
      "httpStatusCode": 400,
      "id": "INVALID_VALUE",
```

```
      "propertyName": "order.amountOfMoney"
    }
  ]
}
```

Transaction exception

```
...
  "status": "REJECTED",
  "statusOutput": {
    "errors": [
      {
        "errorCode": "50001066",
        "category": "DIRECT_PLATFORM_ERROR",
        "code": "1099",
        "httpStatusCode": 400,
        "id": "INVALID_VALUE",
        "message": "INVALID_VALUE",
        "retriable": false
      }
    ],
...
```


following sub-chapters:

- **Fix** `errors.category`
- **Fix** `errors.code`
- **Fix** `errors.errorCode`
- **Fix** `errors.id`

Fix `errors.category`

Property value	Description/Possible actions
`DIRECT_PLATFORM_ERROR`	Technical errors referring to unknown/invalid data provided during the request, such as • Property values/allowed value range. Check our API reference/the "Integration" tab in the **payment method** guides for the correct value(s) • Data our platform needs to process your request (i.e. `hostedCheckoutId` / `paymentId` etc.) • `API Key` / `Secret` /PSPID sent in request do not match with the data on our platform Check properties `errors.message` / `errors.id` for detailed information **Configure the `API Key` / `Secret` correctly** and/or send the correct data in your request
`PAYMENT_PLATFORM_ERROR`	Various ***technical errors*** or ***transaction exceptions*** Check properties `errors.id` / `errors.message` / `errors.errorCode` for root cause and possible solutions

`MERCHANT_BATCH_ERROR`	Various technical errors specific to requests sent via integration method **Batch**. Check properties `errors.id` / `errors.message` / `errors.errorCode` for root cause and possible solutions

Fix `errors.code`

Property value	Description/Possible actions

`1002`
 	
`1003`
 	
`1004`
 	
`1005`
	You have sent an invalid `paymentId` for either request:
	
	RefundPayment
	GetPaymentDetails
	GetHostedCheckout
	CancelPayment
	CapturePayment
	CompletePayment
	
	Make sure to send your request to the correct `merchantId` (your PSPID on our platform)/ **environment**

`1099`
`1008`
`1007`
	You have sent an invalid value for one or more properties in your request. Refer to `errors.propertyName` to get a list of impacted properties.
	
	Make sure to send the correct value(s)/data type/allowed range as defined in our **API reference**

`9007`	The `API Key` / `Secret` /PSPID sent in request do not match with the data on our platform Make sure to send the correct value(s) and/or c**onfigure the** `API Key` / `Secret` **correctly** in your PSPID before sending new request

Fix `errors.errorCode`

Property value	Description/Possible actions
`30001100`	Your **Fraud Prevention** module rejected the trans (Re-)assess which countries have the highest nur customers in this country, keep this country on yo **Contact us** to configure your **Fraud Prevention** m same time.
`30001101`	Your **Fraud Prevention** module rejected the trans different IP country to card country.

	(Re-)assess whether this fraud rule is too strict fo If it is unlikely that there is a discrepancy betweer setting. **Contact us** to configure your **Fraud Prevention** m same time.
`30001102`	Your **Fraud Prevention** module rejected the trans number of countries allowed in transactional data (Re-)assess whether this fraud rule is too strict fo **Contact us** to configure your **Fraud Prevention** m same time.
`30001104`	Your **Fraud Prevention** module rejected the trans (Re-)assess in which countries you have genuine country, keep this country on your blacklist. **Contact us** to configure your **Fraud Prevention** m same time.

`30001105`	Your **Fraud Prevention** module rejected the trans (Re-)assess whether your business model justifie **Contact us** to configure your **Fraud Prevention** m same time.
`30001106`	Your **Fraud Prevention** module rejected the trans (Re-)assess whether your business model justifie unknown. **Contact us** to configure your **Fraud Prevention** m same time.
`30001120`	Your **Fraud Prevention** module rejected the trans (Re-)assess whether your business model justifie past fraudulent transactions related to this IP). **Contact us** to configure your **Fraud Prevention** m same time.
`30001130`	Your **Fraud Prevention** module rejected the trans (Re-)assess whether your business model justifie fraudulent transactions related to this BIN).

	Contact us to configure your **Fraud Prevention** m same time.
`30001140`	Your **Fraud Prevention** module rejected the trans (Re-)assess whether your business model justifie of past fraudulent transactions related to this car **Contact us** to configure your **Fraud Prevention** m same time.
`30001141`	Your **Fraud Prevention** module rejected the trans blacklist. (Re-)assess whether your business model justifie because of past fraudulent transactions related t **Contact us** to configure your **Fraud Prevention** m same time.

`30001142`	Your **Fraud Prevention** module rejected the trans `order.additionalinput.airlineData.passengers` i your blacklist. (Re-)assess whether your business model justifie fraudulent transactions related to this name). **Contact us** to configure your **Fraud Prevention** m same time.
`30001143`	Your **Fraud Prevention** module rejected the trans (Re-)assess whether your business model justifie because of past fraudulent transactions related t **Contact us** to configure your **Fraud Prevention** m same time.
`30001158`	Your **Fraud Prevention** module rejected the trans with the same email address in one day. (Re-)assess whether your business model justifie multiple times in one day (i.e. because of past fra **Contact us** to configure your **Fraud Prevention** m same time.
`30001180`	Your **Fraud Prevention** module rejected the trans acceptance threshold.

	This figure is an indication that a large number of (Re-)assess whether your business model justifie legitimate transactions. **Contact us** to configure your **Fraud Prevention** m same time.
`30031001`	You **acquirer** rejected the transaction because yo **Contact us** and your acquirer to make sure that tl
`30041001`	Your customer's **issuer** rejected the transaction b • Has expired. • Is under suspicion of fraudulent use. Make sure • To (re-)assess whether to put this card on **Frau** • Your customers use valid cards if you are worki
`30051001`	Your customer's **issuer** rejected the transaction w issuers will provide this rejection reason for most Make sure • To contact your **acquirer** if you have disproport

	• To (re-)assess whether these rejections could l module.
`30141001`	Your customer's **issuer** rejected the transaction b • Is wrong. • Has expired. Make sure to • Your customers use valid cards if you are worki • To (re-)assess whether these rejections could l considered fraud attempts. **Contact us** to confi high conversion rates at the same time.
`30171001`	Our platform has updated the transaction from `s` cancelled the transaction on the Hosted Checkou Contact your customers to learn why they abando conversion rate.
`30171003`	Our platform has updated the transaction from `s` Checkout sessions has expired. Contact your customers to learn why they abando conversion rate.
`30431001`	Your **acquirer** or your customer's **issuer** rejected

	Make sure to put this card on **Fraud Prevention** m
`30511001`	Your customer's **issuer** rejected the transaction b Make sure to enable your customers to • Select a different payment method for retrying. • Amend their shopping cart content to reduce th complete their purchase at a later time.
`30581001`	Your customer's **issuer** rejected the transaction b purchase. Make sure to • Enable your customers to select a different pay • Consider contacting your customers to remind
`30591001`	Your customer's **issuer** rejected the transaction b Make sure to put this transaction on **Fraud Preve** any other attempts matching with information ass **Contact us** to configure your **Fraud Prevention** m same time.
`30621001`	Your **acquirer** or your customer's **issuer** rejected the card.

	Make sure to • Enable your customers to select a different pay • Inform your customers about the (security) rest restrictions.
`30921001`	Your **acquirer** rejected the transaction because it Make sure to contact your **acquirer** if you have th renegotiate your contract to lift possible acceptar
`40001134`	Your **acquirer** or your customer's **issuer** rejected could be related to legitimate authentication failu missing card readers or forgotten PIN codes) or fr Make sure to • Implement **3-D Secure** correctly if you are w • Help your customers prepare for the 3-D Secur

`40001135`
 	
`50001081`
	Your **acquirer** or your customer's **issuer** rejected
	because the issuer was not available to confirm tl
	
	This error comes from the issuing bank and is out
	
	• Enable your customers to select a different pay
	• Consider contacting your customers to inform t
	complete their purchase at a later time.

`40001137`	Your **acquirer** or your customer's **issuer** rejected because our platform could not roll out 3-D Secur This error comes from our platform and is out of y • Enable your customers to select a different pay • Resubmit the transaction at a later time.
`40001138`	Our platform rejected the transaction because at the cardholder due to an unexpected failure. To recover this declined transaction, resubmit the the cardholder.
`40001139`	Your customer's **issuer** rejected the transaction b **Decline mechanism**. As the issuer insists on 3-D Make sure to recover the transaction as describe

`40001146`	Our platform rejected rejected the transaction as completed within the given time. Make sure **to contact us** for • Confirming that all systems are functioning cor • Identifying any potential connection issues on c
`50001054`	Our platform rejected the transaction because of `cardPaymentMethodSpecificInput.paymentProductIc` `cardPaymentMethodSpecificInput.card.cardNumber` **integration method.** Make sure to: • Detect the brand of the card correctly/invalid c • Enable your customers to select a different pay
`50001087`	Our platform rejected the transaction because ou was an technical issue with your request. Make sure to: • Implement **3-D Secure** correctly if you are worl • Enable your customers to select a different pay
`50001127`	Our platform rejected the request as you have trie captured.

	Make sure to verify that the payment you want to
`50001305`	Specific to requests sent via integration method E Our platform rejected the request due to validatio `errors.message` / `errors.errorCode` for root cau
`50001306`	Specific to requests sent via integration method E Our platform rejected the request due to schema properties `errors.id` / `errors.message` / `errors`

Fix `errors.id`

Property value	Description/Possible actions
UNKNOWN_PAYMENT_ID	You have sent an invalid value for property `paymentId` / `payoutId` for either request:
UNKNOWN_REFUND_ID	**RefundPayment** **GetPaymentDetails** **CapturePayment**
UNKNOWN_PAYOUT_ID	CompletePayment
UNKNOWN_CAPTURE_ID	GetHostedCheckout Make sure to

	• Send your request to the correct `merchantId` (your PSPID on our platform) / **environment.** • Send the `paymentId` in the correct format for the respective API call: **GetHostedCheckout** **RefundPayment** **GetPaymentDetails** **CapturePayment** **CompletePayment**
UNKNOWN_PRODUCT_ID UNKNOWN_PRODUCT_GROUP_ID UNKNOWN_PRODUCT_IDS UNKNOWN_PRODUCT_GROUP_IDS	You have sent an invalid value for property `paymentProductId` / `hostedCheckoutSpecificInput.paymentProductFilters` in your request. Make sure to • Send the correct value(s) as defined **in our API reference** and in the "Overview" tab for the individual **payment methods.** • Validate that the payment method is active in your account.
INVALID_VALUE	You have sent an invalid value for one or more properties in your request (specified in property `errors.propertyName`).

	Make sure to send the correct value(s)/data type/allowed range as defined **in our API reference.**
ACTION_NOT_ALLOWED_ON_TRANSACTION	You have sent a request to perform a **maintenance operation** that is not allowed for this specific transaction for either request. RefundPayment CapturePayment CompletePayment Make sure to • Check `errors.errorCode` for details what forbidden action you have tried. • Check the **transaction status** allows the maintenance operation you want to perform.
PAYMENT_PRODUCT_NOT_AVAILABLE	You have sent a request with a `paymentProductId` referring to a payment method not active/available in your **PSPID.** Make sure to

	• Activate it in the **test environment** in your PSPID. • **Contact us** to activate in the **live environment.**
UNKNOWN_TOKEN_ID	You have sent a **CreatePayment** /**CreateHostedCheckout** request for a **Card On File payment** with an invalid/non-existent token. Make sure the `token` exists in the PSPID you send the request to.
CARDNUMBER_PAYMENTPRODUCTID_MISMATCH	You have sent a **CreatePayment** request with a mismatch between the brand you defined in property `cardPaymentMethodSpecificInput.paymentProductId` and the card number in property `cardPaymentMethodSpecificInput.card.cardNumber`. This error occurs exclusively when using**Server-to-server integration method.** Make sure to detect the brand of the card correctly/invalid card data before submitting the transaction to our platform.

PAYMENT_PRODUCT_NOT_REFUNDABLE	You have sent a **RefundPayment** request for a transaction that was processed with a payment method not supporting refunds. Make sure to check in the in **payment product** overview for the respective payment method that it does support refunds.
AUTHENTICATION_FAILURE	The 3-D Secure identification for this transaction was unsuccessful. Make sure to refer to `errors.errorCode` for the root cause and possible actions.
INVALID_DATA	Specific to requests sent via integration method **Batch**. Your request is having validation errors in the payload. Check properties `errors.id` / `errors.message` / `errors.errorCode` for root cause and possible solutions.
SCHEMA_VALIDATION_FAILED	Specific to requests sent via integration method **Batch**.

	Your request is having schema validation errors in the payload. Check properties `errors.id` / `errors.message` / `errors.errorCode` for root cause and possible solutions

Payment retry guidelines

We are glad to help you manage payment retries while staying compliant with card schemes. When a transaction fails, you can resubmit the payment request via a **M**erchant-**i**nitiated **t**ransaction (**MIT**) within the **Card On File framework (COF)**.

As this means reusing the same PAN (i.e. card numbers) and amount per individual order, Mastercard and Visa limit retries to prevent excessive attempts. Fees may apply to acquirers if thresholds are exceeded but retries can still succeed.

Our platform gives you full control over retry decisions. We strongly recommend implementing a policy that fits your business while remaining compliant with card scheme rules. Use the error code categories in the subsequent chapter as guideline.

Error Code Categories

Our platform distinguishes between two types of error codes:

1) Non-Retriable Errors

These indicated permanent issues with the transaction. We strongly recommend not resubmitting the payment request. These come with the following `errors.errorCode`:

Error code	Description
30041001	Pick up card (no fraud)
30071001	Pick up card, special condition (fraud account)
30121001	Invalid transaction
30141001	Invalid card number
30151001	No such issuer (first 8 digits of account number do not relate to an issuing identifier)
30411001	Lost card, pick up
30431001	Stolen card, pick up
30571001	Transaction not permitted on card
33000972	Stop payment order
33000973	Revocation of authorization order
33000975	Revocation of all authorizations order
33000833	Ineligible for resubmission

2) Retriable Errors

For all error codes not listed above, a resubmission may be successful after another attempt.

You can retry, but limit to a maximum of 10 attempts within 30 days to stay compliant with card scheme guidelines and avoid potential fees.

Was this page helpful? Yes No

© 2026 | Worldline | Terms of use | Privacy | Cookie notice