1) If the tangents at the points P and Q on the circle $x^2 + y^2 - 2x + y = 5$ meet at the point $R(\frac{9}{4}, 2)$, then the area of the triangle PQR is:

[JEE Main 2023 (Online) 6th April Evening Shift]

- **A)** $\frac{13}{8}$
- **B)** $\frac{5}{8}$
- **C)** $\frac{5}{4}$
- **D)** $\frac{13}{4}$

Numerical Question

2) A circle passing through the point $P(\alpha, \beta)$ in the first quadrant touches the two coordinate axes at the points A and B. The point P is above the line AB. The point Q on the line segment AB is the foot of perpendicular from P on AB. If PQ is equal to 11 units, then the value of $\alpha\beta$ is

[JEE Main 2023 (Online) 6th April Morning Shift]

Numerical Question

3) Let the point (p, p + 1) lie inside the region $E = \{(x, y): 3 - x \le y \le \sqrt{9 - x^2}, 0 \le x \le 3\}$. If the set of all values of p is the interval (a, b), then $b^2 + b - a^2$ is equal to ______.

[JEE Main 2023 (Online) 6th April Morning Shift]

Numerical Question

4) Consider a circle C_1 : $x^2 + y^2 - 4x - 2y = \alpha - 5$. Let its mirror image in the line y = 2x + 1 be another circle C_2 : $5x^2 + 5y^2 - 10fx - 10gy + 36 = 0$. Let r be the radius of C_2 . Then $\alpha + r$ is equal to _____.

[JEE Main 2023 (Online) 8th April Morning Shift]

MCQ Single Answer

5) Let 0 be the origin and OP and OQ be the tangents to the circle $x^2 + y^2 - 6x + 4y + 8 = 0$ at the points P and Q on it. If the circumcircle of the triangle OPQ passes through the point $(\alpha, \frac{1}{2})$, then a value of α is

[JEE Main 2023 (Online) 8th April Evening Shift]

- **A)** 1
- **B)** $-\frac{1}{2}$
- **C)** $\frac{5}{2}$
- **D)** $\frac{3}{2}$

6) A line segment AB of length λ moves such that the points A and B remain on the periphery of a circle of radius λ . Then the locus of the point, that divides the line segment AB in the ratio 2 : 3, is a circle of radius

[JEE Main 2023 (Online) 10th April Morning Shift]

- A) $\frac{2}{3}\lambda$
- B) $\frac{3}{5}\lambda$
- C) $\frac{\sqrt{19}}{7}\lambda$
- **D)** $\frac{\sqrt{19}}{5}\lambda$

MCQ Single Answer

7) Let A be the point (1,2) and B be any point on the curve $x^2 + y^2 = 16$. If the centre of the locus of the point P, which divides the line segment AB in the ratio 3: 2 is the point $C(\alpha, \beta)$, then the length of the line segment AC is

[JEE Main 2023 (Online) 10th April Evening Shift]

- **A)** $\frac{3\sqrt{5}}{5}$
- **B)** $\frac{6\sqrt{5}}{5}$
- **C)** $\frac{2\sqrt{5}}{5}$
- **D)** $\frac{4\sqrt{5}}{5}$

Numerical Question

8) Two circles in the first quadrant of radii r_1 and r_2 touch the coordinate axes. Each of them cuts off an intercept of 2 units with the line x + y = 2. Then $r_1^2 + r_2^2 - r_1 r_2$ is equal to

[JEE Main 2023 (Online) 12th April Morning Shift]

MCQ Single Answer

9) Let the centre of a circle C be (α, β) and its radius r < 8. Let 3x + 4y = 24 and 3x - 4y = 32 be two tangents and 4x + 3y = 1 be a normal to C. Then $(\alpha - \beta + r)$ is equal to :

[JEE Main 2023 (Online) 13th April Evening Shift]

- **A)** 7
- **B)** 9
- **C)** 5
- **D)** 6

MCQ Single Answer

10) The number of common tangents, to the circles $x^2 + y^2 - 18x - 15y + 131 = 0$ and $x^2 + y^2 - 6x - 6y - 7 = 0$, is:

[JEE Main 2023 (Online) 15th April Morning Shift]

- **A)** 4
- **B)** 2
- **C)** 3
- **D)** 1

MCQ Single Answer

11) The locus of the mid points of the chords of the circle C_1 : $(x-4)^2+(y-5)^2=4$ which subtend an angle θ_i at the centre of the circle C_1 , is a circle of radius r_i . If $\theta_1=\frac{\pi}{3}$, $\theta_3=\frac{2\pi}{3}$ and $r_1^2=r_2^2+r_3^2$, then θ_2 is equal to

[JEE Main 2023 (Online) 24th January Evening Shift]

- A) $\frac{\pi}{2}$
- B) $\frac{\pi}{4}$

- **C)** $\frac{3\pi}{4}$
- D) $\frac{\pi}{6}$

12) The points of intersection of the line ax + by = 0, $(a \ne b)$ and the circle $x^2 + y^2 - 2x = 0$ are $A(\alpha, 0)$ and $B(1, \beta)$. The image of the circle with AB as a diameter in the line x + y + 2 = 0 is :

[JEE Main 2023 (Online) 25th January Morning Shift]

A)
$$x^2 + y^2 + 5x + 5y + 12 = 0$$

B)
$$x^2 + y^2 + 3x + 5y + 8 = 0$$

C)
$$x^2 + y^2 - 5x - 5y + 12 = 0$$

D)
$$x^2 + y^2 + 3x + 3y + 4 = 0$$

Numerical Question

13) Points P(-3, 2), Q(9, 10) and R(α , 4) lie on a circle C and PR as its diameter. The tangents to C at the points Q and R intersect at the point S. If S lies on the line 2x - ky = 1, then k is equal to ______.

[JEE Main 2023 (Online) 25th January Evening Shift]

MCQ Single Answer

14) Let the tangents at the points A(4, -11) and B(8, -5) on the circle $x^2 + y^2 - 3x + 10y - 15 = 0$, intersect at the point C. Then the radius of the circle, whose centre is C and the line joining A and B is its tangent, is equal to

[JEE Main 2023 (Online) 29th January Morning Shift]

- **A)** $\frac{2\sqrt{13}}{3}$
- **B)** $\frac{3\sqrt{3}}{4}$
- **C)** $\sqrt{13}$
- **D)** $2\sqrt{13}$

Numerical Question

15) A circle with centre (2, 3) and radius 4 intersects the line x + y = 3 at the points P and Q. If the tangents at P and Q intersect at the point $S(\alpha, \beta)$, then $4\alpha - 7\beta$ is equal to

[JEE Main 2023 (Online) 29th January Evening Shift]

MCQ Single Answer

16) Let y = x + 2, 4y = 3x + 6 and 3y = 4x + 1 be three tangent lines to the circle $(x - h)^2 + (y - k)^2 = r^2$. Then h + k is equal to:

[JEE Main 2023 (Online) 30th January Morning Shift]

- **A)** 6
- **B)** 5 $(1 + \sqrt{2})$
- **C)** 5
- **D)** $5\sqrt{2}$

Numerical Question

17) Let $P(a_1, b_1)$ and $Q(a_2, b_2)$ be two distinct points on a circle with center $C(\sqrt{2}, \sqrt{3})$. Let 0 be the origin and OC be perpendicular to both CP and CQ. If the area of the triangle OCP is $\frac{\sqrt{35}}{2}$, then $a_1^2 + a_2^2 + b_1^2 + b_2^2$ is equal to :

[JEE Main 2023 (Online) 30th January Evening Shift]

MCQ Single Answer

18) Let a circle C_1 be obtained on rolling the circle $x^2 + y^2 - 4x - 6y + 11 = 0$ upwards 4 units on the tangent T to it at the point (3,2). Let C_2 be the image of C_1 in T. Let A and B be the centers of circles C_1 and C_2 respectively, and M and N be respectively the feet of perpendiculars drawn from A and B on the x-axis. Then the area of the trapezium AMNB is:

[JEE Main 2023 (Online) 31st January Morning Shift]

- **A)** $2(2+\sqrt{2})$
- **B)** $4(1+\sqrt{2})$
- **C)** $3 + 2\sqrt{2}$
- **D)** $2(1+\sqrt{2})$

Numerical Question

19) The set of all values of a^2 for which the line x + y = 0 bisects two distinct chords drawn from a point $P(\frac{1+a}{2}, \frac{1-a}{2})$ on the circle $2x^2 + 2y^2 - (1+a)x - (1-a)y = 0$, is equal to :

[JEE Main 2023 (Online) 31st January Evening Shift]

- **A)** (0,4]
- B) $(4, \infty)$
- **C)** (2,12]
- **D)** $(8, \infty)$

Numerical Question

20) Let
$$S = \{(x, y) \in \mathbb{N} \times \mathbb{N}: 9(x - 3)^2 + 16(y - 4)^2 \le 144\}$$
 and $T = \{(x, y) \in \mathbb{R} \times \mathbb{R}: (x - 7)^2 + (y - 4)^2 \le 36\}$. Then $n(S \cap T)$ is equal to _____.

[JEE Main 2022 (Online) 29th July Evening Shift]

Numerical Question

21) Let AB be a chord of length 12 of the circle $(x-2)^2 + (y+1)^2 = \frac{169}{4}$. If tangents drawn to the circle at points A and B intersect at the point P, then five times the distance of point P from chord AB is equal to ______.

[JEE Main 2022 (Online) 29th July Evening Shift]

Numerical Question

22) Let the mirror image of a circle c_1 : $x^2 + y^2 - 2x - 6y + \alpha = 0$ in line y = x + 1 be c_2 : $5x^2 + 5y^2 + 10gx + 10fy + 38 = 0$. If r is the radius of circle c_2 , then $\alpha + 6r^2$ is equal to

[JEE Main 2022 (Online) 29th July Morning Shift]

MCQ Single Answer

23) Let the tangents at two points A and B on the circle $x^2 + y^2 - 4x + 3 = 0$ meet at origin O(0,0). Then the area of the triangle OAB is :

[JEE Main 2022 (Online) 28th July Evening Shift]

- **A)** $\frac{3\sqrt{3}}{2}$
- **B)** $\frac{3\sqrt{3}}{4}$

C)
$$\frac{3}{2\sqrt{3}}$$

D)
$$\frac{3}{4\sqrt{3}}$$

24) The foot of the perpendicular from a point on the circle $x^2 + y^2 = 1$, z = 0 to the plane 2x + 3y + z = 6 lies on which one of the following curves?

[JEE Main 2022 (Online) 28th July Morning Shift]

A)
$$(6x + 5y - 12)^2 + 4(3x + 7y - 8)^2 = 1, z = 6 - 2x - 3y$$

B)
$$(5x + 6y - 12)^2 + 4(3x + 5y - 9)^2 = 1, z = 6 - 2x - 3y$$

C)
$$(6x + 5y - 14)^2 + 9(3x + 5y - 7)^2 = 1, z = 6 - 2x - 3y$$

D)
$$(5x + 6y - 14)^2 + 9(3x + 7y - 8)^2 = 1, z = 6 - 2x - 3y$$

MCQ Single Answer

25) Let *C* be the centre of the circle $x^2 + y^2 - x + 2y = \frac{11}{4}$ and *P* be a point on the circle. A line passes through the point C, makes an angle of $\frac{\pi}{4}$ with the line CP and intersects the circle at the points *Q* and *R*. Then the area of the triangle *PQR* (in unit $\frac{\pi}{4}$) is:

[JEE Main 2022 (Online) 28th July Morning Shift]


- **A)** 2
- **B)** $2\sqrt{2}$
- C) $8\sin(\frac{\pi}{8})$
- **D)** $8\cos(\frac{\pi}{o})$

MCQ Single Answer

26) For $t \in (0,2\pi)$, if ABC is an equilateral triangle with vertices $A(\sin t, -\cos t)$, $B(\cos t, \sin t)$ and C(a, b) such that its orthocentre lies on a circle with centre $(1, \frac{1}{3})$, then $(a^2 - b^2)$ is equal to :

[JEE Main 2022 (Online) 28th July Morning Shift]

- **A)** $\frac{8}{3}$
- **B)** 8



D) 16

Numerical Question

30) If the circles $x^2 + y^2 + 6x + 8y + 16 = 0$ and $x^2 + y^2 + 2(3 - \sqrt{3})x + 2(4 - \sqrt{6})y = k + 6\sqrt{3} + 8\sqrt{6}$, k > 0, touch internally at the point $P(\alpha, \beta)$, then $(\alpha + \sqrt{3})^2 + (\beta + \sqrt{6})^2$ is equal to ______.

[JEE Main 2022 (Online) 25th July Evening Shift]

MCQ Single Answer

31) Consider three circles:

$$C_1: x^2 + y^2 = r^2$$

 $C_2: (x-1)^2 + (y-1)^2 = r^2$
 $C_3: (x-2)^2 + (y-1)^2 = r^2$

If a line L: y = mx + c be a common tangent to C_1 , C_2 and C_3 such that C_1 and C_3 lie on one side of line L while C_2 lies on other side, then the value of $20(r^2 + c)$ is equal to:

[JEE Main 2022 (Online) 30th June Morning Shift]

- **A)** 23
- **B)** 15
- **C)** 12
- **D)** 6

Numerical Question

32) Let a circle $C : (x - h)^2 + (y - k)^2 = r^2$, k > 0, touch the x-axis at (1, 0). If the line x + y = 0 intersects the circle C at P and Q such that the length of the chord PQ is 2, then the value of PQ is 2, then the value of PQ is 2.

[JEE Main 2022 (Online) 24th June Evening Shift]

Numerical Question

33) Let the abscissae of the two points P and Q be the roots of $2x^2 - rx + p = 0$ and the ordinates of P and Q be the roots of $x^2 - sx - q = 0$. If the equation of the circle described on PQ as diameter is $2(x^2 + y^2) - 11x - 14y - 22 = 0$, then 2r + s - 2q + p is equal to

[JEE Main 2022 (Online) 25th June Morning Shift]

34) Let a, b and c be the length of sides of a triangle ABC such that $\frac{a+b}{7} = \frac{b+c}{8} = \frac{c+a}{9}$. If r and R are the radius of incircle and radius of circumcircle of the triangle ABC, respectively, then the value of $\frac{R}{r}$ is equal to:

[JEE Main 2022 (Online) 25th June Morning Shift]

- **A)** $\frac{5}{2}$
- **B)** 2
- **C)** $\frac{3}{2}$
- **D)** 1

MCQ Single Answer

35) Let a circle C touch the lines L_1 : $4x - 3y + K_1 = 0$ and $L_2 = 4x - 3y + K_2 = 0$, $K_1, K_2 \in R$. If a line passing through the centre of the circle C intersects L_1 at (-1,2) and L_2 at (3,-6), then the equation of the circle C is:

[JEE Main 2022 (Online) 25th June Morning Shift]

A)
$$(x-1)^2 + (y-2)^2 = 4$$

B)
$$(x+1)^2 + (y-2)^2 = 4$$

C)
$$(x-1)^2 + (y+2)^2 = 16$$

D)
$$(x-1)^2 + (y-2)^2 = 16$$

MCQ Single Answer

36) A circle touches both the y-axis and the line x + y = 0. Then the locus of its center is:

[JEE Main 2022 (Online) 25th June Evening Shift]

A)
$$y = \sqrt{2}x$$

$$\mathbf{B)} \ x = \sqrt{2} y$$

C)
$$y^2 - x^2 = 2xy$$

D)
$$x^2 - y^2 = 2xy$$

37) Let C be a circle passing through the points A(2, -1) and B(3, 4). The line segment AB s not a diameter of C. If r is the radius of C and its centre lies on the circle $(x - 5)^2 + (y - 1)^2 = \frac{13}{2}$, then r^2 is equal to:

[JEE Main 2022 (Online) 26th June Morning Shift]

- **A)** 32
- **B)** $\frac{65}{2}$
- **C)** $\frac{61}{2}$
- **D)** 30

Numerical Question

38) A rectangle R with end points of one of its sides as (1, 2) and (3, 6) is inscribed in a circle. If the equation of a diameter of the circle is 2x - y + 4 = 0, then the area of R is

[JEE Main 2022 (Online) 27th June Morning Shift]

Numerical Question

39) Let a circle C of radius 5 lie below the x-axis. The line L_1 : 4x + 3y + 2 = 0 passes through the centre P of the circle C and intersects the line $L_2 = 3x - 4y - 11 = 0$ at Q. The line L_2 touches C at the point Q. Then the distance of P from the line 5x - 12y + 51 = 0 is

[JEE Main 2022 (Online) 27th June Evening Shift]

MCQ Single Answer

40) The set of values of k, for which the circle $C: 4x^2 + 4y^2 - 12x + 8y + k = 0$ lies inside the fourth quadrant and the point $(1, -\frac{1}{3})$ lies on or inside the circle C, is

[JEE Main 2022 (Online) 27th June Evening Shift]

- A) an empty set
- **B)** $(6, \frac{65}{9}]$
- **C)** $\left[\frac{80}{9}, 10\right)$
- **D)** $(9, \frac{92}{9}]$

Numerical Question

41) Let the lines $y + 2x = \sqrt{11} + 7\sqrt{7}$ and $2y + x = 2\sqrt{11} + 6\sqrt{7}$ be normal to a circle $C: (x - h)^2 + (y - k)^2 = r^2$. If the line $\sqrt{11}y - 3x = \frac{5\sqrt{77}}{3} + 11$ is tangent to the circle C, then the value of $(5h - 8k)^2 + 5r^2$ is equal to ______.

[JEE Main 2022 (Online) 28th June Morning Shift]

MCQ Single Answer

42) If the tangents drawn at the points O(0,0) and $P(1+\sqrt{5},2)$ on the circle $x^2+y^2-2x-4y=0$ intersect at the point Q, then the area of the triangle OPQ is equal to

[JEE Main 2022 (Online) 28th June Morning Shift]

- **A)** $\frac{3+\sqrt{5}}{2}$
- **B)** $\frac{4+2\sqrt{5}}{2}$
- **C)** $\frac{5+3\sqrt{5}}{2}$
- **D)** $\frac{7+3\sqrt{5}}{2}$

Numerical Question

43) If one of the diameters of the circle $x^2 + y^2 - 2\sqrt{2}x - 6\sqrt{2}y + 14 = 0$ is a chord of the circle $(x - 2\sqrt{2})^2 + (y - 2\sqrt{2})^2 = r^2$, then the value of r^2 is equal to _____.

[JEE Main 2022 (Online) 28th June Evening Shift]

MCQ Single Answer

44) Let a triangle ABC be inscribed in the circle $x^2 - \sqrt{2}(x+y) + y^2 = 0$ such that $\angle BAC = \frac{\pi}{2}$. If the length of side AB is $\sqrt{2}$, then the area of the \triangle ABC is equal to :

[JEE Main 2022 (Online) 29th June Evening Shift]

- **A)** 1
- **B)** $(\sqrt{6} + \sqrt{3})/2$
- **C)** $(3 + \sqrt{3})/4$
- **D)** $(\sqrt{6} + 2\sqrt{3})/4$

45) Let the tangent to the circle $C_1 x^2 + y^2 = 2$ at the point M(-1, 1) intersect the circle $C_2 : (x - 3)^2 + (y - 2)^2 = 5$, at two distinct points A and B. If the tangents to C_2 at the points A and B intersect at N, then the area of the triangle ANB is equal to:

[JEE Main 2022 (Online) 29th June Morning Shift]

- **A)** $\frac{1}{2}$
- **B)** $\frac{2}{3}$
- **C)** $\frac{1}{6}$
- **D)** $\frac{5}{3}$

Numerical Question

46) Let B be the centre of the circle $x^2 + y^2 - 2x + 4y + 1 = 0$. Let the tangents at two points P and Q on the circle intersect at the point A(3, 1). Then 8. $(\frac{area\Delta APQ}{area\Delta BPO})$ is equal to ______.

[JEE Main 2021 (Online) 31st August Evening Shift]

Numerical Question

47) If the variable line $3x + 4y = \alpha$ lies between the two circles $(x - 1)^2 + (y - 1)^2 = 1$ and $(x - 9)^2 + (y - 1)^2 = 4$, without intercepting a chord on either circle, then the sum of all the integral values of α is ______.

[JEE Main 2021 (Online) 31st August Morning Shift]

Numerical Question

48) Two circles each of radius 5 units touch each other at the point (1, 2). If the equation of their common tangent is 4x + 3y = 10, and $C_1(\alpha, \beta)$ and $C_2(\gamma, \delta)$, $C_1 \neq C_2$ are their centres, then $|(\alpha + \beta)(\gamma + \delta)|$ is equal to ______.

[JEE Main 2021 (Online) 27th August Evening Shift]

MCQ Single Answer

49) Let Z be the set of all integers,

$$A = \{(x, y) \in Z \times Z : (x - 2)^2 + y^2 \le 4\}$$

$$B = \{(x, y) \in Z \times Z : x^2 + y^2 \le 4\}$$

$$C = \{(x, y) \in Z \times Z : (x - 2)^2 + (y - 2)^2 \le 4\}$$

If the total number of relation from A \cap B to A \cap C is 2^p , then the value of p is :

[JEE Main 2021 (Online) 27th August Evening Shift]

- **A)** 16
- **B)** 25
- **C)** 49
- **D)** 9

Numerical Question

50) Let the equation $x^2 + y^2 + px + (1 - p)y + 5 = 0$ represent circles of varying radius $r \in (0, 5]$. Then the number of elements in the set $S = \{q : q = p^2 \text{ and } q \text{ is an integer}\}$ is ______.

[JEE Main 2021 (Online) 27th August Morning Shift]

MCQ Single Answer

51) A circle C touches the line x = 2y at the point (2, 1) and intersects the circle

 $C_1: x^2 + y^2 + 2y - 5 = 0$ at two points P and Q such that PQ is a diameter of C_1 Then the diameter of C is :

[JEE Main 2021 (Online) 26th August Evening Shift]

- **A)** $7\sqrt{5}$
- **B)** 15
- **C)** $\sqrt{285}$
- **D)** $4\sqrt{15}$

Numerical Question

52) The locus of a point, which moves such that the sum of squares of its distances from the points (0, 0), (1, 0), (0, 1), (1, 1) is 18 units, is a circle of diameter d. Then d^2 is equal to

[JEE Main 2021 (Online) 26th August Morning Shift]

MCQ Single Answer

53) If a line along a chord of the circle $4x^2 + 4y^2 + 120x + 675 = 0$, passes through the point (-30, 0) and is tangent to the parabola $y^2 = 30x$, then the length of this chord is :

[JEE Main 2021 (Online) 26th August Morning Shift]

- **A)** 5
- **B)** 7
- **C)** $5\sqrt{3}$
- **D)** $3\sqrt{5}$

MCQ Single Answer

54) Let
$$A = \{(x, y) \in R \times R | 2x^2 + 2y^2 - 2x - 2y = 1\}$$
, $B = \{(x, y) \in R \times R | 4x^2 + 4y^2 - 16y + 7 = 0\}$ and $C = \{(x, y) \in R \times R | x^2 + y^2 - 4x - 2y + 5 \le r^2\}$.

Then the minimum value of $|\mathbf{r}|$ such that $A \cup B \subseteq C$ is equal to

[JEE Main 2021 (Online) 27th July Morning Shift]

- **A)** $\frac{3+\sqrt{10}}{2}$
- **B)** $\frac{2+\sqrt{10}}{2}$
- **C)** $\frac{3+2\sqrt{5}}{2}$
- **D)** $1 + \sqrt{5}$

MCQ Single Answer

55) Two tangents are drawn from the point P(-1, 1) to the circle $x^2 + y^2 - 2x - 6y + 6 = 0$. If these tangents touch the circle at points A and B, and if D is a point on the circle such that length of the segments AB and AD are equal, then the area of the triangle ABD is equal to:

[JEE Main 2021 (Online) 27th July Morning Shift]

- **A)** 2
- **B)** $(3\sqrt{2} + 2)$
- **C)** 4

D)
$$3(\sqrt{2}-1)$$

56) Consider a circle C which touches the y-axis at (0,6) and cuts off an intercept $6\sqrt{5}$ on the x-axis. Then the radius of the circle C is equal to :

[JEE Main 2021 (Online) 27th July Evening Shift]

- **A)** $\sqrt{53}$
- **B)** 9
- **C)** 8
- **D)** $\sqrt{82}$

MCQ Single Answer

57) Let the circle $S: 36x^2 + 36y^2 - 108x + 120y + C = 0$ be such that it neither intersects nor touches the co-ordinate axes. If the point of intersection of the lines, x - 2y = 4 and 2x - y = 5 lies inside the circle S, then :

[JEE Main 2021 (Online) 22th July Evening Shift]

- A) $\frac{25}{9} < C < \frac{13}{3}$
- **B)** 100 < C < 165
- **C)** 81 < C < 156
- **D)** 100 < C < 156

MCQ Single Answer

58) Let r_1 and r_2 be the radii of the largest and smallest circles, respectively, which pass through the point (-4, 1) and having their centres on the circumference of the circle $x^2 + y^2 + 2x + 4y - 4 = 0$. If $\frac{r_1}{r_2} = a + b\sqrt{2}$, then a + b is equal to :

[JEE Main 2021 (Online) 20th July Evening Shift]

- **A)** 3
- **B)** 11
- **C)** 5
- **D)** 7

59) Let $S_1 : x^2 + y^2 = 9$ and $S_2 : (x - 2)^2 + y^2 = 1$. Then the locus of center of a variable circle S which touches $S_1 >$ internally and S_2 externally always passes through the points :

[JEE Main 2021 (Online) 18th March Evening Shift]

A)
$$(\frac{1}{2}, \pm \frac{\sqrt{5}}{2})$$

B)
$$(1, \pm 2)$$

C)
$$(2, \pm \frac{3}{2})$$

D)
$$(0, \pm \sqrt{3})$$

MCQ Single Answer

60) For the four circles M, N, O and P, following four equations are given :

Circle M :
$$x^2 + y^2 = 1$$

Circle N :
$$x^2 + y^2 - 2x = 0$$

Circle
$$0: x^2 + y^2 - 2x - 2y + 1 = 0$$

Circle P :
$$x^2 + y^2 - 2y = 0$$

If the centre of circle M is joined with centre of the circle N, further center of circle N is joined with centre of the circle O, centre of circle O is joined with the centre of circle P and lastly, centre of circle P is joined with centre of circle M, then these lines form the sides of a :

[JEE Main 2021 (Online) 18th March Morning Shift]

- A) Rhombus
- B) Square
- **C)** Rectangle
- **D)** Parallelogram

MCQ Single Answer

61) Choose the correct statement about two circles whose equations are given below :

$$x^2 + y^2 - 10x - 10y + 41 = 0$$

$$x^2 + y^2 - 22x - 10y + 137 = 0$$

[JEE Main 2021 (Online) 18th March Morning Shift]

- A) circles have same centre
- B) circles have no meeting point
- C) circles have only one meeting point
- **D)** circles have two meeting points

MCQ Single Answer

62) Two tangents are drawn from a point P to the circle $x^2 + y^2 - 2x - 4y + 4 = 0$, such that the angle between these tangents is $\tan^{-1}(\frac{12}{5})$, where $\tan^{-1}(\frac{12}{5}) \in (0, \pi)$. If the centre of the circle is denoted by C and these tangents touch the circle at points A and B, then the ratio of the areas of ΔPAB and ΔCAB is :

[JEE Main 2021 (Online) 17th March Evening Shift]

- **A)** 3:1
- **B)** 9:4
- **C)** 2:1
- **D)** 11:4

MCQ Single Answer

63) Let the tangent to the circle $x^2 + y^2 = 25$ at the point R(3, 4) meet x-axis and y-axis at points P and Q, respectively. If r is the radius of the circle passing through the origin O and having centre at the incentre of the triangle OPQ, then r^2 is equal to:

[JEE Main 2021 (Online) 17th March Evening Shift]

- **A)** $\frac{585}{66}$
- **B)** $\frac{625}{72}$
- **C)** $\frac{529}{64}$
- **D)** $\frac{125}{72}$

Numerical Question

64) The minimum distance between any two points P_1 and P_2 while considering point P_1 on one circle and point P_2 on the other circle for the given circles' equations

$$x^{2} + y^{2} - 10x - 10y + 41 = 0$$

 $x^{2} + y^{2} - 24x - 10y + 160 = 0$ is ______.

[JEE Main 2021 (Online) 17th March Morning Shift]

MCQ Single Answer

65) Choose the incorrect statement about the two circles whose equations are given below:

$$x^2 + y^2 - 10x - 10y + 41 = 0$$
 and

$$x^2 + y^2 - 16x - 10y + 80 = 0$$

[JEE Main 2021 (Online) 17th March Morning Shift]

- **A)** Distance between two centres is the average of radii of both the circles.
- **B)** Both circles pass through the centre of each other.
- **C)** Circles have two intersection points.
- **D)** Both circle's centers lie inside region of one another.

MCQ Single Answer

66) The line 2x - y + 1 = 0 is a tangent to the circle at the point (2, 5) and the centre of the circle lies on x - 2y = 4. Then, the radius of the circle is:

[JEE Main 2021 (Online) 17th March Morning Shift]

- **A)** $5\sqrt{3}$
- **B)** $4\sqrt{5}$
- **C)** $3\sqrt{5}$
- **D)** $5\sqrt{4}$

MCQ Single Answer

67) Let the lengths of intercepts on x-axis and y-axis made by the circle $x^2 + y^2 + ax + 2ay + c = 0$, (a < 0) be $2\sqrt{2}$ and $2\sqrt{5}$, respectively. Then the shortest distance from origin to a tangent to this circle which is perpendicular to the line x + 2y = 0, is equal to :

[JEE Main 2021 (Online) 16th March Evening Shift]
A) $\sqrt{10}$
B) $\sqrt{6}$
C) $\sqrt{11}$
D) $\sqrt{7}$
MCQ Single Answer
68) If the locus of the mid-point of the line segment from the point $(3, 2)$ to a point on the circle, $x^2 + y^2 = 1$ is a circle of radius r, then r is equal to:
[JEE Main 2021 (Online) 26th February Evening Shift]
A) $\frac{1}{4}$
B) $\frac{1}{2}$
C) 1
D) $\frac{1}{3}$
MCQ Single Answer
69) Let A(1, 4) and B(1, -5) be two points. Let P be a point on the circle $(x-1)^2 + (y-1)^2 = 1$ such that $(PA) + (PB)^2$ have maximum value, then the points, P, A and B lie on :
[JEE Main 2021 (Online) 26th February Evening Shift]
A) a straight line
B) an ellipse
C) a parabola
D) a hyperbola
MCQ Single Answer
70) In the circle given below, let $OA = 1$ unit, $OB = 13$ unit and $PQ \perp OB$. Then, the area of the triangle PQB (in square units) is :

 $$$ \sim src="https://imagex.cdn.examgoal.net/1kluw9enf/8d38a4db-2eff-4760-b1da-88c9142f49a0/0c7d5ac0-7cec-11eb-8f7b-79760a5d8011/file-1kluw9eng-245w.jpg"$

style="max-width: 100%;height: auto;display: block;margin: 0 auto;" loading="lazy" alt="JEE Main 2021 (Online) 26th February Morning Shift Mathematics - Circle Question 70 English">

[JEE Main 2021 (Online) 26th February Morning Shift]

- **A)** $24\sqrt{2}$
- **B)** $24\sqrt{3}$
- **C)** $26\sqrt{2}$
- **D)** $26\sqrt{3}$

MCQ Single Answer

71) If the curve $x^2 + 2y^2 = 2$ intersects the line x + y = 1 at two points P and Q, then the angle subtended by the line segment PQ at the origin is :

[JEE Main 2021 (Online) 25th February Evening Shift]

- **A)** $\frac{\pi}{2}$ tan⁻¹($\frac{1}{4}$)
- **B)** $\frac{\pi}{2} + \tan^{-1}(\frac{1}{3})$
- C) $\frac{\pi}{2}$ $\tan^{-1}(\frac{1}{3})$
- **D)** $\frac{\pi}{2}$ + tan⁻¹($\frac{1}{4}$)

Numerical Question

72) If the area of the triangle formed by the positive x-axis, the normal and the tangent to the circle $(x - 2)^2 + (y - 3)^2 = 25$ at the point (5, 7) is A, then 24A is equal to _____.

[JEE Main 2021 (Online) 24th February Evening Shift]

Numerical Question

73) Let a point P be such that its distance from the point (5,0) is thrice the distance of P from the point (-5,0). If the locus of the point P is a circle of radius r, then $4r^2$ is equal to

[JEE Main 2021 (Online) 24th February Evening Shift]

74) Let a, b, c be in arithmetic progression. Let the centroid of the triangle with vertices (a,
c), (2, b) and (a, b) be $(\frac{10}{3}, \frac{7}{3})$. If α , β are the roots of the equation $ax^2 + bx + 1 = 0$, then the
value of $\alpha^2 + \beta^2 - \alpha\beta$ is :

[JEE Main 2021 (Online) 24th February Evening Shift]

- **A)** $\frac{69}{256}$
- **B)** $\frac{71}{256}$
- **C)** $-\frac{71}{256}$
- **D)** $-\frac{69}{256}$

Numerical Question

75) If one of the diameters of the circle $x^2 - 2x - 6y + 6 = 0$ is a chord of another circle 'C', whose center is at (2, 1), then its radius is _____.

[JEE Main 2021 (Online) 24th February Morning Shift]

MCQ Single Answer

76) If the length of the chord of the circle,

$$x^{2} + y^{2} = r^{2}$$
 (r > 0) along the line, y - 2x = 3 is r,

then r²

is equal to:

[JEE Main 2020 (Online) 5th September Evening Slot]

- **A)** $\frac{9}{5}$
- **B)** $\frac{24}{5}$
- **C)** $\frac{12}{5}$
- **D)** 12

Numerical Question

77) Let PQ be a diameter of the circle $x^2 + y^2 = 9$. If α and β are the lengths of the perpendiculars from P and Q on the straight line, x + y = 2 respectively, then the maximum value of $\alpha\beta$ is _____.

[JEE Main 2020 (Online) 4th September Evening Slot]

MCQ Single Answer

78) The circle passing through the intersection of the circles, $x^2 + y^2 - 6x = 0$ and $x^2 + y^2 - 4y = 0$, having its centre on the line, 2x - 3y + 12 = 0, also passes through the point :

[JEE Main 2020 (Online) 4th September Evening Slot]

- A) (-3, 1)
- **B)** (1, -3)
- **C)** (-1, 3)
- **D)** (-3, 6)

Numerical Question

79) The diameter of the circle, whose centre lies on the line x + y = 2 in the first quadrant and which touches both the lines x = 3 and y = 2, is

[JEE Main 2020 (Online) 3rd September Morning Slot]

Numerical Question

80) The number of integral values of k for which the line, 3x + 4y = k intersects the circle,

 $x^2 + y^2 - 2x - 4y + 4 = 0$ at two distinct points is _____.

[JEE Main 2020 (Online) 2nd September Morning Slot]

Numerical Question

81) If the curves, $x^2 - 6x + y^2 + 8 = 0$ and

 $x^2 - 8y + y^2 + 16 - k = 0$, (k > 0) touch each other at a point, then the largest value of k is _____.

[JEE Main 2020 (Online) 9th January Evening Slot]

MCQ Single Answer

82) A circle touches the y-axis at the point (0, 4) and passes through the point (2, 0). Which of the following lines is not a tangent to this circle?

[JEE Main 2020 (Online) 9th January Morning Slot]

A)
$$3x - 4y - 24 = 0$$

B)
$$4x + 3y - 8 = 0$$

C)
$$3x + 4y - 6 = 0$$

D)
$$4x - 3y + 17 = 0$$

MCQ Single Answer

83) If a line, y = mx + c is a tangent to the circle, $(x-3)^2 + y^2 = 1$ and it is perpendicular to a line L_1 , where L_1 is the tangent to the circle, $x^2 + y^2 = 1$ at the point $(\frac{1}{\sqrt{2}}, \frac{1}{\sqrt{2}})$, then

[JEE Main 2020 (Online) 8th January Evening Slot]

A)
$$c^2 + 6c + 7 = 0$$

B)
$$c^2 - 7c + 6 = 0$$

C)
$$c^2 - 6c + 7 = 0$$

D)
$$c^2 + 7c + 6 = 0$$

MCQ Single Answer

84) Let the tangents drawn from the origin to the circle,


 \mathbf{X}^2

-8x - 4y + 16 = 0 touch it at the

points A and B. The (AB)2

is equal to:

[JEE Main 2020 (Online) 7th January Evening Slot]



[JEE Main 2019 (Online) 12th April Morning Slot]

A) $\frac{13}{5}$

- **B)** $\frac{60}{13}$
- **C)** $\frac{120}{13}$
- **D)** $\frac{13}{2}$

88) The locus of the centres of the circles, which touch the circle, $x^2 + y^2 = 1$ externally, also touch the y-axis and lie in the first quadrant, is

[JEE Main 2019 (Online) 10th April Evening Slot]

A)
$$x = \sqrt{1 + 2y}, y \ge 0$$

B)
$$y = \sqrt{1 + 2x}, x \ge 0$$

C)
$$y = \sqrt{1 + 4x}, x \ge 0$$

D)
$$x = \sqrt{1 + 4y}, y \ge 0$$

MCQ Single Answer

89) The line x = y touches a circle at the point (1,1). If the circle also passes through the point (1, – 3), then its radius is:

[JEE Main 2019 (Online) 10th April Morning Slot]

- **A)** 3
- **B)** 2
- **C)** $2\sqrt{2}$
- **D)** $3\sqrt{2}$

MCQ Single Answer

90) If the circles $x^2 + y^2 + 5Kx + 2y + K = 0$ and $2(x^2 + y^2) + 2Kx + 3y - 1 = 0$, (K∈R), intersect at the points P and Q, then the line 4x + 5y - K = 0 passes through P and Q, for :

[JEE Main 2019 (Online) 10th April Morning Slot]

- A) exactly two values of K
- B) no value of K

- **C)** exactly one value of K
- **D)** infinitely many values of K

91) A rectangle is inscribed in a circle with a diameter lying along the line 3y = x + 7. If the two adjacent vertices of the rectangle are (-8, 5) and (6, 5), then the area of the rectangle (in sq. units) is:-

[JEE Main 2019 (Online) 9th April Evening Slot]

- **A)** 72
- **B)** 84
- **C)** 56
- **D)** 98

MCQ Single Answer

92) The common tangent to the circles $x^2 + y^2 = 4$ and $x^2 + y^2 + 6x + 8y - 24 = 0$ also passes through the point:-

[JEE Main 2019 (Online) 9th April Evening Slot]

- **A)** (6, -2)
- **B)** (4, -2)
- (-4, 6)
- **D)** (-6, 4)

MCQ Single Answer

93) If a tangent to the circle $x^2 + y^2 = 1$ intersects the coordinate axes at distinct points P and Q, then the locus of the mid-point of PQ is

[JEE Main 2019 (Online) 9th April Morning Slot]

A)
$$x^2 + y^2 - 4x^2y^2 = 0$$

B)
$$x^2 + y^2 - 2xy = 0$$

C)
$$x^2 + y^2 - x^2y^2 = 0$$

D)
$$x^2 + y^2 - x^2y^2 = 0$$

- **94)** The tangent and the normal lines at the point
- ($\sqrt{3}$, 1) to the circle $x^2 + y^2 = 4$ and the x-axis form a triangle. The area of this triangle (in square units) is :

[JEE Main 2019 (Online) 8th April Evening Slot]

- **A)** $\frac{4}{\sqrt{3}}$
- **B)** $\frac{1}{\sqrt{3}}$
- **C)** $\frac{2}{\sqrt{3}}$
- **D)** $\frac{1}{3}$

MCQ Single Answer

95) The sum of the squares of the lengths of the chords intercepted on the circle $x^2 + y^2 = 16$, by the lines, x + y = n, $n \in N$, where N is the set of all natural numbers, is :

[JEE Main 2019 (Online) 8th April Morning Slot]

- **A)** 210
- **B)** 160
- **C)** 320
- **D)** 105

MCQ Single Answer

96) If a circle of radius R passes through the origin O and intersects the coordinates axes at A and B, then the

locus of the foot of perpendicular from O on AB is:

[JEE Main 2019 (Online) 12th January Evening Slot]

A)
$$(x^2 + y^2)^2 = 4R^2x^2y^2$$

B)
$$(x^2 + y^2)(x + y) = R^2xy$$

C)
$$(x^2 + y^2)^2 = 4Rx^2y^2$$

D)
$$(x^2 + y^2)^3 = 4R^2x^2y^2$$

97) Let C_1 and C_2 be the centres of the circles $x^2 + y^2 - 2x - 2y - 2 = 0$ and $x^2 + y^2 - 6x - 6y + 14 = 0$ respectively. If P and Q are the points of intersection of these circles, then the area (in sq. units) of the quadrilateral PC_1QC_2 is:

[JEE Main 2019 (Online) 12th January Morning Slot]

- **A)** 4
- **B)** 6
- **C)** 9
- **D)** 8

MCQ Single Answer

98) If a variable line, $3x + 4y - \lambda = 0$ is such that the two circles $x^2 + y^2 - 2x - 2y + 1 = 0$ and $x^2 + y^2 - 18x - 2y + 78 = 0$ are on its opposite sides, then the set of all values of λ is the interval :

[JEE Main 2019 (Online) 12th January Morning Slot]


- **A)** (23, 31)
- **B)** (2, 17)
- **C)** [13, 23]
- **D)** [12, 21]

MCQ Single Answer

99) Two circles with equal radii are intersecting at the points (0, 1) and (0, -1). The tangent at the point (0, 1) to one of the circles passes through the centre of the other circle. Then the distance between the centres of these circles is :

[JEE Main 2019 (Online) 11th January Morning Slot]

- **A)** $2\sqrt{2}$
- B) $\sqrt{2}$
- **C)** 2
- **D)** 1



[JEE Main 2019 (Online) 10th January Morning Slot]

- **A)** 5
- **B)** $2\sqrt{5}$
- **C)** 4
- **D)** $\sqrt{37}$

MCQ Single Answer

104) If the circles

$$x^2 + y^2 - 16x - 20y + 164 = r^2$$

and
$$(x-4)^2 + (y-7)^2 = 36$$

intersect at two distinct points, then:

[JEE Main 2019 (Online) 9th January Evening Slot]

- **A)** r > 11
- **B)** 0 < r < 1
- **C)** r = 11
- **D)** 1 < r < 11

MCQ Single Answer

105) Three circles of radii a, b, c (a < b < c) touch each other externally. If they have x-axis as a common tangent, then :

[JEE Main 2019 (Online) 9th January Morning Slot]

- A) a, b, c are in A.P.
- **B)** \sqrt{a} , \sqrt{b} , \sqrt{c} are in A.P

C)
$$\frac{1}{\sqrt{b}} + \frac{1}{\sqrt{c}} = \frac{1}{\sqrt{a}}$$

D)
$$\frac{1}{\sqrt{b}} = \frac{1}{\sqrt{a}} + \frac{1}{\sqrt{c}}$$

MCQ	Sing	le An	swer
-----	------	-------	------

106) If a circle C, whose radius is 3, touches externally the circle,

 $x^2 + y^2 + 2x - 4y - 4 = 0$ at the point (2, 2), then the length of the intercept cut by this circle C, on the x-axis is equal to :

[JEE Main 2018 (Online) 16th April Morning Slot]

- **A)** $2\sqrt{5}$
- **B)** $3\sqrt{2}$
- **C)** $\sqrt{5}$
- **D)** $2\sqrt{3}$

MCQ Single Answer

107) The tangent to the circle C_1 : $x^2 + y^2 - 2x - 1 = 0$ at the point (2, 1) cuts off a chord of length 4 from a circle C_2 whose center is (3, -2). The radius of C_2 is :

[JEE Main 2018 (Online) 15th April Evening Slot]

- **A)** 2
- B) $\sqrt{2}$
- **C)** 3
- **D)** $\sqrt{6}$

MCQ Single Answer

108) A circle passes through the points (2, 3) and (4, 5). If its centre lies on the line, y - 4x + 3 = 0, then its radius is equal to :

[JEE Main 2018 (Online) 15th April Morning Slot]

- **A)** 2
- **B)** $\sqrt{5}$
- **C)** $\sqrt{2}$
- **D)** 1

109) If the tangent at (1, 7) to the curve $x^2 = y - 6$ touches the circle $x^2 + y^2 + 16x + 12y + c = 0$, then the value of c is : [JEE Main 2018 (Offline)] **A)** 95 **B)** 195 **C)** 185 **D)** 85 **MCQ Single Answer 110)** Let the orthocentre and centroid of a triangle be A(-3, 5) and B(3, 3) respectively. If C is the circumcentre of this triangle, then the radius of the circle having line segment AC as diameter, is : [JEE Main 2018 (Offline)] **A)** $\frac{3\sqrt{5}}{2}$ **B)** $\sqrt{10}$

- **C)** $2\sqrt{10}$
- **D)** $3\sqrt{\frac{5}{2}}$

MCQ Single Answer

111) The two adjacent sides of a cyclic quadrilateral are 2 and 5 and the angle between them is 60° . If the area of the quadrilateral is $4\sqrt{3}$, then the perimeter of the quadrilateral is :

[JEE Main 2017 (Online) 9th April Morning Slot]

- **A)** 12.5
- **B)** 13.2
- **C)** 12
- **D)** 13

112) A line drawn through the point P(4, 7) cuts the circle $x^2 + y^2 = 9$ at the points A and B. Then $PA \cdot PB$ is equal to :

[JEE Main 2017 (Online) 9th April Morning Slot]

- **A)** 53
- **B)** 56
- **C)** 74
- **D)** 65

MCQ Single Answer

113) The equation

Im
$$(\frac{iz-2}{z-i}) + 1 = 0, z \in C, z \neq i$$

represents a part of a circle having radius equal to:

[JEE Main 2017 (Online) 9th April Morning Slot]

- **A)** 2
- **B)** 1
- **C)** $\frac{3}{4}$
- **D)** $\frac{1}{2}$

MCQ Single Answer

114) If a point P has co-ordinates (0, -2) and Q is any point on the circle, $x^2 + y^2 - 5x - y + 5 = 0$, then the maximum value of $(PQ)^2$ is :

[JEE Main 2017 (Online) 8th April Morning Slot]

- **A)** $\frac{25+\sqrt{6}}{2}$
- **B)** $14 + 5\sqrt{3}$
- **C)** $\frac{47+10\sqrt{6}}{2}$

D) $8 + 5\sqrt{3}$

MCQ Single Answer

115) The radius of a circle, having minimum area, which touches the curve $y = 4 - x^2$ and the lines, y = |x| is :

[JEE Main 2017 (Offline)]

- **A)** $2(\sqrt{2}-1)$
- **B)** $4(\sqrt{2}-1)$
- **C)** $4(\sqrt{2}+1)$
- **D)** $2(\sqrt{2}+1)$

MCQ Single Answer

116) Equation of the tangent to the circle, at the point (1, -1), whose centre is the point of intersection of the straight lines x - y = 1 and 2x + y = 3 is:

[JEE Main 2016 (Online) 10th April Morning Slot]

- **A)** 4x + y 3 = 0
- **B)** x + 4y + 3 = 0
- **C)** 3x y 4 = 0
- **D)** x 3y 4 = 0

MCQ Single Answer

117) A circle passes through (-2, 4) and touches the y-axis at (0, 2). Which one of the following equations can represent a diameter of this circle?

[JEE Main 2016 (Online) 9th April Morning Slot]

- **A)** 4x + 5y 6 = 0
- **B)** 2x 3y + 10 = 0
- **C)** 3x + 4y 3 = 0
- **D)** 5x + 2y + 4 = 0

118) If one of the diameters of the circle, given by the equation, $x^2 + y^2 - 4x + 6y - 12 = 0$, is a chord of a circle S , whose centre is at $(-3,2)$, then the radius of S is:
[JEE Main 2016 (Offline)]
A) 5
B) 10
C) $5\sqrt{2}$
D) $5\sqrt{3}$
MCQ Single Answer
119) The centres of those circles which touch the circle, $x^2 + y^2 - 8x - 8y - 4 = 0$, externally and also touch the <i>x</i> -axis, lie on:
[JEE Main 2016 (Offline)]
A) a circle
B) an ellipse which is not a circle
C) a hyperbola

120) The number of common tangents to the circles $x^2 + y^2 - 4x - 6x - 12 = 0$ and $x^2 + 2x - 6x - 12 = 0$

[JEE Main 2015 (Offline)]

121) Locus of the image of the point (2,3) in the line (2x - 3y + 4) + k(x - 2y + 3) =

[JEE Main 2015 (Offline)]

D) a parabola

A) 3

B) 4

C) 1


D) 2

MCQ Single Answer

MCQ Single Answer

 $0, k \in R$, is a:

 $y^2 + 6x + 18y + 26 = 0$, is:



A) circle of radius $\sqrt{2}$.

- **B)** $\frac{3}{5}$
- **C)** $\frac{6}{5}$
- **D)** $\frac{5}{3}$

125) The two circles $x^2 + y^2 > = ax$, and $x^2 + y^2 = c^2$ (c > 0) touch each other if

[AIEEE 2011]

- **A)** | a | = c
- **B)** a = 2c
- **C)** | a | = 2c
- **D)** 2 | a | = c

MCQ Single Answer

126) The circle $x^2 + y^2 = 4x + 8y + 5$ intersects the line 3x - 4y - m at two distinct points if

[AIEEE 2010]

- A) -35 < m < 15
- **B)** 15 < *m* < 65
- **C)** 35 < m < 85
- **D)** -85 < m < -35

MCQ Single Answer

127) If *P* and *Q* are the points of intersection of the circles

 $x^2 + y^2 + 3x + 7y + 2p - 5 = 0$ and $x^2 + y^2 + 2x + 2y - p^2 = 0$ then there is a circle passing through P, Q and (1,1) for:

[AIEEE 2009]

- **A)** all except one value of p
- **B)** all except two values of p
- **C)** exactly one value of *p*

D) all values of p

MCQ Single Answer

128) The differential equation of the family of circles with fixed radius 5 units and centre on the line y=2 is

[AIEEE 2008]

A)
$$(x-2)y^2 = 25 - (y-2)^2$$

B)
$$(y-2)y^2 = 25 - (y-2)^2$$

C)
$$(y-2)^2y^2 = 25 - (y-2)^2$$

D)
$$(x-2)^2y^2 = 25 - (y-2)^2$$

MCQ Single Answer

129) The point diametrically opposite to the point P(1,0) on the circle $x^2 + y^2 + 2x + 4y - 3 = 0$ is

[AIEEE 2008]

- **A)** (3, -4)
- **B)** (-3,4)
- **C)** (-3, -4)
- **D)** (3,4)

MCQ Single Answer

130) Consider a family of circles which are passing through the point (-1,1) and are tangent to x-axis. If (h,k) are the coordinate of the centre of the circles, then the set of values of k is given by the interval

[AIEEE 2007]

A)
$$-\frac{1}{2} \le k \le \frac{1}{2}$$

B)
$$k \le \frac{1}{2}$$

C)
$$0 \le k \le \frac{1}{2}$$

D)
$$k \ge \frac{1}{2}$$

131) Let C be the circle with centre (0,0) and radius 3 units. The equation of the locus of the mid points of the chords of the circle C that subtend an angle of $\frac{2\pi}{3}$ at its center is

[AIEEE 2006]

A)
$$x^2 + y^2 = \frac{3}{2}$$

B)
$$x^2 + y^2 = 1$$

C)
$$x^2 + y^2 = \frac{27}{4}$$

D)
$$x^2 + y^2 = \frac{9}{4}$$

MCQ Single Answer

132) If the lines 3x - 4y - 7 = 0 and 2x - 3y - 5 = 0 are two diameters of a circle of area 49π square units, the equation of the circle is

[AIEEE 2006]

A)
$$x^2 + y^2 + 2x - 2y - 47 = 0$$

B)
$$x^2 + y^2 + 2x - 2y - 62 = 0$$

C)
$$x^2 + y^2 - 2x + 2y - 62 = 0$$

D)
$$x^2 + y^2 - 2x + 2y - 47 = 0$$

MCQ Single Answer

133) If the pair of lines $ax^2 + 2(a+b)xy + by^2 = 0$ lie along diameters of a circle and divide the circle into four sectors such that the area of one of the sectors is thrice the area of another sector then

[AIEEE 2005]

A)
$$3a^2 - 10ab + 3b^2 = 0$$

B)
$$3a^2 - 2ab + 3b^2 = 0$$

C)
$$3a^2 + 10ab + 3b^2 = 0$$

D)
$$3a^2 + 2ab + 3b^2 = 0$$

MCQ Single Answer

134) If the circles $x^2 + y^2 + 2ax + cy + a = 0$ and $x^2 + y^2 - 3ax + dy - 1 = 0$ intersect in two ditinct points P and Q then the line 5x + by - a = 0 passes through P and Q for

[AIEEE 2005]

- A) exactly one value of a
- B) no value of a
- **C)** infinitely many values of a
- **D)** exactly two values of a

MCQ Single Answer

135) If a circle passes through the point (a, b) and cuts the circle $x^2 + y^2 = p^2$ orthogonally, then the equation of the locus of its centre is

[AIEEE 2005]

A)
$$x^2 + y^2 - 3ax - 4by + (a^2 + b^2 - p^2) = 0$$

B)
$$2ax + 2by - (a^2 - b^2 + p^2) = 0$$

C)
$$x^2 + y^2 - 2ax - 3by + (a^2 - b^2 - p^2) = 0$$

D)
$$2ax + 2by - (a^2 + b^2 + p^2) = 0$$

MCQ Single Answer

136) A circle touches the x-axis and also touches the circle with centre at (0, 3) and radius 2. The locus of the centre of the circle is

[AIEEE 2005]

- A) an ellipse
- B) a circle
- **C)** a hyperbola
- **D)** a parabola

MCQ Single Answer

137) Intercept on the line y = x by the circle $x^2 + y^2 - 2x = 0$ is AB. Equation of the circle on AB as a diameter is

[AIEEE 2004]

A)
$$x^2 + y^2 + x - y = 0$$

B)
$$x^2 + y^2 - x + y = 0$$

C)
$$x^2 + y^2 + x + y = 0$$

D)
$$x^2 + y^2 - x - y = 0$$

138) If a circle passes through the point (a, b) and cuts the circle $x^2 + y^2 = 4$ orthogonally, then the locus of its centre is

[AIEEE 2004]

A)
$$2ax - 2by - (a^2 + b^2 + 4) = 0$$

B)
$$2ax + 2by - (a^2 + b^2 + 4) = 0$$

C)
$$2ax - 2by + (a^2 + b^2 + 4) = 0$$

D)
$$2ax + 2by + (a^2 + b^2 + 4) = 0$$

MCQ Single Answer

139) If the lines 2x + 3y + 1 + 0 and 3x - y - 4 = 0 lie along diameter of a circle of circumference 10π , then the equation of the circle is

[AIEEE 2004]

A)
$$x^2 + y^2 + 2x - 2y - 23 = 0$$

B)
$$x^2 + y^2 - 2x - 2y - 23 = 0$$

C)
$$x^2 + y^2 + 2x + 2y - 23 = 0$$

D)
$$x^2 + y^2 - 2x + 2y - 23 = 0$$

MCQ Single Answer

140) A variable circle passes through the fixed point A (p,q) and touches x-axis. The locus of the other end of the diameter through A is

[AIEEE 2004]

$$\mathbf{A)} \ (y-q)^2 = 4px$$

$$\mathbf{B)} (x - q)^2 = 4py$$

$$\mathbf{C)} (y-p)^2 = 4qx$$

D)
$$(x - p)^2 = 4qy$$

141) The lines 2x - 3y = 5 and 3x - 4y = 7 are diameters of a circle having area as 154 sq. units. Then the equation of the circle is

[AIEEE 2003]

A)
$$x^2 + y^2 - 2x + 2y = 62$$

B)
$$x^2 + y^2 + 2x - 2y = 62$$

C)
$$x^2 + y^2 + 2x - 2y = 47$$

D)
$$x^2 + y^2 - 2x + 2y = 47$$

MCQ Single Answer

142) If the two circles $(x - 1)^2 + (y - 3)^2 = r^2$ and $x^2 + y^2 - 8x + 2y + 8 = 0$ intersect in two distinct point, then

[AIEEE 2003]

- **A)** r > 2
- **B)** 2 < r < 8
- **C)** r < 2
- **D)** r = 2.

MCQ Single Answer

143) The centres of a set of circles, each of radius 3, lie on the circle $x^2 + y^2 = 25$. The locus of any point in the set is

[AIEEE 2002]

A)
$$4 \le x^2 + y^2 \le 64$$

B)
$$x^2 + y^2 \le 25$$

C)
$$x^2 + y^2 \ge 25$$

D)
$$3 \le x^2 + y^2 \le 9$$

MCQ Single Answer

144) The equation of a circle with origin as a center and passing thorough equilateral triangle whose median is of length 3 a is

[AIEEE 2002]

A)
$$x^2 + y^2 = 9a^2$$

B)
$$x^2 + y^2 = 16a^2$$

C)
$$x^2 + y^2 = 4a^2$$

D)
$$x^2 + y^2 = a^2$$

145) The centre of the circle passing through (0,0) and (1,0) and touching the circle $x^2 + y^2 = 9$ is

[AIEEE 2002]

A)
$$(\frac{1}{2}, \frac{1}{2})$$

B)
$$(\frac{1}{2}, -\sqrt{2})$$

C)
$$(\frac{3}{2}, \frac{1}{2})$$

D)
$$(\frac{1}{2}, \frac{3}{2})$$

MCQ Single Answer

146) If the chord y = mx + 1 of the circle $x^2 + y^2 = 1$ subtends an angle of measure 45° at the major segment of the circle then value of m is

[AIEEE 2002]

A)
$$2 \pm \sqrt{2}$$

B)
$$-2 \pm \sqrt{2}$$

C)
$$-1 \pm \sqrt{2}$$

D) none of these