

```

const { useState, useEffect, useCallback, useRef } = React;

// — Storage —————
const SK = "np_ai_v1";
const load = () => { try { return JSON.parse(localStorage.getItem(SK)||"{}"); } c
const save = d => { try { localStorage.setItem(SK, JSON.stringify(d)); } catch {}

// — Unlock codes —————
// Gumroad license verification
async function verifyGumroadKey(licenseKey) {
  try {
    const res = await fetch("https://api.gumroad.com/v2/licenses/verify", {
      method: "POST",
      headers: { "Content-Type": "application/x-www-form-urlencoded" },
      body: `product_id=iH3OVGaYo6ZmsiXFkruJsg==&license_key=${encodeURIComponent
    });
    const data = await res.json();
    return data.success === true;
  } catch {
    // If verification fails due to network, do basic format check
    // Gumroad keys are typically 35 chars: XXXXXXXX-XXXXXXX-XXXXXXX-XXXXXXX
    const clean = licenseKey.trim().toUpperCase();
    return clean.length >= 10;
  }
}

// — Themes —————
const THEMES = [
  { id:"pink",    name:"Bubble Gum 🍷", p:"#E0638A", dk:"#B8476C", lt:"#FADADF",
  { id:"purple",  name:"Purple 💜",    p:"#9B59B6", dk:"#7D3C98", lt:"#EDD6F5",
  { id:"hotpink", name:"Hot Pink 🌸",   p:"#D81B60", dk:"#AD1457", lt:"#FCCDE5",
  { id:"cotton",  name:"Cotton Candy 🍬",p:"#CE93D8", dk:"#AB47BC", lt:"#F3E5F5",
  { id:"rosegold",name:"Rose Gold ✨",  p:"#C2846A", dk:"#9E5E48", lt:"#F5DDD4",
  { id:"midnight",name:"Midnight 🌙",   p:"#CE93D8", dk:"#9C27B0", lt:"#2D1B36",
  { id:"ocean",   name:"Ocean 🌊",      p:"#2E6B8A", dk:"#1A4A63", lt:"#C8E0ED",
  { id:"sage",    name:"Sage 🌿",       p:"#5C7A6B", dk:"#3D5249", lt:"#D4E4DC",
];

let T = {...THEMES[0]};
const applyTheme = id => { Object.assign(T, THEMES.find(t=>t.id===id)||THEMES[0])

// — Helpers —————
const pad = n => String(n).padStart(2,"0");
const TODAY = new Date();

```

```

const DAYS = ["Sun", "Mon", "Tue", "Wed", "Thu", "Fri", "Sat"];
const MONTHS_FULL = ["January", "February", "March", "April", "May", "June", "July", "Au
const dateKey = d => `${d.getFullYear()}-${pad(d.getMonth()+1)}-${pad(d.getDate()
const gc = p => (p===null||p===undefined||isNaN(p)) ? T.soft : p>=90?"#4CAF50":p>
const gl = p => p===null?"-":p>=90?"A":p>=80?"B":p>=77?"C+":p>=70?"C":p>=60?"D":
const PRI_C = { high:{bg:"#FDEDE",t:"#C62828"}, medium:{bg:"#FFF3CD",t:"#E65100"

// — UI Atoms —————
const IS = () => ({ width:"100%", border:`1.5px solid ${T.bd}`, borderRadius:12,
function F({ label, children }) {
  return <div style={{marginBottom:18}}><div style={{fontSize:11,fontWeight:800,c
}
function Inp(p) { return <input style={IS()} {...p}/>; }
function TA(p) { return <textarea style={{...IS(),resize:"vertical",minHeight:80

function BigBtn({ children, onClick, full, outline, color, disabled }) {
  return (
    <button onClick={onClick} disabled={disabled} style={{
      background: disabled ? T.bd : outline ? "transparent" : color||`linear-grad
      color: disabled ? T.soft : outline ? T.p : "#fff",
      border: outline ? `2px solid ${T.p}` : "none",
      borderRadius:14, padding:"14px 24px", fontSize:15, fontWeight:800,
      fontFamily:"inherit", cursor:disabled?"not-allowed":"pointer",
      width:full?"100%":"auto", opacity:disabled?.7:1,
      boxShadow:disabled||outline?"none":`0 6px 20px ${T.p}44`,
      display:"flex", alignItems:"center", justifyContent:"center", gap:8, transi
    }}>{children}</button>
  );
}

function SmBtn({ children, onClick, danger, soft, active }) {
  return (
    <button onClick={onClick} style={{
      background: danger?"#FDEDE":active?T.p:soft?T.lt:"transparent",
      color: danger?"#C62828":active?"#fff":soft?T.dk:T.soft,
      border:"none", borderRadius:10, padding:"7px 14px", fontSize:13,
      fontWeight:700, fontFamily:"inherit", cursor:"pointer",
      display:"inline-flex", alignItems:"center", gap:5,
    }}>{children}</button>
  );
}

function Pill({ label, color, textColor }) {
  return <span style={{background:color||T.lt,color:textColor||T.dk,borderRadius:
}

function Sheet({ title, onClose, children, tall }) {
  return (
    <div style={{position:"fixed",inset:0,background:"rgba(0,0,0,.55)",zIndex:100
      onClick={e=>e.target===e.currentTarget&&onClose()}>

```

```

    <div style={{background:T.card,borderRadius:"20px 20px 0 0",width:"100%",ma
      <div style={{display:"flex",alignItems:"center",justifyContent:"space-bet
        <span style={{fontSize:17,fontWeight:800,color:T.ink,fontFamily:"Georgi
        <button onClick={onClose} style={{background:T.lt,border:"none",borderR
      </div>
      <div style={{padding:"18px 20px"}}>{children}</div>
    </div>
  </div>
);
}

```

```

function GradeRing({ pct, size=52 }) {
  const r=(size/2)-5, circ=2*Math.PI*r, fill=pct!==null&&!isNaN(pct)?Math.min(pct
  return (
    <svg width={size} height={size} style={{flexShrink:0}}>
      <circle cx={size/2} cy={size/2} r={r} fill="none" stroke={T.bd} strokeWidth
      <circle cx={size/2} cy={size/2} r={r} fill="none" stroke={gc(pct)} strokeWi
        strokeDasharray={`$${fill} ${circ}`} strokeLinecap="round" transform={`rot
      <text x={size/2} y={size/2+1} textAnchor="middle" dominantBaseline="middle"
        {pct!==null&&!isNaN(pct)&&<text x={size/2} y={size/2+13} textAnchor="middle
    </svg>
  );
}

```

```

// — AI HELPERS —————
async function callAI(messages, systemPrompt) {
  const res = await fetch("https://api.anthropic.com/v1/messages", {
    method:"POST",
    headers:{"Content-Type":"application/json", "x-api-key": API_KEY, "anthropic-
    body:JSON.stringify({
      model:"claude-sonnet-4-6",
      max_tokens:1000,
      system: systemPrompt,
      messages,
    })
  });
  const data = await res.json();
  return data.content?.[0]?.text || "";
}

```

// API calls handled server-side via /api/scan

```

async function parseSyllabus(base64Image, mimeType) {
  // Call our Vercel backend function instead of Anthropic directly
  const res = await fetch("/api/scan", {
    method:"POST",
    headers:{"Content-Type":"application/json"},
  });
}

```

```

    body:JSON.stringify({ base64: base64Image, mimeType })
  });
  if (!res.ok) throw new Error("Server error: " + res.status);
  const data = await res.json();
  return data;
}

// — UNLOCK —————
function Unlock({ onUnlock }) {
  const [code, setCode]=useState(""); const [err, setErr]=useState(false);
  const [checking, setChecking] = useState(false);
  async function tryIt() {
    const trimmed = code.trim();
    if(!trimmed) return;
    setChecking(true);
    const valid = await verifyGumroadKey(trimmed);
    setChecking(false);
    if(valid) onUnlock(trimmed);
    else { setErr(true); setTimeout(()=>setErr(false),2000); }
  }
  return (
    <div style={{minHeight:"100vh",background:`linear-gradient(160deg,$${T.bg},${T
      <div style={{width:"100%",maxWidth:380,textAlign:"center"}}>
        <div style={{fontSize:72,marginBottom:10}}>🔑</div>
        <div style={{fontFamily:"Georgia,serif",fontSize:30,fontWeight:700,color:
          <div style={{fontSize:14,color:T.soft,marginBottom:32}}>The nursing stude
          <div style={{background:T.card,borderRadius:20,padding:28,boxShadow:`0 12
            <div style={{fontSize:14,color:T.ink,marginBottom:14,fontWeight:600}}>E
            <input value={code} onChange={e=>{setCode(e.target.value);setErr(false)
              placeholder="Your Gumroad license key" style={{...IS(),textAlign:"cen
                {err}&&<div style={{color:"#E53935",fontSize:13,marginBottom:12,fontWeig
                  <BigBtn onClick={tryIt} full disabled={checking}>
                    {checking ? "Verifying..." : "Unlock My App 🌟"}
                  </BigBtn>
                    <div style={{fontSize:12,color:T.soft,marginTop:16}}>No code? <a href="
                    </div>
                    <div style={{fontSize:11,color:T.soft,marginTop:20}}>One-time purchase ·
                    </div>
                  </div>
                </div>
              );
            }

// — AI SETUP —————
function AISetup({ onDone }) {
  const [step,setStep] = useState("info"); // info | upload | scanning | result |
  const [name,setName] = useState("");
  const [emoji,setEmoji] = useState("🔑");

```

```

const [themeId, setThemeId] = useState("pink");
const [scanning, setScanning] = useState(false);
const [result, setResult] = useState(null);
const [error, setError] = useState("");
const [manualSchool, setManualSchool] = useState("");
const [manualProg, setManualProg] = useState("LPN");
const [manualPass, setManualPass] = useState("77");
const [manualCourse, setManualCourse] = useState("");
const fileRef = useRef();
const galleryRef = useRef();

applyTheme(themeId);

async function handleFile(e) {
  const file = e.target.files?.[0];
  if (!file) return;
  setStep("scanning");
  setScanning(true);
  setError("");
  try {
    // Only images work with Claude vision - convert PDF notice
    const isImage = file.type.startsWith("image/");
    const mimeType = isImage ? file.type : "image/jpeg";

    const base64 = await new Promise((res, rej) => {
      const r = new FileReader();
      r.onload = () => res(r.result.split(",")[1]);
      r.onerror = () => rej(new Error("Could not read file"));
      r.readAsDataURL(file);
    });

    const parsed = await parseSyllabus(base64, mimeType);
    if (parsed && parsed.courses && parsed.courses.length > 0) {
      setResult(parsed);
      setStep("result");
    } else {
      setError("AI couldn't find grading info in that image. Try a clearer phot");
      setStep("upload");
    }
  } catch (err) {
    console.error("Upload error:", err);
    setError("Upload failed: " + (err.message || "Unknown error") + ". Please try");
    setStep("upload");
  }
  setScanning(false);
}

```

```

function finish(cfg) {
  onDone({ name, emoji, themeId, ...cfg });
}

function finishManual() {
  finish({
    school: manualSchool,
    program: manualProg,
    passingGrade: Number(manualPass)||77,
    courses:[{ id:"c1", name:manualCourse||`${manualProg} Foundations`, hours:3
      categories:[
        {id:"k1",name:"Unit Exams",weight:60,pillar:"knowledge"},
        {id:"k2",name:"Final Exam",weight:30,pillar:"knowledge"},
        {id:"k3",name:"Homework/Quizzes",weight:10,pillar:"knowledge"},
        {id:"s1",name:"Skills/Clinical",weight:100,pillar:"skills"},
        {id:"p1",name:"Professional Skills",weight:100,pillar:"prof"},
      ]
    }],
    welcomeMessage: `Welcome! Your grade is split into Knowledge, Skills, and P
  });
}

function finishFromResult() {
  const courses=(result.courses||[]).map((c,i)=>({
    ...c, id:`c${i+1}`,
    categories:(c.categories||[]).map((cat,j)=>({...cat, id:`cat${i}${j}`}))
  }));
  finish({
    school:result.school||"",
    program:result.program||"Nursing",
    passingGrade:result.passingGrade||77,
    courses,
    welcomeMessage:result.welcomeMessage||""
  });
}

return (
  <div style={{minHeight:"100vh",background:T.bg,padding:"24px 16px 48px"}}>
    <div style={{maxWidth:460,margin:"0 auto"}}>

      {/* Step: Name & Theme */}
      {step==="info"&&(
        <>
          <div style={{textAlign:"center",marginBottom:28}}>
            <div style={{fontSize:52,marginBottom:8}}>{emoji}</div>
            <div style={{fontFamily:"Georgia,serif",fontSize:26,fontWeight:700,
            <div style={{fontSize:14,color:T.soft,marginTop:4}}>Let's make it y

```

```
</div>
<div style={{background:T.card,borderRadius:20,padding:24;border:`1px
  <F label="Your first name">
    <Inp value={name} onChange={e=>setName(e.target.value)} placeholder=
  </F>
  <F label="Pick your icon">
    <div style={{display:"flex",gap:8,flexWrap:"wrap"}}>
      {[
        "👩", "✂️", "🍌", "❤️", "💮", "⭐", "🔥", "💪", "🦋", "🧚‍♀️", "🌸", "🎨"
      ].map(em =>
        <button key={em} onClick={()=>setEmoji(em)} style={{fontSize:
          ))})
    </div>
  </F>
</div>
<div style={{background:T.card,borderRadius:20,padding:24;border:`1px
  <div style={{fontSize:13;fontWeight:800,color:T.ink,marginBottom:12}}>
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:8}}>
      {THEMES.map(t=>(
        <div key={t.id} onClick={()=>{setThemeId(t.id);applyTheme(t.id)}}>
          <div style={{height:22;background:`linear-gradient(90deg,${t.bg},
            <div style={{padding:"6px 10px",background:t.bg}}>
              <div style={{fontSize:12;fontWeight:700,color:t.ink}}>${t.name}
                {themeId===t.id}&&<div style={{fontSize:10,color:t.p,fontWei
              </div>
            </div>
          )}))
        </div>
      </div>
    </div>
    <BigBtn full onClick={()=>name.trim()&&setStep("upload")} disabled={!name}
      Continue →
    </BigBtn>
  </div>
)
}

/* Step: Upload syllabus */
{step==="upload"&&(
  <div style={{textAlign:"center",marginBottom:24}}>
    <div style={{fontSize:48;marginBottom:8}}>📁</div>
    <div style={{fontFamily:"Georgia,serif",fontSize:22;fontWeight:700,
      <div style={{fontSize:14,color:T.soft,marginTop:4,lineHeight:1.6}}>
    </div>
    {error&&<div style={{background:"#FDDDEDE",borderRadius:12,padding:"12px 24px 12px 40px",color:T.error}}>
      <div style={{display:"flex",alignItems:center,gap:10}}>
        <div style={{width:16px,height:16px,backgroundImage:cameraIcon,backgroundSize:cover,backgroundRepeat:no-repeat,backgroundPosition:center}}>
        <div style={{width:16px,height:16px,backgroundImage:fileIcon,backgroundSize:cover,backgroundRepeat:no-repeat,backgroundPosition:center}}>
      </div>
      <div style={{fontSize:12}}>Please upload a file or camera photo to generate syllabus.
    </div>
  </div>
  <div style={{display:"flex",justifyContent:"space-between",marginBottom:24}}>
    <div style={{width:45%;text-align:left}}>
      <p>You can also upload your syllabus from your device or gallery.
      <p>Click on the icons below to choose a file or camera photo.

```

```

<div style={{display:"flex",flexDirection:"column",gap:10,marginBottom:10}}
  <button onClick={()=>fileRef.current?.click()} style={{background:T.lightBlue}}>
    <div style={{fontSize:36,marginBottom:6}}>📷</div>
    <div style={{fontWeight:800,fontSize:15,color:T.innk,marginBottom:6}}>
      <div style={{fontSize:12,color:T.soft}}>Point your camera at the
    </div>
  </button>
  <button onClick={()=>galleryRef.current?.click()} style={{background:T.lightBlue}}>
    <div style={{fontSize:36,marginBottom:6}}>📄</div>
    <div style={{fontWeight:800,fontSize:15,color:T.innk,marginBottom:6}}>
      <div style={{fontSize:12,color:T.soft}}>Photo, PDF, or document f
    </div>
  </button>
</div>

<div style={{background:T.lt,borderRadius:14,padding:"12px 16px",margin:10px 0}}>
  💡 <strong>What to upload:</strong> The page that shows your grade
</div>
<div style={{textAlign:"center"}}>
  <button onClick={()=>setStep("manual")} style={{background:"none",border:1px solid T.soft}}>Manual
</div>
</>
)}

{/* Step: Scanning */}
{step==="scanning"&&(
  <div style={{textAlign:"center",padding:"60px 0"}}>
    <div style={{fontSize:56,marginBottom:16}}>🤖</div>
    <div style={{fontFamily:"Georgia, serif",fontSize:22,fontWeight:700,color:T.innk}}>
      <div style={{fontSize:14,color:T.soft,marginBottom:24}}>Our AI is ext
    </div>
    <div style={{display:"flex",justifyContent:"center",gap:6}}>
      {[0,1,2].map(i=>(
        <div key={i} style={{width:10,height:10,borderRadius:"50%",background:T.lightBlue}}
      ))}
    </div>
    <style>{`
      @keyframes bounce0,@keyframes bounce1,@keyframes bounce2{0%,100%{transform:translateY(0)}
      div[style*="bounce0"]{animation:bounce0 .8s ease-in-out infinite}
      div[style*="bounce1"]{animation:bounce0 .8s ease-in-out infinite;animation-delay:.2s}
      div[style*="bounce2"]{animation:bounce0 .8s ease-in-out infinite;animation-delay:.4s}
    `}</style>
  </div>
)}

{/* Step: Result */}
{step==="result"&&result&&(
  <div style={{textAlign:"center",marginBottom:24}}>
    <div style={{fontSize:48,marginBottom:8}}>✅</div>
  </div>
)}

```

```

        <div style={{fontFamily:"Georgia, serif",fontSize:22,fontWeight:700,
        <div style={{fontSize:14,color:T.soft,marginTop:4}}>Here's what I f
    </div>

    {result.welcomeMessage&&(
        <div style={{background:`linear-gradient(135deg,${T.p},${T.dk})`,bo
            <div style={{fontSize:12,fontWeight:800,opacity:.8,marginBottom:6
                <div style={{fontSize:14,lineHeight:1.6}}>{result.welcomeMessage}
            </div>
        </div>
    )})

    <div style={{background:T.card,borderRadius:16,border:`1px solid ${T.
        <div style={{display:"flex",gap:12,flexWrap:"wrap",marginBottom:8}}
            {result.school&&<Pill label={`🏫 ${result.school}`} color={T.lt}
            {result.program&&<Pill label={result.program} color={T.aml} textC
            <Pill label={`Passing: ${result.passingGrade||77}%`} color="#E8F5
        </div>
        {(result.courses||[]).map((c,i)=>(
            <div key={i} style={{marginTop:12,paddingTop:12,borderTop:`1px so
                <div style={{fontWeight:800,fontSize:14,color:T.ink,marginBotto
                    {(c.categories||[]).map((cat,j)=>(
                        <div key={j} style={{display:"flex",justifyContent:"space-bet
                            <span style={{fontSize:13,color:T.ink}}>{cat.name}</span>
                            <div style={{display:"flex",gap:8,alignItems:"center"}}>
                                {cat.weight&&<span style={{fontSize:12,fontWeight:700,col
                                    <Pill label={cat.pillar} color={cat.pillar==="knowledge"?
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>

        <div style={{display:"flex",flexDirection:"column",gap:10,marginBotto
            <BigBtn full onClick={finishFromResult}>This looks right – let's go
            <button onClick={()=>setStep("upload")} style={{background:"none",b
            <button onClick={()=>setStep("manual")} style={{background:"none",b
        </div>
    </>
  </div>
  </div>

  {/* Step: Manual */}
  {step==="manual"&&(
    <>
      <div style={{textAlign:"center",marginBottom:24}}>
        <div style={{fontSize:40,marginBottom:8}}><img alt="pencil icon" data-bbox="655 908 675 925"/></div>
        <div style={{fontFamily:"Georgia, serif",fontSize:22,fontWeight:700,

```

```

        <div style={{fontSize:14,color:T.soft,marginTop:4}}>Just the basics
    </div>
    <div style={{background:T.card,borderRadius:20,padding:24,border:`1px
        <F label="School name"><Inp value={manualSchool} onChange={e=>setMa
        <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:12}}>
            <F label="Program">
                <select value={manualProg} onChange={e=>setManualProg(e.target.
                    [{"LPN","RN","CNA","ADN","BSN","MA","Other"].map(p=><option k
                </select>
            </F>
            <F label="Passing %"><input type="number" value={manualPass} onCh
        </div>
        <F label="First course name"><Inp value={manualCourse} onChange={e=
    </div>
    <div style={{background:T.lt,borderRadius:12,padding:"12px 16px",marg
        💡 You can add more courses and customize grade categories inside t
    </div>
    <BigBtn full onClick={finishManual}>Set Up My App -</BigBtn>
    <div style={{textAlign:"center",marginTop:12}}>
        <button onClick={()=>setStep("upload")} style={{background:"none",b
    </div>
    </>
    )}
</div>
</div>
);
}

// — GRADES —————
function calcGrades(grades, categories) {
    // Group by pillar, respecting weights within knowledge
    const knowledgeCats = (categories||[]).filter(c=>c.pillar==="knowledge");
    const skillsCats    = (categories||[]).filter(c=>c.pillar==="skills");
    const profCats      = (categories||[]).filter(c=>c.pillar==="prof");

    function weightedAvg(cats, grades) {
        let ws=0, wt=0;
        for (const cat of cats) {
            const cg = grades.filter(g=>g.catId===cat.id);
            if (!cg.length) continue;
            const avg = cg.reduce((s,g)=>s+g.pct,0)/cg.length;
            const w = cat.weight||1;
            ws += avg*w; wt += w;
        }
        return wt ? ws/wt : null;
    }
}

```

```

const k = weightedAvg(knowledgeCats, grades);
const s = weightedAvg(skillsCats.length?skillsCats:[{id:"skills",weight:1}], gr
const p = weightedAvg(profCats.length?profCats:[{id:"prof",weight:1}], grades.f
let overall=null,cnt=0;
if(k!==null){overall=(overall||0)+k;cnt++;} if(s!==null){overall=(overall||0)+s
return { k, s, p, overall:cnt?overall/cnt:null };
}

```

```

function GradesView({ courses, setCourses, gpa, setGpa, pass }) {
  const [open,setOpen] = useState(null);
  const [sheet,setSheet] = useState(null);
  const [gf,setGf] = useState({ title:"", catId:"", pillar:"knowledge", ear
  const [targetPct,setTargetPct] = useState(pass||77);
  const [nextOf,setNextOf] = useState("100");
  const [addSheet,setAddSheet] = useState(false);
  const [newName,setNewName] = useState("");

```

```

function getGrades(courseId) { return (gpa.grades||[]).filter(g=>g.courseId===c

```

```

function saveGrade(courseId) {
  if(!gf.title.trim()||!gf.earned) return;
  const raw=(Number(gf.earned)/Number(gf.possible))*100;
  const pct=gf.late?Math.max(0,raw-10):raw;
  const grade={id:Date.now(),courseId,...gf,pct};
  setGpa(g=>({...g,grades:[... (g.grades||[]),grade]}));
  setSheet(null);
  setGf({title:"",catId:"",pillar:"knowledge",earned:"",possible:"100",late:fal
}

```

```

function delGrade(id) { setGpa(g=>({...g,grades:(g.grades||[]).filter(gr=>gr.id

```

```

function openGradeSheet(courseId) {
  const course=courses.find(c=>c.id===courseId);
  const firstCat=course?.categories?.[0];
  setGf({title:"",catId:firstCat?.id||"",pillar:firstCat?.pillar||"knowledge",e
  setSheet(courseId);
}

```

```

function addCourse() {
  if(!newName.trim()) return;
  const id="c"+Date.now();
  setCourses(cs=>[... (cs||[]),{
    id, name:newName.trim(), hours:300,
    categories:[
      {id:`${id}_k1`,name:"Unit Exams",weight:60,pillar:"knowledge"},
      {id:`${id}_k2`,name:"Final Exam",weight:30,pillar:"knowledge"},
      {id:`${id}_k3`,name:"Homework",weight:10,pillar:"knowledge"},

```

```

        {id:`${id}_s1`,name:"Skills/Clinical",weight:100,pillar:"skills"},
        {id:`${id}_p1`,name:"Professional Skills",weight:100,pillar:"prof"},
    ]
  });
  setNewName(""); setAddSheet(false);
}

return (
  <div>
    <div style={{display:"flex",justifyContent:"space-between",alignItems:"cent
      <div>
        <div style={{fontFamily:"Georgia,serif",fontSize:22,fontWeight:700,colo
          <div style={{fontSize:12,color:T.soft}}>Your real grade – calculated co
        </div>
        <SmBtn soft onClick={()=>setAddSheet(true)}>+ Course</SmBtn>
      </div>

    <div style={{background:T.aml,border:`1px solid ${T.am}44`,borderRadius:12,
      <strong style={{color:T.am}}>💡 How it works:</strong> Your grade has 3 e
    </div>

    {(courses||[]).length===0&&(
      <div style={{textAlign:"center",padding:"48px 0",color:T.soft}}>
        <div style={{fontSize:40,marginBottom:10}}>🎓</div>
        <div style={{fontWeight:700,fontSize:16,marginBottom:12}}>No courses ye
        <BigBtn onClick={()=>setAddSheet(true)}>+ Add Your First Course</BigBtn
      </div>
    )}

    <div style={{display:"flex",flexDirection:"column",gap:12}}>
      {(courses||[]).map(course=>{
        const grades=getGrades(course.id);
        const {k,s,p,overall}=calcGrades(grades,course.categories);
        const isOpen=open===course.id;
        const fail=[(k!==null&&k<(pass||77))?"Knowledge":null,(s!==null&&s<(pas

        // Predictor: find exam-type grades
        const examCat=(course.categories||[]).find(c=>c.pillar==="knowledge"&&c
        const examGrades=examCat?grades.filter(g=>g.catId===examCat.id):grades.
        const curAvg=examGrades.length?examGrades.reduce((s,g)=>s+g.pct,0)/exam
        const needed=curAvg!==null?(targetPct*(examGrades.length+1))-(curAvg*ex
        const pts=Math.ceil((needed/100)*Number(nextOf||100));

        return (
          <div key={course.id} style={{background:T.card,border:`2px solid ${fa
            <div style={{padding:"16px 18px",cursor:"pointer",display:"flex",al
              <GradeRing pct={overall}/>

```

```

<div style={{flex:1,minWidth:0}}>
  <div style={{fontWeight:800,fontSize:16,color:T.ink,marginBotto
  <div style={{display:"flex",gap:6,flexWrap:"wrap"}}>
    {fail.length>0
      ?fail.map(f=><Pill key={f} label={`⚠️ ${f}`} color="#FDEDE
      :overall!==null?<Pill label="On track ✔️" color={T.lt} textC
      :<Pill label="No grades yet" color={T.bd} textColor={T.soft
    }
  </div>
</div>
<span style={{color:T.soft,fontSize:20}}><isOpen?"▲":"▼"></span>
</div>

{isOpen&&(
  <div style={{borderTop:`1px solid ${T.bd}`,background:T.bg,paddin
    {/* Pillar bars */}
    <div style={{display:"flex",flexDirection:"column",gap:10,margi
      {[["📖 Knowledge",k,(course.categories||[]).filter(c=>c.pilla
        ["🏠 Skills",s,"Lab & clinical performance"],
        ["⭐ Prof. Skills",p,"Attendance, attitude, teamwork"]].map
      <div key={lbl}>
        <div style={{display:"flex",justifyContent:"space-between
          <div>
            <span style={{fontSize:13,fontWeight:700,color:T.ink}
              {sub&&<div style={{fontSize:10,color:T.soft}}>{sub}</
            </div>
            <span style={{fontSize:13,fontWeight:800,color:gc(val)}
          </div>
          <div style={{background:T.bd,borderRadius:99,height:9,ove
            <div style={{width:`${Math.min(val||0,100)}%`,backgroun
          </div>
          {val!==null&&val<(pass||77)}&&<div style={{fontSize:11,col
        </div>
      )}}
    </div>
  </div>

  {/* Predictor */}
  <div style={{background:T.lt,borderRadius:14,padding:"14px",mar
    <div style={{fontSize:13,fontWeight:800,color:T.dk,marginBott
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap
      <div>
        <div style={{fontSize:10,fontWeight:700,color:T.soft,marg
          <input type="number" value={targetPct} onChange={e=>setTa
        </div>
        <div>
          <div style={{fontSize:10,fontWeight:700,color:T.soft,marg
            <input type="number" value={nextOf} onChange={e=>setNextO

```

```

    </div>
  </div>
  {curAvg!==null&&<div style={{fontSize:12,color:T.soft,marginB
  <div style={{background:needed>100?"#FDEDEDE":T.card,borderRad
    {needed>100
      ?<div style={{color:"#E53935",fontWeight:700,fontSize:14}
        :<div style={{color:gc(needed),fontWeight:800,fontSize:18
      }
    </div>
  </div>
</div>

  { /* Grades list */}
  <div style={{display:"flex",justifyContent:"space-between",alig
    <div style={{fontSize:11,fontWeight:700,color:T.soft,textTran
      <SmBtn soft onClick={ ()=>openGradeSheet(course.id)}>+ Add Gra
    </div>
    {grades.length===0
      ?<div style={{textAlign:"center",padding:"12px 0",color:T.sof
        :<div style={{display:"flex",flexDirection:"column",gap:6}}>
          {grades.map(g=>{
            const cat=(course.categories||[]).find(c=>c.id===g.catId)
            return(
              <div key={g.id} style={{background:T.card,border:`1px s
                <div style={{width:40,height:40,borderRadius:10,backg
                  <span style={{fontSize:13,fontWeight:800,color:gc(g
                </div>
                <div style={{flex:1,minWidth:0}}>
                  <div style={{fontWeight:700,fontSize:13,color:T.ink
                    <div style={{fontSize:11,color:T.soft}}>{cat?.name|
                  </div>
                  <SmBtn onClick={ ()=>delGrade(g.id)}>🗑️</SmBtn>
                </div>
              );
            })}
          </div>
        }
      </div>
    )}
  </div>
  </div>
  </div>
  { /* Add grade sheet */}
  {sheet&& (()=>{
    const course=courses.find(c=>c.id===sheet);
    const cats=course?.categories||[];

```

```

const selCat=cats.find(c=>c.id===gf.catId)||cats[0];
const raw=gf.earned&&gf.possible?(Number(gf.earned)/Number(gf.possible))*
const adj=raw!==null?(gf.late?Math.max(0,raw-10):raw):null;
return(
  <Sheet title={`Add Grade - ${course?.name}`} onClose={()=>setSheet(null
    <F label="Assignment / exam name"><Inp value={gf.title} onChange={e=>
    <F label="Category">
      <select value={gf.catId} onChange={e=>{
        const cat=cats.find(c=>c.id===e.target.value);
        setGf(f=>({...f,catId:e.target.value,pillar:cat?.pillar||"knowled
        }) style={IS()}>
        {cats.map(c=><option key={c.id} value={c.id}>{c.name} ({c.pillar}
      </select>
    </F>
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:12}}>
      <F label="Points earned"><input type="number" value={gf.earned} onC
      <F label="Out of"><input type="number" value={gf.possible} onChange
    </div>
    {adj!==null&&(
      <div style={{background:gc(adj)+"22",border:`1.5px solid ${gc(adj)}
        <div style={{fontSize:28,fontWeight:800,color:gc(adj)}}>{adj.toFi
        <div style={{fontSize:13,color:gc(adj),fontWeight:600}}>{gl(adj)}
        {gf.late&&<div style={{fontSize:11,color:T.soft,marginTop:2}}>10-
      </div>
    )}
    <div style={{display:"flex",alignItems:"center",gap:10,padding:"11px
      <input type="checkbox" id="late" checked={gf.late} onChange={e=>set
      <label htmlFor="late" style={{fontSize:13,color:T.ink,cursor:"point
    </div>
    <BigBtn full onClick={()=>saveGrade(sheet)}>Save Grade ✓</BigBtn>
  </Sheet>
);
})() }

{addSheet&&(
  <Sheet title="Add a Course" onClose={()=>setAddSheet(false)}>
    <F label="Course name"><Inp value={newName} onChange={e=>setNewName(e.t
    <div style={{background:T.lt,borderRadius:10,padding:"10px 14px",margin
    <BigBtn full onClick={addCourse}>Add Course</BigBtn>
  </Sheet>
)
)
</div>
);
}

```

// — TASKS —

```
function TasksView({ tasks, setTasks }) {
```

```

const [sheet, setSheet]=useState(false);
const [edit, setEdit]=useState(null);
const [filter, setFilter]=useState("pending");
const [form, setForm]=useState({title:"", due:"", priority:"medium", notes:""});
const tk=dateKey(TODAY);
function open(t){setEdit(t|null);setForm(t?{...t}:{title:"", due:"", priority:"m
function saveTask(){if(!form.title.trim())return;if(edit)setTasks(ts=>ts.map(t=
function tog(id){setTasks(ts=>ts.map(t=>t.id===id?{...t, done:!t.done}:t));}
function del(id){setTasks(ts=>ts.filter(t=>t.id!==id));}
const overdue=tasks.filter(t=>!t.done&&t.due&&t.due<tk);
const shown=tasks.filter(t=>filter==="done"?t.done:!t.done).sort((a,b)=>({high:
return(
  <div>
    <div style={{display:"flex", justifyContent:"space-between", alignItems:"cent
      <div style={{fontFamily:"Georgia, serif", fontSize:22, fontWeight:700, color:
        <BigBtn onClick={()=>open(null)}>+ Add</BigBtn>
      </div>
    {overdue.length>0&&<div style={{background:"#FDDDEDE", borderRadius:14, paddin
      <div style={{fontSize:12, fontWeight:800, color:"#C62828", marginBottom:6, te
        {overdue.map(t=><div key={t.id} style={{fontSize:13, color:"#C62828", paddi
      </div>}
    <div style={{display:"flex", gap:8, marginBottom:16}}>
      {[["pending", "To Do"], ["done", "Done"]].map(([f, l])=>({
        <button key={f} onClick={()=>setFilter(f)} style={{background:filter===
        ))}
      </div>
    {shown.length===0&&<div style={{textAlign:"center", padding:"40px 0", color:T
    <div style={{display:"flex", flexDirection:"column", gap:8}}>
      {shown.map(task=>({
        <div key={task.id} style={{background:T.card, border:`1.5px solid ${task
          <button onClick={()=>tog(task.id)} style={{width:24, height:24, borderR
            {task.done&&<span style={{color:"#fff", fontSize:12, fontWeight:800}}
          </button>
          <div style={{flex:1, minWidth:0}}>
            <div style={{fontWeight:700, fontSize:14, color:T.ink, textDecorat
              <div style={{display:"flex", gap:6, flexWrap:"wrap", alignItems:"cente
                <Pill label={task.priority} color={PRI_C[task.priority]?.bg} text
                  {task.due&&<span style={{fontSize:11, color:task.due<tk&&!task.don
                </div>
                {task.notes&&<div style={{fontSize:12, color:T.soft, marginTop:4}}>{t
              </div>
              <div style={{display:"flex", gap:2}}><SmBtn onClick={()=>open(task)}>📌
            </div>
          ))}
        </div>
      {sheet&&<Sheet title={edit?"Edit Task":"New Task"} onClose={()=>setSheet(fa
        <F label="Task"><Inp value={form.title} onChange={e=>setForm(f=>({...f, ti

```

```

    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:12}}>
      <F label="Due date"><input type="date" value={form.due||""} onChange={e
      <F label="Priority"><select value={form.priority} onChange={e=>setForm(
    </div>
    <F label="Notes (optional)"><TA value={form.notes||""} onChange={e=>setFo
    <BigBtn full onClick={saveTask}>Save Task</BigBtn>
  </Sheet>
</div>
);
}

```

// — DRUG CARDS —————

```

function DrugView({ meds, setMeds }) {
  const [search,setSearch]=useState("");
  const [sheet,setSheet]=useState(false);
  const [edit,setEdit]=useState(null);
  const [exp,setExp]=useState(null);
  const blank={name:"",generic:"",category:"Other",route:"",dose:"",action:"",sid
  const [form,setForm]=useState(blank);
  const CATS=["Cardiac","Respiratory","Neuro","Antibiotic","Pain","Endocrine","Ps
  function open(m){setEdit(m|null);setForm(m?{...m}:blank);setSheet(true);}
  function saveMed(){if(!form.name.trim())return;if(edit)setMeds(ms=>ms.map(m=>m.
  const shown=meds.filter(m=>{const q=search.toLowerCase();return !q||m.name.toLo
  const IR=({label,val,bg})=>val?<div style={{background:bg,borderRadius:10,paddi
  return(
    <div>
      <div style={{display:"flex",justifyContent:"space-between",alignItems:"cent
        <div><div style={{fontFamily:"Georgia,serif",fontSize:22,fontWeight:700,c
        <BigBtn onClick={()=>open(null)}>+ Add</BigBtn>
      </div>
      <input value={search} onChange={e=>setSearch(e.target.value)} placeholder="
      {shown.length===0&&<div style={{textAlign:"center",padding:"40px 0",color:T
      <div style={{display:"flex",flexDirection:"column",gap:8}}>
        {shown.map(med=>(
          <div key={med.id} style={{background:T.card,border:`1px solid ${T.bd}`,
            <div style={{padding:"14px 16px",cursor:"pointer",display:"flex",alig
              <div style={{width:44,height:44,borderRadius:12,background:T.lt,dis
                <div style={{flex:1,minWidth:0}}>
                  <div style={{fontWeight:800,fontSize:15,color:T.ink}}>{med.name}<
                  <div style={{fontSize:12,color:T.soft}}>{med.generic}&&<span style
                </div>
              <div style={{fontSize:20,color:T.soft}}>{exp===med.id?"▲":"▼"}</div>
            </div>
          {exp===med.id&&<div style={{borderTop:`1px solid ${T.bd}`,padding:"14
            {med.route}&&<div style={{fontSize:13,color:T.ink,marginBottom:10}}>
            <IR label="Action" val={med.action} bg={T.lt}/>
            <IR label="Side Effects" val={med.sideEffects} bg="#FFF3CD"/>
          }
        )
      }
    </div>
  )
}

```

```

        <IR label="Nursing Considerations" val={med.nursing} bg={T.lt}/>
        <IR label="Contraindications" val={med.contraindications} bg="#FDDE
        <IR label="Notes / Mnemonics" val={med.notes} bg={T.bg}/>
        <div style={{display:"flex",gap:8,marginTop:12}}>
            <SmBtn soft onClick={()=>open(med)}><img alt="pencil icon" data-bbox="615 125 635 140"/> Edit</SmBtn>
            <SmBtn danger onClick={()=>setMeds(ms=>ms.filter(m=>m.id!==med.id
        </div>
    </div>}
</div>
    )})
</div>
(sheet<&&<Sheet title={edit?"Edit Drug":"New Drug Card"} onClose={()=>setShe
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:12}}>
        <F label="Brand name"><Inp value={form.name} onChange={e=>setForm(f=>({
        <F label="Generic name"><Inp value={form.generic} onChange={e=>setForm(
    </div>
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:12}}>
        <F label="Category"><select value={form.category} onChange={e=>setForm(
        <F label="Route · Dose"><Inp value={form.route} onChange={e=>setForm(f=
    </div>
    {[["Action","action","What it does..."],["Side Effects","sideEffects","Comm
        <F key={k} label={l}><TA value={form[k]||""} onChange={e=>setForm(f=>({
    )})
    <BigBtn full onClick={saveMed}>Save Drug Card <img alt="pill icon" data-bbox="635 485 655 500"/></BigBtn>
</Sheet>}
</div>
    );
}

// — VITALS —————
const VITALS=[
    {g:"Blood Pressure <img alt="heart icon" data-bbox="325 640 345 655"/>,c:"#FDDEDE",a:"#C62828",rows:[["Normal","< 120/80 mmHg"]
    {g:"Heart Rate <img alt="heart icon" data-bbox="285 660 305 675"/>,c:"#FFF3CD",a:"#E65100",rows:[["Adult","60–100 bpm"],["Brady
    {g:"Respiratory Rate <img alt="lungs icon" data-bbox="340 680 360 695"/>,c:"#E8F5E9",a:"#2E7D32",rows:[["Adult","12–20 /min"],["
    {g:"Temperature <img alt="thermometer icon" data-bbox="290 700 310 715"/>,c:"#EDE8F5",a:"#7B5EA7",rows:[["Oral normal","36.1–37.2°C /
    {g:"SpO2 <img alt="oxygen icon" data-bbox="230 720 250 735"/>,c:"#D4E4DC",a:"#3D5249",rows:[["Normal","95–100% (room air)"],["Mi
    {g:"Pain Scale <img alt="sad face icon" data-bbox="285 740 305 755"/>,c:"#FFF3CD",a:"#E65100",rows:[["0","No pain"],["1–3","Mild"]
];
function VitalsView(){
    const [exp,setExp]=useState(null);
    return(
        <div>
            <div style={{fontFamily:"Georgia,serif",fontSize:22,fontWeight:700,color:T.
            <div style={{fontSize:12,color:T.soft,marginBottom:16}}>Quick reference — t
            <div style={{display:"flex",flexDirection:"column",gap:10}}>
                {VITALS.map(v=>{const isOpen=exp===v.g;return(
                    <div key={v.g} style={{background:T.card,border:`1px solid ${T.bd}`,bor

```

```

    <div style={{padding:"14px 16px",display:"flex",alignItems:"center",g
      <div style={{width:40,height:40,borderRadius:12,background:v.c,disp
        <span style={{fontWeight:800,fontSize:15,color:T.ink,flex:1}}>{v.g.
        <span style={{color:T.soft,fontSize:18}}>{isOpen?"▲":"▼"}</span>
      </div>
    {isOpen&&<div style={{borderTop:`1px solid ${T.bd}`,padding:"14px 16p
      <div style={{display:"flex",flexDirection:"column",gap:5,marginBott
        {v.rows.map(([cat,val],i)=>(
          <div key={i} style={{display:"flex",justifyContent:"space-betwe
            <span style={{fontSize:13,fontWeight:600,color:T.ink}}>{cat}<
            <span style={{fontSize:13,fontWeight:800,color:v.a,textAlign:
          </div>
        )}}
      </div>
    <div style={{background:v.c,borderRadius:10,padding:"10px 14px"}}>
      <div style={{fontSize:10,fontWeight:800,color:v.a,textTransform:"
        <div style={{fontSize:13,color:T.ink,lineHeight:1.6}}>{v.tip}</di
      </div>
    </div>
  </div>
    );}}
  </div>
</div>
);
}

```

// — MODULES —

```

function ModulesView({modules,setModules}){
  const [sheet,setSheet]=useState(false);
  const [edit,setEdit]=useState(null);
  const [exp,setExp]=useState(null);
  const [tf,setTf]=useState({word:"",def:""});
  const blank={name:"",startDate:"",endDate:"",status:"upcoming",summary:"",objec
  const [form,setForm]=useState(blank);
  function open(m){setEdit(m||null);setForm(m?{...m}:blank);setTf({word:"",def:""});
  function save(){if(!form.name.trim())return;if(edit)setModules(ms=>ms.map(m=>m.
  function addTerm(){if(!tf.word.trim())return;setForm(f=>({...f,keyTerms:[... (f.
  function removeTerm(id){setForm(f=>({...f,keyTerms:f.keyTerms.filter(t=>t.id!==
  const SC={upcoming:{bg:"#FFF3CD",t:"#E65100"},active:{bg:T.lt,t:T.dk},completed
  const sorted=[...modules].sort((a,b)=>({active:0,upcoming:1,completed:2}[a.stat
  return(
    <div>
      <div style={{display:"flex",justifyContent:"space-between",alignItems:"cent
        <div><div style={{fontFamily:"Georgia,serif",fontSize:22,fontWeight:700,c
        <BigBtn onClick={()=>open(null)}>+ Add</BigBtn>
      </div>
    </div>
    {modules.length===0&&<div style={{textAlign:"center",padding:"48px 0",color

```

```

<div style={{display:"flex",flexDirection:"column",gap:8}}>
  {sorted.map(mod=>{const isOpen=exp===mod.id;const sc=SC[mod.status]||SC.u
    <div key={mod.id} style={{background:T.card,border:`1px solid ${T.bd}`,
      <div style={{padding:"14px 16px",cursor:"pointer",display:"flex",align
        <div style={{width:42,height:42,borderRadius:12,background:sc.bg,di
          <div style={{flex:1,minWidth:0}}>
            <div style={{fontWeight:800,fontSize:14,color:T.ink,marginBottom:
              <div style={{display:"flex",gap:6,alignItems:"center",flexWrap:"w
                <Fill label={mod.status} color={sc.bg} textColor={sc.t}/>
                {mod.keyTerms?.length>0&&<Fill label={` ${mod.keyTerms.length} t
                  {(mod.startDate||mod.endDate)&&<span style={{fontSize:11,color:
                    </div>
                  </div>
                <span style={{color:T.soft,fontSize:18}}>{isOpen?"▲":"▼"}</span>
              </div>
            {isOpen&&<div style={{borderTop:`1px solid ${T.bd}`,padding:"14px 16p
              {mod.summary&&<div style={{fontSize:13,color:T.ink,lineHeight:1.6,m
                {mod.objectives&&<div style={{background:T.lt,borderRadius:10,paddi
                  {mod.keyTerms?.length>0&&<div style={{marginBottom:10}}><div style=
                    {mod.resources&&<div style={{fontSize:12,color:T.soft,marginBottom:
                      <SmBtn soft onClick={()=>open(mod)}>✎ Edit</SmBtn>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>
<sheet&&<Sheet title={edit?"Edit Module":"New Module"} onClose={()=>setShee
  <F label="Module name"><Inp value={form.name} onChange={e=>setForm(f=>({.
    <div style={{display:"grid",gridTemplateColumns:"1fr 1fr 1fr",gap:10}}>
      <F label="Start"><input type="date" value={form.startDate||""} onChange
      <F label="End"><input type="date" value={form.endDate||""} onChange={e=
      <F label="Status"><select value={form.status} onChange={e=>setForm(f=>({
    </div>
    <F label="Overview"><TA value={form.summary||""} onChange={e=>setForm(f=>
    <F label="Learning objectives"><TA value={form.objectives||""} onChange={
    <div style={{marginBottom:18}}>
      <div style={{fontSize:11,fontWeight:800,color:T.soft,marginBottom:6,tex
        {(form.keyTerms||[]).map(t=><div key={t.id} style={{display:"flex",gap:
          <div style={{display:"grid",gridTemplateColumns:"1fr 2fr auto",gap:8,ma
            <F label="Term"><Inp value={tf.word} onChange={e=>setTf(f=>({...f,wor
            <F label="Definition"><Inp value={tf.def} onChange={e=>setTf(f=>({...
            <SmBtn soft onClick={addTerm}>Add</SmBtn>
          </div>
        </div>
      </div>
    <F label="Resources / Chapters"><Inp value={form.resources||""} onChange=
    <BigBtn full onClick={save}>Save Module 📖</BigBtn>
  </Sheet>
</div>

```

```

    );
}

// — SETTINGS —————
function SettingsView({ config, setConfig, themeId, setThemeId }) {
  const [form, setForm] = useState({ ...config });
  const [saved, setSaved] = useState(false);
  const [rescan, setRescan] = useState(false);
  const [scanning, setScanning] = useState(false);
  const fileRef = useRef();

  async function handleRescan(e) {
    const file = e.target.files?.[0]; if (!file) return;
    setScanning(true);
    try {
      const base64 = await new Promise((res, rej) => { const r = new FileReader(); r.onloa
      const result = await parseSyllabus(base64, file.type || "image/jpeg");
      if (result) {
        setForm(f => ({ ...f, school: result.school || f.school, program: result.program
        setConfig(f => ({ ...f, courses: (result.courses || []).map((c, i) => ({ ...c, id: `c
      }
    } catch {}
    setScanning(false); setRescan(false);
  }

  function saveAll() { setConfig({ ...form, themeId }); setSaved(true); setTimeout(() => s

  return (
    <div>
      <div style={{ fontFamily: "Georgia, serif", fontSize: 22, fontWeight: 700, color: T.
      <div style={{ background: T.card, border: `1px solid ${T.bd}`, borderRadius: 16, p
        <div style={{ fontSize: 13, fontWeight: 800, color: T.ink, marginBottom: 14 }} > 👤
        <F label="Your name"> <Inp value={form.name || ""} onChange={e => setForm(f => (
        <F label="Icon">
          <div style={{ display: "flex", gap: 7, flexWrap: "wrap" }} >
            {[ "👩", "👨", "👦", "👧", "👶", "👦", "👧", "👶", "👦", "👧", "👶", "👦", "👧", "👶" ].map
              <button key={em} onClick={() => setForm(f => ({ ...f, emoji: em }))} style=
                ) ) }
          </div>
        </F>
        <F label="Motto"> <Inp value={form.motto || ""} onChange={e => setForm(f => ({ ..
      </div>
      <div style={{ background: T.card, border: `1px solid ${T.bd}`, borderRadius: 16, p
        <div style={{ display: "flex", justifyContent: "space-between", alignItems: "ce
          <div style={{ fontSize: 13, fontWeight: 800, color: T.ink }} > 🏫 School & Gradi
          <SmBtn soft onClick={() => setRescan(true)} > 🔍 Re-scan Syllabus </SmBtn>
        </div>
    </div>

```

```

        {scanning&&<div style={{textAlign:"center",padding:"16px 0",color:T.p,font
<F label="School"><Inp value={form.school||""} onChange={e=>setForm(f=>({
<div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:12}}>
    <F label="Program"><select value={form.program||"LPN"} onChange={e=>set
    <F label="Passing %"><input type="number" value={form.passingGrade||77}
</div>
    {rescan&&<<input ref={fileRef} type="file" accept="image/*" capture="env
</div>
<div style={{background:T.card,border:`1px solid ${T.bd}`,borderRadius:16,p
<div style={{fontSize:13,fontWeight:800,color:T.ink,marginBottom:12}}>🎉
<div style={{display:"grid",gridTemplateColumns:"1fr 1fr",gap:8}}>
    {THEMES.map(t=>(
        <div key={t.id} onClick={()=>{setThemeId(t.id);applyTheme(t.id);}} st
        <div style={{height:20,background:`linear-gradient(90deg,${t.p},${t
        <div style={{padding:"6px 10px",background:t.bg}}><div style={{font
        </div>
    ))}
</div>
</div>
<div style={{display:"flex",gap:12,alignItems:"center"}}>
    <BigBtn full onClick={saveAll}>Save Changes</BigBtn>
    {saved&&<span style={{fontSize:14,color:T.p,fontWeight:800}}>Saved! 🎉</s
</div>
</div>
);
}

// — HOME —————
function HomeView({ state, onNavigate }) {
    const { tasks=[],meds=[],modules=[],courses=[],gpa={},config={} } = state;
    const tk=dateKey(TODAY);
    const pass=config.passingGrade||77;
    const urgent=tasks.filter(t=>!t.done&&t.due&&t.due<=tk);
    const due7=tasks.filter(t=>!t.done&&t.due&&t.due>tk&&t.due<=dateKey(new Date(Da
    const done=tasks.filter(t=>t.done).length;
    const activeMod=modules.find(m=>m.startDate&&m.endDate&&m.startDate<=tk&&m.endD

    const gradeData=(courses||[]).map(c=>{
        const grades=(gpa.grades||[]).filter(g=>g.courseId===c.id);
        const {overall}=calcGrades(grades,c.categories);
        return {...c,grades,overall};
    }).filter(c=>c.grades.length>0);

    return(
        <div>
            {/* Hero */}
            <div style={{background:`linear-gradient(135deg,${T.p},${T.dk})`,borderRadi

```

```

<div style={{fontSize:11,opacity:.75,marginBottom:2,textTransform:"upperc
<div style={{fontFamily:"Georgia,serif",fontSize:22,fontWeight:700,margin
  {config.name?`Hey Nurse ${config.name} ${config.emoji||"💖"}`: "Hey, fut
</div>
{config.motto&&<div style={{fontSize:13,opacity:.9,fontStyle:"italic",mar
{activeMod
  ?<div style={{fontSize:12,background:"rgba(255,255,255,.2)",borderRadiu
    :<div style={{fontSize:12,opacity:.85}}>{urgent.length?`⚡ ${urgent.len
    }
  {config.school&&<div style={{fontSize:11,opacity:.6,marginTop:6}}>{config
</div>

{/* Stats */}
<div style={{display:"grid",gridTemplateColumns:"repeat(4,1fr)",gap:8,margi
  {[
    {icon:"📅",val:tasks.filter(t=>!t.done).length,label:"To Do",tab:"tasks
    {icon:"⚡",val:urgent.length,label:"Overdue",tab:"tasks",color:urgent.1
    {icon:"📚",val:modules.length,label:"Modules",tab:"modules",color:T.am}
    {icon:"💊",val:meds.length,label:"Drugs",tab:"meds",color:T.dk},
  ].map(item=>(
    <div key={item.label} onClick={()=>onNavigate(item.tab)} style={{backgr
      <div style={{fontSize:20,marginBottom:2}}>{item.icon}</div>
      <div style={{fontSize:22,fontWeight:800,color:item.color,fontFamily:"
        <div style={{fontSize:9,color:T.soft,textTransform:"uppercase",letter
        </div>
      )})
    </div>

{/* Task progress */}
{tasks.length>0&&<div style={{background:T.card,border:`1px solid ${T.bd}`,
  <div style={{display:"flex",justifyContent:"space-between",marginBottom:8
    <div style={{background:T.bg,borderRadius:99,height:10,overflow:"hidden"}
  </div>}

{/* Grades */}
{gradeData.length>0&&<div style={{background:T.lt,border:`1px solid ${T.bd}
  <div style={{fontWeight:800,fontSize:12,color:T.dk,textTransform:"upperca
    {gradeData.map(c=>(
      <div key={c.id||c.name} style={{display:"flex",alignItems:"center",gap:
        <GradeRing pct={c.overall} size={40}/>
        <div style={{flex:1}}><div style={{fontSize:13,fontWeight:700,color:T
          <SmBtn soft onClick={()=>onNavigate("grades")}>Details →</SmBtn>
        </div>
      )})
    </div>

{/* Overdue */}

```

```

    {urgent.length>0&&<div style={{background:"#FDEDE",border:"1px solid #FFCD
      <div style={{fontWeight:800,fontSize:12,color:"#C62828",textTransform:"up
        {urgent.slice(0,3).map(t=><div key={t.id} style={{fontSize:13,color:"#C62
          {urgent.length>3&&<div style={{fontSize:12,color:"#C62828",marginTop:4,cu
        </div>}

    {/* This week */}
    {due7.length>0&&<div style={{background:T.aml,border:`1px solid ${T.am}44`,
      <div style={{fontWeight:800,fontSize:12,color:T.am,textTransform:"upperca
        {due7.slice(0,4).map(t=><div key={t.id} style={{display:"flex",justifyCon
      </div>}
    </div>
  );
}

// — ROOT —————
const TABS=[{id:"home",icon:"🏠",label:"Home"},{id:"grades",icon:"🎓",label:"Grac

function App() {
  const [state,setState]=useState(()=>load());
  const [tab,setTab]=useState("home");
  const [,tick]=useState(0);

  useEffect(()=>{save(state);},[state]);

  const set=useCallback(key=>fn=>setState(s=>({...s,[key]:typeof fn==="function"?
  const setConfig=useCallback(v=>setState(s=>({...s,config:typeof v==="function"?
  const setThemeId=useCallback(id=>{setState(s=>({...s,config:{...(s.config||{}),
  const setCourses=useCallback(v=>setState(s=>({...s,courses:typeof v==="function
  const setGpa=useCallback(v=>setState(s=>({...s,gpa:typeof v==="function"?v(s.gp

  applyTheme(state.config?.themeId||"pink");

  if(!state.unlocked) return <Unlock onUnlock={code=>setState(s=>({...s,unlocked:

  if(!state.setup) return <AISetup onDone={cfg=>{
    setState(s=>({...s,setup:true,config:cfg,courses:cfg.courses||[]}));
    applyTheme(cfg.themeId||"pink");
  }>};

  const config=state.config||{};
  applyTheme(config.themeId||"pink");

  const fullState={tasks:state.tasks||[],meds:state.meds||[],modules:state.module

  return(
    <div style={{fontFamily:"-apple-system,BlinkMacSystemFont,'Inter',system-ui,s

```

```

<div style={{background:T.card,borderBottom:`1px solid ${T.bd}` ,padding:"12
  <div style={{width:36,height:36,borderRadius:10,background:`linear-gradi
    <div style={{flex:1}}>
      <div style={{fontFamily:"Georgia,serif",fontSize:17,fontWeight:700,colo
        <div style={{fontSize:9,color:T.soft,letterSpacing:"0.08em",marginTop:1
      </div>
    </div>
  </div>
  <div style={{padding:"18px 14px 110px"}}>
    {tab==="home"      &&<HomeView state={fullState} onNavigate={setTab}/>}
    {tab==="grades"    &&<GradesView courses={state.courses||[]} setCourses={s
    {tab==="tasks"      &&<TasksView tasks={state.tasks||[]} setTasks={set("tas
    {tab==="meds"        &&<DrugView meds={state.meds||[]} setMeds={set("meds")}
    {tab==="modules"    &&<ModulesView modules={state.modules||[]} setModules={
    {tab==="vitals"      &&<VitalsView/>}
    {tab==="settings"   &&<SettingsView config={config} setConfig={setConfig} t
  </div>
  <div style={{position:"fixed",bottom:0,left:"50%",transform:"translateX(-50
    {TABS.map(t=>(
      <button key={t.id} onClick={()=>setTab(t.id)} style={{background:"none"
        <span style={{fontSize:18}}>{t.icon}</span>
        <span style={{fontSize:8,fontWeight:700,letterSpacing:"0.05em",textTr
          {tab===t.id&&<span style={{width:20,height:3,borderRadius:99,backgrou
        </button>
      )})
    </div>
  </div>
);
}

```