



ECS 2025

FROM LOCAL TO CLOUD: HOW TO DEVELOP IN CONTAINERS

TOBIAS FENSTER

MANAGING DIRECTOR @ 4PS GERMANY
CHIEF ENGINEER @ HILTI

AZURE MVP & REGIONAL DIRECTOR
DOCKER CAPTAIN



Premium Partner



Premium Sponsor



Technology Partner



Diamond Sponsor



Platinum Sponsor



Gold Sponsor



Silver Sponsor



Bronze Sponsor



Startup Silver



Startup Bronze




Startup Sponsor





Why





(VS Code) devcontainers



Why?

- Cleanly separated development systems with better resource utilization than e.g. with VMs
 - No version conflicts and side effects
 - No "littering" → Simply throw away and recreate
- All dependencies, tools, etc. including versions described in configuration files in the repo
 - IaC approach for local development environments
 - No drifting apart of different developers
 - Clear and simple rollout of changes in the development stack
- Extremely fast setup of development environments
 - Extremely fast onboarding of new developments
 - Simple and clean switching between projects




VS Code devcontainers

- Containerized, configurable, local development environment
 - Connection via VS Code
 - Full functionality including extensions and access to local and offline support
 - Underlying standard: <https://containers.dev>, supported by other IDEs, e.g. IntelliJ IDEA
- Very good development environment for all scenarios (except Windows-based development...)
- Ideal starting point for GitHub codespaces (same technology)



VS Code devcontainers



Source: <https://code.visualstudio.com/docs/remote/containers>



Demo VS Code devcontainers



Serverless development (with GH Codespaces)



Why?

- Even faster and easier setup directly in your browser
- No local infrastructure, therefore no local dependencies
 - Configurable CPU / RAM / storage with pay per use
 - Development on an iPad?!
- (Almost) all benefits of devcontainers, but
 - no offline support and
 - no access to local resources
- GitHub is using it internally: “Over the past months, we’ve left our macOS model behind and moved to Codespaces for the majority of GitHub.com development”.
(<https://github.blog/2021-08-11-githubs-engineering-team-moved-codespaces/>)




GitHub Codespaces

- GitHub Codespaces
 - Containerized, configurable, Cloud development environment
 - Connection via VS Code, IntelliJ IDEA, other IDEs or browser
 - Full functionality incl. extensions
- Other services supporting the devcontainer standard: CodeSandbox, DevPod
- Great development environment for most scenarios



GitHub codespaces



Source: <https://docs.github.com/en/codespaces/about-codespaces/what-are-codespaces>



Demo GitHub Codespaces



SSH-based development (with containers)



Why?

- Offload development work to a VM
 - Easier switching (e.g. in lots of meetings...)
 - Keep local resources or extend resources
 - Easy setup
 - Potentially security restrictions e.g. for externals
- Access to different OS (laptop is Windows, development on Windows or vice versa)
 - Also access to Desktop if needed
- Can be combined with devcontainers




VS Code SSH-based remote development

- VM set up for development with an SSH service
 - Connection via VS Code
 - Full functionality including extensions
 - Can be combined with devcontainers
- Very good development environment for all scenarios including Windows-based development and access to host tools like e.g. office



VS Code SSH-based remote development



Source: <https://code.visualstudio.com/docs/remote/ssh>



Demo VS Code SSH-based remote development

THANK YOU,
YOU ARE AWESOME ❤️

PLEASE RATE THIS SESSION
IN THE MOBILE APP.

Find me on tobiasfenster.io





Bonus topic: Multiple containers



Bonus topic: Multiple containers

- Sometimes one container is not enough
 - Frontend
 - Backend
 - Database
 - Cache
 - ...
- Can we do that with devcontainers as well?
 - One devcontainer per tier
 - One VS Code instance connected per tier
 - Additional components



Demo bonus topic: multiple containers
