

Result Codes



This is a comprehensive list of ALL Melissa Data result codes. The actual codes returned by a single Melissa Data product will be fewer than this list. For lists of result codes returned by a specific Melissa Data product, please see [Result Code Details](#).

Also see:

- [Result Code Examples](#)

Contents

[**AS - Address Status**](#)

[**AE - Address Error**](#)

[**AC - Address Change**](#)

[**ES - Email Status**](#)

[**EE - Email Error**](#)

[**XS - Global Express Entry Status**](#)

[**GS - Geocode Status**](#)

[**GE - Geocode Error**](#)

[**AV - Address Verification**](#)

[**US Address Type**](#)

[**Canadian Address Type**](#)

Default Address Type

Move Type

CASS Error

CASS Status - Deprecated

NCOA Return Codes

Canada NCOA Move Status

MatchUp Status

Carrier Route Type

Delivery Indication

Time Zone Type

DPV Type

Gender

RightFielder Error

IS - IP Address Status

IC - IP Address Change

IE - IP Address Error

Consumer List

Saturation List

MS - Match Status

NS - Name Status

NE - Name Error

DA - Append Results

VR - Verify Results

VS - Verify Status

PS - Phone Status

PE - Phone Error

PC - Phone Change

QS - Profiler Status

QE - Profiler Error

SN - Security Number Codes

SP - Personator Status

SS - Personator Status

US - Personator Search Status

UE - Personator Search Error

KE - Personator Identity Error Codes

YS - Property Status

YE - Property Error

YC - Property Change

DS - Residential/Business Delivery Indicator

RS - RightFielder Status

RE - RightFielder Error

CS - SmartMover Status

CM - SmartMover Match Status

FS - Business/Firm Status

FE - Business/Firm Error

WS - Web Service - Record Level

SS - Street Search Status

SR - Street Route

DE - Data Error

ZS - ZIP Search Status

ZE - ZIP Search Error

Listware Codes

KA - Cleanser Abbreviation

KC - Cleanser Casing

KE - Cleanser Transform Expression

KP - Cleanser Punctuation

KR - Cleanser Regular Expression
KS - Cleanser Search and Replace
KV - Verification Match
BA - Batch Result
HouseholdIncome
LengthOfResidence
PresenceOfChildren
MaritalStatus
DateOfDeath
DemographicsGender
OwnRent
Occupation
SE - Transmission Service Error
GW - General Transmission Warning
GE - General Transmission Error

AS - Address Status

Code	Short Description	Long Description
AS01	Valid Address	The address is valid and deliverable according to official postal agencies.
AS02	Valid Building Address	The building address was verified but the suite/apartment number is missing or invalid.
AS03	Non USPS Address Match	US Only. This US address is not serviced by the USPS but does exist and may receive mail through third party carriers like UPS.
AS09	Foreign Address	The address is in a non-supported country.
AS10	CMRA Address	US Only. The address is a Commercial Mail Receiving Agency (CMRA) like a Mailboxes Etc. These addresses include a Private Mail Box (PMB or #) number.
AS11	PBSA Address	A PO Box formatted as a street address for package and mail delivery.
AS12	Moved to New Address	The record moved to a new address.

AS13	Address Updated By LACS	US Only. The address has been converted by LACSLink® from a rural-style address to a city-style address.
AS14	Suite Appended	US Only. A suite was appended by SuiteLink™ using the address and company name.
AS15	Apartment Appended	An apartment number was appended by AddressPlus using the address and last name.
AS16	Vacant Address	US Only. The address has been unoccupied for more than 90 days.
AS17	No USPS Mail Delivery	This address is classified as not receiving mail by the USPS via their No-Stat flag. Delivery might still be possible by third party carriers but that cannot be counted on.
AS18	DPV Locked Out	US Only. DPV processing was terminated due to the detection of what is determined to be an artificially created address.
AS20	Deliverable only by USPS	US Only. This address can only receive mail delivered through the USPS (i.e. PO Box or a military address).
AS22	No Alternate Address Suggestion Found	No alternate address suggestion was found for this address.
AS23	Extraneous Information	Extraneous information not used in verifying the address was found. This includes unnecessary sub premises and other unrecognized data. Additional information will either be parsed into the Suite or Parsed Garbage/AddressExtras output.
AS24	USPS Door Not Accessible	Address identified by the USPS where carriers cannot physically access a building or door for mail delivery.

AE - Address Error

Code	Short Description	Long Description
AE01	Postal Code Error/General Error	The address could not be verified at least up to the postal code level.
AE02	Unknown Street	Could not match the input street to a unique street name. Either no matches or too many matches found.
AE03	Component Mismatch Error	The combination of directionals (N, E, SW, etc) and the suffix (AVE, ST, BLVD) is not correct and produced multiple possible matches.
AE04	Non-Deliverable Address	US Only. A physical plot exists but is not a deliverable addresses. One example might be a railroad track or river running alongside this street, as they would prevent construction of homes in that location.
AE05	Multiple Match	The address was matched to multiple records. There is not enough information available in the address to break the tie between multiple records.

AE06	Early Warning System	US Only. This address currently cannot be verified but was identified by the Early Warning System (EWS) as belonging to a upcoming area and will likely be included in a future update.
AE07	Missing Minimum Address	Minimum requirements for the address to be verified is not met. A country input is required for global products. For US/CA, a postal code or city/state are required. Requirements for other countries may be different.
AE08	Sub Premise Number Invalid	An address element after the house number, in most cases the sub-premise, was not valid.
AE09	Sub Premise Number Missing	An address element after the house number, in most cases the sub-premise, was missing.
AE10	Premise Number Invalid	The premise (house or building) number for the address is not valid.
AE11	Premise Number Missing	The premise (house or building) number for the address is missing.
AE12	Box Number Invalid	The PO (Post Office Box), RR (Rural Route), or HC (Highway Contract) Box number is invalid.
AE13	Box Number Missing	The PO (Post Office Box), RR (Rural Route), or HC (Highway Contract) Box number is missing.
AE14	PMB Number Missing	US Only. The address is a Commercial Mail Receiving Agency (CMRA) and the Private Mail Box (PMB or #) number is missing.
AE15	Demo Mode	Limited to Demo Mode operation. Please contact a Melissa Data CSR at 1-800-800-6245 x4.
AE16	Expired Database	The Database has expired. Please contact a Melissa Data CSR at 1-800-800-6245 x4.
AE17	Sub Premise Not Required (Deprecated - See AS23)	A sub premise (suite) number was entered but the address does not have secondaries. (Deprecated - See AS23)
AE19	Find Suggestion Timeout	The FindSuggestion function has exceeded the time limit.
AE20	Find Suggestion Disabled	The FindSuggestion function is disabled. See the manual for further details.
AE21	MAK Not Found	The input MAK was not found. This can be caused by an improperly formatted MAK (a proper MAK is 10 numerical digits long) or by requesting a MAK number that has not yet been assigned to a location.

AC - Address Change

Code	Short Description	Long Description
AC01	Postal Code Change	The postal code was changed or added.
AC02	Administrative Area Change	The administrative area (state, province) was added or changed.
AC03	Locality Change	The locality (city, municipality) name was added or changed.

AC04	Alternate to Base Change	US Only. The address was found to be an alternate record and changed to the base (preferred) version.
AC05	Alias Name Change	US Only. An alias is a common abbreviation for a long street name, such as "MLK Blvd" for "Martin Luther King Blvd." This change code indicates that the full street name (preferred) has been substituted for the alias.
AC06	Address1/Address2 Swap	Address1 was swapped with Address2 because Address1 could not be verified and Address2 could be verified.
AC07	Address1 & Company Swapped	Address1 was swapped with Company because only Company had a valid address.
AC08	Plus4 Change	US Only. A non-empty plus4 was changed.
AC09	Dependent Locality Change	The dependent locality (urbanization) was changed.
AC10	Thoroughfare Name Change	The thoroughfare (street) name was added or changed due to a spelling correction.
AC11	Thoroughfare Type Change	The thoroughfare (street) leading or trailing type was added or changed, such as from "St" to "Rd."
AC12	Thoroughfare Directional Change	The thoroughfare (street) pre-directional or post-directional was added or changed, such as from "N" to "NW."
AC13	Sub Premise Type Change	The sub premise (suite) type was added or changed, such as from "STE" to "APT."
AC14	Sub Premise Number Change	The sub premise (suite) unit number was added or changed.
AC15	Double Dependent Locality Change	The double dependent locality was added or changed.
AC16	SubAdministrative Area Change	The subadministrative area was added or changed.
AC17	SubNational Area Change	The subnational area was added or changed.
AC18	PO Box Change	The PO Box was added or changed.
AC19	Premise Type Change	The premise type was added or changed.
AC20	House Number Change	The house number was changed.
AC22	Organization Change	The organization was added or changed.

ES - Email Status

Code	Short Description	Long Description
ES01	Valid Email	This email was confirmed to be a valid email.
ES02	Invalid Email	This email was confirmed to be a invalid email.
ES03	Unknown Email	This email's status is unknown due to unknown external factors. Please try again another time.
ES04	Mobile Email Address	The domain name was identified as a mobile email address and classified as not deliverable by the FCC.
ES05	Disposable Domain	The domain name of the submitted email was identified as a disposable domain.
ES06	Spamtrap Domain	The domain of the submitted email was identified as a spamtrap. Mailing to this domain could result in the sender being blacklisted.
ES07	Accept All Server	The mail server is an accept all server. Accept-All domains is set in a way that makes all emails seem valid.
ES08	Role Address	This Email address was created as a group, ex: sales@, support@, or postmaster@.
ES09	Protected Mailbox Caution	The mail provider for this email address may be quick to classify senders as spam and will not respond to our requests. Mailbox validation is not possible at this time and the mailbox may or may not exist. We recommend proceeding with caution if emailing numerous records to this mail domain.
ES10	Syntax Changed	The syntax of the submitted email address was changed.
ES11	Top Level Domain Changed	The top level domain of the submitted email address was changed.
ES12	Domain Changed (Spelling)	The domain of the submitted email address was corrected for spelling.
ES13	Domain Changed (Update)	The domain of the submitted email address was updated due to a domain name change.
ES20	Verify (Precision: Domain Result)	The email is considered valid, but did not have the mailbox verified and not found in our mailbox database.
ES21	Verify (Precision: Cached Mailbox Result)	The email status was found in our database of cached emails.
ES22	Verify (Precision: Real-time Mailbox Result)	The mailbox validation was performed in real-time.
ES23	Verify (Precision: Unicode Result)	Unicode Detected: We do not support Unicode at this time for realtime mailbox validation. Domain and cache check only.

ES24	Verify (Precision: Pending Mailbox Result)	The mail provider has been known to send a delayed response so it is possible that the pending status will change within the next 24 hours. You may want to resubmit this input at a later time as an update may be possible.
ES30	Privacy Flag (TLD)	The top level domain may be sensitive to privacy laws.
ES31	Suspicious Characters	This email address has suspicious characters or characters which are not in the ASCII character set.

EE - Email Error

Code	Short Description	Long Description
EE01	Syntax Error	There is a syntax error in the submitted email address.
EE02	A Domain Not Found	A Domain of the submitted email address was not found.
EE03	Mail Server Not Found	The mail server of the submitted email address was not found.
EE04	Invalid Mailbox	An invalid mailbox was detected (i.e. noreply).
EE05	Email Object not Initialized	Email Object was not initialized properly. Please review your code and data files.

XS - Global Express Entry Status

Code	Short Description	Long Description
XS01	Complete Result Set Returned	The search was completed and the complete result set was returned.
XS02	Partial Result Set Returned	The search was completed and a partial result set was returned. Narrow search terms or enter more keystrokes for complete search result set.
XS03	No Results Returned	The search was completed and no results were found.

GS - Geocode Status

Code	Short Description	Long Description
GS01	Geocoded to Street Level	The record was coded to the street level (Zip+4 for US, full postal code for CA).
GS02	Geocoded to the Neighborhood Level	The record was geocoded down to neighborhood level (Zip+2 for US).
GS03	Geocoded to Community Level	The record was coded to the community level (ZIP centroid for US, 3-digit postal code for CA).

GS04	Geocoded to State Level	The record was geocoded to the state (administrative area) level.
GS05	Geocoded to Rooftop Level	The record was geocoded down to the rooftop level, meaning the point is within the property boundaries, usually the center.
GS06	Geocoded to Interpolated Rooftop Level	The record was geocoded down to the rooftop level using interpolation (educated estimations using street coordinates). The point may be in or close to the property boundaries.
GS07	Records Found	The service successfully reverse geocoded the input coordinates and returned addresses.
GS10	Wire Center Lat/Long	The latitude and longitude are based off of the wire center of the phone number.

GE - Geocode Error

Code	Short Description	Long Description
GE01	Invalid Postal Code	The submitted postal code is not in a valid format. Not to be confused with the GE01 Transmission result code.
GE02	Postal Code Coordinates Not Found in Database	The submitted postal code coordinates were not found in the Geocode database. Not to be confused with the GE02 Transmission result code.
GE03	Demo Mode	Geocoder is in Demo mode and a zip code outside the Demo range was detected.
GE04	Data Files Expired	Geocoder data files are expired. Please update with the latest data files.
GE05	License Not Enabled For Country	Geocoding for the country of input record is disabled for your License Key. Please contact your sales representative to enable.
GE50	Invalid Latitude/Longitude	The submitted latitude/longitude was not valid. The service only accepts geo-coordinates in decimal formats.
GE51	No Points Found	No points were found within the specified distance or specified coordinates are not in an area covered by Reverse Geocode.
GE52	Out of Region (Deprecated)	The submitted latitude/longitude was not in the U.S. and no addresses were returned. (Deprecated)
GE53	Invalid LookUpList	One or more of the input MAKs was not valid.
GE54	Long Running Query	Could not return a response before service timed out.

AV - Address Verification

Code	Short Description	Long Description
AV11	Administrative Area Partial	The address has been partially verified to the Administrative Area (State) Level, which is NOT the highest level possible with the reference data.

AV12	Locality Partial	The address has been partially verified to the Locality (City) Level, which is NOT the highest level possible with the reference data.
AV13	Thoroughfare Partial	The address has been partially verified to the Thoroughfare (Street) Level, which is NOT the highest level possible with the reference data.
AV14	Premise Partial	The address has been partially verified to the Premise (House or Building) Level, which is NOT the highest level possible with the reference data.
AV21	Administrative Area Full	The address has been verified to the Administrative Area (State) Level, which is the highest level possible with the reference data.
AV22	Locality Full	The address has been verified to the Locality (City) Level, which is the highest level possible with the reference data.
AV23	Thoroughfare Full	The address has been verified to the Thoroughfare (Street) Level, which is the highest level possible with the reference data.
AV24	Premises Full	The address has been verified to the Premise (House or Building) Level, which is the highest level possible with the reference data.
AV25	SubPremises Full	The address has been verified to the SubPremise (Suite) or PO Box Level, which is the highest level possible with the reference data.

US Address Type

Personator Consumer: Returned when AdvancedAddressType is ON.

Code	Description
(No code)	Unverified
A	Alias
F	Firm or Company
G	General Delivery
H	Highrise or Business Complex
M	Military Address
P	PO Box
R	Rural Route
S	Street or Residential

U	Unique/LVR
---	------------

Canadian Address Type

Personator Consumer: Returned when AdvancedAddressType is ON.

Code	Description
1	Street
2	Street Served by Route and GD
3	Lock Box
4	Route Service
5	General Delivery
A	Building
B	LVR Street
C	Government Street
D	LVR Lock Box
E	Government Lock Box
L	LVR General Delivery
K	Building

Default Address Type

Personator Consumer: Returned when AdvancedAddressType is OFF.

Code	Description
G	General Delivery
M	Military Address
P	PO Box
R	Rural Route
S	Street or Residential

U	Unique/LVR
---	------------

Move Type

Code	Description
F	Family
B	Business
I	Individual

CASS Error

Code	Short Description	Long Description
M	Multiple Matches	More than one record matches the address and there is not enough information available in the input address to break the tie between multiple records. Passing more complete information, such as city names or urbanization names, can help reduce the number of multiple match errors.
N	No Street Data for Zip	The Zip Code exists but no streets begin with the same letter in that Zip Code.
R	Range Error	The address was found but the street number in the input address was not between the low and high range in the CASS database.
T	Component Error	Either the directionals or the suffix field did not match the CASS database, and there was more than one choice for correcting the address. For example, if the given address was "100 Main St" and the only addresses found were "100 E Main St" and "100 Main Ave" the error code "T" would be returned because we do not know whether to add the directional "E" or to change the suffix to "Ave".
U	Unknown Street	An exact street name match could not be found and phonetically matching the street name resulted in either no matches or matches to more than one street name.
X	Non-Deliverable Address	The physical location exists but there are no homes on this street. One reason might be that there are railroad tracks or a river running alongside this street, as they would prevent construction of homes in this location.
Z	Invalid Zip Code	The Zip Code does not exist and could not be determined by the city and state.
C	Canadian Postal Code	The Zip Code matches the format characteristics of a Canadian Postal Code.

W	EWS File Record	The Zip Code was found in the Early Warning System Data. These are new addresses scheduled to be included in the next USPS national database.
---	-----------------	---

CASS Status - Deprecated

These result codes are deprecated.

Code	Short Description	Long Description
D	Demo Mode	If processing with the demo CASS database, records not in the state of Nevada will be coded with "D".
E	Expired Database	The CASS database has expired.
S	Standardized but Not Coded	Standardization means that some conversion was done on the address (for example, changing "Post Office Box" to "PO Box").
V	Street Number Validated to DPV Level	This record has been DPV validated. You can check the DPV Footnotes for more information about the level of validation.
X	Address Not Coded	Check the Error code and/or DPV Footnotes for more information.
7	Multiple Matches	There were multiple matches for the address that were all in the same Zip Code and Carrier Route. The returned Zip Code and Carrier Route will be correct but you will not get any Plus 4 information.
9	Fully Coded	The address was fully CASS coded.

NCOA Return Codes

Code	Short Description	Long Description
A	COA Match	The input record matched to a business, individual or family type master file record. A new address could be furnished.
00	No Match	The input record COULD NOT BE matched to a master file record. A new address could not be furnished.
01	Foreign Move	The input record matched to a business, individual or family type master file record but the new address was outside USPS delivery area.
02	Moved Left No Address	The input record matched to a business, individual or family type master file record and the new address was not provided to USPS.
03	Box Closed No Order (BCNO)	The Input record matched to a business, individual or family type master file record which contains an old address of PO BOX that has been closed without a forwarding address provided.

04	Street Address with Secondary	In the STANDARD mode utilizing Family matching logic the input record matched to a family record type on the master file with an old address that contained secondary information which obtained a ZIP+4 street level match. The input record does not contain secondary information. This address match situation requires individual name matching logic to obtain a match and individual names do not match.
05	New 11-digit DPBC is Ambiguous	The input record matched to a business, individual or family type master file record. The new address on the master file record could not be converted to a deliverable address because the DPBC represents more than one delivery point.
06	Conflicting Directions: Middle Name Related	There is more than one COA (individual or family type) record for the match algorithm and the middle names or initials on the COAs are different. Therefore, a single match result could not be determined.
07	Conflicting Directions: Gender Related	There is more than one COA (individual or family type) record for the match algorithm and the genders of the names on the COAs are different. Therefore, a single match result could not be determined.
08	Other Conflicting Instructions	The input record matched to two master file (business, individual or family type) records. The two records in the master file were compared and due to differences in the new addresses, a match could not be made.
09	High-rise Default	The input record matched to a family record on the master file from a High-rise address ZIP+4 coded to the building default. This address match situation requires individual name matching logic to obtain a match and individual names do not match.
10	Rural Default	The input record matched to a family record on the master file from a Rural Route or Highway Contract Route address ZIP+4 coded to the route default. This address situation requires individual name matching logic to obtain a match and individual names do not match.
11	Insufficient COA Name for Match	There is a master file (individual or family type) record with the same surname and address but there is insufficient name information on the master file record to produce a match using individual matching logic.
12	Middle Name Test Failed	The input record matched to an individual or family record on the master file with the same address and surname. However, a match cannot be made because the input name contains a conflict with the middle name or initials on the master file record.
13	Gender Test Failed	The input record matched to a master file (individual or family type) record. A match cannot be made because the gender of the name on the input record conflicts with the gender of the name on the master file record.
14	New Address Would Not Convert	The input record matched to a master file (business, individual or family type) record. The new address could not be converted to a deliverable address.
15	Individual Name Insufficient	There is a master file record with the same address and surname. A match cannot be made because the input record does not contain a first name or contains initials only.

16	Secondary Number Discrepancy	The input record matched to a street level individual or family type record. However, a match is prohibited based on 1 of the following reasons: 1) There is conflicting secondary information on the input and master file record; 2) the input record contained secondary information and matched to a family record that does not contain secondary information. In item 2, this address match situation requires individual name matching logic to obtain a COA match and individual names do not match.
17	Other Insufficient Name	The input record matched to an individual or family master file record. The input name is different or not sufficient enough to produce a match.
18	General Delivery	The input record matched to a family record on the master file from a General Delivery address. This address situation requires individual name matching logic to obtain a match and individual names do not match.
19	New Address not ZIP + 4 coded or DPV confirmed.	There is a change of address on file but the new address cannot be ZIP + 4 coded and therefore there is no 11-digit DPBC to store or return, the new address primary number cannot be confirmed on DPV or the new address is temporary.
20	Conflicting Directions after re-chaining	Multiple master file records were potential matches for the input record. The master file records contained different new addresses and a single match result could not be determined.
66	Daily Delete	The input record matched to a business, individual or family type master file record with an old address that is present in the daily delete file. The presence of an address in the daily delete file means that a COA with this address is pending deletion from the master file and that no mail may be forwarded from this address.
77	ANKLink Primary Return Code	Indicates that ANKlink has provided the move date, but not address, for a move that occurred between 19 and 48 months ago.
91	Secondary Number dropped from COA	The input record matched to a master file record. The master file record had a secondary number and the input address did not. Please Note: This return code is derived from Individual matching logic only. If this return code is achieved then no other matching attempts are permitted regardless of the PROCESSING mode.
92	Secondary Number Dropped from input address	The input record matched to a master file record, but the input address had a secondary number and the master file record did not. The record is a ZIP + 4 street level match. Please Note: This return code is derived from individual matching logic only. If this return code is achieved then no other matching attempts are permitted regardless of the PROCESSING mode.

Canada NCOA Move Status

Code	Short Description	Long Description
U	Unidentified	Address could not be identified.
B	Moved Back	COA Match - Moved back

D	Deceased	COA Match - Individual deceased.
M	COA Match	COA Match - A business, individual, or family.
m	Recursive Match	COA Match - Recursive - A business, individual, or family.
N	Moved, No Address	COA Match - Moved and left no address.
Q	No Name Match	No COA match for name.
Z	No Address Match	No COA match for address.

MatchUp Status

Code	Description
U	A unique record.
O	An output record that has dupes (i.e. is not unique).
D	A duplicate record that was rejected.
S	A suppression table record (neither output nor reject). A lowercase s means that this record was used to suppress records. An uppercase S means that this record didn't find any matching record to suppress.
X	A Regular, Self Purge, or No-Purge record that was suppressed (rejected).
I	An intersection table record (neither output nor reject). A lowercase i means that this record was used to intersect records. An uppercase I means that this record didn't find any matching record to intersect.
Y	A Regular, Self Purge, or No-Purge record that had no intersection hits (rejected).

Carrier Route Type

Code	Description
B	PO Box
C	City Delivery
G	General Delivery
H	Highway Contract
R	Rural Route

Delivery Indication

Code	Description
------	-------------

R	Residence
B	Business
U	Unknown

Time Zone Type

Code	Time Zone
(No code)	Military
4	Atlantic Time
5	Eastern Time
6	Central Time
7	Mountain Time
8	Pacific Time
9	Alaska time
10	Hawaii Time
11	Samoa Time
13	Marshall Island Time
14	Guam Time
15	Palau Time

DPV Type

Code	Description
AA	Input address matched to the ZIP + 4 product.
A1	Input address not matched to the ZIP + 4 product.
BB	Input address matched to DPV to both primary and secondary numbers necessary to determine a valid delivery point.
CC	Input address primary number (street number) matched, secondary number not matched; secondary number not required.
C1	Input address primary number matched, secondary number not matched; secondary number required.
F1	Input address matched to a military address.
G1	Input address matched to a general delivery address.
IA	Informed address identified.

N1	Input address primary number matched to DPV but address missing required secondary number.
M1	Input address primary number missing.
M3	Input address primary number invalid.
PB	Identified PO Box Street Address.
P1	Input address PO, RR or HC box number missing.
P3	Input address PO, RR or HC box number invalid.
RR	Input address matched to CMRA but PMB designator present (PMB 123 or # 123).
R1	Input address matched to CMRA but PMB designator not present (PMB 123 or # 123).
R7	Addresses that are assigned to a phantom route of R777 or R779.
TA	Input address primary number matched by dropping trailing alpha.
U1	Input address matched to a unique ZIP Code.

Gender

Code	Description
M	Male
F	Female
U	Unknown
N	Neutral (Pat, Chris, etc.)

RightFielder Error

Code	Description
01	Blank Field
02	Truncated Data
04	Lost Data
08	Questionable Record
10	Foreign Record
20	User Tagged Record
40	Reserved for future use

80	Reserved for future use
----	-------------------------

IS - IP Address Status

Code	Short Description	Long Description
IS01	IP Address Found	The IP Address was found in the database.
IS02	IP Address Not Found	The IP Address not found in the database.
IS03	Proxy IP Address	The IP Address is a proxy.
IS04	IPv6 Found	The IP Address entered is in the IPv6 Format.

IC - IP Address Change

Code	Short Description	Long Description
IC01	White Space Removed	The IP Address had white space removed.

IE - IP Address Error

Code	Short Description	Long Description
IE01	Empty or Malformed	The IP Address was empty or not well formed.
IE02	Not Initialized (Demo/Expired)	The Object could not be Initialized. This is possibly due to: demo mode, expired data, or an expired License Key.

Consumer List

Code	Long Description
100	Unrecognized ZIP Code.
101	Unrecognized city or state.
102	Unrecognized county or state.
103	Unrecognized address.
104	User ID or password not recognized.
106	Invalid user information.
108	Order failed, please try later.

109	Insufficient geographic input.
111	Request exceeds 100,000 record maximum.
112	Unrecognized state.
113	Error, please try again.
115	For the Radius geography type, please enter a number of records.
116	Sorry, you don't have permission to access this service.
117	ZIP Code is not a valid input for the requested geography type.
121	The list cannot be used more than 5 times.
122	Order count exceeds 65,535 record maximum for Excel files.
123	Invalid option.
124	Order count exceeds 65,535 record maximum for comma limited files.

Saturation List

Code	Long Description
100	Unrecognized ZIP Code.
101	Unrecognized city or state.
102	Unrecognized county or state.
103	Unrecognized address.
104	User ID or password not recognized.
105	Email address or password not recognized.
106	Invalid user information.
107	Please specify order quantity.
108	Order failed, please try later.
109	Insufficient geographic input.
110	Request exceeds 50 miles maximum radius.
111	Request exceeds 100,000 record maximum.
112	Unrecognized state.
113	Error, please try again.
114	Carrier routes are not a valid input for the requested geography type.

115	For the Radius geography type, please enter either a number of records or a radius in miles.
116	Sorry, you don't have permission to access this service.
117	ZIP Code is not a valid input for the requested geography type.
118	Carrier route format should be carrier_route dash ZIP ("C001-92688").
119	ZIP Code or carrier route are the only valid inputs for this geography type.
120	Please set occupant options to proceed.
121	The list cannot be used more than 5 times.
122	Order count exceeds 65,535 record maximum for Excel files.

MS - Match Status

Code	Short Description	Long Description
MS01	Unique Record	The record did not match any other records.
MS02	Has Duplicates	The record matched other records and was tagged as the output record.
MS03	Is Duplicate	The record matched other records and was tagged as a duplicate.
MS04	Record Suppressed	ETL Only. The source record was suppressed.
MS05	Record Not Intersected	ETL Only. The source record was not intersected.
MS06	Match: Rule 1	Records were matched by matchcode combination 1.
MS07	Match: Rule 2	Records were matched by matchcode combination 2.
MS08	Match: Rule 3	Records were matched by matchcode combination 3.
MS09	Match: Rule 4	Records were matched by matchcode combination 4.
MS10	Match: Rule 5	Records were matched by matchcode combination 5.
MS11	Match: Rule 6	Records were matched by matchcode combination 6.
MS12	Match: Rule 7	Records were matched by matchcode combination 7.
MS13	Match: Rule 8	Records were matched by matchcode combination 8.
MS14	Match: Rule 9	Records were matched by matchcode combination 9.
MS15	Match: Rule 10	Records were matched by matchcode combination 10.
MS16	Match: Rule 11	Records were matched by matchcode combination 11.
MS17	Match: Rule 12	Records were matched by matchcode combination 12.
MS18	Match: Rule 13	Records were matched by matchcode combination 13.

MS19	Match: Rule 14	Records were matched by matchcode combination 14.
MS20	Match: Rule 15	Records were matched by matchcode combination 15.
MS21	Match: Rule 16	Records were matched by matchcode combination 16.
MS30	Suppressor Record	ETL Only. The lookup record suppressed a source record.
MS31	Intersector Record	ETL Only. The lookup record intersected a source record.

NS - Name Status

Code	Short Description	Long Description
NS01	Name Parsed	Name parsing was successful.
NS02	Error Parsing	An error was detected. Please check for a name error code.
NS03	First Name Spelling Corrected	The spelling in the first name field was corrected.
NS04	First Name 2 Spelling Corrected	The spelling in the second first name field was corrected.
NS05	First Name 1 Found	FirstName1 was found in our census table of names. Very likely to be a real first name.
NS06	Last Name 1 Found	LastName1 was found in our census table of names. Very likely to be a real last name.
NS07	First Name 2 Found	FirstName2 was found in our census table of names. Very likely to be a real first name.
NS08	Last Name 2 Found	LastName2 was found in our census table of names. Very likely to be a real last name.
NS09	Dual-name Parsed	Input has dual-name contents and was split it into two single-name outputs.
NS99	Company Name Standardized	The company name was standardized.

NE - Name Error

Code	Short Description	Long Description
NE01	Unrecognized Format	Format of Input string was not recognized or too long to represent a valid name.
NE02	Multiple First Names Detected	Multiple first names were detected and could not be accurately genderized.
NE03	Vulgarity Detected	A vulgarity was detected in the name.
NE04	Suspicious Word Detected	The name contained words found on the list of nuisance names, such as "Mickey Mouse."
NE05	Company Name Detected	The name contained words normally found in a company name.
NE06	Non-Alphabetic Character Detected	The name contained a non-alphabetic character.
NE07	Multiple Names Split Detected	Multiple names sets were detected when split, only the first two set are parsed.

NE08	Unicode/Non-Latin Name Input	Unicode characters detected on input. We do not support Unicode at this time; the input is returned as-is.
NE09	Multiple Formats Detected	Multiple Formats - Forward and Inverse - Detected.
NE10	Missing Minimum Name	Minimum requirements for the name input data is not met. Name must have at least one Alpha Character to be parsed.
NE99	Company Standardization Not Needed	Company name standardization was attempted, but did not produce a different result.

DA - Append Results

Code	Short Description	Long Description
DA00	Address Appended	An address was changed or appended.
DA01	City/State Append from Phone	A city or state was appended from a phone number wire center.
DA10	Name Appended	A full name was changed or appended.
DA20	Company Appended	A company name was changed or appended.
DA30	Phone Appended	A phone number was changed or appended.
DA40	Email Appended	An email address was changed or appended.
DA50	Web Address Appended	A web address was changed or appended.
DA60	Stock Ticker Appended	A stock ticker was changed or appended.

VR - Verify Results

Code	Short Description	Long Description
VR01	Name and Address Match	The name and address match.
VR02	Name and Phone Match	The name and phone match.
VR03	Name and Email Match	The name and email match.
VR04	Address and Phone Match	The address and phone match.
VR05	Address and Email Match	The address and email match.
VR06	Phone and Email Match	The phone and email match.
VR07	Company and Address Match	The company and address match.
VR08	Company and Phone Match	The company and phone match.

VR09	Company and Email Match	The company name and email match.
VR10	Company and Name Match	The company and name match.
VR11	Name and SSN Match	Matched the name field to the Social Security Number.

VS - Verify Status

Code	Short Description	Long Description
VS00	Contact Record Not Found	The record was not found in our contact database. We are unable to verify any information about the residents of this address.
VS01	Historical Address Match	The current address is outdated and a newer address match was found. Use the "Move" action to get the latest address.
VS02	Partial Address Match	A match was made to a partial address. This could be due to matching the street address but not to the suite.
VS12	Last Name Match	A match was made to the last name only.
VS13	First Name Match	A match was made to the first name only.
VS22	Partial Company Name Match	A match was made to a partial company name.
VS30	Phone Not Found	A phone number was not found in the reference data.
VS31	Historical Phone Match	The current phone number is outdated and a newer phone number match was found. Use the "Append" action to get the latest phone number.
VS40	Email Not Found	An email address was not found in the reference data.
VS41	Historical Email Address	The current email address is outdated and a newer email address match was found. Use the "Append" action to get the latest email address.
VS50	Last4 Only Match	The name only matched to the last 4 digits of the Social Security Number.

PS - Phone Status

Code	Short Description	Long Description
PS01	Valid Phone	The phone number is valid.
PS02	7-Digit Match	The first 7-digits of the phone number have been verified, but activity cannot be confirmed.
PS03	Corrected Area Code	NewAreaCode contains corrected area code that was changed according to the postal code it falls into.

PS04	Demo Mode	Demo mode is active and the phone number is outside the range of phone numbers allowed by the Demo.
PS05	Database Expired	The phone database is expired. Please update your data.
PS06	Updated Area Code	The area code was changed due to an area code split. The updated code is located within NewAreaCode.
PS07	Cellular Line	On activation, the exchange type of the phone number was designated as a cellular number, but current status cannot be confirmed.
PS08	Land Line	On activation, the exchange type of the phone number was designated as a land line, but current status cannot be confirmed.
PS09	VOIP Line	On activation, the exchange type of the phone number was designated as a VOIP line, but current status cannot be confirmed.
PS10	Residential Number	Phone number found in Personator database.
PS11	Business Number	Phone number found in Business database.
PS12	SOHO Number	The phone number belongs to a small office or home office.
PS13	Toll Free Number	The phone number is a toll free number.
PS14	Special Number	This is a phone number with premium service, data, internet access, etc. which all incur a higher charge rate.
PS15	Misc Type	The phone number is used for other services (calling cards, national numbers, directory assistance, mass communications, etc.)
PS16	Live Status Unknown	HLR is unable to determine if the Phone Number is live due to external errors. Please try again at another time.
PS17	Live number	Phone is live, callable and/or able to receive SMS as determined by HLR.
PS18	Do Not Call	The owner of this phone number has opted out of Melissa's call lists. This has no relation to the US National Do Not Call list.
PS19	Disposable Phone Flag	Numbers intended for temporary/short-term use.
PS20	Low Confidence	Number exists within a block of registered phone numbers.
PS21	Medium Confidence	Number was found to already be validated in our phone database.
PS22	High Confidence	Number was verified against current dialing equipment.
PS30	Premium Timeout	Querying Premium has timed out, but has continued to run in the background. Query later to obtain the cached results.
PS31	CallerID Timeout	Querying CallerID has timed out, but has continued to run in the background. Query later to obtain the cached results.

PE - Phone Error

Code	Short Description	Long Description
PE01	Invalid Phone	The area code/phone number does not exist in our database or contains non-numbers.
PE02	Blank Phone	The phone number is blank.
PE03	Bad Phone	The phone number has too many or too few digits.
PE04	Multiple Match	Two or more possible area codes are available as a fix and their distance is too close to choose one over the other.
PE05	Bad Prefix/Prefix +1	The phone prefix or first 7-digits do not exist in our database.
PE06	Bad Postal Code	The input postal code is invalid.
PE08	No Country Input	Global Phone Object Only. The input country is blank and the phone number has no '+' sign.
PE09	Out of Range Suffix	Global Phone Object Only. The subscriber's phone number suffix is out of range.
PE10	Invalid Input Country	Global Phone Object Only. The input country is not valid.
PE11	Disconnected	Phone number is no longer in service.

PC - Phone Change

Code	Short Description	Long Description
PC01	Country Changed	Global Phone Only. The country was added or changed to correspond to the phone number.

QS - Profiler Status

Code	Short Description	Long Description
QS01	Empty Value	The value is empty or contains only spaces.
QS02	NULL Value	The value is NULL.
QS03	Default Value	The value is equal to the user-specified default.
QS04	Non-Printing Characters	The value contains non-printing characters (e.g. printer control characters, etc.)
QS05	Diacritic Characters	The value contains diacritic characters (e.g. accented characters.)

QS06	Non-English Characters	The value contains non-English characters.
QS07	Decorative Characters	The value contains decorative characters. Decorative characters are tabs, commas, or double quotes, found in the beginning or ending of the value. This may indicate an import issue where delimiters made their way into the value being evaluated.
QS08	Alphabetic Characters	The value contains only alphabetic characters.
QS09	Numeric Characters	The value contains only numeric characters.
QS10	Alphabetic and Numeric Characters	The value contains both alphabetic and numeric characters.
QS11	Upper-Case Alphabetic Characters	The value contains only upper-case alphabetic characters, and may contain non-alphabetic characters.
QS12	Lower-Case Alphabetic Characters	The value contains only lower-case alphabetic characters, and may contain non-alphabetic characters.
QS13	Upper and Lower Alphabetic Characters	The value contains both upper and lower-case alphabetic characters, and may contain non-alphabetic characters.
QS14	Single Space	Only a single space separates the words in value.
QS15	Multiple Spaces	Multiple spaces separate the words in value.
QS16	Leading Spaces	The value contains leading spaces.
QS17	Trailing Spaces	The value contains trailing spaces.
QS18	Profanity	The value contains profanity.
QS19	2-digit Year	The date/time value lacks the year's century.
QS20	Inconsistent Name	The name value contains a name where the order is inconsistent with the user-specified data type.
QS21	Multiple Names	The name value contains more than one contact name.
QS22	Suspicious Name	The name value contains a suspicious name.
QS30	Non-Standard State/Province	The State/Province value contains a non-standard US state or Canadian province (i.e. not the official postal abbreviation).
QS40	5-digit ZIP/Postal Code	The ZIP/Postal Code value has a 5-digit Zip Code with no Plus 4.
QS50	Unrecognized Country ISO	The country value does not match any standard ISO country representation.
QS60	Mobile Domain	The e-mail value contains a mobile (cell phone) domain.
QS61	Spam Trap Domain	The e-mail value contains a known spam trap domain.
QS62	Disposable Domain	The e-mail value contains a known 'disposable' domain.

QS90	Embedded Row Delimiter	The record contained an embedded row delimiter.
QS91	Missing Fields	Not all fields were present in the record.
QS92	Extra Fields	Extra fields were present in the record.

QE - Profiler Error

Code	Short Description	Long Description
QE01	Illegal UTF-8 Byte Sequence	The value contains an illegal UTF-8 byte sequence.
QE03	Invalid Integer	The value's integer value is invalid.
QE04	Invalid Decimal	The value's decimal value is invalid.
QE05	Invalid Floating Point	The value's floating point value is invalid.
QE06	Invalid Date/Time	The value's date/time value is invalid.
QE07	Invalid Boolean Value	The value's boolean value is invalid.
QE08	Over Range	The value is above the user-specified range.
QE09	Under Range	The value is below the user-specified range.
QE10	Length Size Exceeded	The value's length exceeds the user-specified size.
QE11	Precision Exceeded	The value's precision exceeds the user-specified precision.
QE12	Precision Scale Exceeded	The value's precision exceeds the user-specified scale.
QE13	No Regular Expression Match	The value does not match any of the user-specified regular expressions.
QE14	Data Type Mismatch	The value is inconsistent with the user-specified DataType (e.g. an address field containing a phone number.)
QE30	Unrecognized State/Province	The value contains an unrecognized state or province.
QE40	Invalid ZIP Code	The value contains a US ZIP code that is not valid (only the 5 digit zip is validated in this way.) This is returned only when getting the results for a column with a data type set as DataTypeZipOrPostalCode.
QE41	Invalid Postal Code	The value contains a Canadian Postal Code that is not valid. This is returned only when getting the results for a column with a data type set as DataTypeZipOrPostalCode.

QE42	ZIP Code Mismatch	The value's Zip Code does not correctly correspond to the specified US State. This is returned only when getting the results for a column with a data type set as DataTypeStateOrProvince.
QE43	Postal Code Mismatch	The value's Postal Code does not correctly correspond to the specified Canadian Province. This is returned only when getting the results for a column with a data type set as DataTypeStateOrProvince.
QE50	Unrecognized Country	The value contains an unrecognized country name.
QE60	Incorrect E-mail Syntax	The value contains an e-mail address with an incorrect syntax.
QE61	Misspelled Domain	The value contains an e-mail with a misspelled domain.
QE70	Unrecognizable Phone	The value contains an unrecognizable phone number.
QE90	Unbalanced Text Qualifiers	The record contained unbalanced text qualifiers.
QE91	Un-escaped Text Qualifiers	The record contained un-escaped text qualifiers.

SN - Security Number Codes

Code	Short Description	Long Description
SN01	Invalid SSN Format	The format of your Social Security Number was invalid.
SN02	SSN not found in our records	The SSN was not found in the reference database. This indicates either a number not issued or a number that has been issued but is not available.
SN03	SSN is on the DECEASED list	The SSN was found on the deceased list – no matching was made to the input name as this number is no longer active.
SN04	SSN and FULL name match our records	The SSN matched to both the first and last name of the input record.
SN05	SSN and LAST name match our records	The SSN and last name match, but the first names did not match.
SN06	SSN and FIRST name match our records	The SSN and the first name matched, and first name could be female.
SN07	SSN and NAME do NOT match our records	The SSN belongs to a name different from the one that was input.

SN08	SSN and Last Name, First Name Initial match our records	The SSN number matched the last name and the first initial.
------	--	---

SP - Personator Status

Code	Short Description	Long Description
SP01	No Action	A record was sent in, but the service did not have enough information to modify the record.

SS - Personator Status

Code	Short Description	Long Description
SS01	No Action	A record was sent in, but the service did not have enough information to modify the record.

US - Personator Search Status

Code	Short Description	Long Description
US01	Match Found	A match was found in the data.
US02	No Exact Match Found	No exact match was found, partial matches were returned.
US03	Too Many Matches	There were too many matches found. Please narrow down your search by entering additional contact information.

UE - Personator Search Error

Code	Short Description	Long Description
UE01	No Match	No match was found.
UE02	Record Limit Exceeded	Number of records returned by the Web Service is too many. Please refine your search.
UE03	Invalid Page Number	The requested Page Number is invalid or not within the possible number of pages. Refer to the TotalPages Output Column to determine the total number of pages possible.
UE04	No Exact Matches	No exact matches found for SearchCondition:Exact. However, results will be returned for a loose search (SearchCondition:Loose).
UE05	Invalid State or Zip	Invalid State or Zip.

UE06	Name Character Limit Exceeded	The FirstName or LastName exceeded 30 characters.
UE07	Invalid State or Zip	Invalid State or Zip.
UE08	Bad Search Term	There was a bad search term in the USO.
UE09	Could Not Run	There was no line 1, so Global Address could not be run.

KE - Personator Identity Error Codes

Code	Short Description	Long Description
KE01	Timeout	Querying the data sources/providers has timed out. Retry sending the web service request.
KE02	Data Provider Unavailable	The data provider is currently unavailable. Please wait and try again at a later time.

YS - Property Status

Code	Short Description	Long Description
YS01	APN Match	An APN match was found.
YS02	Address Match	An Address match was found.
YS03	Basic Information	The basic information was returned.
YS04	Detailed Information	The detailed information was returned.
YS05	Multiple Matches	More than one match was found.
YS06	FIPS/Account Match	A FIPS + Account match was found.
YS07	MAK or BaseMAK Match	A MAK or BaseMAK match was found.
YS08	Transaction ID Match	A match on Transaction ID was found.

YE - Property Error

Code	Short Description	Long Description
YE01	No Address	No FIPS, APN, or AddressKey was provided.
YE02	No Match	No match was found.

YE03	Invalid Address	The FIPS, APN, or AddressKey provided was invalid.
------	-----------------	--

YC - Property Change

Code	Short Description	Long Description
YCXX	Count Reporting	Reports back "XX" number of records found during lookup. Best record found is returned.

DS - Residential/Business Delivery Indicator

Code	Short Description	Long Description
DS01	Residential Address	The processed address is a residential address.
DS02	Business Address	The processed address is a business address.
DS03	Unknown Address Type	The address type could not be determined for the current address.

RS - RightFielder Status

Code	Short Description	Long Description
RS01	Parse Successful	The parse was successful.
RS02	Foreign Address Detected	The detected country was one that is not supported by RightFielder.

RE - RightFielder Error

Code	Short Description	Long Description
RE01	Unrecognized Data Present	The return value of the GetUnrecognized function has been populated.
RE02	Incomplete Data	The input string did not contain a complete and verifiable address.
RE03	Demo Mode	Rightfielder is in demo mode. This is due to an invalid or expired License Key, or expired database.

CS - SmartMover Status

Code	Short Description	Long Description
CS01	Move with New Address	The record is a 'move' and a new 'moved to' address was provided.

CS02	Standardized Address	The record is not a 'move' but was standardized.
CS03	Move Input Requirements not Satisfied	The record is matched to change of address file but did not satisfy all requirements to produce a 'moved to' address.
CS04	Move but No New Address	he record is a 'move' but could not provide a 'moved to' address.
CS10	Individual Move	The record is classified as an individual.
CS11	Family Move	The record is classified as a family.
CS12	Business Move	The record is classified as a business.
CS13	Daily Delete	The record is a Daily Delete address. COA with this address is pending deletion from the master file and no mail may be forwarded from this address.

CM - SmartMover Match Status

Code	Short Description	Long Description
CM01	COA Match	A COA was found for an Individual, Business, or Family.
CM02	Foreign Move	A COA was found for a Foreign Move. No forwarding address was provided.
CM03	Moved no Forwarding	A COA was found. The customer moved and left no forwarding address (MLNA).
CM04	Box Closed	A COA was found. The Post Box was closed with no order filed by the customer (BCNO).
CM05	Cannot Match Secondary	The COA could not be matched because the street address does not match with the secondary number.
CM06	DPBC Ambiguous	The COA could not be converted to a deliverable address because the 11-digit zip code represents more than one delivery point.
CM07	Conflicting Middle Name	The COA could not be matched because there is more than one COA record for the match and the middle names or initials on the COAs are different.
CM08	Conflicting Gender	The COA could not be matched because there is more than one COA record for the match and the genders of the names on the COAs are different.
CM09	Conflicting Instructions	The COA could not be matched because two potential matches were compared and had differences in the new addresses.
CM10	Cannot Match High-rise Default	The COA could not be matched because the input record is a potential match to a family COA record from a multi-unit building, but the address zip + 4 coded to the building default. This requires individual name matching logic to obtain a match and the individual names did not match.
CM11	Cannot Match Rural Default	The COA could not be matched because the input record is a potential match to a family COA record from a Rural Route or Highway Contract Route address. This requires individual name matching logic to obtain a match and the individual names did not match.

CM12	Insufficient Name	The COA could not be matched because there is a COA record with the same surname and address but there is insufficient first/middle name information on the COA record to product a match using individual matching logic.
CM13	Middle Name Test Failed	The COA could not be matched because the input name contains a conflict with the middle name or initials on the COA record.
CM14	Gender Conflict	The COA could not be matched because the gender of the name on the input record conflicts with the gender of the name on the COA record.
CM15	Cannot Convert Address	The COA was found but the new address would not convert at run time.
CM16	Individual Name Insufficient	The COA could not be matched because the input middle initial/name is missing or does not equal the middle initial/name on the potential COA match.
CM17	Secondary Discrepancy	The COA could not be matched because there is conflicting secondary information on the input and COA record or the input record contained secondary information and matched to a family record that does not contain secondary information.
CM18	Other Insufficient Name	The COA could not be matched because the input middle initial/name is missing or different from the middle name on the COA. A match cannot be made because the first name on the COA was truncated and the middle names must be equal in order to make this match.
CM19	Cannot Match General Delivery	The COA could not be matched for general delivery.
CM20	No ZIP + 4, Not Confirmable, or Temporary	The COA was found but the new address either: does not have a ZIP+4 coded and therefore there is no 11-digit DPBC, the primary number cannot be confirmed on DPV, or is temporary.
CM21	Conflicting Directions	The address could not be updated due to multiple matches.
CM22	Input Missing Suite	Input address missing suite data. Can still be matched.
CM23	Secondary Dropped from Input	The secondary number was dropped from the input address.

FS - Business/Firm Status

Code	Short Description	Long Description
FS01	Data Match	A match was found in the data.
FS02	Company Match	A match was found for the company.
FS03	MAK Match	A match was found for the input MAK (Melissa Address Key).
FS04	Address Match	A match was found for the input address.

FS05	Phone Match	A match was found for the input phone.
FS06	Stock Ticker Match	A match was found for the input stock ticker.
FS07	Web Address Match	A match was found for the input web address.
FS08	MEK Match	A match was found for the input MEK (Melissa Enterprise Key).

FE - Business/Firm Error

Code	Short Description	Long Description
FE01	No Match	No match was found.
FE02	Minimum Input Not Met	The minimum input requirements were not met. These requirements are: ▪ Address and City/State or ZIP ▪ Melissa Address Key ▪ Phone ▪ Stock Ticker ▪ Web Address
FE03	Multiple Matches	Multiple matches were found.

WS - Web Service - Record Level

Code	Short Description	Long Description
WSE00	Unexpected Error	Your request could not be processed due to an unexpected error. Please retry your request.
WSC00	Internal Configuration Error	Your request could not be processed due to an unexpected internal configuration error. Please contact your sales representative.
WSE03	Month Range Exceeded	Months to allow for NCOALink products ranges from 6 to 48.
WSE05	Records Array Error	Records array is empty, un-allocated, or out of bounds.
WSE13	Requesting Record Range Exceeded	Requesting records must in the range of 1 and 500.
WSE14	Field Does Not Exist	Ticket or field does not exist in the summary report table.
WSE15	ProcessingType Error	OptSmartMoverProcessingType is empty or incorrect type.
WSE16	FreqProcessing Range Exceeded	OptSmartMoverListOwnerFreqProcessing ranges from 1 to 52.
WSE17	ListName Character Limit	OptSmartMoverListName cannot contain over 30 characters.

WSE18	ListName Invalid Character	OptSmartMoverListName contains invalid special characters. It cannot contain any of the following characters \ / * : ? " < >
WSE24	Invalid Link	Invalid link.
WSE26	License Key Error	License Key is not valid, License Key is not enabled, or customer's Paf is not on file.
WSE27	License Key Inactive	Smart Mover Service is not enabled for this License Key. Please contact your sales representative.
WSE28	Long JobID	JobID is too long. It cannot contain over 50 characters.
WSE29	JobID Invalid Character	JobID cannot contain some special characters. It cannot contain any of the following characters *:?"<> , non-printing characters or spaces.
WSE31	No JobID	JobId is required to open summary reports.
WSE32	Customer PAF Expired	Customer PAF expired. Please contact your sales representative.
WSE33	Broker PAF Expired	Broker PAF expired. Please contact your sales representative.
WSE34	No PAFID Match	PAFID does not match. Please contact your sales representative.
WSE35	No PAFID	Under broker customer required PAFID. Please contact your sales representative.
WSE36	Unconfirmed PAFID	PAFID has unconfirmed. Please contact your sales representative.

SS - Street Search Status

Code	Short Description	Long Description
SS01	Records Within Range Returned	The street search returned one or more results within the designated range (OptInRangeOnly set to true).
SS02	Records With Street Name Returned	The street search returned one or more results with the street name only (OptInRangeOnly set to false).
SS03	First 1000 Streets Returned	1,000 street records were returned, but more than 1,000 were found. Please narrow your search.

SR - Street Route

Code	Short Description	Long Description
SR01	Distance Calculated	Route distance was calculated successfully.
SR11	Input Error	Input or syntax error. The distance calculation could not be performed.

SR12	Distance Not Calculated	Route distance could not be calculated.
------	-------------------------	---

DE - Data Error

Code	Short Description	Long Description
DE	Data Field Error	The data field was empty.
DE01	Missing or Invalid Input	The required input for the service was not met or was in an invalid format.
DE02	No Records Found	There was a search error: No records were found.

ZS - ZIP Search Status

Code	Short Description	Long Description
ZS01	Successful Cities in Zip Code Search	The search for Cities in Zip Code was successful.
ZS02	Successful Zip Code in City Search	The search for Zip Code in City was successful.
ZS03	Successful Cities in State Search	The search for Cities in State was successful.

ZE - ZIP Search Error

Code	Short Description	Long Description
ZE01	Required Input Missing	The search returned an error: the required input is missing.
ZE02	No Records Found	The search returned an error: no records were found.

Listware Codes

Code	Reference
Listware	Please see Listware Codes .

KA - Cleanser Abbreviation

Code	Short Description	Long Description
KA01	Abbreviation Change	Abbreviation: The input value was changed.
KA02	No Abbreviation Change	Abbreviation: The input value was not changed.
KA03	No Abbreviation Trigger	Abbreviation: The input value did not trigger the operation.

KA04	Empty Abbreviation	Abbreviation: The input value was empty or null and the operation did not process.
------	--------------------	--

KC - Cleanser Casing

Code	Short Description	Long Description
KC01	Casing Change	Casing: The input value was changed.
KC02	No Casing Change	Casing: The input value was not changed.
KC03	No Casing Trigger	Casing: The input value did not trigger the operation.
KC04	Empty Casing	Casing: The input value was empty or null and the operation did not process.

KE - Cleanser Transform Expression

Code	Short Description	Long Description
KE01	Transform Change	Transform: The input value was changed.
KE02	No Transform Change	Transform: The input value was not changed.
KE03	No Transform Trigger	Transform: The input value did not trigger the operation.
KE05	Invalid Transform	Transform: The expression was invalid.

KP - Cleanser Punctuation

Code	Short Description	Long Description
KP01	Punctuation Change	Punctuation: The input value was changed.
KP02	No Punctuation Change	Punctuation: The input value was not changed.
KP03	No Punctuation Trigger	Punctuation: The input value did not trigger the operation.
KP04	Empty Punctuation	Punctuation: The input value was empty or null and the operation did not process.

KR - Cleanser Regular Expression

Code	Short Description	Long Description
KR01	Regular Expression Change	Regular Expression: The input value was changed.
KR02	No Regular Expression Change	Regular Expression: The input value was not changed.
KR03	No Regular Expression Trigger	Regular Expression: The input value did not trigger the operation.

KR04	Empty Regular Expression	Regular Expression: The input value was empty or null and the operation did not process.
KR05	Invalid Regular Expression	Regular Expression: The expression was invalid.

KS - Cleanser Search and Replace

Code	Short Description	Long Description
KS01	Search Change	Search And Replace: The input value was changed.
KS02	No Search Change	Search And Replace: The input value was not changed.
KS03	No Search Trigger	Search And Replace: The input value did not trigger the operation.
KS04	Empty Search	Search And Replace: The input value was empty or null and the operation did not process.

KV - Verification Match

Code	Short Description	Long Description
KV01	Address matched	Complete match found for address
KV10	Postal code matched	Complete match found for postal code
KV11	Administrative area (state/province) matched	Complete match found for administrative area (state/province)
KV12	Locality matched	Complete match found for locality
KV13	Thoroughfare/street matched	Complete match found for thoroughfare
KV14	Premise/house number matched	Complete match found for premise/house number
KV15	Subpremise matched	Complete match found for subpremise
KV02	National ID matched	Complete match found for national ID
KV03	First/given/forename matched	Complete match found for first/given/surname name
KV31	First Initial Matched	Match found for first initial (from first/given name)
KV32	Partial First Name Match	Partial match found for first/given/forename name
KV04	Last/surname matched	Complete match found for last/surname
KV41	Partial Last Name Match	Partial match found for last/surname
KV05	Phone number matched	Complete match found for phone number
KV50	Last 4 digits of phone matched	Match found for the last 4 digits of the phone number
KV06	Email matched	Complete match found for the email address
KV07	Date of birth matched	Complete match found for the date of birth

KV70	Day of birth matched	Match found for the day of birth
KV71	Month of birth matched	Match found for the month of birth
KV72	Year of birth matched	Match found for the year of birth
KV08	Organization matched	Complete match found for the organization/company
KV91	First and last name swap match	First name and last name swapped for a full match
KV92	Middle and first name swap match	Middle name and first name swapped for a full match
KV93	Middle and last name swap match	Middle and last name swapped for a full match
KV94	Middle and first name swap partial match	Middle and first name swapped for a partial match
KV95	Middle and last name swap partial match	Middle and last name swapped for a partial match

BA - Batch Result

Code	Short Description	Long Description
BA01	Batch Result 01	The search condition matched the batch result: Strict: Name, City, State, & Age.
BA02	Batch Result 02	The search condition matched the batch result: Strict: Name, State, & Age.
BA03	Batch Result 03	The search condition matched the batch result: Strict: Name & Age.
BA04	Batch Result 04	The search condition matched the batch result: Loose: Name & Age.

HouseholdIncome

Code	Description
ID01	\$0-\$15,000
ID02	\$15,001-\$20,000
ID03	\$20,001-\$30,000
ID04	\$30,001-\$40,000
ID05	\$40,001-\$50,000
ID06	\$50,001-\$60,000
ID07	\$60,001-\$75,000
ID08	\$75,001-\$100,000

ID09	\$100,001-\$125,000
ID10	\$125,001-\$150,000
ID11	\$150,001+

LengthOfResidence

Code	Description
LD00	Less than 1 year
LD01	1-2 years
LD02	2-3 years
LD03	3-4 years
LD04	4-5 years
LD05	5-6 years
LD06	6-7 years
LD07	7-8 years
LD08	8-9 years
LD09	9-10 years
LD10	10-11 years
LD11	11-12 years
LD12	12-13 years
LD13	13-14 years
LD14	14-15 years
LD15	15+ years

PresenceOfChildren

Code	Description
CD01	No Children Present

CD02	Children Present
------	------------------

MaritalStatus

Code	Description
MD01	Definitely Single
MD02	Inferred Single
MD03	Inferred Married
MD04	Definitely Married

DateOfDeath

Code	Description
DD00	Not Deceased
DD01	Deceased

DemographicsGender

Code	Description
GD01	Male
GD02	Female
GD03	Neutral

OwnRent

Code	Description
RD01	Definite Renter
RD02	Inferred Renter
RD03	Inferred Owner

RD04	Definite Owner
------	----------------

Occupation

Code	Description
WD01	Physician/Dentist
WD02	Healthcare
WD03	Lawyer/Judge
WD04	Professional/Technical
WD05	Management
WD06	Teacher/Educator
WD07	Sales/Marketing
WD08	Clerical/Service Worker
WD09	Tradesmen/Laborer
WD10	Farmer
WD11	Student
WD12	Homemaker
WD13	Retired
WD14	Federal Employee
WD15	Military
WD16	Military Retired
WD17	Business Owner
WD18	Religious
WD19	Self Employed
WD20	Financial
WD99	Other

SE - Transmission Service Error

Code	Short Description	Long Description
SE00	Unexpected Error	Your request could not be processed due to an unexpected error. Please retry your request.
SE01	Cloud Service Internal Error	The cloud service experienced an internal error.
SE10	Record Number Mismatch	Total Records numbers do not match with the records array.
SE11	Month Range Exceeded	Months to allow for NCOALink products ranges from 6 to 48.
SE12	Records Array Error	Records array is empty, un-allocated, or out of bounds.
SE13	Requesting Record Range Exceeded	Requesting records must in the range of 1 to 100.
SE14	No Summary Reports	Summary reports do not exist.
SE15	ProcessingType Error	ProcessingType is empty or incorrect type.
SE16	FreqProcessing Range Exceeded	ListOwnerFreqProcessing ranges from 1 to 52.
SE17	ListName Character Limit	OptSmartMoverListName cannot contain over 30 characters.
SE18	ListName Invalid Character	OptSmartMoverListName cannot contain any of the following characters V*:?"'<> or non-printing characters.
SE19	Invalid Link	Invalid link.
SE20	License Key Error	License Key is not valid or customer's Paf is not on file.
SE21	SmartMover Service Disabled	Smart Mover Service package(s) is/are not enabled. Please contact your sales representative!
SE22	Long JobID	JobID cannot contain over 50 characters.
SE23	JobID Invalid Character	JobID cannot contain any of the following characters V*:?"'<> , non-printing characters or spaces.
SE24	No JobID	JobID required to open summary reports.
SE25	Customer PAF Expired	The Customer PAF is expired.
SE26	Broker PAF Expired	The Broker PAF is expired.
SE27	NO PAFID Match	The PAFID does not match.
SE28	No PAFID	The under broker customer required a PAFID.
SE29	Unconfirmed PAFID	The PAFID is unconfirmed.

SE30	Empty XML	Incorrect or empty XML/JSON structure.
SE31	Empty Record Structure	Incorrect or empty record structure.
SE32	Incorrect Action	The attempted action(s) was incorrect.

GW - General Transmission Warning

Code	Short Description	Long Description
GW01	Expiring License	Your License Key is expiring soon. Please contact your sales representative for a new License Key.
GW02	Usage Report Warning	Unable to report usage. Object will still continue to operate.
GW03	Usage Report Error	Unable to report usage. Warning time exceeded. Object will not continue to operate.
GW04	Web Service Communication Error	Unable to communicate with the web service to complete the requested call. Please double check any connections issues (e.g. proxy, firewall) and try again.
GW05	Web service subscription inactive	An active web service subscription is required to complete the request call but could not be found. Please contact your sales representative to activate.
GW10	Unrecognized Column Input	The column input is an unrecognized format or data.
GW11	Option Name Error	The option name is either misspelled or incorrect.
GW12	Option Value Error	The option value is misspelled or incorrectly formatted.
GW13	Phone Package Subscription Inactive	An active phone package subscription is required to complete the request call but could not be found. Please contact your sales representative to activate.

GE - General Transmission Error

Code	Short Description	Long Description
GE01	Empty Request Structure	The SOAP, JSON, or XML request structure is empty. Not to be confused with the GE01 GeoCode result code.
GE02	Empty Request Record Structure	The SOAP, JSON, or XML request record structure is empty. Not to be confused with the GE02 GeoCode result code.
GE03	Records Per Request Exceeded	The counted records sent more than the number of records allowed per request.
GE04	Empty License Key	The License Key is empty.
GE05	Invalid License Key	The required license string is missing or invalid. Use the Credits License on the My Account page or call Tech Support 1-800-Melissa.

GE06	Disabled License Key	The License Key is disabled.
GE07	Invalid Request	The SOAP, JSON, or XML request is invalid.
GE08	Product/Level Not Enabled	The License Key is invalid for this product or level.
GE09	Customer Does Not Exist	The Customer ID is not in our system.
GE10	Customer License Disabled	The encrypted license is on the ban list.
GE11	Customer Disabled	The Customer ID is disabled.
GE12	IP Blacklisted	The IP Address is on the global ban list.
GE13	IP Not Whitelisted	The IP Address is not on the customer's whitelist.
GE14	Out of Credits	The account has ran out of credits. Add more credits to continue using the service. https://www.melissa.com/pricing/purchase
GE15	Unacceptable License Key	License key not accepted, please request an encrypted license key from your sales representative.
GE20	Verify Not Activated	The Verify package was requested but is not active for the License Key.
GE21	Append Not Activated	The Append package was requested but is not active for the License Key.
GE22	Move Not Activated	The Move package was requested but is not active for the License Key.
GE23	No Valid Action Requested	No valid action was requested by the service. The request must include at least one of the following actions: Check, Verify, Append, or Move.
GE24	Demographics Not Activated	The Demographics package was requested but is not active for the License Key.
GE25	No License For Business Demographic	The License Key is not subscribed/licensed for the requested business demographic(s).
GE26	CallerID Not Enabled	The license key or ID does not have CallerID enabled.
GE27	IP Columns Not Activated	IP Columns requested but not active for the customer ID.
GE28	SSN Verification Not Activated	SSN Verification requested but not active for the customer ID.
GE29	Not Available for Credit License	The requested fields were not available for a credit license. To have access to the demographics fields, please upgrade your license to a subscription.
GE50	Job ID Not Found	The job ID was not found.
GE51	Job Not Ready	The job is not ready.
GE52	No Record in Job	There was no record found in the job.

GE53	Record Total Mismatch	The received record total does not match the user-specified RecordCount.
GE54	Job in Queue	The job is in the queue.
GE55	Job Processing	The job is being processed.
GE56	Job Complete	The job is complete.
GE57	Cloud Service Internal Error	The cloud service experienced an internal error.
GE59	DataFrame Not Found	The DataFrame was not found.

Retrieved from "http://wiki.melissadata.com/index.php?title=Result_Codes&oldid=19927"

This page was last edited on 30 September 2023, at 00:21.