```
[idfe] ? i
```

Data ? 50

50 <---> 50

[idfe] ? i

Data ? 30

30 50 <---> 50 30

[idfe] ? f

Data ? 50

Good

30 50 <---> 50 30

[idfe] ? i

Data ? 60

30 50 60 <---> 60 50 30

[idfe] ? f

Data ? 30

Good

30 50 60 <---> 60 50 30

[idfe] ? i

Data ? 40

30 40 50 60 <---> 60 50 40 30

[idfe] ? f

Data ? 60

Good

30 40 50 60 <---> 60 50 40 30

[idfe] ? d

30 40 50 <---> 50 40 30

```
[idfe] ? f
```

Data ? 30

Good

30 40 50 <---> 50 40 30

[idfe] ? d

40 50 <---> 50 40

[idfe] ? f

Data ? 50

Good

40 50 <---> 50 40

[idfe] ? i

Data ? 60

40 50 60 <---> 60 50 40

[idfe] ? f

Data ? 50

Good

40 50 60 <---> 60 50 40

[idfe] ? d

40 60 <---> 60 40

[idfe] ? f

Data ? 60

Good

40 60 <---> 60 40

[idfe] ? d

40 <---> 40

[idfe] ? f

```
Data ? 40

Good

40 <---> 40

[idfe] ? d
<--->
```

계속하려면 아무 키나 누르십시오 . . .