THOMAS GADFORT

Curriculum Vitae

CONTACT INFORMATION

Fermi National Accelerator Lab

MS122

Batavia, IL 60510

Telephone: (206) 351-4510

FAX: (630) 840-2347

E-mail: tgadfort@fnal.gov

Personal Information

Birthdate: 24 August 1979 Citizenship: Denmark

Education

Fall 2001 - Spring 2007 Ph.D. in Physics

University of Washington, Seattle

Dissertation Advisor: Prof. Gordon Watts

Title: "Evidence for Electroweak Top Quark Production

in Proton-Antiproton Collisions at $\sqrt{s} = 1.96 \text{ TeV}$ "

Fall 1997 - May 2001 B.A. in College Scholars with Physics Emphasis, Cum Laude

University of Tennessee, Knoxville, TN

Awards and Honors

March 2009	BNL Goldhaber Distinguished Fellowship
May 2004	Eugene Kenneth Miller Award for excellence in graduate research
$M_{\rm out} 2000$	Douglas V. Dosabarry Award for availance in Physics

May 2000 Douglas V. Roseberry Award for excellence in Physics

December 1999 Phi Beta Kappa

May 1999 Sigma Pi Sigma Physics Honors Society May 1998 Outstanding First Year Physics Student

Research Experience

Fall 2012 — Present Associate Scientist

 $(g-2)_{\mu}$ experiment

Fermi National Accelerator Laboratory

Fall 2009 - Fall 2012 Goldhaber Distinguished Fellow

ATLAS experiment

Brookhaven National Laboratory

Spring 2007 - Fall 2009 Postdoctoral Researcher

ATLAS and DØ experiments

Columbia University

Fall 2003 — Spring 2007 — Research Assistant

DØ experiment

University of Washington

Physics Programs

• Measurement of the muon anomalous magnetic moment (2012-Present)

I am currently developing a GEANT4-based simulation framework for the E989 "g-2" experiment, which will measure the muon anomalous magnetic moment, $a_{\mu} \equiv (g-2)/2$, to 0.14 ppm precision. The primary goal of the simulation is to accurately predict the number of muons available for for analysis within the E989 muon storage ring. This requires modeling a mix of time-dependent electric and magnetic fields as well as predicting the background due to muon losses early in the measurement time window. A early version of this work was incorporated into the E989 conceptual design review (CDR).

• Search for leptoquark production (2010-2012)

I completed a search for first and second generation scalar leptoquarks using 1 fb⁻¹ of $\sqrt{s} = 7$ TeV LHC data collected with the ATLAS detector. Leptoquarks, or an equivalent particle that couples leptons and quarks, appear in many extensions to the standard model including grand unified theories and R-parity violating supersymmetry. This result will be submitted for publication soon. The previous year I published a search for leptoquarks using 35 pb⁻¹. I found no evidence for leptoquark production and excluded the possibility of first and second generation scalar leptoquarks below approximately 400 GeV. This work was published in Phys. Rev. D 83 112006 (2011) [arXiv:1104.448].

• Search for new physics with W and Z bosons (2008-2012)

I searched for the production of three specific beyond the standard model particles produced in $p\bar{p}$ collisions using 5.4 fb⁻¹ of DØ Run II data. The first search is for a massive electrically charged resonance decaying to W and Z boson pairs using events with at least one charged lepton resulting from either the W or Z boson decay. No excess of data was observed in this search. Using the extended gauge model (EGM)

W' boson as a baseline prediction, I excluded a large fraction of the model parameter space defined by the W' mass and the W'WZ coupling strength. Also included in this result is a limit on low scale Technicolor, where the ρ_T is equivalent to the EGM W'. Both of these results can be found in the PRL publication [Phys. Rev. Lett. 104, 061801 (2010)]. Another search that was published by PRL [Phys. Rev. Lett. 106, 081801 (2011)] is the electroweak production of vector-like quarks. This analysis sets the first lower limits on the vector-like quark production assuming both charged current $(Q \to Wq)$ and neutral current $(Q \to Zq)$ decays. The final search, whose result is near publication, is the production of a Randall-Sundrum graviton decaying to a WW boson pair. This search uses events with a semi-leptonic WW decay and is the first Tevatron Run II analysis to use events with a single massive jet, which result from highly boosted hadronic W and Z decays.

• Single top quark production cross section measurement (2003-2009)

I obtained the first evidence for single-top quark production and then the first measurement of the single-top quark production cross section using an analysis technique known as the matrix element method. The matrix element method takes advantage of all angular correlations in both the signal production and decay through a probability based on the product of the leading-order single top quark matrix element and the expected energy and momentum resolution of the final state particles. This work resulted in two publications in PRL [Phys. Rev. Lett. **98**, 181802 (2007)] and PRD [Phys. Rev. D **78**, 012005 (2008)]. I improved this method in a subsequent analysis using 2.3 fb⁻¹ of Run II data. This analysis measured the single top quark production cross section at the 5σ confidence level and was published in PRL [Phys. Rev. Lett. **103**, 092001 (2009)].

LEADERSHIP ROLES AND STUDENT SUPERVISION

- Paper editor and co-convener of diboson resonance search group (2011-2012) I lead the ATLAS effort to search for resonant WW, WZ, or ZZ production using data recorded during the 2011 LHC run at $\sqrt{s} = 7$ TeV. Together with my co-convener we brought two analyses to a publication level in the past six months. These analyses search for 1) Technicolor in $\rho_T \to WZ \to \ell\nu\ell\ell$ final states and 2) Randall-Sundrum graviton in $G_{KK}^* \to ZZ \to \ell\ell\ell\ell$ and $\ell\ell jj$ final states. In the coming year we expect these searches will be published along with two additional analyses: Search for the radion (a spin-0 particle found in models with extra dimensions) in $\ell\ell\ell\ell$ final states and a search for a Z' or G_{KK}^* in $WW \to \ell\nu\ell\nu$ and $\ell\nu jj$ events.
- Co-convener of the *b*-jet identification group at DØ (2007-2009)

 As a *b*-jet convener, I supervised PHD students, frequently interacted with DØ management and physics analysis groups, and developed new algorithms to increase *b*-jet efficiency and light-jet rejection. Notable achievements during my tenure include, but are not limited to: (1) Determined *b*-jet, *c*-jet, and light-jet efficiencies for the entire

Run IIb dataset corresponding to 2.8 fb⁻¹ of DØ data. (2) Supervised work on a new algorithm designed to distinguish b-jets from c-jets using a multivariate analysis technique known as a boosted decision tree. This technique resulted in an additional 15% rejection of charm-jets. (3) Helped to increase understanding of jets produced from parton-parton interactions versus jets produced from low p_T $p\bar{p}$ interactions. This work increased signal acceptance by 5% in the low-mass Higgs search.

- I recently completed a year-long research project with a student from the Illinois Math and Sciences Academy (IMSA), who designed and constructed a pair of electro-magnets with the goal of producing a region of space with a negligible magnetic field (2012-2013).
- I collaborated with two Columbia University graduate students on the search resonant diboson production at the LHC using the ATLAS detector (2011-2013). Both students are postdocs in the field of medical physics.
- I collaborated with a graduate student from Stony Brook University on the search for first generation scalar leptoquark production at the LHC using the ATLAS detector (2010-2011). This student is currently a postdoc working on the ATLAS experiment.
- I collaborated with a Columbia graduate student whose thesis topic was the search for vector-like quark production at the Tevatron (2009-2010). This student is now a consultant in Boston, MA.

HARDWARE EXPERIENCE AND SERVICE TASKS

• $(g-2)_{\mu}$ silicon sensor beam monitor (2012-2013)

I am currently developing a muon beam monitor for the E989 experiment using Tevatron Run II silicon hybrid sensors. The beam monitor will be located in a region of the E989 storage ring that is too small for traditional wire plane beam monitors, thus silicon is the preferred technology choice. The silicon sensor data is extracted using commodity hardware previously developed for the CMS experiment.

• ATLAS event reconstruction software (2011)

I worked with a team charged with daily maintenance of the ATLAS job transforms, which are python scripts designed to facilitate simulation and reconstruction of both Monte Carlo and LHC data events in a transparent manner. Duties include responding to bug reports as needed and improving functionality to the end users.

• Liquid Argon Front End Board Development (2007-2009)

The sLHC is expected to increase the instantaneous luminosity of pp collisions at the LHC by a factor of 10, resulting in an increase in the radiation exposure for the the calorimeter electronics. While based at Columbia University, I led an effort to characterize a new transistor technology based on a silicon-germanium (SiGe) substrate that has been shown to tolerate high radiation environments. For this effort, I assembled a

highly sensitive current measurement device to profile the newly designed transistors before and after exposure to high levels of radiation.

ullet $tar{t} ightarrow$ "all-jets" (6 jets) Editorial Board Member (2008-2010)

This committee reviews the $t\bar{t} \to$ "all-jets" and the $t\bar{t} \to \tau_h+$ jets analyses and determines if they are advanced enough to be presented publicly. My editorial board duties included thoroughly reviewing internal analysis documents and suggesting cross-checks to determine the stability and reliability of the result, including a review of the systemic uncertainties. This board approved a publication in Physical Review D of the measurement of the $t\bar{t}$ cross section in the all-hadronic channel [Phys. Rev. D 82, 032002 (2010)].

• Level 3 / Data Acquisition System (2003-2007)

The level 3/DAQ system is designed to collect data from the each detector sub-system upon a level 2 trigger accept and channel this data to one of many computers on which the level 3 trigger software will reduce the flow-rate from 700 Hz to 50 Hz. The data from each sub-system is collected on a single board computer (SBC) and transferred to the level 3 computer farm via optical fiber and a 16 GHz CISCO 6049C ethernet switch. I was an on-call expert for this system at DØ. My main duties as an expert were to quickly diagnose and resolve problems to prevent data flow stoppage, provide daily maintenance of the level 3 computer farm, and give bi-yearly tutorials on the system for new data taking shifters.

Conference Talks

16 April 2012	"Searches for Physics Beyond the Standard Model
	using the ATLAS Detector"
	University of Michigan, Ann Arbor, MI
19 April 2011	"Use of the jet mass in the reconstruction of hadronic W and
	Z boson decays in the DØ experiment"
	Jet reconstruction and spectroscopy at hadron colliders
	INFN, Pisa, Italy
23 August 2010	"Jet substructure measurements with ATLAS"
	US ATLAS Hadronic Final State Forum:
	Joint Theory/Experiment Open Session
23 June 2010	"Boosted Objects at the Tevatron"
	Boost 2010, Oxford University
8 June 2010	"LHC Experimental Update"
	RHIC and AGS Annual Users' Meeting
15 March 2009	"Searches for low mass SM Higgs at the Tevatron"
	XLIVth Recontres de Moriond QCD, La Thuile, Italy
7 Nov 2008	" W' and Z' Discovery Potential with the ATLAS Detector"
	Brookhaven Forum 2008, Upton, NY
15 May 2007	"Measuring Single Top Quark Production at DØ With
	The Matrix Element Method"
	XLIInd Recontres de Moriond EW, La Thuile, Italy
2 June 2006	"Search for Electroweak Top Quark Production at DØ"
	New Perspectives, FNAL
13 May 2005	"Search for Electroweak Top Quark Production"
	Northwest APS Meeting, Victoria, BC
22 May 2004	"Search for Single Top Production at DØ"
	Northwest APS Meeting, Moscow, ID
2 May 2004	"Search for Single Top Quark Production in the Muon+Jets Channel
	APS April Meeting, Denver, CO

Seminars

11 April 2012	"Searches for the Higgs Boson and Beyond the
	Standard Model Physics with the ATLAS Detector"
	Fordham University, Bronx, NY
20 January 2012	"Searches for the Higgs Boson and New Physics
	with the ATLAS Detector"
	FNAL, Batavia, IL
13 May 2011	"Search for new physics with leptons and jets"
	BNL, Upton, NY
13 May 2011	"Search for new physics with leptons and jets"
	BNL, Upton, NY
27 January 2010	"Search for $W' \to WZ$ at DØ"
	BNL, Upton, NY
3 October 2006	"Search for Electroweak Top Quark Production at DØ"
	FNAL, Batavia, IL
21 September 2006	"Search for Electroweak Top Quark Production at DØ"
	Boston University, Boston, MA
13 September 2006	"Search for Electroweak Top Quark Production at DØ"
	Columbia University, New York, NY
27 January 2005	"The Search for Electroweak Top Quark Production at DØ"
	University of Washington, Seattle, WA

Workshops and Schools Attended

25 - 27 April 2013	Intensity Frontier Workshop
	FNAL
11 - 13 October 2012	Community Planning Meeting
	FNAL
30 November – 2 December 2011	Fundamental Physics at the Intensity Frontier
	Rockville, Maryland
18 June – 1 July 2006	European School of High Energy Physics
	Aronsburg, Sweden
15 June – 27 June 2003	Nuclear Physics Summer School
	University of Tennessee, Knoxville

Selected Publications

- 1. G. Aad et al. [ATLAS Collaboration], "Search for resonant diboson production in the $WW/WZ \rightarrow \ell \nu jj$ decay channels with the ATLAS detector at $\sqrt{s}=7$ TeV," Phys. Rev. D 87 112006 (2013).
- 2. G. Aad *et al.* [ATLAS Collaboration], "Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC", Phys. Lett. B **716** 1-29 (2012).
- 3. G. Aad et al. [ATLAS Collaboration], "Search for pair production of first or second

generation leptoquarks in proton-proton collisions at sqrt(s)=7 TeV using the ATLAS detector at the LHC, Phys. Rev. D 83, 112006 (2011).

- 4. V. M. Abazov *et al.* [DØ Collaboration], "Search for Resonant WW and WZ Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. Lett. **107**, 011801 (2011).
- 5. V. M. Abazov *et al.* [DØ Collaboration], "Search for single vector-like quarks in ppbar collisions at sqrt(s) = 1.96 TeV," Phys. Rev. Lett. **106**, 081801 (2011).
- 6. V. M. Abazov *et al.* [DØ Collaboration], "Search for a Resonance Decaying into WZ Boson Pairs in $p\bar{p}$ Collisions, Phys. Rev. Lett. **104**, 061801 (2010).
- 7. V. M. Abazov *et al.* [DØ Collaboration], "Observation of Single Top-Quark Production," Phys. Rev. Lett. **103**, 092001 (2009).

Teaching Experience

2008, Columbia University

Substitute lecturer for two freshman physics classes. One lecture was on electromagnetic wave properties and the other was on the foundations of quantum mechanics and included a presentation of the Schrödinger equation.

2001 - 2002, University of Washington

Laboratory instructor for introductory mechanics. Tutorial instructor for introductory mechanics, introductory electricity and magnetism, and introductory waves & optics.

Outreach

- Volunteered at the first annual Science & Engineering Expo held on the National Mall in Washington, D.C. I worked with several demonstrations designed to illustrate concepts such as Rutherford scattering and neutrino oscillations to children at a middle school to high school level.
- Presented the ATLAS Higgs search at a "Science Cafe" public lecture held at Borders book store in Setuaket, NY. This presentation was aimed at a general audience with little or no scientific background.

References

Professor Gordon Watts University of Washington Department of Physics P.O. Box 351560 Seattle, WA 98195-1560 USA

Telephone: (206) 543-4186 FAX: (206) 616-9172

E-mail: gwatts@phys.washington.edu

Professor Gustaaf Brooijmans

Columbia University Nevis Laboratories 136 South Broadway Irvington, NY 10533 USA

Telephone: (914) 591-2804 FAX: (914) 591-8120

E-mail: gusbroo@nevis.columbia.edu

Professor John Parsons

Columbia University Nevis Laboratories 136 South Broadway Irvington, NY 10533 USA

Telephone: (914) 591-2820 FAX: (914) 591-8120

E-mail: parsons@nevis.columbia.edu