```
<!DOCTYPE html>
tgeorgako.github.io/index.md at master · tgeorgako/tgeorgako.github.io ·
<meta name="twitter:image:src" content="https://avatars3.githubusercontent.com/u/57175501?s=</pre>
<meta property="og:image" content="https://avatars3.githubusercontent.com/u/57175501?s=400&;</pre>
<meta name="request-id" content="F6E7:3CC22:6C012D:A206EB:5E3CB02F" data-pjax-transient="trunched"</pre>
  <meta name="google-site-verification" content="KT5gs8h0wvaagLKAVWq8bbeNwnZZK1r1XQysX3xurLV</pre>
<meta name="google-site-verification" content="ZzhVyEFwb7w3e0-u0Tltm8Jsck2F5StVihD0exw2fsA";</pre>
<meta name="google-site-verification" content="GXs5KoUUkNCoaAZn7wPN-t01Pywp9M3sEjnt_3_ZWPc";</pre>
<meta name="google-analytics" content="UA-3769691-2">
  <meta name="hostname" content="github.com">
<meta name="user-login" content="">
  <meta name="expected-hostname" content="github.com">
<meta name="enabled-features" content="MARKETPLACE_FEATURED_BLOG_POSTS,MARKETPLACE_INVOICED_</pre>
<link href="https://github.com/tgeorgako/tgeorgako.github.io/commits/master.atom" rel="alter</pre>
<link rel="canonical" href="https://github.com/tgeorgako/tgeorgako.github.io/blob/master/inc</pre>
<a href="#start-of-content" tabindex="1" class="px-2 py-4 bg-blue text-white show-on-focus ;</pre>
<span class="Progress progress-pjax-loader position-fixed width-full js-pjax-loader-bar">
  <span class="progress-pjax-loader-bar top-0 left-0" style="width: 0%;"></span>
</span>
    <header class="Header-old header-logged-out js-details-container Details position-relat:</pre>
<div class="d-flex flex-justify-between flex-items-center">
    <a class="mr-4" href="https://github.com/" aria-label="Homepage" data-ga-click="(Logged</pre>
      <svg height="32" class="octicon octicon-mark-github text-white" viewBox="0 0 16 16" ve</pre>
    </a>
      <div class="d-lg-none css-truncate css-truncate-target width-fit p-2">
          <svg class="oction oction-repo" viewBox="0 0 12 16" version="1.1" width="12" he:</pre>
<a class="Header-link" href="/tgeorgako">tgeorgako</a>
```

tgeorgako.github.io

```
</div>
    <div class="d-flex flex-items-center">
       <a href="/join?source=header-repo"
         class="d-inline-block d-lg-none f5 text-white no-underline border border-gray-dark
         data-hydro-click="{"event_type":"authentication.click","
         data-ga-click="(Logged out) Header, clicked Sign up, text:sign-up">
         Sign up
       </a>
     <button class="btn-link d-lg-none mt-1 js-details-target" type="button" aria-label="To-
</pre>
       <svg height="24" class="octicon octicon-three-bars text-white" viewBox="0 0 12 16" y</pre>
     </bitton>
    </div>
</div>
<div class="HeaderMenu HeaderMenu-logged-out position-fixed top-0 right-0 bottom-0 height-</pre>
  <div class="d-flex d-lg-none flex-justify-end border-bottom bg-gray-light p-3">
    <button class="btn-link js-details-target" type="button" aria-label="Toggle navigation"</pre>
     <svg height="24" class="octicon octicon-x text-gray" viewBox="0 0 12 16" version="1.1"</pre>
    </button>
  </div>
    <nav class="mt-0 px-3 px-lg-0 mb-5 mb-lg-0" aria-label="Global">
     class="d-block d-lg-flex flex-lg-nowrap flex-lg-items-center border-bottom box
           <details class="HeaderMenu-details details-overlay details-reset width-full">
             <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap</pre>
               Why GitHub?
               <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" cla
</pre>
                 <path d="M1,116.2,6L13,1"></path>
               </svg>
             </summary>
             <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 mt-0 pb-4 p-lg-4 ]</pre>
               <a href="/features" class="py-2 lh-condensed-ultra d-block link-gray-dark no
               class="edge-item-fix"><a href="/features/code-review/" class="py-2 lh-</pre>
                 class="edge-item-fix"><a href="/features/project-management/" class="]</pre>
                 <a href="/features/integrations" class="py-2 lh-</pre>
                 class="edge-item-fix"><a href="/features/actions" class="py-2 lh-condeg"
</pre>
                     <a href="/features/packages" class="py-2 lh-</pre>
```

<a href="/features/security" class="py-2 lh-cond
<li class="edge-item-fix"><a href="/features#team-management" class="py-2
<li class="edge-item-fix"><a href="/features#hosting" class="py-2 lh-condege="/features#hosting" class="py-2 lh-condege="/features#hosting"</pre>

```
class="edge-item-fix"><a href="/customer-stories" class="py-2 lh-condeg">
       class="edge-item-fix"><a href="/security" class="py-2 lh-condensed-ul-</pre>
     </div>
 </details>
<a href="/enterprise" class="HeaderMenu-link no-underline py-3 d-block d-lg-inl:</pre>
class="d-block d-lg-flex flex-lg-nowrap flex-lg-items-center border-bottom box
 <details class="HeaderMenu-details details-overlay details-reset width-full">
   <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap</pre>
     Explore
     <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" cla
</pre>
       <path d="M1,116.2,6L13,1"></path>
     </svg>
   </summary>
   <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 pt-2 pb-0 mt-0 pb-</pre>
     class="edge-item-fix"><a href="/explore" class="py-2 lh-condensed-ult:</pre>
     <h4 class="text-gray-light text-normal text-mono f5 mb-2 border-lg-top pt-lg</pre>
     class="edge-item-fix"><a href="/topics" class="py-2 lh-condensed-ultra"</pre>
         class="edge-item-fix"><a href="/collections" class="py-2 lh-condense</pre>
       class="edge-item-fix"><a href="/trending" class="py-2 lh-condensed-ul-</pre>
       class="edge-item-fix"><a href="https://lab.github.com/" class="py-2 1]</pre>
       class="edge-item-fix"><a href="https://opensource.guide" class="py-2 ]</pre>
     <h4 class="text-gray-light text-normal text-mono f5 mb-2 border-lg-top pt-lg</pre>
     class="edge-item-fix"><a href="https://github.com/events" class="py-2"</pre>
       class="edge-item-fix"><a href="https://github.community" class="py-2 ]</pre>
       class="edge-item-fix"><a href="https://education.github.com" class="pg</pre>
     </div>
 </details>
```

```
<a href="/marketplace" class="HeaderMenu-link no-underline py-3 d-block d-lg-in:
                     class="d-block d-lg-flex flex-lg-nowrap flex-lg-items-center border-bottom box
                         <details class="HeaderMenu-details details-overlay details-reset width-full">
                             <summary class="HeaderMenu-summary HeaderMenu-link px-0 py-3 border-0 no-wrap</pre>
                                 Pricing
                                  <svg x="0px" y="0px" viewBox="0 0 14 8" xml:space="preserve" fill="none" cla
</pre>
                                        <path d="M1,116.2,6L13,1"></path>
                                  </svg>
                             </summary>
                             <div class="dropdown-menu flex-auto rounded-1 bg-white px-0 pt-2 pb-4 mt-0 p-</pre>
                                  <a href="/pricing" class="pb-2 lh-condensed-ultra d-block link-gray-dark no-
                                 class="edge-item-fix"><a href="/pricing#feature-comparison" class="py-</pre>
                                      class="edge-item-fix"><a href="https://enterprise.github.com/contact"</pre>
                                  class="edge-item-fix"><a href="/nonprofit" class="py-2 lh-condensed-ui</pre>
                                      <a href="https://education.github.com" class="py</pre>
                                 </div>
                         </details>
                     </nav>
    <div class="d-lg-flex flex-items-center px-3 px-lg-0 text-center text-lg-left">
            <div class="d-lg-flex mb-3 mb-lg-0">
                 <div class="header-search flex-self-stretch flex-lg-self-auto mr-0 mr-lg-3 mb-3 mb-3</pre>
role="combobox" aria-owns="jump-to-results" aria-label="Search or jump to"
aria-haspopup="listbox" aria-expanded="false" >
<!-- '"` --><!-- </textarea></xmp> --></option></form><form class="js-site-search-form" role of the content o
    <label class="form-control input-sm header-search-wrapper p-0 header-search-wrapper-jump-</pre>
         <input type="text"</pre>
            class="form-control input-sm header-search-input jump-to-field js-jump-to-field js-si
            data-hotkey="s,/"
            name="q"
            value=""
            placeholder="Search"
            data-unscoped-placeholder="Search GitHub"
```

```
data-scoped-placeholder="Search"
                   autocapitalize="off"
                  aria-autocomplete="list"
                  aria-controls="jump-to-results"
                   aria-label="Search"
                   data-jump-to-suggestions-path="/_graphql/GetSuggestedNavigationDestinations"
                   spellcheck="false"
                   autocomplete="off"
                         <input type="hidden" value="zqXcXR5ryeL2fAni0+vQxYe6PiJrXEoiq+pdrT4SaKYPMQTvIvUQSEf;</pre>
                   <input type="hidden" class="js-site-search-type-field" name="type" >
                         <img src="https://github.githubassets.com/images/search-key-slash.svg" alt="" class:</pre>
                         <div class="Box position-absolute overflow-hidden d-none jump-to-suggestions js-jump</p>
      <svg height="16" width="16" class="oction oction-repo flex-shrink-0 js-jump-to-oction-repo flex-shrink-0 js-jump-to-o
      <svg height="16" width="16" class="oction oction-project flex-shrink-0 js-jump-to-octice</pre>
      <svg height="16" width="16" class="oction oction-search flex-shrink-0 js-jump-to-oction</pre>
</div>
<img class="avatar mr-2 flex-shrink-0 js-jump-to-suggestion-avatar d-none" alt="" aria-labe.</pre>
<div class="jump-to-suggestion-name js-jump-to-suggestion-name flex-auto overflow-hidden te</pre>
</div>
<div class="border rounded-1 flex-shrink-0 bg-gray px-1 text-gray-light ml-1 f6 d-none js-ju</pre>
      <span class="js-jump-to-badge-search-text-default d-none" aria-label="in this repository";</pre>
            In this repository
      </span>
      <span class="js-jump-to-badge-search-text-global d-none" aria-label="in all of GitHub">
            All GitHub
      </span>
      <span aria-hidden="true" class="d-inline-block ml-1 v-align-middle"> </span>
</div>
<div aria-hidden="true" class="border rounded-1 flex-shrink-0 bg-gray px-1 text-gray-light r</pre>
      <span class="d-inline-block ml-1 v-align-middle"> </span>
</div>
No suggested jump to results
      <svg height="16" width="16" class="oction oction-repo flex-shrink-0 js-jump-to-oction-report flex-shrink-0 js-jump-to-oction-repor
      <svg height="16" width="16" class="oction oction-project flex-shrink-0 js-jump-to-oction")</pre>
      <svg height="16" width="16" class="oction oction-search flex-shrink-0 js-jump-to-oction</pre>
```

</div>

```
<img class="avatar mr-2 flex-shrink-0 js-jump-to-suggestion-avatar d-none" alt="" aria-labe:</pre>
<div class="jump-to-suggestion-name js-jump-to-suggestion-name flex-auto overflow-hidden tex</pre>
</div>
<div class="border rounded-1 flex-shrink-0 bg-gray px-1 text-gray-light ml-1 f6 d-none js-ju</pre>
    <span class="js-jump-to-badge-search-text-default d-none" aria-label="in this repository";</pre>
        In this repository
    </span>
    <span class="js-jump-to-badge-search-text-global d-none" aria-label="in all of GitHub">
    </span>
    <span aria-hidden="true" class="d-inline-block ml-1 v-align-middle"> </span>
</div>
<div aria-hidden="true" class="border rounded-1 flex-shrink-0 bg-gray px-1 text-gray-light r</pre>
    <span class="d-inline-block ml-1 v-align-middle"> </span>
</div>
    <svg height="16" width="16" class="octicon octicon-repo flex-shrink-0 js-jump-to-octicon-repo flex-shri
    <svg height="16" width="16" class="oction oction-project flex-shrink-0 js-jump-to-octice</pre>
    <svg height="16" width="16" class="octicon octicon-search flex-shrink-0 js-jump-to-octicon
</div>
<img class="avatar mr-2 flex-shrink-0 js-jump-to-suggestion-avatar d-none" alt="" aria-labe.</pre>
<div class="jump-to-suggestion-name js-jump-to-suggestion-name flex-auto overflow-hidden tex</pre>
</div>
<div class="border rounded-1 flex-shrink-0 bg-gray px-1 text-gray-light ml-1 f6 d-none js-ju</pre>
    <span class="js-jump-to-badge-search-text-default d-none" aria-label="in this repository";</pre>
        In this repository
    </span>
    <span class="js-jump-to-badge-search-text-global d-none" aria-label="in all of GitHub">
        All GitHub
    </span>
    <span aria-hidden="true" class="d-inline-block ml-1 v-align-middle"> </span>
</div>
<div aria-hidden="true" class="border rounded-1 flex-shrink-0 bg-gray px-1 text-gray-light r</pre>
    <span class="d-inline-block ml-1 v-align-middle"> </span>
</div>
                 </div>
```

```
</label>
    </div>
    <a href="/login?return_to=%2Ftgeorgako%2Ftgeorgako.github.io%2Fblob%2Fmaster%2Findex.md</p>
     class="HeaderMenu-link no-underline mr-3"
     data-hydro-click="{"event_type":"authentication.click","paylo
     data-ga-click="(Logged out) Header, clicked Sign in, text:sign-in">
    </a>
     <a href="/join?source=header-repo&amp;source_repo=tgeorgako%2Ftgeorgako.github.io"</pre>
       class="HeaderMenu-link d-inline-block no-underline border border-gray-dark rounded-
       data-hydro-click="{"event_type":"authentication.click","pa
       data-ga-click="(Logged out) Header, clicked Sign up, text:sign-up">
       Sign up
     </a>
  </div>
</div>
    <div itemscope itemtype="http://schema.org/SoftwareSourceCode" class="">
<main >
<div class="container-lg mb-4 p-responsive d-none d-lg-flex">
 <div class="flex-auto min-width-0 width-fit mr-3">
    <h1 class="public d-flex flex-wrap flex-items-center break-word float-none ">
<svg class="octicon octicon-repo" viewBox="0 0 12 16" version="1.1" width="12" height="16" a</pre>
tgeorgako / tgeorgako.github.io
  </div>
  Watch 1
Star 0
Fork 0
Code
<span itemscope itemtype="http://schema.org/ListItem" itemprop="itemListElement">
  <a itemprop="url" data-hotkey="g i" class="js-selected-navigation-item reponav-item" data-</pre>
    <div class="d-inline"><svg class="oction oction-issue-opened" viewBox="0 0 14 16" vers</pre>
    <span itemprop="name">Issues</span>
    <span class="Counter">0</span>
    <meta itemprop="position" content="2">
  <span itemprop="name">Pull requests</span>
```

```
<span class="Counter">0</span>
  <meta itemprop="position" content="4">
<span itemscope itemtype="http://schema.org/ListItem" itemprop="itemListElement" class="pos</pre>
  <a data-hotkey="g w" data-skip-pjax="true" class="js-selected-navigation-item reponav-item</p>
    <div class="d-inline"><svg class="octicon octicon-play" viewBox="0 0 14 16" version="1.</pre>
    Actions
<a data-hotkey="g b" class="js-selected-navigation-item reponav-item" data-selected-links="s</pre>
  <div class="d-inline"><svg class="octicon octicon-project" viewBox="0 0 15 16" version="1</pre>
 Projects
  <span class="Counter" >0</span>
<a data-skip-pjax="true" class="js-selected-navigation-item reponav-item" data-selected-linl</p>
  <div class="d-inline"><svg class="octicon octicon-shield" viewBox="0 0 14 16" version="1.:</pre>
  Security
  Insights
<span itemscope itemtype="http://schema.org/ListItem" itemprop="itemListElement">
  <a class="js-selected-navigation-item selected reponav-item" itemprop="url" aria-current=</pre>
    <span itemprop="name">Code</span>
    <meta itemprop="position" content="1">
  <span itemscope itemtype="http://schema.org/ListItem" itemprop="itemListElement">
    <a itemprop="url" class="js-selected-navigation-item reponav-item" data-selected-links=</pre>
      <span itemprop="name">Issues</span>
      <span class="Counter">0</span>
      <meta itemprop="position" content="2">
<span itemscope itemtype="http://schema.org/ListItem" itemprop="itemListElement">
  <a itemprop="url" class="js-selected-navigation-item reponav-item" data-selected-links="re</pre>
    <span itemprop="name">Pull requests</span>
    <span class="Counter">0</span>
    <meta itemprop="position" content="4">
  <span itemscope itemtype="http://schema.org/ListItem" itemprop="itemListElement">
    <a itemprop="url" class="js-selected-navigation-item reponav-item" data-selected-links=</pre>
      <span itemprop="name">Projects</span>
      <span class="Counter">0</span>
      <meta itemprop="position" content="5">
  <span itemscope itemtype="http://schema.org/ListItem" itemprop="itemListElement">
    <a itemprop="url" class="js-selected-navigation-item reponav-item" data-selected-links=</pre>
      <span itemprop="name">Actions</span>
      <meta itemprop="position" content="6">
  <a itemprop="url" class="js-selected-navigation-item reponav-item" data-selected-links="se</pre>
    <span itemprop="name">Security</span>
    <meta itemprop="position" content="8">
```

```
Pulse
<a class="d-none js-permalink-shortcut" data-hotkey="y" href="/tgeorgako/tgeorgako.github.i</pre>
<!-- blob contrib key: blob_contributors:v21:d5a0e344835214e46476ae084be599f0 -->
         <div class="signup-prompt-bg rounded-1 js-signup-prompt" data-prompt="signup" hidden>
<div class="signup-prompt p-4 text-center mb-4 rounded-1">
    <div class="position-relative">
         <button type="button" class="position-absolute top-0 right-0 btn-link link-gray js-sign</pre>
             Dismiss
         </button>
         <h3 class="pt-2">Join GitHub today</h3>
         GitHub is home to over 40 million developers working together for the content of 
         <a class="btn btn-primary" data-hydro-click="{&quot;event_type&quot;:&quot;authentication</pre>
    </div>
</div>
<div class="d-flex flex-items-start flex-shrink-0 pb-3 flex-column flex-md-row">
     <span class="d-flex flex-justify-between width-full width-md-auto">
Branch: master
    <include-fragment class="SelectMenu-loading" aria-label="Menu is loading">
         <svg class="octicon octicon-octoface anim-pulse" height="32" viewBox="0 0 16 16" version</pre>
     </include-fragment>
</div>
         <div class="BtnGroup flex-shrink-0 d-md-none">
              <a href="/tgeorgako/tgeorgako.github.io/find/master"</pre>
                           class="js-pjax-capture-input btn btn-sm BtnGroup-item"
                           data-pjax
                           data-hotkey="t">
                 Find file
              </a>
              <clipboard-copy value="index.md" class="btn btn-sm BtnGroup-item">
                  Copy path
              </clipboard-copy>
         </div>
    </span>
    <h2 id="blob-path" class="breadcrumb flex-auto min-width-0 text-normal flex-md-self-center</pre>
         <pan class="js-repo-root text-bold"><span class="js-path-segment"><a data-pjax="true" l
    <div class="BtnGroup flex-shrink-0 d-none d-md-inline-block">
```

class="js-pjax-capture-input btn btn-sm BtnGroup-item"

<a href="/tgeorgako/tgeorgako.github.io/find/master"</pre>

data-pjax

```
data-hotkey="t">
      Find file
    </a>
    <clipboard-copy value="index.md" class="btn btn-sm BtnGroup-item">
      Copy path
    </clipboard-copy>
  </div>
</div>
<include-fragment src="/tgeorgako/tgeorgako.github.io/contributors/master/index.md" class="l</pre>
  <div class="Box-body bg-blue-light f6">
    Fetching contributors…
  </div>
  <div class="Box-body d-flex flex-items-center" >
      <img alt="" class="loader-loading mr-2" src="https://github.githubassets.com/images/sp</pre>
    <span class="text-red h6 loader-error">Cannot retrieve contributors at this time</span>
  </div>
<div class="Box mt-3 position-relative">
  10 lines (10 sloc)
  <span class="file-info-divider"></span>
295 Bytes
<div class="BtnGroup">
  <a id="raw-url" class="btn btn-sm BtnGroup-item" href="/tgeorgako/tgeorgako.github.io/raw,</pre>
    <a class="btn btn-sm js-update-url-with-hash BtnGroup-item" data-hotkey="b" href="/tgeor</pre>
  <a rel="nofollow" class="btn btn-sm BtnGroup-item" href="/tgeorgako/tgeorgako.github.io/co"</pre>
</div>
<div>
      <a class="btn-octicon tooltipped tooltipped-nw js-remove-unless-mac-or-win"</pre>
         href="https://desktop.github.com"
         aria-label="Open this file in GitHub Desktop"
         data-ga-click="Repository, open with desktop">
          <svg class="octicon octicon-device-desktop" viewBox="0 0 16 16" version="1.1" wid-</pre>
      </a>
      <button type="button" class="btn-oction disabled tooltipped tooltipped-nw"</pre>
        aria-label="You must be signed in to make or propose changes">
```

```
<svg class="octicon octicon-pencil" viewBox="0 0 14 16" version="1.1" width="14" he:</pre>
     <button type="button" class="btn-oction btn-oction-danger disabled tooltipped toolt:</pre>
       aria-label="You must be signed in to make or propose changes">
       <svg class="octicon octicon-trashcan" viewBox="0 0 12 16" version="1.1" width="12" ]</pre>
     </button>
</div>
<article class="markdown-body entry-content p-3 p-md-6" itemprop="text">
layout
default
Go
© 2020 GitHub, Inc.
   class="mr-3 mr-lg-0"><a data-ga-click="Footer, go to terms, text:terms" href="https</pre>
   <a data-ga-click="Footer, go to privacy, text:privacy" href="h</pre>
   class="mr-3 mr-lg-0"><a data-ga-click="Footer, go to security, text:security" href=</pre>
   class="mr-3 mr-lg-0"><a href="https://githubstatus.com/" data-ga-click="Footer, go +</pre>
   <a data-ga-click="Footer, go to help, text:help" href="https://help.github.com">Help</a>
<a aria-label="Homepage" title="GitHub" class="footer-octicon d-none d-lg-block mx-lg-4" hre</pre>
 <svg height="24" class="octicon octicon-mark-github" viewBox="0 0 16 16" version="1.1" wid</pre>
Contact GitHub
Pricing
API
Training
```

Blog

About

<svg class="octicon octicon-alert" viewBox="0 0 16 16" version="1.1" width="16" height="16"</pre> <button type="button" class="flash-close js-ajax-error-dismiss" aria-label="Dismiss error"> <svg class="oction oction-x" viewBox="0 0 12 16" version="1.1" width="12" height="16" ar</pre> </button>

You can't perform that action at this time.

<svg class="octicon octicon-alert" viewBox="0 0 16 16" version="1.1" width="16" height="16"</pre> You signed in with another tab or wind You signed out in another tab or wind