

INFORMATION - INFANT AND YOUNG CHILD FEEDING

1. Recommended breast-feeding practices

- Place the infant skin-to-skin with the mother immediately after birth
- breast-feeding within the first hour after birth
- Exclusive breastfeeding from 0 to 6 months
- Breastfeed often, day and night
- Breastfeed on demand whenever the baby asks to be breastfed
- Let the baby finish one breast and let go of it before moving on to the other.
- Good position and grip
- Continue breast-feeding until age 2 or longer
- Continue breast-feeding when mother or baby is ill
- The mother must eat her fill and drink her thirst

2. Recommended supplementary feeding practices

Age	Recommendations			
	Frequency (per day)	Quantity	texture /thickness/consistency	Variety
Starting complementary feeding when baby is 6 months old	2 to 3 meals+ frequent feedings	Start with 2 to 3 tablespoons, begin with tastings and gradually increase the quantity	thick porridge/purée	Breast milk (breastfeed as often as the child wants) + Foods of animal origin (local examples) + Staple foods (porridge, other local examples) + Pulses (local examples) + Fruit / Vegetables
From 6 to 9 months	2 to 3 meals plus frequent feedings / 1 to 2 snacks may be offered	2 to 3 per meal Gradually increase up to half (½) of a 250 ml cup/bowl	Thick porridge Purée / Pureed family food	
From 9 to 12 months	3 to 4 meals plus frequent feedings / 1 to 2 snacks may be offered	Half (½) of a 250 ml cup / bowl	Finely chopped family foods Appetizers Sliced foods	

From 12 to 23 month	3 to 4 meals plus frequent feedings	Three-quarters ($\frac{3}{4}$) to 1 cup/bowl of 250 ml	Sliced food Family food	
Note : If the child unless 23 months and if not not breast-fed	Add 1 à 2 additional meals 1 à 2 snacks can be offered	Same as above by age group	Same as above by age group	Add 1 to 2 cups of milk per day+ 2 to 3 cups of liquid additional especially in the hot climates