

DOSAGE FOR CHILDREN

This sheet gives the doses of medicines used for children. The doses are related to the child's weight, which must be weighed systematically at each consultation.

Drug	Form and dosage	Dose/kg/d	Daily doses				
			2-4 kg	4-8 kg	8-12 kg	12-15 kg	15-19 kg
ASA - Acetylsalicylic acid (children >15 years)	cp 500 mg	50 mg/kg/day	no	no	no	no	½ cp x 3
Amoxicillin	syrup 125 mg	50 mg/kg/day	½ càc x 2	1 tsp x 2	no	no	no
	250 mg syrup	50 mg/kg/day	no	½ càc x 2	1 tsp x 2	no	no
	Cp / gel 250 mg	50 mg/kg/day	no	½ cp x 2	1 cp x 2	1 cp x 3	no
	Cp / gel 500 mg	50 mg/kg/day	no	no	no	no	1 cp x 2
Ampicillin	syrup 125 mg/5ml	50 mg/kg/day	½ càc x 2	1 tsp x 2	no	no	no
	syrup 250 mg/5ml	50 mg/kg/day	no	½ càc x 2	1 tsp x 2	no	no
	Cp 250mg	50 mg/kg/day	no	½ cp x 2	1 cp x 2	1 cp x 3	no
	500 mg capsule	50 mg/kg/day	no	no	no	no	1gel x 2
Albendazole	Syrup 4% 10 ml	Single socket	no	no	5 ml	10 ml	10 ml
	Cp 400 mg	Single socket	no	no	½ cp	1cp	1cp
Clindamycin (for treatment of malaria)	75 mg capsule or 150 mg	10 mg/kg/d	no	no	1 capsule 75 mg	1 capsule 75mg	1 capsule 150 mg
Ciprofloxacin (child >6 years old)	250 mg tablet	15 mg/kg/day	no	no	no	½ cp	½ cp x2
	Cp 500 mg	15 mg/kg/day					1/4 cp x2
Cotrimoxazole (SMX/TMT)	cp 400/80 mg	40 mg/kg/day	no	¼ cp x 2	½ cp x 2	½ cp x 3	1 cp x 2

Drug	Form and dosage	Dose/kg/d	Daily doses				
			2-4 kg	4-8 kg	8-12 kg	12-15 kg	15-19 kg
Dexamethazone	Amp 4 mg/1ml	0,2-0,4 mg/kg/d	no	no	no	1/2 ampx2	1 amp x2
Diazepam	Amp 10mg/2ml	0.5 mg/kg	1 mg	1 mg	2 mg	5 mg	5 mg
Doxycycline (children > 8 years)	100 mg tablet	4 mg/kg/d	no	no	no	no	1cp
Furosemide	Cp 40 mg	1-2mg/ kg/j	no	no	¼ cp	½ cp	1/2 cpx2
Furosemide [IM]	Amp 20 mg/2ml	0,5-1 mg/kg/inj	0.2 ml	0.3 ml	0.75 ml	1 ml	1.5 ml
Gentamicin	amp 10mg/1 ml	3 mg/kg/day	1 ml x 2	1.5 ml x 2	no	no	no
	amp 40mg/2 ml	3 mg/kg/day	no	no	1 ml x 2	1.5ml x 2	2 ml x 2
Griseofulvin	250 mg tablet	10 mg/kg/day	no	no	no	no	½ cp x2
	Cp 500 mg	10 mg/kg/day	no	no	no	no	¼ cp x2
Hydrocortisone hemisuccinate	Powder for inj. 100 mg	5mg/kg to be repeated on demand	10-20 mg	20-40 mg	40-60 mg	60-75 mg	75-95 mg
Aluminum hydroxide	Cp 500 mg		no	no	no	no	1 cp x 3
Hyoscine	Cp 10 mg	1 to 2 cp/d	no	no	no	no	10mg (to be renewed if necessary)
	Amp inj 20 mg	10 à 20 mg/d	no	no	no	½ ml	1 ml
Mebendazole	100 mg tablet		no	no	1cp x2	1cp x2	1cp x2
Metoclopramide	Amp 10 mg		no	no	no	5 mg IM repeat	5 mg IM repeat
Metronidazole	250 mg cp	50 mg/kg/day	no	¼ cp x 3	½ cp x 3	½ cp x 3	1 cp x 2
Nystatin	Cp 500,000 U		no	no	½ cp x3/j	½ cp x3/j	1 cpx3/dr
	Suspension 100,000U/ml		1 tsp x3/d	2 tsp x3/d	no	no	no

Drug	Form and dosage	Dose/kg/d	Daily doses				
			2-4 kg	4-8 kg	8-12 kg	12-15 kg	15-19 kg
Paracetamol	syrup 125 mg	60 mg/kg/day	½ càc x 2	½ càc x 3	½ tsp x 4	1 tsp x 3	no
	cp 500 mg	30 mg/kg/day	¼ cp x 2	¼ cp x 2	¼ cp x 3	½ cp x 2	½ cp x 3
Penicillin V	250 mg cp	50-100.000 IU/kg/d	½ cp x 3	½ cp x 4	1 cp x 3	1 cp x 3	1cp ½ x3
Phenobarbital	Cp 50mg	5 mg/kg/day	no	no	½ cp x 2	½ cp x 2	1 cp x 2
	100 mg tablet	5 mg/kg/day	no	no	¼ cp x 2	¼ cp x 2	½ cp x 2
Praziquantel	Cp 600 mg	40 mg/kg single dose	no	no	no	no	1 cp
Promethazine	25 mg tablet	1-2 mg/kg/d	no	no	½cp x 2/d	½cp x 3/d	½cp x 3/d
Procaine penicillin	1 million IU	50.000 IU/kg	100.000 IU x2/d	150.000 IU x2/d	250.000 IU x2/d	350.000 IU x2/d	500.000 IU x2/d
Quinine	100 mg tablet	30 mg/kg	No	½ cpx3	1cp x3/d	1 cpx3/d	2 cpx3/d
	300 mg tablet	30 mg/kg	no	no	½ cpx3/j	½ cp x3/j	2/3 cp x3/d
	Cp 500 mg	30 mg/kg	no	no	no	¼ cp x3/j	1/3 cp x 3
	Amp 250 mg/2ml	30 mg/kg	no	150 mg/d	300 mg/d	400 mg/d	600 mg/d
	Amp 300 mg/2ml	30 mg/kg	no	150 mg/day	300 mg/d	400 mg/d	600 mg/d
	Amp 500 mg:2ml	30 mg/kg	no	150 mg/d	300 mg/d	400 mg/d	600 mg/d
	Amp 600 mg/2ml	30 mg/kg	no	150 mg/d	300 mg/d	400 mg/d	600 mg/d
Salbutamol	amp 0.5mg/1ml	0,1 mg/kg/d	no	no	no	1/4 amp	½ amp x2
	cp 2 mg	0.1mg/kg/d	no	no	½ cp x 2	½ cp x 2	½ cpx 3
Ferrous salt	100 mg syrup	20 mg/kg/day	no	½ càc x 2	½ càc x 3	1 tsp x 2	1 tsp x 3
	cp 200 mg	20 mg/kg/day	no	no	1 cp	1 cp	1 cp x 2

Drug	Form and dosage	Dose/kg/d	Daily doses				
			2-4 kg	4-8 kg	8-12 kg	12-15 kg	15-19 kg
Ferrous salt / folic acid	cp 200 / 0.25 mg	20mg/kg/d	no	no	1 cp	1 cp	1cp x2
SRO	According to PLAN (A, B or C of FT Rehydration / Cholera)						

Drug	Form and dosage	Treatment duration	Daily doses			
Artemether-Amodiaquine (AS+AQ)		3 days	4.5-8 kg (2-11 months)	9-17 kg (1-5 years)	18-35 kg (ages 6-13)	>35 kg (>14 years old)
	cp 25mg/67.5 mg		2 x 1cp	(2x 2cp)	(2x 4cp)	(2x 8cp)
	cp 50mg/135 mg		-	2 x 1cp	(2x 2cp)	(2x 4cp)
	cp 100mg/270 mg		-	-	2 x 1cp	2 x 2cp