FIRE TENDER
SWEPT PATH ANALYSIS

Notes:

1. Do not scale from this drawing. All dimensions are in metres, unless stated otherwise.
2. This drawing is based on the Architect's layout.
3. Ordnance Survey, (c) Crown Copyright 2023. All rights reserved. Licence number 100022432.
4. Drawing to be read in conjunction with all other drawings. Any discrepancies are to be reported to the engineer 5 working days in advance of undertaking any work.

Key:

20m — Max 20m reverse distance as per Section 13.4 of Part B5 Building Regulations

45m — Max 45m hose length as per Section 13.1 of Part B5 Building Regulations

Rev	Date	Details	By	Chkd
P03	07.11.24	Updated to suit new layout	EB	JB
P02	16.10.24	Amended following updates to masterplan	RH	RS
P01	01.08.24	First Issue	LB	RS

rappor

rappor.co.uk

CLIENT:
Vistry Homes Ltd.

PROJECT:
Woodlands
South Marston

TITLE:
Swepth Path Analysis
Fire Tender Analysis

SCALE @ A1:	DATE:	DRAWN:	CHECKED:	APPROVED:
1:500	01.08.24	LB	RS	RS

STATUS: PLANNING

DRAWING NO: 240616-RAP-XX-XX-DR-C-0102

REVISION: P03

RESERVED COPYRIGHT