Table A1: Results: Linear models

	Model 0			Model 1		
	Estimate	**Est. Err.**	**95% CrI**	**Estimate**	**Est. Err.**	**95% CrI**
Intercept	0.331	(0.015)	[0.301, 0.361]	0.288	(0.014)	[0.260, 0.317]
Country (Ref. = England)						
Wales	0.013	(0.035)	[−0.056, 0.081]	0.015	(0.032)	[−0.047, 0.079]
Scotland	−0.119	(0.027)	[−0.172, −0.066]	−0.114	(0.025)	[−0.163, −0.065]
Northern Ireland	0.038	(0.046)	[−0.051, 0.128]	0.031	(0.042)	[−0.052, 0.114]
Female	−0.110	(0.016)	[−0.141, −0.079]	−0.046	(0.015)	[−0.076, −0.016]
Age (Years logged)	0.043	(0.019)	[0.007, 0.080]	−0.083	(0.019)	[−0.120, −0.045]
Education	−0.018	(0.022)	[−0.061, 0.024]	0.012	(0.021)	[−0.028, 0.053]
Power source frame (Ref. = power station)						
Reactor frame	−0.047	(0.015)	[−0.075, −0.018]	−0.026	(0.014)	[−0.053, 0.001]
Location frame (Ref. = United Kingdom)						
Local frame	−0.044	(0.015)	[−0.072, −0.015]	−0.042	(0.014)	[−0.069, −0.016]
Distance to nearest nuclear site (km logged)	0.027	(0.012)	[0.003, 0.050]	0.028	(0.011)	[0.006, 0.049]
Follow news about electricity				0.153	(0.028)	[0.099, 0.207]
UK needs to produce a lot more electricity				0.277	(0.038)	[0.204, 0.351]
UK should be self-sufficient in electricity				−0.015	(0.040)	[−0.095, 0.063]
Critical to keep the price of electricity in the UK low				0.026	(0.036)	[−0.045, 0.096]
Trust in government (factor score)				0.061	(0.055)	[−0.049, 0.169]
Trust in electricity companies/suppliers (factor score)				0.106	(0.036)	[0.036, 0.177]
Concern with climate change (factor score)				−0.148	(0.056)	[−0.257, −0.037]
Ideology (left–right)				0.197	(0.033)	[0.133, 0.261]
n	1,276			1,276		
Bayes R^2	0.069	(0.012)	[0.048, 0.094]	0.212	(0.017)	[0.178, 0.246]
ELPD	−182.407	(40.897)		−75.481	(41.923)	
LOOIC	364.814	(81.794)		150.962	(83.847)	
Sigma	0.276	(0.006)	[0.266, 0.287]	0.252	(0.005)	[0.243, 0.262]
RMSE	0.275	(0.001)		0.250	(0.001)	

Table A1: Results: Linear models *(continued)*

	Model 2			Model 3			Model 4		
	Estimate	**Est. Err.**	**95% CrI**	**Estimate**	**Est. Err.**	**95% CrI**	**Estimate**	**Est. Err.**	**95% CrI**
Intercept	0.281	(0.015)	[0.253, 0.310]	0.282	(0.014)	[0.254, 0.310]	0.288	(0.014)	[0.260, 0.316]
Country (Ref. = England)									
Wales	0.033	(0.042)	[−0.049, 0.116]	0.014	(0.032)	[−0.049, 0.077]	0.016	(0.032)	[−0.047, 0.079]
Scotland	−0.045	(0.034)	[−0.110, 0.021]	−0.045	(0.033)	[−0.110, 0.020]	−0.113	(0.025)	[−0.162, −0.064]
Northern Ireland	0.017	(0.052)	[−0.086, 0.120]	0.033	(0.043)	[−0.051, 0.117]	0.030	(0.043)	[−0.053, 0.114]
Female	−0.045	(0.015)	[−0.075, −0.016]	−0.045	(0.015)	[−0.074, −0.015]	−0.046	(0.015)	[−0.076, −0.017]
Age (Years logged)	−0.081	(0.019)	[−0.118, −0.044]	−0.082	(0.019)	[−0.119, −0.044]	−0.083	(0.019)	[−0.120, −0.046]
Education	0.011	(0.021)	[−0.029, 0.052]	0.012	(0.020)	[−0.028, 0.052]	0.013	(0.021)	[−0.028, 0.053]
Power source frame (Ref. = power station)									
Reactor frame	−0.026	(0.014)	[−0.053, 0.001]	−0.026	(0.014)	[−0.053, 0.000]	−0.026	(0.014)	[−0.053, 0.001]
Location frame (Ref. = United Kingdom)									
Local frame	−0.030	(0.015)	[−0.058, −0.001]	−0.031	(0.014)	[−0.058, −0.003]	−0.042	(0.014)	[−0.069, −0.016]
Distance to nearest nuclear site (km logged)	0.026	(0.011)	[0.005, 0.047]	0.026	(0.011)	[0.005, 0.047]	0.026	(0.014)	[−0.002, 0.053]
Follow news about electricity	0.153	(0.028)	[0.099, 0.207]	0.153	(0.027)	[0.099, 0.206]	0.153	(0.028)	[0.098, 0.208]
UK needs to produce a lot more electricity	0.280	(0.038)	[0.207, 0.354]	0.280	(0.038)	[0.207, 0.354]	0.277	(0.038)	[0.203, 0.351]
UK should be self-sufficient in electricity	−0.017	(0.040)	[−0.096, 0.062]	−0.014	(0.040)	[−0.092, 0.065]	−0.016	(0.040)	[−0.094, 0.062]
Critical to keep the price of electricity in the UK low	0.023	(0.036)	[−0.048, 0.095]	0.022	(0.036)	[−0.048, 0.094]	0.026	(0.037)	[−0.046, 0.099]
Trust in government (factor score)	0.060	(0.055)	[−0.048, 0.168]	0.061	(0.055)	[−0.048, 0.170]	0.061	(0.055)	[−0.048, 0.170]
Trust in electricity companies/suppliers (factor score)	0.103	(0.036)	[0.031, 0.173]	0.103	(0.036)	[0.033, 0.173]	0.107	(0.036)	[0.036, 0.178]
Concern with climate change (factor score)	−0.147	(0.056)	[−0.257, −0.038]	−0.148	(0.056)	[−0.257, −0.037]	−0.148	(0.057)	[−0.259, −0.037]
Ideology (left–right)	0.193	(0.033)	[0.130, 0.257]	0.194	(0.033)	[0.130, 0.258]	0.196	(0.033)	[0.132, 0.261]
Wales × Local frame	−0.039	(0.058)	[−0.153, 0.075]						
Scotland × Local frame	−0.141	(0.046)	[−0.231, −0.051]	−0.141	(0.046)	[−0.230, −0.052]			
Northern Ireland × Local frame	0.037	(0.072)	[−0.102, 0.178]						
Distance to nearest nuclear site × Local frame							0.005	(0.021)	[−0.036, 0.047]
n	1,276			1,276			1,276		
Bayes R^2	0.215	(0.017)	[0.181, 0.248]	0.214	(0.017)	[0.181, 0.247]	0.213	(0.017)	[0.179, 0.246]
ELPD	−73.997	(42.061)		−71.807	(42.083)		−77.076	(41.981)	
LOOIC	147.993	(84.123)		143.615	(84.166)		154.152	(83.963)	
Sigma	0.251	(0.005)	[0.242, 0.261]	0.251	(0.005)	[0.242, 0.261]	0.252	(0.005)	[0.243, 0.262]
RMSE	0.251	(0.001)		0.251	(0.001)		0.250	(0.001)	

Models are linear models fit by Bayesian estimation in R (version 4.6.1) using brms (version 2.23.0) with the cmdstanr backend (Stan 2.40). Each model used 5 chains with 2,000 warmup and 10,000 post-warmup iterations per chain. Priors were weakly informative (normal) priors on all regression coefficients and default weakly informative priors on the model intercept [Student-t(3, 0.2, 2.5)] and the residual standard deviation (sigma) [Student-t(3, 0, 2.5)]. Estimates are posterior means with standard deviations in parentheses (Est. Error) and 95% equal-tailed credible intervals in brackets. All Rhat values were ≤ 1.001 and all bulk and tail effective sample sizes exceeded 37,000 with no divergent transitions.

Table A2: Results: Additional linear models

	Model 5			Model 6			Model 7		
	Estimate	**Est. Err.**	**95% CrI**	**Estimate**	**Est. Err.**	**95% CrI**	**Estimate**	**Est. Err.**	**95% CrI**
Intercept	0.289	(0.014)	[0.261, 0.317]	0.288	(0.014)	[0.260, 0.316]	0.289	(0.014)	[0.261, 0.318]
Country (Ref. = England)									
Wales	0.016	(0.032)	[−0.047, 0.078]	0.016	(0.032)	[−0.046, 0.079]	0.016	(0.032)	[−0.046, 0.078]
Scotland–Independence referendum: Yes	−0.254	(0.036)	[−0.325, −0.182]						
Scotland–Independence referendum: Not yes	−0.002	(0.032)	[−0.064, 0.060]						
Scotland–2024 vote: SNP				−0.237	(0.043)	[−0.322, −0.152]			
Scotland–2024 vote: Not SNP				−0.057	(0.029)	[−0.113, −0.002]			
Scotland–Party ID: SNP							−0.218	(0.048)	[−0.312, −0.123]
Scotland–Party ID: Not SNP							−0.077	(0.028)	[−0.131, −0.024]
Northern Ireland	0.030	(0.042)	[−0.053, 0.112]	0.030	(0.042)	[−0.052, 0.113]	0.031	(0.042)	[−0.052, 0.113]
Female	−0.047	(0.015)	[−0.076, −0.017]	−0.046	(0.015)	[−0.075, −0.016]	−0.047	(0.015)	[−0.077, −0.018]
Age (Years logged)	−0.082	(0.019)	[−0.118, −0.045]	−0.080	(0.019)	[−0.117, −0.043]	−0.082	(0.019)	[−0.118, −0.045]
Education	0.023	(0.020)	[−0.017, 0.063]	0.015	(0.021)	[−0.025, 0.055]	0.014	(0.021)	[−0.026, 0.055]
Power source frame (Ref. = power station)									
Reactor frame	−0.030	(0.014)	[−0.056, −0.003]	−0.027	(0.014)	[−0.054, −0.001]	−0.028	(0.014)	[−0.055, −0.001]
Location frame (Ref. = United Kingdom)									
Local frame	−0.040	(0.013)	[−0.066, −0.014]	−0.041	(0.014)	[−0.068, −0.015]	−0.043	(0.014)	[−0.070, −0.016]
Distance to nearest nuclear site (km logged)	0.030	(0.011)	[0.009, 0.051]	0.029	(0.011)	[0.007, 0.050]	0.027	(0.011)	[0.006, 0.049]
Follow news about electricity	0.156	(0.027)	[0.102, 0.210]	0.153	(0.028)	[0.099, 0.207]	0.156	(0.028)	[0.102, 0.210]
UK needs to produce a lot more electricity	0.260	(0.038)	[0.186, 0.334]	0.271	(0.037)	[0.197, 0.345]	0.274	(0.038)	[0.200, 0.348]
UK should be self-sufficient in electricity	−0.007	(0.040)	[−0.085, 0.071]	−0.018	(0.040)	[−0.097, 0.060]	−0.018	(0.040)	[−0.097, 0.061]
Critical to keep the price of electricity in the UK low	0.029	(0.036)	[−0.041, 0.099]	0.035	(0.036)	[−0.036, 0.105]	0.029	(0.036)	[−0.042, 0.100]
Trust in government (factor score)	0.038	(0.055)	[−0.070, 0.145]	0.048	(0.055)	[−0.060, 0.157]	0.052	(0.056)	[−0.057, 0.161]
Trust in electricity companies/suppliers (factor score)	0.100	(0.036)	[0.030, 0.169]	0.103	(0.036)	[0.032, 0.173]	0.105	(0.036)	[0.034, 0.176]
Concern with climate change (factor score)	−0.135	(0.056)	[−0.243, −0.024]	−0.140	(0.056)	[−0.250, −0.029]	−0.144	(0.056)	[−0.255, −0.035]
Ideology (left–right)	0.179	(0.033)	[0.116, 0.243]	0.187	(0.033)	[0.122, 0.251]	0.190	(0.033)	[0.125, 0.254]
n	1,276			1,276			1,276		
Bayes R^2	0.233	(0.018)	[0.199, 0.268]	0.225	(0.018)	[0.190, 0.259]	0.222	(0.018)	[0.187, 0.257]
ELPD	−62.055	(42.374)		−69.884	(42.513)		−72.800	(42.114)	
LOOIC	124.109	(84.748)		139.767	(85.026)		145.601	(84.229)	
Sigma	0.249	(0.005)	[0.240, 0.259]	0.251	(0.005)	[0.241, 0.261]	0.251	(0.005)	[0.242, 0.261]
RMSE	0.247	(0.001)		0.248	(0.001)		0.249	(0.001)	

Models are linear models fit by Bayesian estimation in R (version 4.6.1) using brms (version 2.23.0) with the cmdstanr backend (Stan 2.40). Each model used 5 chains with 2,000 warmup and 10,000 post-warmup iterations per chain. Priors were weakly informative (normal) priors on all regression coefficients and default weakly informative priors on the model intercept [Student-t(3, 0.2, 2.5)] and the residual standard deviation (sigma) [Student-t(3, 0, 2.5)]. Estimates are posterior means with standard deviations in parentheses (Est. Error) and 95% equal-tailed credible intervals in brackets. All Rhat values were ≤ 1.001 and all bulk and tail effective sample sizes exceeded 37,000 with no divergent transitions.

Table A3: Results: Linear models, non-responses on dependent variable removed

	Model 0a			Model 1a		
	Estimate	**Est. Err.**	**95% CrI**	**Estimate**	**Est. Err.**	**95% CrI**
Intercept	0.339	(0.016)	[0.308, 0.370]	0.291	(0.015)	[0.262, 0.321]
Country (Ref. = England)						
Wales	0.000	(0.035)	[−0.069, 0.069]	0.006	(0.033)	[−0.058, 0.070]
Scotland	−0.133	(0.028)	[−0.188, −0.078]	−0.120	(0.026)	[−0.172, −0.069]
Northern Ireland	0.038	(0.047)	[−0.055, 0.130]	0.029	(0.044)	[−0.057, 0.115]
Female	−0.097	(0.016)	[−0.130, −0.065]	−0.039	(0.016)	[−0.070, −0.008]
Age (Years logged)	0.045	(0.019)	[0.008, 0.083]	−0.083	(0.020)	[−0.122, −0.044]
Education	−0.008	(0.023)	[−0.053, 0.037]	0.015	(0.022)	[−0.027, 0.058]
Power source frame (Ref. = power station)						
Reactor frame	−0.048	(0.015)	[−0.078, −0.017]	−0.022	(0.014)	[−0.050, 0.006]
Location frame (Ref. = United Kingdom)						
Local frame	−0.045	(0.015)	[−0.075, −0.015]	−0.043	(0.014)	[−0.071, −0.016]
Distance to nearest nuclear site (km logged)	0.031	(0.012)	[0.007, 0.055]	0.029	(0.011)	[0.007, 0.051]
Follow news about electricity				0.149	(0.029)	[0.091, 0.205]
UK needs to produce a lot more electricity				0.287	(0.040)	[0.209, 0.365]
UK should be self-sufficient in electricity				−0.021	(0.042)	[−0.103, 0.062]
Critical to keep the price of electricity in the UK low				0.024	(0.038)	[−0.050, 0.098]
Trust in government (factor score)				0.065	(0.057)	[−0.047, 0.177]
Trust in electricity companies/suppliers (factor score)				0.109	(0.038)	[0.036, 0.184]
Concern with climate change (factor score)				−0.140	(0.058)	[−0.255, −0.026]
Ideology (left–right)				0.202	(0.034)	[0.136, 0.269]
n	1,220			1,220		
Bayes R^2	0.067	(0.012)	[0.045, 0.092]	0.208	(0.018)	[0.173, 0.243]
ELPD	−188.307	(40.773)		−91.218	(41.103)	
LOOIC	376.614	(81.547)		182.436	(82.207)	
Sigma	0.280	(0.006)	[0.269, 0.291]	0.256	(0.005)	[0.246, 0.267]
RMSE	0.277	(0.001)		0.253	(0.001)	

Table A3: Results: Linear models, non-responses on dependent variable removed *(continued)*

	Model 2a			Model 3a			Model 4a		
	Estimate	**Est. Err.**	**95% CrI**	**Estimate**	**Est. Err.**	**95% CrI**	**Estimate**	**Est. Err.**	**95% CrI**
Intercept	0.284	(0.015)	[0.255, 0.314]	0.285	(0.015)	[0.255, 0.314]	0.291	(0.015)	[0.262, 0.321]
Country (Ref. = England)									
Wales	0.022	(0.043)	[−0.062, 0.105]	0.004	(0.033)	[−0.060, 0.069]	0.006	(0.033)	[−0.057, 0.070]
Scotland	−0.050	(0.035)	[−0.119, 0.019]	−0.051	(0.035)	[−0.119, 0.018]	−0.120	(0.026)	[−0.171, −0.069]
Northern Ireland	0.011	(0.054)	[−0.095, 0.114]	0.031	(0.044)	[−0.055, 0.117]	0.028	(0.044)	[−0.058, 0.114]
Female	−0.038	(0.016)	[−0.068, −0.007]	−0.037	(0.016)	[−0.068, −0.006]	−0.039	(0.016)	[−0.070, −0.008]
Age (Years logged)	−0.080	(0.020)	[−0.119, −0.041]	−0.081	(0.020)	[−0.120, −0.042]	−0.083	(0.020)	[−0.121, −0.044]
Education	0.014	(0.022)	[−0.029, 0.057]	0.015	(0.022)	[−0.028, 0.057]	0.015	(0.022)	[−0.027, 0.057]
Power source frame (Ref. = power station)									
Reactor frame	−0.022	(0.014)	[−0.050, 0.006]	−0.022	(0.014)	[−0.050, 0.006]	−0.022	(0.014)	[−0.050, 0.006]
Location frame (Ref. = United Kingdom)									
Local frame	−0.031	(0.015)	[−0.060, −0.001]	−0.031	(0.015)	[−0.060, −0.003]	−0.043	(0.014)	[−0.071, −0.015]
Distance to nearest nuclear site (km logged)	0.028	(0.011)	[0.006, 0.050]	0.028	(0.011)	[0.005, 0.050]	0.027	(0.014)	[−0.002, 0.054]
Follow news about electricity	0.149	(0.029)	[0.092, 0.207]	0.149	(0.029)	[0.093, 0.205]	0.149	(0.029)	[0.092, 0.205]
UK needs to produce a lot more electricity	0.291	(0.040)	[0.213, 0.369]	0.291	(0.040)	[0.213, 0.368]	0.287	(0.040)	[0.210, 0.365]
UK should be self-sufficient in electricity	−0.023	(0.042)	[−0.105, 0.060]	−0.019	(0.042)	[−0.102, 0.064]	−0.021	(0.043)	[−0.104, 0.062]
Critical to keep the price of electricity in the UK low	0.021	(0.038)	[−0.053, 0.095]	0.020	(0.038)	[−0.054, 0.094]	0.025	(0.038)	[−0.049, 0.099]
Trust in government (factor score)	0.062	(0.057)	[−0.049, 0.173]	0.064	(0.057)	[−0.049, 0.177]	0.065	(0.057)	[−0.047, 0.177]
Trust in electricity companies/suppliers (factor score)	0.106	(0.037)	[0.032, 0.180]	0.107	(0.038)	[0.033, 0.181]	0.110	(0.038)	[0.036, 0.183]
Concern with climate change (factor score)	−0.138	(0.057)	[−0.251, −0.026]	−0.138	(0.058)	[−0.253, −0.023]	−0.141	(0.058)	[−0.254, −0.028]
Ideology (left–right)	0.197	(0.034)	[0.131, 0.263]	0.198	(0.034)	[0.132, 0.264]	0.202	(0.034)	[0.135, 0.268]
Wales × Local frame	−0.037	(0.058)	[−0.151, 0.077]						
Scotland × Local frame	−0.143	(0.048)	[−0.237, −0.050]						
Northern Ireland × Local frame	0.048	(0.074)	[−0.097, 0.196]						
Distance to nearest nuclear site × Local frame							0.006	(0.022)	[−0.037, 0.049]
n	1,220			1,220			1,220		
Bayes R^2	0.210	(0.017)	[0.176, 0.244]	0.209	(0.017)	[0.175, 0.243]	0.208	(0.018)	[0.174, 0.243]
ELPD	−89.618	(41.235)		−87.874	(41.346)		−92.521	(41.125)	
LOOIC	179.236	(82.469)		175.748	(82.691)		185.042	(82.250)	
Sigma	0.255	(0.005)	[0.245, 0.266]	0.255	(0.005)	[0.245, 0.265]	0.256	(0.005)	[0.246, 0.267]
RMSE	0.253	(0.001)		0.253	(0.001)		0.253	(0.001)	

Models are linear models fit by Bayesian estimation in R (version 4.6.1) using brms (version 2.23.0) with the cmdstanr backend (Stan 2.40). Each model used 5 chains with 2,000 warmup and 10,000 post-warmup iterations per chain. Priors were weakly informative (normal) priors on all regression coefficients and default weakly informative priors on the model intercept [Student-t(3, 0.2, 2.5)] and the residual standard deviation (sigma) [Student-t(3, 0, 2.5)]. Estimates are posterior means with standard deviations in parentheses (Est. Error) and 95% equal-tailed credible intervals in brackets. All Rhat values were ≤ 1.001 and all bulk and tail effective sample sizes exceeded 37,000 with no divergent transitions.

Table A4: Results: Additional linear models, non-responses on dependent variable removed

	Model 5a			Model 6a			Model 7a		
	Estimate	**Est. Err.**	**95% CrI**	**Estimate**	**Est. Err.**	**95% CrI**	**Estimate**	**Est. Err.**	**95% CrI**
Intercept	0.293	(0.015)	[0.264, 0.321]	0.291	(0.015)	[0.262, 0.321]	0.293	(0.015)	[0.264, 0.322]
Country (Ref. = England)									
Wales	0.006	(0.032)	[−0.057, 0.069]	0.008	(0.033)	[−0.056, 0.071]	0.007	(0.032)	[−0.056, 0.070]
Scotland–Independence referendum: Yes	−0.271	(0.038)	[−0.345, −0.197]						
Scotland–Independence referendum: Not yes	−0.004	(0.033)	[−0.068, 0.060]						
Scotland–2024 vote: SNP				−0.257	(0.045)	[−0.347, −0.168]			
Scotland–2024 vote: Not SNP				−0.061	(0.029)	[−0.119, −0.004]			
Scotland–Party ID: SNP							−0.238	(0.051)	[−0.337, −0.138]
Scotland–Party ID: Not SNP							−0.082	(0.028)	[−0.138, −0.027]
Northern Ireland	0.027	(0.043)	[−0.058, 0.112]	0.028	(0.044)	[−0.057, 0.114]	0.029	(0.044)	[−0.057, 0.115]
Female	−0.040	(0.016)	[−0.070, −0.009]	−0.039	(0.016)	[−0.070, −0.009]	−0.040	(0.016)	[−0.071, −0.010]
Age (Years logged)	−0.081	(0.020)	[−0.119, −0.042]	−0.079	(0.020)	[−0.118, −0.040]	−0.081	(0.020)	[−0.120, −0.042]
Education	0.027	(0.022)	[−0.015, 0.069]	0.018	(0.022)	[−0.024, 0.060]	0.016	(0.022)	[−0.026, 0.059]
Power source frame (Ref. = power station)									
Reactor frame	−0.026	(0.014)	[−0.054, 0.002]	−0.024	(0.014)	[−0.052, 0.004]	−0.024	(0.014)	[−0.052, 0.003]
Location frame (Ref. = United Kingdom)									
Local frame	−0.040	(0.014)	[−0.068, −0.013]	−0.042	(0.014)	[−0.070, −0.014]	−0.044	(0.014)	[−0.072, −0.016]
Distance to nearest nuclear site (km logged)	0.031	(0.011)	[0.009, 0.054]	0.030	(0.011)	[0.008, 0.052]	0.029	(0.011)	[0.007, 0.051]
Follow news about electricity	0.153	(0.029)	[0.096, 0.208]	0.149	(0.029)	[0.094, 0.205]	0.152	(0.029)	[0.096, 0.208]
UK needs to produce a lot more electricity	0.266	(0.039)	[0.189, 0.343]	0.278	(0.040)	[0.201, 0.356]	0.283	(0.040)	[0.205, 0.362]
UK should be self-sufficient in electricity	−0.008	(0.042)	[−0.091, 0.075]	−0.022	(0.042)	[−0.104, 0.061]	−0.023	(0.042)	[−0.105, 0.060]
Critical to keep the price of electricity in the UK low	0.027	(0.037)	[−0.047, 0.100]	0.034	(0.038)	[−0.040, 0.108]	0.028	(0.038)	[−0.046, 0.102]
Trust in government (factor score)	0.044	(0.058)	[−0.068, 0.156]	0.055	(0.057)	[−0.057, 0.167]	0.059	(0.057)	[−0.053, 0.172]
Trust in electricity companies/suppliers (factor score)	0.102	(0.037)	[0.029, 0.175]	0.105	(0.037)	[0.031, 0.178]	0.107	(0.038)	[0.033, 0.181]
Concern with climate change (factor score)	−0.128	(0.057)	[−0.240, −0.016]	−0.133	(0.058)	[−0.246, −0.018]	−0.138	(0.057)	[−0.250, −0.026]
Ideology (left–right)	0.184	(0.034)	[0.118, 0.250]	0.193	(0.034)	[0.127, 0.259]	0.195	(0.034)	[0.129, 0.261]
n	1,220			1,220			1,220		
Bayes R^2	0.231	(0.018)	[0.195, 0.266]	0.222	(0.018)	[0.186, 0.258]	0.219	(0.018)	[0.183, 0.255]
ELPD	−76.977	(41.804)		−84.797	(41.790)		−88.121	(41.392)	
LOOIC	153.955	(83.608)		169.595	(83.581)		176.242	(82.784)	
Sigma	0.253	(0.005)	[0.243, 0.263]	0.254	(0.005)	[0.244, 0.265]	0.255	(0.005)	[0.245, 0.266]
RMSE	0.248	(0.001)		0.250	(0.001)		0.250	(0.001)	

Models are linear models fit by Bayesian estimation in R (version 4.6.1) using brms (version 2.23.0) with the cmdstanr backend (Stan 2.40). Each model used 5 chains with 2,000 warmup and 10,000 post-warmup iterations per chain. Priors were weakly informative (normal) priors on all regression coefficients and default weakly informative priors on the model intercept [Student-t(3, 0.2, 2.5)] and the residual standard deviation (sigma) [Student-t(3, 0, 2.5)]. Estimates are posterior means with standard deviations in parentheses (Est. Error) and 95% equal-tailed credible intervals in brackets. All Rhat values were ≤ 1.001 and all bulk and tail effective sample sizes exceeded 37,000 with no divergent transitions.

Table A5: Results: Linear models, frequentist estimation (OLS)

	Model 0b			Model 1b		
	Estimate	**Std. Err.**	**95% CI**	**Estimate**	**Std. Err.**	**95% CI**
Intercept	0.330	(0.016)	[0.299, 0.361]	0.284	(0.015)	[0.255, 0.313]
Country (Ref. = England)						
Wales	0.017	(0.036)	[−0.054, 0.087]	0.019	(0.033)	[−0.046, 0.084]
Scotland	−0.124	(0.028)	[−0.178, −0.070]	−0.117	(0.025)	[−0.167, −0.067]
Northern Ireland	0.037	(0.048)	[−0.058, 0.132]	0.029	(0.045)	[−0.058, 0.116]
Female	−0.111	(0.016)	[−0.142, −0.080]	−0.043	(0.015)	[−0.073, −0.013]
Age (Years logged)	0.045	(0.019)	[0.008, 0.082]	−0.091	(0.019)	[−0.129, −0.053]
Education	−0.017	(0.022)	[−0.060, 0.026]	0.014	(0.021)	[−0.027, 0.055]
Power source frame (Ref. = power station)						
Reactor frame	−0.045	(0.015)	[−0.075, −0.014]	−0.022	(0.014)	[−0.050, 0.006]
Location frame (Ref. = United Kingdom)						
Local frame	−0.042	(0.015)	[−0.072, −0.011]	−0.041	(0.014)	[−0.069, −0.013]
Distance to nearest nuclear site (km logged)	0.034	(0.013)	[0.008, 0.060]	0.034	(0.012)	[0.010, 0.058]
Follow news about electricity				0.158	(0.028)	[0.102, 0.213]
UK needs to produce a lot more electricity				0.295	(0.039)	[0.218, 0.372]
UK should be self-sufficient in electricity				−0.018	(0.042)	[−0.100, 0.064]
Critical to keep the price of electricity in the UK low				0.024	(0.038)	[−0.050, 0.098]
Trust in government (factor score)				0.081	(0.063)	[−0.042, 0.205]
Trust in electricity companies/suppliers (factor score)				0.107	(0.039)	[0.031, 0.182]
Concern with climate change (factor score)				−0.170	(0.064)	[−0.296, −0.044]
Ideology (left–right)				0.199	(0.034)	[0.132, 0.267]
n	1,276			1,276		
R^2	0.080			0.239		
Adjusted R^2	0.073			0.229		
F-statistic	12.179			23.256		
RMSE	0.274			0.249		

Table A5: Results: Linear models, frequentist estimation (OLS) *(continued)*

	Model 2b			Model 3b			Model 4b		
	Estimate	**Std. Err.**	**95% CI**	**Estimate**	**Std. Err.**	**95% CI**	**Estimate**	**Std. Err.**	**95% CI**
Intercept	0.276	(0.015)	[0.246, 0.305]	0.276	(0.015)	[0.247, 0.306]	0.284	(0.015)	[0.255, 0.313]
Country (Ref. = England)									
Wales	0.044	(0.046)	[−0.047, 0.135]	0.017	(0.033)	[−0.047, 0.082]	0.020	(0.033)	[−0.045, 0.084]
Scotland	−0.038	(0.035)	[−0.107, 0.032]	−0.039	(0.035)	[−0.108, 0.031]	−0.117	(0.025)	[−0.167, −0.067]
Northern Ireland	0.010	(0.061)	[−0.109, 0.129]	0.032	(0.044)	[−0.055, 0.119]	0.029	(0.045)	[−0.059, 0.116]
Female	−0.042	(0.015)	[−0.072, −0.012]	−0.042	(0.015)	[−0.072, −0.012]	−0.043	(0.015)	[−0.073, −0.013]
Age (Years logged)	−0.088	(0.019)	[−0.126, −0.050]	−0.089	(0.019)	[−0.127, −0.051]	−0.091	(0.020)	[−0.129, −0.053]
Education	0.012	(0.021)	[−0.029, 0.053]	0.013	(0.021)	[−0.028, 0.054]	0.014	(0.021)	[−0.027, 0.055]
Power source frame (Ref. = power station)									
Reactor frame	−0.022	(0.014)	[−0.050, 0.006]	−0.022	(0.014)	[−0.050, 0.005]	−0.022	(0.014)	[−0.050, 0.006]
Location frame (Ref. = United Kingdom)									
Local frame	−0.025	(0.016)	[−0.056, 0.005]	−0.027	(0.015)	[−0.056, 0.002]	−0.041	(0.014)	[−0.069, −0.013]
Distance to nearest nuclear site (km logged)	0.032	(0.012)	[0.008, 0.056]	0.032	(0.012)	[0.008, 0.055]	0.036	(0.017)	[0.003, 0.068]
Follow news about electricity	0.158	(0.028)	[0.103, 0.214]	0.157	(0.028)	[0.102, 0.213]	0.158	(0.028)	[0.102, 0.213]
UK needs to produce a lot more electricity	0.299	(0.039)	[0.222, 0.376]	0.299	(0.039)	[0.222, 0.375]	0.295	(0.039)	[0.217, 0.372]
UK should be self-sufficient in electricity	−0.021	(0.042)	[−0.104, 0.061]	−0.017	(0.042)	[−0.099, 0.065]	−0.018	(0.042)	[−0.100, 0.065]
Critical to keep the price of electricity in the UK low	0.022	(0.038)	[−0.052, 0.096]	0.020	(0.038)	[−0.053, 0.094]	0.024	(0.038)	[−0.050, 0.098]
Trust in government (factor score)	0.081	(0.063)	[−0.043, 0.204]	0.082	(0.063)	[−0.041, 0.205]	0.081	(0.063)	[−0.043, 0.205]
Trust in electricity companies/suppliers (factor score)	0.102	(0.039)	[0.026, 0.177]	0.103	(0.038)	[0.027, 0.178]	0.107	(0.039)	[0.031, 0.182]
Concern with climate change (factor score)	−0.169	(0.064)	[−0.294, −0.044]	−0.170	(0.064)	[−0.295, −0.044]	−0.170	(0.064)	[−0.295, −0.044]
Ideology (left–right)	0.195	(0.034)	[0.128, 0.263]	0.196	(0.034)	[0.129, 0.263]	0.199	(0.034)	[0.132, 0.267]
Wales × Local frame	−0.053	(0.065)	[−0.180, 0.074]						
Scotland × Local frame	−0.157	(0.050)	[−0.254, −0.060]	−0.156	(0.049)	[−0.252, −0.059]			
Northern Ireland × Local frame	0.045	(0.086)	[−0.124, 0.214]						
Distance to nearest nuclear site × Local frame							−0.004	(0.023)	[−0.049, 0.042]
n	1,276			1,276			1,276		
R^2	0.246			0.245			0.239		
Adjusted R^2	0.234			0.234			0.228		
F-statistic	20.438			22.673			21.948		
RMSE	0.250			0.250			0.249		

Models are linear models fit by ordinary least squares in R (version 4.6.1). Estimates are presented with standard errors in parentheses (Std. Err.) and 95% confidence intervals in brackets.

Table A6: Results: Linear models, frequentist estimation (OLS)

	Model 5b			Model 6b			Model 7b		
	Estimate	**Std. Err.**	**95% CI**	**Estimate**	**Std. Err.**	**95% CI**	**Estimate**	**Std. Err.**	**95% CI**
Intercept	0.286	(0.015)	[0.257, 0.314]	0.284	(0.015)	[0.256, 0.313]	0.286	(0.015)	[0.257, 0.315]
Country (Ref. = England)									
Wales	0.019	(0.033)	[−0.045, 0.083]	0.020	(0.033)	[−0.045, 0.084]	0.019	(0.033)	[−0.045, 0.084]
Scotland–Independence referendum: Yes	−0.269	(0.037)	[−0.342, −0.195]						
Scotland–2024 vote: SNP				−0.258	(0.045)	[−0.347, −0.169]			
Scotland–2024 vote: Not SNP				−0.062	(0.029)	[−0.119, −0.004]			
Scotland–Party ID: SNP							−0.243	(0.051)	[−0.343, −0.142]
Scotland–Party ID: Not SNP							−0.082	(0.028)	[−0.137, −0.027]
Northern Ireland	0.027	(0.044)	[−0.060, 0.113]	0.027	(0.044)	[−0.060, 0.114]	0.029	(0.044)	[−0.058, 0.116]
Female	−0.044	(0.015)	[−0.073, −0.014]	−0.043	(0.015)	[−0.073, −0.013]	−0.044	(0.015)	[−0.074, −0.014]
Age (Years logged)	−0.089	(0.019)	[−0.127, −0.051]	−0.088	(0.019)	[−0.126, −0.050]	−0.090	(0.019)	[−0.128, −0.052]
Education	0.026	(0.021)	[−0.015, 0.067]	0.018	(0.021)	[−0.023, 0.059]	0.016	(0.021)	[−0.025, 0.057]
Power source frame (Ref. = power station)									
Reactor frame	−0.026	(0.014)	[−0.054, 0.001]	−0.024	(0.014)	[−0.052, 0.004]	−0.024	(0.014)	[−0.052, 0.004]
Location frame (Ref. = United Kingdom)									
Local frame	−0.039	(0.014)	[−0.066, −0.011]	−0.040	(0.014)	[−0.068, −0.012]	−0.042	(0.014)	[−0.070, −0.014]
Distance to nearest nuclear site (km logged)	0.037	(0.012)	[0.013, 0.060]	0.035	(0.012)	[0.012, 0.059]	0.034	(0.012)	[0.010, 0.058]
Follow news about electricity	0.161	(0.028)	[0.106, 0.216]	0.158	(0.028)	[0.103, 0.214]	0.161	(0.028)	[0.106, 0.217]
UK needs to produce a lot more electricity	0.275	(0.039)	[0.198, 0.352]	0.287	(0.039)	[0.210, 0.363]	0.291	(0.039)	[0.214, 0.368]
UK should be self-sufficient in electricity	−0.008	(0.041)	[−0.089, 0.073]	−0.021	(0.042)	[−0.103, 0.061]	−0.021	(0.042)	[−0.103, 0.061]
Critical to keep the price of electricity in the UK low	0.028	(0.037)	[−0.045, 0.100]	0.034	(0.038)	[−0.039, 0.108]	0.029	(0.038)	[−0.045, 0.102]
Trust in government (factor score)	0.051	(0.063)	[−0.072, 0.174]	0.064	(0.063)	[−0.059, 0.187]	0.068	(0.063)	[−0.055, 0.192]
Trust in electricity companies/suppliers (factor score)	0.102	(0.038)	[0.027, 0.176]	0.104	(0.038)	[0.029, 0.179]	0.106	(0.038)	[0.031, 0.181]
Concern with climate change (factor score)	−0.151	(0.063)	[−0.275, −0.026]	−0.158	(0.064)	[−0.283, −0.032]	−0.163	(0.064)	[−0.289, −0.038]
Ideology (left–right)	0.181	(0.034)	[0.114, 0.248]	0.189	(0.034)	[0.121, 0.256]	0.191	(0.034)	[0.123, 0.258]
n	1,276			1,276			1,276		
R^2	0.257			0.248			0.244		
Adjusted R^2	0.246			0.237			0.233		
F-statistic	24.123			22.974			22.530		
RMSE	0.245			0.247			0.247		

Models are linear models fit by ordinary least squares in R (version 4.6.1). Estimates are presented with standard errors in parentheses (Std. Err.) and 95% confidence intervals in brackets.