MCQ Question Bank — Questions, Options & Answers

Study guide | 151 objective questions

Note: The uploaded file is named “QB-II PG EDC-CMS.xlsx”, but its rows appear to contain MBT / subject code 3APBT questions, mainly about soil science and organic farming. This guide follows the contents of the uploaded spreadsheet.

1. The organic farming was began in

A. 1930
B. 1950
C. 1985
D. 1960

Answer: A. 1930

2. What is the definition of organic food

A. Food that is produced using chemicals.
B. Food that is produced using methods of both organic and conventional farming.
C. Food that is produced using methods of conventional farming.
D. Food that is produced using methods of organic farming.

Answer: D. Food that is produced using methods of organic farming.

3. Which of the following elements is almost non essential for plants

A. Calcium
B. Molybdenum
C. Zinc
D. Sodium

Answer: D. Sodium

4. The science concerned with vegetable culture is called

A. Floriculture
B. Olericulture
C. Horticulture
D. Agriculture

Answer: B. Olericulture

5. Soil fertility is reduced due to

A. Over irrigation
B. Continuous cropping
C. Imbalanced use of fertilizers
D. Poor drainage

Answer: C. Imbalanced use of fertilizers

6. The pH in soils can be raised by adding

A. Sand

B. Lime
C. Sulphur
D. Nitrogen

Answer: B. Lime

7. Which of these is NOT allowed in organic farming

A. Buffer Zones
B. Cover Crops
C. Sewage Sludge
D. Crop Rotation

Answer: C. Sewage Sludge

8. Which of the following is an organic farming practice that helps maintain soil health

A. Sewage Sludge
B. Synthetic Fertilizers
C. Monoculture
D. Crop Rotation

Answer: D. Crop Rotation

9. Which of the following is allowed in organic farming

A. Synthetic Fertilizers
B. Buffer Zones
C. Persistent Pesticides
D. Hormones

Answer: B. Buffer Zones

10. Which is not natural factor affecting soil fertility?

A. Topography
B. Parent material
C. Soil age
D. Air

Answer: D. Air

11. Absorbed hydrogen and aluminium are largely responsible for

A. Soil alkalinity
B. Soil acidity
C. Neutralinity
D. None of the above

Answer: B. Soil acidity

12. Soil porosity can be influenced by

A. Alternative thawing and freezing
B. Alternate wetting and drying
C. Amount of vegetative cover
D. All of the above

Answer: D. All of the above

13. The structure of the soil can be defined by

A. The way the individual particles of sand, silt and clay are assembled

B. The size and proportions of each particle
C. The way the rocks are continuously broken up over time
D. The area in which they are present

Answer: A. The way the individual particles of sand, silt and clay are assembled

14. A surface horizon, which has very high organic matter, is

A. Hisitic epipedon
B. Umbric epipedon
C. Ochric epipedon
D. Operic epipedon

Answer: A. Hisitic epipedon

15. Contamination of groundwater by an organic pollutant applied to soil would be more likely if _____.

A. The pollutant is strongly adsorbed to soil colloid
B. The pollutant exhibits a very high Kd (coefficient of distribution)
C. The pollutant is easily decomposed by soil microorganisms
D. All of the above

Answer: C. The pollutant is easily decomposed by soil microorganisms

16. Bioremediation can clean up polluted soils by

A. Adding nutrients to stimulate the activity of certain soil bacteria
B. Inoculating the soil with certain bacteria that can degrade toxic organic compounds
C. Using plants to stimulate soil microbial activity by exuding energy compounds into the rhizosphere
D. All of the above

Answer: D. All of the above

17. A well developed soil has

A. A horizon
B. B horizon
C. C horizon
D. All of the above

Answer: A. A horizon

18. Active soil forming factors would include

A. Vegetaion and topography
B. Time, topography and climate
C. Time and vegetation
D. Vegetation and climate

Answer: B. Time, topography and climate

19. A combination of many taxonomic units like soil series, phase or types is called

A. Soil variant
B. Soil series
C. Soil complex
D. Soil association

Answer: D. Soil association

20. Since organic farms cant use synthetic pesticides, how do they control insects

A. Use cover crops
B. Use crop rotation
C. Use beneficial birds and insects to eat the insects that destroy crops and cause disease
D. All of the above

Answer: D. All of the above

21. A horizon of the soils also designated as

A. Illuviated horizon
B. Eluviated horizon
C. Both A and B
D. Allivial horizon

Answer: B. Eluviated horizon

22. Crop logging is a method of

A. Soil fertility evaluation
B. Plant analysis for assessing requirement of nutrients for crop production
C. Assessing crop damage
D. Testing sitability of fertilizers

Answer: A. Soil fertility evaluation

23. What does the term N.P.K. mean to a farmer

A. No Plant Kill
B. Nitrogen, Phosphorus, Potassium
C. Nitrate, Potash, Kelsium
D. No Plow Krop

Answer: B. Nitrogen, Phosphorus, Potassium

24. Soil pH is 5 very acidic for soil. What do you do?

A. Spread fertilizer
B. Spread limestone
C. Spread manure
D. Drain water from field

Answer: B. Spread limestone

25. Phytoremediation can clean up polluted soils by using

A. Plants to take up and accumulate the pollutant so that it can be removed when the plant is harvested
B. Plant cover to prevent surface soil heating
C. Anaerobic bacteria to degrade toxic compounds
D. All of the above

Answer: A. Plants to take up and accumulate the pollutant so that it can be removed when the plant is harvested

26. Arrangement of soil particles is referred to as

A. Soil structure
B. Soil texture
C. Soil organization
D. Soil observation

Answer: A. Soil structure

27. Soil erosion is caused by

A. Water
B. Wind
C. Poor farming practices
D. All of these

Answer: D. All of these

28. A pH value of 6.0 indicates that the soil reaction is

A. Acidic
B. Neutral
C. Alkaline
D. Highly alkaline

Answer: A. Acidic

29. After being applied to soil, organic compounds may be destroyed by which of the following processes

A. Biological degradation
B. Chemical decomposition
C. Leaching to groundwater
D. Adsorption to clay or organic matter

Answer: D. Adsorption to clay or organic matter

30. Buffering capacity of soil means resistance to a change in

A. Soil microbial activity
B. Soil pH
C. Soil acidity
D. Base saturation

Answer: B. Soil pH

31. Green manure plants used by farmers mainly belong to the family

A. Compositae
B. Leguminosae
C. Solanaceae
D. Poaceae

Answer: B. Leguminosae

32. Composted manure is produced from

A. Farmyard manure and green manure
B. Farm refuse and household refuse
C. Organic remains of biogas plants
D. Rotten vegetables and animal refuse

Answer: D. Rotten vegetables and animal refuse

33. Which is the main source of irrigation of agriculture land in India

A. Tanks
B. River
C. Wells
D. Canals

Answer: C. Wells

34. Soil mulch is useful in

A. Minimize evaporation losses
B. Improving aeration
C. Improving drainage
D. Removing weed

Answer: A. Minimize evaporation losses

35. Which soil has highest efficiency

A. Loamy soil
B. Sandy soil
C. Clay soil
D. None of these

Answer: A. Loamy soil

36. The highly degraded organic matter rich in phosphorus, nitrogen and potassium in particular, resulting from the activity of earthworms is called

A. Compost bedding
B. Humus
C. Vermicompost
D. Worm casting

Answer: C. Vermicompost

37. Vermicompost is biofertilizer which is rich in

A. Phosphorus
B. Calcium
C. Nitrogen
D. All of the above

Answer: D. All of the above

38. In India which of the following genera of earthworms is extensively used for vermiculture

A. Eudrigaster
B. Eudrilus
C. Pontoscolex
D. Pheretima

Answer: B. Eudrilus

39. One of the following is not a benefit of vermicompost

A. Protection of water bodies from pollution
B. Reduction in microbial activity
C. Increased availability of minerals
D. Increased hydration and aeration

Answer: B. Reduction in microbial activity

40. pH of vermiculture is kept at

A. Near neutral
B. Alkaline
C. Acidic
D. Highly alkaline.

Answer: A. Near neutral

41. Worm castings are rich in

A. Nitrogen
B. Phosphorus
C. Calcium and others
D. All the above

Answer: D. All the above

42. Some commonly used earth worm species

A. Eisenia fetida
B. Perionix excavates
C. both (a) and (b) are correct
D. neither (a) nor (b) is correct

Answer: C. both (a) and (b) are correct

43. Degradation of organic wastes by using earth worms is called

A. Vermicomposting
B. Compost bedding
C. Humus
D. Mulching

Answer: C. Humus

44. The vermicompost is ___ in colour.

A. Brown
B. Black
C. Red
D. White

Answer: A. Brown

45. One of the best solutions to get rid of non-biodegradable wastes is

A. Burning
B. Recycling
C. Burying
D. Dumping

Answer: B. Recycling

46. Vermi- composting is done by

A. Fungus
B. Bacteria
C. Worms
D. Animals

Answer: C. Worms

47. What is called for the process of burning municipal solid waste in a properly designed furnace under suitable temperature and operating conditions

A. Incineration
B. Recycling
C. Vermicomposting
D. Landfill

Answer: A. Incineration

48. Cryopreservation is a technique used for

A. Crystallization of food
B. Food packing
C. Seed saving
D. Preservation of excess production of vegetables

Answer: C. Seed saving

49. A low branch with a node is bent down and covered with soil in

A. Marcotting
B. Layering
C. Cutting
D. Budding

Answer: B. Layering

50. Layering can be done on plants such as

A. Bulbs
B. Lime
C. Sugar cane
D. Oleander

Answer: B. Lime

51. The process by which nutrient chemicals or contaminants are dissolved and carried away by water, or are moved into a lower layer of soil

A. Mulching
B. Desertification
C. Incineration
D. Leaching

Answer: D. Leaching

52. Which one is green manure

A. Sesbania
B. Rice
C. Oat
D. Maize

Answer: A. Sesbania

53. Which one is the major component of Bordeaux mixture

A. Copper sulphate
B. Sodium chloride
C. Calcium chloride
D. Magnesium sulphate

Answer: A. Copper sulphate

54. Manure is a good source of fertilizer but what is another benefit of manure

A. Water
B. Organic Matter
C. Inorganic Matter
D. Weed Seed

Answer: B. Organic Matter

55. What is green manure

A. A manure pile covered with weeds
B. A crop grown to be plowed under
C. Manure produced by animals eating fresh grass
D. Fresh manure

Answer: B. A crop grown to be plowed under

56. The movement of nutrients and other materials through the soil profile is referred to as

A. Field capacity
B. Permeability
C. Leaching
D. Mulching

Answer: C. Leaching

57. Chemical weathering governs mostly by the process

A. Solution
B. Hydrolysis
C. Hydration
D. All of these

Answer: D. All of these

58. Absorption of ions in plants occurring with the aid of metabolic energy is termed

A. Passive absorption
B. Active absorption
C. Metabolic absorption
D. Mass flow absorption

Answer: B. Active absorption

59. Dominant organisms found in a compost pit are

A. Thermophilic
B. Mesophilic
C. Psychrophilic
D. Psychrophilic and mesophilic

Answer: B. Mesophilic

60. Buffering capacity of soil means resistance to a change in

A. Soil microbial activity
B. Soil pH
C. Soil acidity
D. Base saturation

Answer: B. Soil pH

61. What is Azofication

A. It is also known as composite fixation of nitrogen.
B. It is also known as freefixation of nitrogen
C. It is also known as nitrogenfixed by Rhizobium bacteria
D. It is also known as nitrogengain through rains or snow

Answer: A. It is also known as composite fixation of nitrogen.

62. A water-fern, which is used as a green manure in rice fields, is

A. Salvinia
B. Mucor
C. Aspergillus
D. Azolla

Answer: D. Azolla

63. Bioherbicides have been recommended

A. To prevent ecodegradation
B. Because of their ready availability
C. Because of their cheap rates
D. Because of their abundance

Answer: A. To prevent ecodegradation

64. Biofertilizers are

A. Organic manures
B. Culture of micro-organism
C. Green manure
D. None of these

Answer: B. Culture of micro-organism

65. Fertilizers applied to crop plants , pollute

A. Water resources
B. Soil resources
C. Both water and soil resources
D. Humans

Answer: C. Both water and soil resources

66. A manure supplied to the plant

A. Nitrogen
B. Phosphorous
C. Potassium
D. All nutrients

Answer: D. All nutrients

67. One of the plants introduced from old world to new world is

A. Potato
B. Rice
C. Sweet potato
D. Maize

Answer: B. Rice

68. The main source of bio fertilizers are

A. Cyanobacteria
B. Fungi
C. Bacteria
D. All of the above

Answer: D. All of the above

69. Which of the following is a green manure

A. Sebania
B. Maize
C. Rice
D. Sorghum

Answer: A. Sebania

70. Which of the following is a fungicide

A. Bordeaux mixture
B. DDT
C. BHC
D. 2,4-D

Answer: A. Bordeaux mixture

71. Which of the following most commonly used for green manuaring in India

A. Sun hem
B. Lentil
C. Cowpea
D. Rice

Answer: C. Cowpea

72. The azolla – Anabaena symbiotic relation is utilized to increse the fertility of rice field. It increases ------ in the soil

A. Potassium
B. Phosphorous
C. Nitrogen
D. Sulphur

Answer: C. Nitrogen

73. The loose association between a nitrogen fixer bacteria Azospirullum and Brazilian grass was found out by

A. Swaminathan
B. Khorana
C. Guha and Maheswari
D. Johannah Dobreine

Answer: B. Khorana

74. Which one is a natural insectcide

A. Nicotine
B. Pyrethrum
C. Cinerin
D. Neem

Answer: D. Neem

75. Combination of photosynthesis and nitrogen fixation occurs in cyano bacteria like

A. Anabaena
B. Nostoc
C. Aulosira
D. All of the above

Answer: D. All of the above

76. Main function of biofertilizer is

A. To increase chemical process
B. To increase physiological process
C. To increase biological process
D. To increase photosynthesis process

Answer: C. To increase biological process

77. The instrument, which is used for sowing of seed with fertilizer together at a time, is

A. Seed drill
B. Ferti-cum Seed drill
C. Dibbler
D. Seed sowing behind plough

Answer: B. Ferti-cum Seed drill

78. Seed treatment is done to control

A. Soil-borne disease
B. Air-borne disease
C. Seed-borne disease
D. Organism-borne disease

Answer: C. Seed-borne disease

79. Spraying of DDT produces pollution of

A. Air
B. Air and Water
C. Air and Soil
D. Air, Water and Soil.

Answer: D. Air, Water and Soil.

80. What would you use to control weeds in a corn field

A. Fungicide
B. Herbicide
C. Antibiotics
D. Insecticide

Answer: B. Herbicide

81. Azotobacter and Rhizobium bacteria are

A. Antibiotic producers
B. Nitrogen fixers
C. Plant pathogens
D. Animal Pathogens

Answer: B. Nitrogen fixers

82. Azotobacter sp. fix atmospheric nitrogen

A. As symbiounts on sugarcane
B. As symbiounts on rice
C. As symbiounts on legumes
D. In free soil

Answer: D. In free soil

83. Biofertilizer is a

A. Mixture of organic matter and microorganism
B. Mixture of inorganic fertilizer and microorganism
C. Culture having the desired strain of microorganisms
D. Decomposed compost enriched with mineral solubilising bacteria

Answer: C. Culture having the desired strain of microorganisms

84. Biological nitrogen fixation is

A. Aerobic
B. Anaerobic
C. Both A and B
D. Facultative anaerobic

Answer: C. Both A and B

85. Xenobiotics are

A. Any chemicals that contain carbon
B. Synthetic organic compounds not found in nature
C. Products used for the biological control of pests
D. Special soil amendments favored in organic farming

Answer: B. Synthetic organic compounds not found in nature

86. Which of the following is not one of the categories of organic certification

A. Crops
B. Wild Crops
C. Equipment
D. Handling

Answer: C. Equipment

87. Which of these crops does not require nitrogen fertilizer

A. Soybeans
B. Grass Hay
C. Corn
D. Oats

Answer: B. Grass Hay

88. Azospirillum fixes nitrogen mainly in

A. Sorghum
B. Cereals
C. Sugarcane
D. Legumes

Answer: A. Sorghum

89. Clay are classified as

A. Primary minerals
B. Hydrozy minerals
C. Tertiary minerals
D. Secondary minerals

Answer: D. Secondary minerals

90. The principal cereal crop of India is

A. Wheat
B. Rice
C. Barley
D. Sorghum

Answer: B. Rice

91. Which one of the following is natural insecticide

A. Pyrethrum
B. Nicotine
C. Both A and B
D. Quinine

Answer: C. Both A and B

92. First Bioinsecticide developed commercial scale was

A. Quinine
B. DDT
C. Organophosphate
D. Sporeine

Answer: D. Sporeine

93. To reduce the crop-weed competition, at what stage are the herbicides used

A. At germination
B. At tillering
C. At ear emergence
D. After first irrigation

Answer: D. After first irrigation

94. For providing inputs like quality seeds, fertilizers and pesticides, the agency present at the Village Panchayat Samiti Level is

A. NABARD
B. Nationalised Banks
C. Cooperative Society
D. Insurance Companies

Answer: A. NABARD

95. Which of the following is not a biopesticide

A. Bioneem
B. Carbaryl
C. Biolap
D. Dipel

Answer: B. Carbaryl

96. The pesticide most toxic to vertebrates is

A. Carbamates
B. Organophosphates
C. Organochlorides

D. Nicotine

Answer: B. Organophosphates

97. Loss of agricultural productivity due to pest and disease is

A. 5%
B. 10%
C. 15%
D. 30%

Answer: D. 30%

98. Transgenic crop developed to tolerate herbicide is

A. Tomato
B. Tobacco
C. Both a and b
D. Sunflower

Answer: C. Both a and b

99. Natural insecticide azadiractin is obtained from

A. Fungus
B. Algae
C. Neem
D. Tobacco

Answer: C. Neem

100. The nitrogen fixing symbiotic organism present in the leaves of Azolla is

A. Anabaena
B. Azospirillum
C. Aulosira
D. Nostoc

Answer: A. Anabaena

101. _____ uses natural predators to control pests

A. Predation
B. Insect
C. Bee
D. Biological pest control

Answer: A. Predation

102. Organic farming is the technique of raising crops through uses of

A. Manure
B. Biofertilizers
C. Resistant varieties
D. All of these

Answer: D. All of these

103. Bioherbicides have been recommended

A. To prevent eco-degradation
B. Because of their ready availability
C. Because of their cheap rates

D. Because of their abundance

Answer: A. To prevent eco-degradation

104. Most effective pesticide is

A. Carbamates
B. Organophosphates
C. Organochlorines
D. All of these

Answer: B. Organophosphates

105. IPM stands for

A. Integrated pest management
B. Integrated plant management
C. Integrated plant management
D. Integrated pest manufacture

Answer: A. Integrated pest management

106. Green manuring increases the crop yield by

A. 5-10%
B. 15-25%
C. 30-50%
D. 80-90%

Answer: C. 30-50%

107. Insecticides generally attack

A. Respiratory system
B. Nervous system
C. Muscular system
D. Circulatory system

Answer: A. Respiratory system

108. Introduction of parasites, predators and/or pathogens of the pests into the environment to reduce the pest population constitute

A. Biological control
B. Autocidal control
C. Ecological control
D. None of these

Answer: A. Biological control

109. Name the insecticide, which is harmless to the honey bees

A. B.H.C.
B. Endosulfan
C. Carbaryl
D. Permethrin

Answer: B. Endosulfan

110. Name the pest, which has an international status

A. Pink bollworm of cotton
B. Locust

C. White grub
D. Army worm

Answer: B. Locust

111. Organisms, which damage mans property, including plants and agricultural produce causing damage of significant economic importance are called

A. Pests
B. Parasites
C. Pathogens
D. Obligates

Answer: A. Pests

112. The first discovered protective insecticide was

A. B.H.C.
B. D.D.T.
C. Diazinon
D. Endosulfon

Answer: B. D.D.T.

113. Who coined the term Pest Management

A. Perry Akhisson
B. Geier
C. Ray F. Smith
D. Bartlett

Answer: B. Geier

114. Which of the following types of insecticides are not used against food grain pests in storage

A. Organic insecticides
B. Fumigants
C. Inorganic insecticides
D. All of the above

Answer: C. Inorganic insecticides

115. The safest method of disposing off the leftover pesticide is disposal by

A. Pouring in the drain
B. Pouring in a moving stream
C. Pouring in a pond
D. Burying in the soil

Answer: B. Pouring in a moving stream

116. Bt genes are obtained from

A. Cotton pest
B. Tobacco plant
C. Bacteria
D. Bacillus thuringiensis

Answer: D. Bacillus thuringiensis

117. Use of resistant varieties constitutes method of

A. Genetic control

B. Biotic control
C. Self control
D. Natural control

Answer: A. Genetic control

118. Which group of insecticide is carcinogenic

A. Organophosphates
B. Synthetic pyrethroids
C. Carbamates
D. Fumigants

Answer: B. Synthetic pyrethroids

119. The full form of Bt stands for

A. Bacillus thuringiensis
B. Bacillus subtilis
C. Bacillus thermus
D. Bacillus thermocereus

Answer: A. Bacillus thuringiensis

120. Bacillus thuringiensis is most effective at pH

A. 3 to 6
B. 11 to 14
C. 9 to 10
D. 1-3

Answer: C. 9 to 10

121. Asia uses what percentage of water for agricultural purpose?

A. 75%
B. 65%
C. 85%
D. 95%

Answer: C. 85%

122. Growing of two or more crops simultaneously on the same piece of land is called

A. Mixed cropping
B. Mixed farming
C. Intercropping
D. Fanning

Answer: A. Mixed cropping

123. The desired varieties of economically useful crops are raised by

A. Vemalisation
B. Natural selection
C. Mutation
D. Hybridisation

Answer: D. Hybridisation

124. The major agriculture land in India is under

A. Food crops

B. Cash crops
C. oil seeds
D. Plantation crops

Answer: A. Food crops

125. Green Revolution in India has so far been the most successful in the case of

A. Rice & wheat
B. Tea & coffee
C. Wheat &potato
D. Mustard &Oilseeds

Answer: A. Rice & wheat

126. Growth of early emerging leaves becomes faster because of

A. Cell division and cell enlargement
B. Stunt growth of plants
C. Faster Photosynthesis
D. Low pressure of outer atmosphere

Answer: A. Cell division and cell enlargement

127. The ideal temperature for most of the cultivable crops is

A. 30°C – 50°C
B. 15°C – 40°C
C. 35°C – 40°C
D. 45°C – 55°C

Answer: B. 15°C – 40°C

128. Evaporation is measured by which instrument

A. Barometer
B. Psychrometer
C. Lysimeter
D. Hygrometer

Answer: C. Lysimeter

129. Drip irrigation is useful in which region

A. Dry
B. Humid
C. High rainfall
D. Drought

Answer: A. Dry

130. The ratio between marketable crop yield and water used in evapotranspiration is known as

A. Economic irrigation efficiency
B. Field water use efficience
C. Consumptive use efficiency
D. Water use efficiency

Answer: B. Field water use efficience

131. In which of the following crops GM varieties are available for cultivation in India

A. Mustard

B. Cotton
C. Soybean
D. All of the above

Answer: D. All of the above

132. Aflatoxins are most carsinogenic toxins which are produced by

A. Aspergillus
B. Spergillus
C. Carcinogillus
D. Thombogillus

Answer: A. Aspergillus

133. An average of 15-50% of worlds food is destroyed each year due to attack of

A. Algae
B. Hydra
C. Parasites
D. Fungi

Answer: D. Fungi

134. Horticulture is the study that includes

A. Fruits, vegetables and flowers
B. All food crops
C. Vegetable gardens and lawns near hotels only
D. Some bush crops and apples

Answer: A. Fruits, vegetables and flowers

135. A variety or strain produced by horticultural or agricultural techniques and not normally found in natural population is called

A. Hybrid
B. Tissue culture
C. GMO
D. Cultivar

Answer: A. Hybrid

136. Tissue culture is a good technique to

A. Cross two varieties
B. Rapidly increase the size of a trees by strengthening the stem
C. Eliminate virus
D. Improve yield of crops

Answer: C. Eliminate virus

137. In cold places frost damage can be reduced in horticultural crops using these methods except

A. Overhead sprinklers at night
B. Green houses and shade nets
C. Wind breaks placement
D. Appropriate fungicide application

Answer: B. Green houses and shade nets

138. Disadvantages of natural vegetative propagation includes

A. Lack of dispersal mechanisms
B. No fertilization is involved
C. Area is quickly colonized
D. Daughter plants can grow quickly

Answer: A. Lack of dispersal mechanisms

139. Artificial methods of vegetative propagation includes

A. Cloning
B. Grafting
C. Cuttings
D. Both B and C

Answer: D. Both B and C

140. How many years must land be treated as organic without the use of harmful prohibited substances to be eligible for organic certification

A. One
B. Two
C. Three
D. Four

Answer: C. Three

141. If a label carries a USDA Organic seal how much of the product must be certified organic

A. 100%
B. 95%
C. 70%
D. 50%

Answer: B. 95%

142. What does G.M.O. stand for

A. Genetically Modified Organism
B. Growth Maturity Order
C. Good Maturing Offspring
D. Gold Medal Order

Answer: A. Genetically Modified Organism

143. Depth of cultivated soils is upto

A. 5 cm
B. 15 cm
C. 30 cm
D. 45 cm

Answer: B. 15 cm

144. The food safety and standards authority of India has issued a set of guidelines regarding the recall of _____ from the market

A. Unsafe drinking water
B. Unsafe food products
C. Unsafe labeling
D. Unsafe packing

Answer: B. Unsafe food products

145. Organic food also appears to have lower _ _____ concentrations, but the health impact of nitrates is debated

A. Ammonia
B. Iron
C. Nitrogen
D. Nitrate

Answer: C. Nitrogen

146. Chlorosis refers to the

A. Yellowing of the leaf tissues
B. Burning of the leaf tissues
C. Death of the leaf tissues
D. Development of reddish brown colour on the leaves

Answer: A. Yellowing of the leaf tissues

147. Available form of phosphorus ions is

A. Phosphoric
B. Phosphorous chloride
C. Phosphorous
D. Phosphorous nitrate

Answer: A. Phosphoric

148. Degree of soil salinity is indicated by its

A. Total soluble salt content
B. Organic matter content
C. Nitrogen content
D. Phosphorus content

Answer: A. Total soluble salt content

149. Degree of soil salinity is indicated by its

A. Total soluble salt content
B. Organic matter content
C. Nitrogen content
D. Phosphorus content

Answer: A. Total soluble salt content

150. Denitrification is more in

A. Well drained soils
B. Waterlogged soils
C. Heavy soils
D. Light soils

Answer: B. Waterlogged soils

151. The food safety and standards authority of India has come out with draft regulations for _____ food products

A. Grain
B. Inorganic
C. Organic
D. Vegetarian

Answer: C. Organic