

Verification and Validation Report:  
SFWRENG 4G06 - Capstone Design Process

**Team 17, DomainX**

Awurama Nyarko  
Haniye Hamidizadeh  
Fei Xie  
Ghena Hatoum

March 1, 2026

# 1 Revision History

Date	Version	Notes
Date 1	1.0	Notes
Date 2	1.1	Notes

## 2 Symbols, Abbreviations and Acronyms

symbol	description
T	Test

[symbols, abbreviations or acronyms – you can reference the SRS tables if needed —SS]

# Contents

<b>1</b>	<b>Revision History</b>	<b>i</b>
<b>2</b>	<b>Symbols, Abbreviations and Acronyms</b>	<b>ii</b>
<b>3</b>	<b>Functional Requirements Evaluation</b>	<b>1</b>
<b>4</b>	<b>Nonfunctional Requirements Evaluation</b>	<b>1</b>
4.1	Usability . . . . .	1
4.2	Performance . . . . .	1
4.3	etc. . . . .	1
<b>5</b>	<b>Unit Testing</b>	<b>1</b>
5.1	Data Edit Module . . . . .	1
5.2	User Authentication Module . . . . .	1
5.3	User Role Access Module . . . . .	1
5.4	User Page Module . . . . .	1
5.5	Automated Metrics Module . . . . .	1
5.6	Domains Page Module . . . . .	1
5.7	Comparison Module . . . . .	3
5.8	Configuration Module . . . . .	3
5.9	Ranking Algorithm Module . . . . .	3
5.10	Database Persistence Module . . . . .	3
<b>6</b>	<b>Changes Due to Testing</b>	<b>4</b>
<b>7</b>	<b>Automated Testing</b>	<b>4</b>
<b>8</b>	<b>Trace to Requirements</b>	<b>4</b>
<b>9</b>	<b>Trace to Modules</b>	<b>4</b>
<b>10</b>	<b>Code Coverage Metrics</b>	<b>4</b>

## List of Tables

## List of Figures

This document ...

### **3 Functional Requirements Evaluation**

### **4 Nonfunctional Requirements Evaluation**

#### **4.1 Usability**

#### **4.2 Performance**

#### **4.3 etc.**

### **5 Unit Testing**

The following unit tests concern behaviour-hiding modules that are implemented by the tool. Modules implemented by external libraries are assumed to be tested themselves and therefore don't need to be unit tested.

#### **5.1 Data Edit Module**

#### **5.2 User Authentication Module**

#### **5.3 User Role Access Module**

#### **5.4 User Page Module**

#### **5.5 Automated Metrics Module**

#### **5.6 Domains Page Module**

##### **1. test\_create\_domain\_success**

Initial State: Create user and fixture of API client

Input: Create payload containing domain name, description, and `creator_ids` with the creator and call POST

Expected Output: Response returns status 201 for created, and querying for the domain object contains the same as in the payload

Actual Output: Matches expected

Result: Pass

2. `test_create_domain_missing_domain_name`  
Initial State: Create fixture of API client  
Input: Create payload with only description and call POST  
Expected Output: Response returns 400 bad request and informs of missing field  
Actual Output: Matches expected, data returns dictionary with `domain_name` and value of "This field is required"  
Result: Pass
3. `test_create_domain_missing_description`  
Initial State: Create fixture of API client  
Input: Create payload with only domain name and call POST  
Response returns 400 bad request and informs of missing field  
Actual Output: Matches expected, data returns dictionary with "description" and value of "Description field is required"  
Result: Pass
4. `test_list_domains`  
Initial State: Create fixture of API client and create two domain objects  
Input: Calling GET for domain  
Expected Output: Response 200 OK with list of domains matching the created domains  
Actual Output: Matches expected  
Result: Pass
5. `test_update_domain_sets_creators`  
Initial State: Create domain object with only `domain_name` and description and fixture of API client  
Input: Create two users and add them to a payload with updated domain name and description. Then call POST with the domain ID  
Expected Output: Response 200, domain should contain the new information and be linked to the two users  
Actual Output: Matches expected  
Result: Pass
6. `test_delete_domain`  
Initial State: Create fixture of API client and create a domain object  
Input: Call DELETE with the domain ID  
Expected Output: Querying for the domain ID returns None

Actual Output: Matches Expected  
Result: Pass

## 5.7 Comparison Module

## 5.8 Configuration Module

## 5.9 Ranking Algorithm Module

## 5.10 Database Persistence Module

### 1. `test_domain_str_returns_name`

Initial State: N/A

Input: Directly creating a new domain object with `domain_name` "Alpha" and description "desc"

Expected Output: Calling newly created object returns the domain name "Alpha"

Actual Output: Returned "Alpha"

Result: Pass

### 2. `test_get_domain_ID_returns_string_uuid`

Initial State: N/A

Input: Directly creating a new domain object with `domain_name` "Beta" and description "desc"

Expected Output: Calling `get_domain_ID()` on new domain returns the UUID

Actual Output: Method matches `domain_id` parameter and is instance of string

Result: Pass

### 3. `test_defaults_and_blank_fields`

Initial State: N/A

Input: Directly creating a new domain object with `domain_name` "Gamma"

Expected Output: Initializes domain object with default fields `published: False`, `paper_name: None`, `paper_url: ""`, `category_weights:`

Actual Output: Output matches expected

Result: Pass

### 4. `test_unique_domain_name_constraint`

Initial State: Domain object with `domain_name` "Delta" and descrip-



tion "one"

Input: Directly creating a new domain object with `domain_name` "Delta" and description "two"

Expected Output: Throws integrity error due to duplicate domain names

Actual Output: Matches expected

Result: Pass

5. `test_creators_many_to_many_assignment`

Initial State: Create two users with admin role

Input: Create two domain objects with separate names, add both creators to each domain.

Expected Output: Filtering in each domain's creators by the id of the creator, both creators should exist

Actual Output: Matches expected

Result: Pass

## 6 Changes Due to Testing

[This section should highlight how feedback from the users and from the supervisor (when one exists) shaped the final product. In particular the feedback from the Rev 0 demo to the supervisor (or to potential users) should be highlighted. —SS]

## 7 Automated Testing

## 8 Trace to Requirements

## 9 Trace to Modules

## 10 Code Coverage Metrics

## Appendix — Reflection

The information in this section will be used to evaluate the team members on the graduate attribute of Reflection.

The purpose of reflection questions is to give you a chance to assess your own learning and that of your group as a whole, and to find ways to improve in the future. Reflection is an important part of the learning process. Reflection is also an essential component of a successful software development process.

Reflections are most interesting and useful when they're honest, even if the stories they tell are imperfect. You will be marked based on your depth of thought and analysis, and not based on the content of the reflections themselves. Thus, for full marks we encourage you to answer openly and honestly and to avoid simply writing "what you think the evaluator wants to hear."

Please answer the following questions. Some questions can be answered on the team level, but where appropriate, each team member should write their own response:

1. What went well while writing this deliverable?
2. What pain points did you experience during this deliverable, and how did you resolve them?
3. Which parts of this document stemmed from speaking to your client(s) or a proxy (e.g. your peers)? Which ones were not, and why?
4. In what ways was the Verification and Validation (VnV) Plan different from the activities that were actually conducted for VnV? If there were differences, what changes required the modification in the plan? Why did these changes occur? Would you be able to anticipate these changes in future projects? If there weren't any differences, how was your team able to clearly predict a feasible amount of effort and the right tasks needed to build the evidence that demonstrates the required quality? (It is expected that most teams will have had to deviate from their original VnV Plan.)