SSD Compliance Report

(In case of deviation : Superior Release)

HEX file(s) have been reviewed with latest compliance rules.

Report generated by	Tullio, Gustavo (PS-SC/EBP2-LA)
Date/Time	Wed Apr 08 20:14:43 CEST 2026
BM - Number (CoC needs to charge the effort)	

Review Summary

PIDC Name	HONDA AP2 1.5l City FF 62XS - MG1 (Version 1)
PVER Name	MG1CS022_62XSC / V037_TPROT ; 0 (SDOM)
A2L Name	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L
WebFlow ID	
Execution ID	20260408_201218693
Click here to download files (Only for COC's. Files will be saved for 90 days from the creation date onwards)	

HEX files reviewed

Compliance usecase

#	PIDC Variant	Hex file	COMPLI	Passed	Failed (C-SSD)	Failed (SSD2Rv)	Failed (NO RULE)
1	4DR_Hi	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Hi_MP2_Gt13.hex	90	90	0	0	0
2	4DR_Lo	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Lo_MP2_Gt13.hex	90	90	0	0	0
3	4DR_Mid	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Mid_MP2_Gt13.hex	90	90	0	0	0
4	5DR_Hi	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Hi_MP2_Gt13.hex	90	90	0	0	0
5	5DR_Lo	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Lo_MP2_Gt13.hex	90	90	0	0	0
6	5DR_Mid	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Mid_MP2_Gt13.hex	90	90	0	0	0

Q-SSD usecase

#	PIDC Variant	Hex file	Q-SSD	Passed	Failed	Failed (NO RULE)
1	4DR_Hi	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Hi_MP2_Gt13.hex	22	22	0	0
2	4DR_Lo	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Lo_MP2_Gt13.hex	22	22	0	0
3	4DR_Mid	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Mid_MP2_Gt13.hex	22	22	0	0
4	5DR_Hi	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Hi_MP2_Gt13.hex	22	22	0	0
5	5DR_Lo	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Lo_MP2_Gt13.hex	22	22	0	0
6	5DR_Mid	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Mid_MP2_Gt13.hex	22	22	0	0

Dependency Attributes

#	PIDC Variant	Attribute	Attribute value
1	5DR_Hi	Customer/Brand	Honda
		Diagnosis Legislation	OBD-Br3
		ECU used for	Gasoline Engine
		ECU used in	PC - Passenger Car
		Emission Standard Certification	PROCONVE L8
		Engine Family	AP2
		Hybridization - Type	Non-Hybrid
		Lambda Broadband Sensortype (General)	Bosch LSU5.2 / LSU5.3 / LSU5.3fc
		SOP (1.)	2026.11.23
2	5DR_Mid	Customer/Brand	Honda
		Diagnosis Legislation	OBD-Br3
		ECU used for	Gasoline Engine
		ECU used in	PC - Passenger Car
		Emission Standard Certification	PROCONVE L8
		Engine Family	AP2
		Hybridization - Type	Non-Hybrid
		Lambda Broadband Sensortype (General)	Bosch LSU5.2 / LSU5.3 / LSU5.3fc
		SOP (1.)	2026.11.23

#	PIDC Variant	Attribute	Attribute value
3	4DR_Lo	Customer/Brand	Honda
		Diagnosis Legislation	OBD-Br3
		ECU used for	Gasoline Engine
		ECU used in	PC - Passenger Car
		Emission Standard Certification	PROCONVE L8
		Engine Family	AP2
		Hybridization - Type	Non-Hybrid
		Lambda Broadband Sensortype (General)	Bosch LSU5.2 / LSU5.3 / LSU5.3fc
		SOP (1.)	2026.11.23
4	4DR_Mid	Customer/Brand	Honda
		Diagnosis Legislation	OBD-Br3
		ECU used for	Gasoline Engine
		ECU used in	PC - Passenger Car
		Emission Standard Certification	PROCONVE L8
		Engine Family	AP2
		Hybridization - Type	Non-Hybrid
		Lambda Broadband Sensortype (General)	Bosch LSU5.2 / LSU5.3 / LSU5.3fc
		SOP (1.)	2026.11.23
5	4DR_Hi	Customer/Brand	Honda
		Diagnosis Legislation	OBD-Br3
		ECU used for	Gasoline Engine
		ECU used in	PC - Passenger Car
		Emission Standard Certification	PROCONVE L8
		Engine Family	AP2
		Hybridization - Type	Non-Hybrid
		Lambda Broadband Sensortype (General)	Bosch LSU5.2 / LSU5.3 / LSU5.3fc
		SOP (1.)	2026.11.23
6	5DR_Lo	Customer/Brand	Honda
		Diagnosis Legislation	OBD-Br3

#	PIDC Variant	Attribute	Attribute value
		ECU used for	Gasoline Engine
		ECU used in	PC - Passenger Car
		Emission Standard Certification	PROCONVE L8
		Engine Family	AP2
		Hybridization - Type	Non-Hybrid
		Lambda Broadband Sensortype (General)	Bosch LSU5.2 / LSU5.3 / LSU5.3fc
		SOP (1.)	2026.11.23

Review Details for C-SSD

Hint

(1) Critical behaviour NOT active (function not active due to other calibration variables)

- NOT active trigger assessment and release from 2x Experts (Project + CoC)

(2) Critical behaviour Active (Disclosed to authorities OR not disclosed)

- Active trigger an evaluation via codex case
- Release 1x BST + Signatures according to ALM CES Process

In general, all descriptions shall be done in clear text to enable to understand for signature. A link to codex case shall be added as reference when already available.

Link to PS Codex Reporting

Link to PS-EC Codex Reporting Tool for active C-SSD deviation with "json file"

Hex file 1 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Hi_MP2_Gt13.hex

No C-SSD deviations in HEX file.

Hex file 2 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Lo_MP2_Gt13.hex

No C-SSD deviations in HEX file.

Hex file 3 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Mid_MP2_Gt13.hex

No C-SSD deviations in HEX file.

Hex file 4 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Hi_MP2_Gt13.hex

No C-SSD deviations in HEX file.

Hex file 5 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Lo_MP2_Gt13.hex

No C-SSD deviations in HEX file.

Hex file 6 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Mid_MP2_Gt13.hex

No C-SSD deviations in HEX file.

Review Details for SSD2Rv

Hex file 1 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Hi_MP2_Gt13.hex

No SSD2Rv deviations in HEX file.

Hex file 2 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Lo_MP2_Gt13.hex

No SSD2Rv deviations in HEX file.

Hex file 3 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Mid_MP2_Gt13.hex

No SSD2Rv deviations in HEX file.

Hex file 4 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Hi_MP2_Gt13.hex

No SSD2Rv deviations in HEX file.

Hex file 5 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Lo_MP2_Gt13.hex

No SSD2Rv deviations in HEX file.

Hex file 6 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Mid_MP2_Gt13.hex

No SSD2Rv deviations in HEX file.

Review Details for Q-SSD

All descriptions shall be done in clear text to enable understanding for signature

Hex file 1 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Hi_MP2_Gt13.hex

No Q-SSD deviations in HEX file.

Hex file 2 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Lo_MP2_Gt13.hex

No Q-SSD deviations in HEX file.

Hex file 3 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Mid_MP2_Gt13.hex

No Q-SSD deviations in HEX file.

Hex file 4 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Hi_MP2_Gt13.hex

No Q-SSD deviations in HEX file.

Hex file 5 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Lo_MP2_Gt13.hex

No Q-SSD deviations in HEX file.

Hex file 6 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Mid_MP2_Gt13.hex

No Q-SSD deviations in HEX file.

Review Details for OK

Hex file 1 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Hi_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
1.1	AGRPSOL	FDVAGR	OK
1.2	BBAGR	ChrSet_tiDlyEgrEngStrt_C	OK
1.3	BBSAFG	KFTVSAGNG	OK
1.4	BBSAFG	TVSATM	OK
1.5	BGAGRTS	TASAGRTSMX	OK
1.6	DcmCore_DslDsd_Appl	ComDia_nMaxServCDI_C	OK
1.7	DDRC	DDRC_DurDeb.EGRVlv_tiCurrLimDebDef_C	OK
1.8	DDRC	DDRC_DurDeb.EGRVlv_tiGovDvtCldDebDef_C	OK
1.9	DFC	DFC_DisblMsk.DFC_EGRVlvCurrLim_C	OK
1.10	DFC	DFC_DisblMsk.DFC_EGRVlvGovDvtCld_C	OK
1.11	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvClsd_C	OK
1.12	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvOpn_C	OK
1.13	DFC	DFC_DisblMsk.DFC_MDMpl_C	OK
1.14	DFES	DFES_Cls.DFC_EGRVlvCurrLim_C	OK
1.15	DFES	DFES_Cls.DFC_EGRVlvGovDvtCld_C	OK
1.16	DFES	DFES_Cls.DFC_EGRVlvJamVlvClsd_C	OK
1.17	DFES	DFES_Cls.DFC_EGRVlvJamVlvOpn_C	OK
1.18	DFES	DFES_numPDTC_C	OK
1.19	DFES	DFES_xClsFltMIL_CA	OK
1.20	DIUMPR	DIUMPR_ctGen.l500MD_C	OK
1.21	DIUMPR	DIUMPR_ctGen.pEnvMin_C	OK
1.22	DIUMPR	DIUMPR_ctGen.rAPPMax_C	OK
1.23	DIUMPR	DIUMPR_ctGen.tEnvMin_C	OK
1.24	DIUMPR	DIUMPR_ctGen.tiActrMin_C	OK
1.25	DIUMPR	DIUMPR_ctGen.tiIdlMin_C	OK
1.26	DIUMPR	DIUMPR_ctGen.tiOpMin_C	OK
1.27	DIUMPR	DIUMPR_ctGen.tiVehSpdMin_C	OK

#	FC Name	Parameter Name	Check Result
1.28	DIUMPR	DIUMPR_ctGen.vVehIdlMax_C	OK
1.29	DIUMPR	DIUMPR_ctGen.vVehMin_C	OK
1.30	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.ratThdMax_C	OK
1.31	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiLimn_C	OK
1.32	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiNoLimn_C	OK
1.33	EGSDCmn_CoorrParlShoTrip	EGSDCmn_flgMultiChkParl_C	OK
1.34	ExhMgT_ActvnCptProtnTExh	ExhMgT_stActvnCptProtnTExh_C	OK
1.35	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1CptProtnMax_C	OK
1.36	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1MaxCptProtnMax_C	OK
1.37	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2CptProtnMax_C	OK
1.38	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2MaxCptProtnMax_C	OK
1.39	ExhMgT_ActvnCptProtnTExh	ExhMgT_tDeltaWallActvnCptProtn_C	OK
1.40	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnDsMax_C	OK
1.41	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnUsMax_C	OK
1.42	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnDsMax_C	OK
1.43	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnUsMax_C	OK
1.44	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhDsVlvCptProtnMax_C	OK
1.45	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhFrtPipCptProtnMax_C	OK
1.46	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatDelta_C	OK
1.47	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatLo_C	OK
1.48	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhDelta_C	OK
1.49	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhLo_C	OK
1.50	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_C	OK
1.51	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_T	OK
1.52	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfCptProtnMax_C	OK
1.53	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfldCptProtn_T	OK
1.54	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaCatWrm_C	OK
1.55	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaColdStrtHeatg_C	OK
1.56	ExhMgT_CatHeatgUpReq	ExhMgT_nrCatHighPrio_C	OK
1.57	ExhMgT_CatHeatgUpReq	ExhMgT_tDelta2CatHeatgCatHiPrio_C	OK

#	FC Name	Parameter Name	Check Result
1.58	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatHiPrio_C	OK
1.59	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatLoPrio_C	OK
1.60	ExhMgT_CatHeatgUpReq	ExhMgT_tThd2CatHeatgCatHiPrio_T	OK
1.61	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatHiPrio_T	OK
1.62	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatLoPrio_T	OK
1.63	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsDelta_C	OK
1.64	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsHi_C	OK
1.65	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIa_C	OK
1.66	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIaDelta_C	OK
1.67	ExhMgT_LamCptProtn	KFLBTSDY	OK
1.68	ExhMgT_LamCptProtn	KFLBTSDYRI	OK
1.69	ExhMgT_TExhCtrlrCptProtn	ExhMgT_ratChrgExhCptProtn_M	OK
1.70	ExhMod_DewDetRels	DewDet_S1B1_I.egyThd_M	OK
1.71	ExhMod_DewDetRels	DewDet_S1B1_I.egyThdSecFu_M	OK
1.72	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspS1B1_M	OK
1.73	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspSecFuS1B1_M	OK
1.74	GEVCtl_PhaSpIntk	GEVCtl_facTiAgSpFilIntk_T	OK
1.75	GEVCtl_PhaSpIntk	GEVCtl_tOilFrznModMaxIntk_C	OK
1.76	GEVCtl_PhaSpIntk	GEVCtl_vVehLo_C	OK
1.77	GEVCtl_ReqRefAdpn	GEVCtl_stReqRefAdpn_C	OK
1.78	GEVCtl_ReqRefAdpn	GEVCtl_tiDiFcoCdnAftStrtIntk_C	OK
1.79	GEVCtl_ReqRefAdpn	GEVCtl_tiDlyAdpnAftStrt_C	OK
1.80	HDRPSOL	TVHDRPSLST	OK
1.81	I15031Extd_srv4	I15031_nMaxSrv4_C	OK
1.82	KHMR	ExhMgT_facEtaCatWrmAltiT_M	OK
1.83	KHMR	KFFSTKTMFH	OK
1.84	LLim_calcLim	LLim_vMaxFix_C	OK
1.85	LRA	FRADIFF	OK
1.86	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Hld_C	OK
1.87	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.HldN_C	OK

#	FC Name	Parameter Name	Check Result
1.88	MisfDet_RelsCdn	MisfDet_nEngMax.Cmn_GT	OK
1.89	MisfDet_RelsCdn	MisfDet_swtOn_C	OK
1.90	SWAdp	CWAGR	OK

Hex file 2 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Lo_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
2.1	AGRPSOL	FDVAGR	OK
2.2	BBAGR	ChrSet_tiDlyEgrEngStrt_C	OK
2.3	BBSAFG	KFTVSAGNG	OK
2.4	BBSAFG	TVSATM	OK
2.5	BGAGRTS	TASAGRTSMX	OK
2.6	DcmCore_DslDsd_Appl	ComDia_nMaxServCDI_C	OK
2.7	DDRC	DDRC_DurDeb.EGRVlv_tiCurrLimDebDef_C	OK
2.8	DDRC	DDRC_DurDeb.EGRVlv_tiGovDvtCldDebDef_C	OK
2.9	DFC	DFC_DisblMsk.DFC_EGRVlvCurrLim_C	OK
2.10	DFC	DFC_DisblMsk.DFC_EGRVlvGovDvtCld_C	OK
2.11	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvClsd_C	OK
2.12	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvOpn_C	OK
2.13	DFC	DFC_DisblMsk.DFC_MDMpl_C	OK
2.14	DFES	DFES_Cls.DFC_EGRVlvCurrLim_C	OK
2.15	DFES	DFES_Cls.DFC_EGRVlvGovDvtCld_C	OK
2.16	DFES	DFES_Cls.DFC_EGRVlvJamVlvClsd_C	OK
2.17	DFES	DFES_Cls.DFC_EGRVlvJamVlvOpn_C	OK
2.18	DFES	DFES_numPDTC_C	OK
2.19	DFES	DFES_xClsFltMIL_CA	OK
2.20	DIUMPR	DIUMPR_ctGen.l500MD_C	OK
2.21	DIUMPR	DIUMPR_ctGen.pEnvMin_C	OK
2.22	DIUMPR	DIUMPR_ctGen.rAPPMax_C	OK
2.23	DIUMPR	DIUMPR_ctGen.tEnvMin_C	OK

#	FC Name	Parameter Name	Check Result
2.24	DIUMPR	DIUMPR_ctGen.tiActrMin_C	OK
2.25	DIUMPR	DIUMPR_ctGen.tiIdlMin_C	OK
2.26	DIUMPR	DIUMPR_ctGen.tiOpMin_C	OK
2.27	DIUMPR	DIUMPR_ctGen.tiVehSpdMin_C	OK
2.28	DIUMPR	DIUMPR_ctGen.vVehIdlMax_C	OK
2.29	DIUMPR	DIUMPR_ctGen.vVehMin_C	OK
2.30	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.ratThdMax_C	OK
2.31	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiLimn_C	OK
2.32	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiNoLimn_C	OK
2.33	EGSDCmn_CoorrParlShoTrip	EGSDCmn_flgMultiChkParl_C	OK
2.34	ExhMgT_ActvnCptProtnTExh	ExhMgT_stActvnCptProtnTExh_C	OK
2.35	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1CptProtnMax_C	OK
2.36	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1MaxCptProtnMax_C	OK
2.37	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2CptProtnMax_C	OK
2.38	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2MaxCptProtnMax_C	OK
2.39	ExhMgT_ActvnCptProtnTExh	ExhMgT_tDeltaWallActvnCptProtn_C	OK
2.40	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnDsMax_C	OK
2.41	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnUsMax_C	OK
2.42	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnDsMax_C	OK
2.43	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnUsMax_C	OK
2.44	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhDsVlvCptProtnMax_C	OK
2.45	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhFrtPipCptProtnMax_C	OK
2.46	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatDelta_C	OK
2.47	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatLo_C	OK
2.48	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhDelta_C	OK
2.49	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhLo_C	OK
2.50	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_C	OK
2.51	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_T	OK
2.52	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfCptProtnMax_C	OK
2.53	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfldCptProtn_T	OK

#	FC Name	Parameter Name	Check Result
2.54	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaCatWrm_C	OK
2.55	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaColdStrtHeatg_C	OK
2.56	ExhMgT_CatHeatgUpReq	ExhMgT_nrCatHighPrio_C	OK
2.57	ExhMgT_CatHeatgUpReq	ExhMgT_tDelta2CatHeatgCatHiPrio_C	OK
2.58	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatHiPrio_C	OK
2.59	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatLoPrio_C	OK
2.60	ExhMgT_CatHeatgUpReq	ExhMgT_tThd2CatHeatgCatHiPrio_T	OK
2.61	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatHiPrio_T	OK
2.62	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatLoPrio_T	OK
2.63	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsDelta_C	OK
2.64	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsHi_C	OK
2.65	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIa_C	OK
2.66	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIaDelta_C	OK
2.67	ExhMgT_LamCptProtn	KFLBTSDY	OK
2.68	ExhMgT_LamCptProtn	KFLBTSDYRI	OK
2.69	ExhMgT_TExhCtrlrCptProtn	ExhMgT_ratChrgExhCptProtn_M	OK
2.70	ExhMod_DewDetRels	DewDet_S1B1_I.egyThd_M	OK
2.71	ExhMod_DewDetRels	DewDet_S1B1_I.egyThdSecFu_M	OK
2.72	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspS1B1_M	OK
2.73	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspSecFuS1B1_M	OK
2.74	GEVCtl_PhaSpIntk	GEVCtl_facTiAgSpFilIntk_T	OK
2.75	GEVCtl_PhaSpIntk	GEVCtl_tOilFrznModMaxIntk_C	OK
2.76	GEVCtl_PhaSpIntk	GEVCtl_vVehLo_C	OK
2.77	GEVCtl_ReqRefAdpn	GEVCtl_stReqRefAdpn_C	OK
2.78	GEVCtl_ReqRefAdpn	GEVCtl_tiDiFcoCdnAftStrtIntk_C	OK
2.79	GEVCtl_ReqRefAdpn	GEVCtl_tiDlyAdpnAftStrt_C	OK
2.80	HDRPSOL	TVHDRPSLST	OK
2.81	I15031Extd_srv4	I15031_nMaxSrv4_C	OK
2.82	KHMR	ExhMgT_facEtaCatWrmAltiT_M	OK
2.83	KHMR	KFFSTKTMFH	OK

#	FC Name	Parameter Name	Check Result
2.84	LLim_calcLim	LLim_vMaxFix_C	OK
2.85	LRA	FRADIFF	OK
2.86	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Hld_C	OK
2.87	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.HldN_C	OK
2.88	MisfDet_RelsCdn	MisfDet_nEngMax.Cmn_GT	OK
2.89	MisfDet_RelsCdn	MisfDet_swtOn_C	OK
2.90	SWAdp	CWAGR	OK

Hex file 3 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Mid_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
3.1	AGRPSOL	FDVAGR	OK
3.2	BBAGR	ChrSet_tiDlyEgrEngStrt_C	OK
3.3	BBSAFG	KFTVSAGNG	OK
3.4	BBSAFG	TVSATM	OK
3.5	BGAGRTS	TASAGRTSMX	OK
3.6	DcmCore_DslDsd_Appl	ComDia_nMaxServCDI_C	OK
3.7	DDRC	DDRC_DurDeb.EGRVlv_tiCurrLimDebDef_C	OK
3.8	DDRC	DDRC_DurDeb.EGRVlv_tiGovDvtCldDebDef_C	OK
3.9	DFC	DFC_DisblMsk.DFC_EGRVlvCurrLim_C	OK
3.10	DFC	DFC_DisblMsk.DFC_EGRVlvGovDvtCld_C	OK
3.11	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvClsd_C	OK
3.12	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvOpn_C	OK
3.13	DFC	DFC_DisblMsk.DFC_MDMpl_C	OK
3.14	DFES	DFES_Cls.DFC_EGRVlvCurrLim_C	OK
3.15	DFES	DFES_Cls.DFC_EGRVlvGovDvtCld_C	OK
3.16	DFES	DFES_Cls.DFC_EGRVlvJamVlvClsd_C	OK
3.17	DFES	DFES_Cls.DFC_EGRVlvJamVlvOpn_C	OK
3.18	DFES	DFES_numPDTC_C	OK
3.19	DFES	DFES_xClsFltMIL_CA	OK

#	FC Name	Parameter Name	Check Result
3.20	DIUMPR	DIUMPR_ctGen.l500MD_C	OK
3.21	DIUMPR	DIUMPR_ctGen.pEnvMin_C	OK
3.22	DIUMPR	DIUMPR_ctGen.rAPPMax_C	OK
3.23	DIUMPR	DIUMPR_ctGen.tEnvMin_C	OK
3.24	DIUMPR	DIUMPR_ctGen.tiActrMin_C	OK
3.25	DIUMPR	DIUMPR_ctGen.tiIdlMin_C	OK
3.26	DIUMPR	DIUMPR_ctGen.tiOpMin_C	OK
3.27	DIUMPR	DIUMPR_ctGen.tiVehSpdMin_C	OK
3.28	DIUMPR	DIUMPR_ctGen.vVehIdlMax_C	OK
3.29	DIUMPR	DIUMPR_ctGen.vVehMin_C	OK
3.30	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.ratThdMax_C	OK
3.31	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiLimn_C	OK
3.32	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiNoLimn_C	OK
3.33	EGSDCmn_CoorrParlShoTrip	EGSDCmn_flgMultiChkParl_C	OK
3.34	ExhMgT_ActvnCptProtnTExh	ExhMgT_stActvnCptProtnTExh_C	OK
3.35	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1CptProtnMax_C	OK
3.36	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1MaxCptProtnMax_C	OK
3.37	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2CptProtnMax_C	OK
3.38	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2MaxCptProtnMax_C	OK
3.39	ExhMgT_ActvnCptProtnTExh	ExhMgT_tDeltaWallActvnCptProtn_C	OK
3.40	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnDsMax_C	OK
3.41	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnUsMax_C	OK
3.42	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnDsMax_C	OK
3.43	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnUsMax_C	OK
3.44	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhDsVlvCptProtnMax_C	OK
3.45	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhFrtPipCptProtnMax_C	OK
3.46	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatDelta_C	OK
3.47	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatLo_C	OK
3.48	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhDelta_C	OK
3.49	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhLo_C	OK

#	FC Name	Parameter Name	Check Result
3.50	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_C	OK
3.51	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_T	OK
3.52	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfCptProtnMax_C	OK
3.53	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfldCptProtn_T	OK
3.54	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaCatWrm_C	OK
3.55	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaColdStrtHeatg_C	OK
3.56	ExhMgT_CatHeatgUpReq	ExhMgT_nrCatHighPrio_C	OK
3.57	ExhMgT_CatHeatgUpReq	ExhMgT_tDelta2CatHeatgCatHiPrio_C	OK
3.58	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatHiPrio_C	OK
3.59	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatLoPrio_C	OK
3.60	ExhMgT_CatHeatgUpReq	ExhMgT_tThd2CatHeatgCatHiPrio_T	OK
3.61	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatHiPrio_T	OK
3.62	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatLoPrio_T	OK
3.63	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsDelta_C	OK
3.64	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsHi_C	OK
3.65	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIa_C	OK
3.66	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIaDelta_C	OK
3.67	ExhMgT_LamCptProtn	KFLBTSDY	OK
3.68	ExhMgT_LamCptProtn	KFLBTSDYRI	OK
3.69	ExhMgT_TExhCtrlrCptProtn	ExhMgT_ratChrgExhCptProtn_M	OK
3.70	ExhMod_DewDetRels	DewDet_S1B1_I.egyThd_M	OK
3.71	ExhMod_DewDetRels	DewDet_S1B1_I.egyThdSecFu_M	OK
3.72	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspS1B1_M	OK
3.73	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspSecFuS1B1_M	OK
3.74	GEVCtl_PhaSpIntk	GEVCtl_facTiAgSpFilIntk_T	OK
3.75	GEVCtl_PhaSpIntk	GEVCtl_tOilFrznModMaxIntk_C	OK
3.76	GEVCtl_PhaSpIntk	GEVCtl_vVehLo_C	OK
3.77	GEVCtl_ReqRefAdpn	GEVCtl_stReqRefAdpn_C	OK
3.78	GEVCtl_ReqRefAdpn	GEVCtl_tiDiFcoCdnAftStrtIntk_C	OK
3.79	GEVCtl_ReqRefAdpn	GEVCtl_tiDlyAdpnAftStrt_C	OK

#	FC Name	Parameter Name	Check Result
3.80	HDRPSOL	TVHDRPSLST	OK
3.81	I15031Extd_srv4	I15031_nMaxSrv4_C	OK
3.82	KHMR	ExhMgT_facEtaCatWrmAltiT_M	OK
3.83	KHMR	KFFSTKTMFH	OK
3.84	LLim_calcLim	LLim_vMaxFix_C	OK
3.85	LRA	FRADIFF	OK
3.86	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Hld_C	OK
3.87	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.HldN_C	OK
3.88	MisfDet_RelsCdn	MisfDet_nEngMax.Cmn_GT	OK
3.89	MisfDet_RelsCdn	MisfDet_swtOn_C	OK
3.90	SWAdp	CWAGR	OK

Hex file 4 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Hi_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
4.1	AGRPSOL	FDVAGR	OK
4.2	BBAGR	ChrSet_tiDlyEgrEngStrt_C	OK
4.3	BBSAFG	KFTVSAGNG	OK
4.4	BBSAFG	TVSATM	OK
4.5	BGAGRTS	TASAGRTSMX	OK
4.6	DcmCore_DslDsd_Appl	ComDia_nMaxServCDI_C	OK
4.7	DDRC	DDRC_DurDeb.EGRVlv_tiCurrLimDebDef_C	OK
4.8	DDRC	DDRC_DurDeb.EGRVlv_tiGovDvtCldDebDef_C	OK
4.9	DFC	DFC_DisblMsk.DFC_EGRVlvCurrLim_C	OK
4.10	DFC	DFC_DisblMsk.DFC_EGRVlvGovDvtCld_C	OK
4.11	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvClsd_C	OK
4.12	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvOpn_C	OK
4.13	DFC	DFC_DisblMsk.DFC_MDMpl_C	OK
4.14	DFES	DFES_Cls.DFC_EGRVlvCurrLim_C	OK
4.15	DFES	DFES_Cls.DFC_EGRVlvGovDvtCld_C	OK

#	FC Name	Parameter Name	Check Result
4.16	DFES	DFES_Cls.DFC_EGRVlvJamVlvClsd_C	OK
4.17	DFES	DFES_Cls.DFC_EGRVlvJamVlvOpn_C	OK
4.18	DFES	DFES_numPDTC_C	OK
4.19	DFES	DFES_xClsFltMIL_CA	OK
4.20	DIUMPR	DIUMPR_ctGen.l500MD_C	OK
4.21	DIUMPR	DIUMPR_ctGen.pEnvMin_C	OK
4.22	DIUMPR	DIUMPR_ctGen.rAPPMax_C	OK
4.23	DIUMPR	DIUMPR_ctGen.tEnvMin_C	OK
4.24	DIUMPR	DIUMPR_ctGen.tiActrMin_C	OK
4.25	DIUMPR	DIUMPR_ctGen.tiIdlMin_C	OK
4.26	DIUMPR	DIUMPR_ctGen.tiOpMin_C	OK
4.27	DIUMPR	DIUMPR_ctGen.tiVehSpdMin_C	OK
4.28	DIUMPR	DIUMPR_ctGen.vVehIdlMax_C	OK
4.29	DIUMPR	DIUMPR_ctGen.vVehMin_C	OK
4.30	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.ratThdMax_C	OK
4.31	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiLimn_C	OK
4.32	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiNoLimn_C	OK
4.33	EGSDCmn_CoorrParlShoTrip	EGSDCmn_flgMultiChkParl_C	OK
4.34	ExhMgT_ActvnCptProtnTExh	ExhMgT_stActvnCptProtnTExh_C	OK
4.35	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1CptProtnMax_C	OK
4.36	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1MaxCptProtnMax_C	OK
4.37	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2CptProtnMax_C	OK
4.38	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2MaxCptProtnMax_C	OK
4.39	ExhMgT_ActvnCptProtnTExh	ExhMgT_tDeltaWallActvnCptProtn_C	OK
4.40	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnDsMax_C	OK
4.41	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnUsMax_C	OK
4.42	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnDsMax_C	OK
4.43	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnUsMax_C	OK
4.44	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhDsVlvCptProtnMax_C	OK
4.45	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhFrtPipCptProtnMax_C	OK

#	FC Name	Parameter Name	Check Result
4.46	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatDelta_C	OK
4.47	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatLo_C	OK
4.48	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhDelta_C	OK
4.49	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhLo_C	OK
4.50	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_C	OK
4.51	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_T	OK
4.52	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfCptProtnMax_C	OK
4.53	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfldCptProtn_T	OK
4.54	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaCatWrm_C	OK
4.55	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaColdStrtHeatg_C	OK
4.56	ExhMgT_CatHeatgUpReq	ExhMgT_nrCatHighPrio_C	OK
4.57	ExhMgT_CatHeatgUpReq	ExhMgT_tDelta2CatHeatgCatHiPrio_C	OK
4.58	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatHiPrio_C	OK
4.59	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatLoPrio_C	OK
4.60	ExhMgT_CatHeatgUpReq	ExhMgT_tThd2CatHeatgCatHiPrio_T	OK
4.61	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatHiPrio_T	OK
4.62	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatLoPrio_T	OK
4.63	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsDelta_C	OK
4.64	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsHi_C	OK
4.65	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIa_C	OK
4.66	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIaDelta_C	OK
4.67	ExhMgT_LamCptProtn	KFLBTSDY	OK
4.68	ExhMgT_LamCptProtn	KFLBTSDYRI	OK
4.69	ExhMgT_TExhCtrlrCptProtn	ExhMgT_ratChrgExhCptProtn_M	OK
4.70	ExhMod_DewDetRels	DewDet_S1B1_I.egyThd_M	OK
4.71	ExhMod_DewDetRels	DewDet_S1B1_I.egyThdSecFu_M	OK
4.72	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspS1B1_M	OK
4.73	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspSecFuS1B1_M	OK
4.74	GEVCtl_PhaSpIntk	GEVCtl_facTiAgSpFilIntk_T	OK
4.75	GEVCtl_PhaSpIntk	GEVCtl_tOilFrznModMaxIntk_C	OK

#	FC Name	Parameter Name	Check Result
4.76	GEVCtl_PhaSpIntk	GEVCtl_vVehLo_C	OK
4.77	GEVCtl_ReqRefAdpn	GEVCtl_stReqRefAdpn_C	OK
4.78	GEVCtl_ReqRefAdpn	GEVCtl_tiDiFcoCdnAftStrtIntk_C	OK
4.79	GEVCtl_ReqRefAdpn	GEVCtl_tiDlyAdpnAftStrt_C	OK
4.80	HDRPSOL	TVHDRPSLST	OK
4.81	I15031Extd_srv4	I15031_nMaxSrv4_C	OK
4.82	KHMR	ExhMgT_facEtaCatWrmAltiT_M	OK
4.83	KHMR	KFFSTKTMFH	OK
4.84	LLim_calcLim	LLim_vMaxFix_C	OK
4.85	LRA	FRADIFF	OK
4.86	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Hld_C	OK
4.87	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.HldN_C	OK
4.88	MisfDet_RelsCdn	MisfDet_nEngMax.Cmn_GT	OK
4.89	MisfDet_RelsCdn	MisfDet_swtOn_C	OK
4.90	SWAdp	CWAGR	OK

Hex file 5 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Lo_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
5.1	AGRPSOL	FDVAGR	OK
5.2	BBAGR	ChrSet_tiDlyEgrEngStrt_C	OK
5.3	BBSAFG	KFTVSAGNG	OK
5.4	BBSAFG	TVSATM	OK
5.5	BGAGRTS	TASAGRTSMX	OK
5.6	DcmCore_DslDsd_Appl	ComDia_nMaxServCDI_C	OK
5.7	DDRC	DDRC_DurDeb.EGRVlv_tiCurrLimDebDef_C	OK
5.8	DDRC	DDRC_DurDeb.EGRVlv_tiGovDvtCldDebDef_C	OK
5.9	DFC	DFC_DisblMsk.DFC_EGRVlvCurrLim_C	OK
5.10	DFC	DFC_DisblMsk.DFC_EGRVlvGovDvtCld_C	OK
5.11	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvClsd_C	OK

#	FC Name	Parameter Name	Check Result
5.12	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvOpn_C	OK
5.13	DFC	DFC_DisblMsk.DFC_MDMpl_C	OK
5.14	DFES	DFES_Cls.DFC_EGRVlvCurrLim_C	OK
5.15	DFES	DFES_Cls.DFC_EGRVlvGovDvtCld_C	OK
5.16	DFES	DFES_Cls.DFC_EGRVlvJamVlvClsd_C	OK
5.17	DFES	DFES_Cls.DFC_EGRVlvJamVlvOpn_C	OK
5.18	DFES	DFES_numPDTC_C	OK
5.19	DFES	DFES_xClsFltMIL_CA	OK
5.20	DIUMPR	DIUMPR_ctGen.l500MD_C	OK
5.21	DIUMPR	DIUMPR_ctGen.pEnvMin_C	OK
5.22	DIUMPR	DIUMPR_ctGen.rAPPMax_C	OK
5.23	DIUMPR	DIUMPR_ctGen.tEnvMin_C	OK
5.24	DIUMPR	DIUMPR_ctGen.tiActrMin_C	OK
5.25	DIUMPR	DIUMPR_ctGen.tiIdlMin_C	OK
5.26	DIUMPR	DIUMPR_ctGen.tiOpMin_C	OK
5.27	DIUMPR	DIUMPR_ctGen.tiVehSpdMin_C	OK
5.28	DIUMPR	DIUMPR_ctGen.vVehIdlMax_C	OK
5.29	DIUMPR	DIUMPR_ctGen.vVehMin_C	OK
5.30	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.ratThdMax_C	OK
5.31	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiLimn_C	OK
5.32	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiNoLimn_C	OK
5.33	EGSDCmn_CoorrParlShoTrip	EGSDCmn_flgMultiChkParl_C	OK
5.34	ExhMgT_ActvnCptProtnTExh	ExhMgT_stActvnCptProtnTExh_C	OK
5.35	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1CptProtnMax_C	OK
5.36	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1MaxCptProtnMax_C	OK
5.37	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2CptProtnMax_C	OK
5.38	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2MaxCptProtnMax_C	OK
5.39	ExhMgT_ActvnCptProtnTExh	ExhMgT_tDeltaWallActvnCptProtn_C	OK
5.40	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnDsMax_C	OK
5.41	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnUsMax_C	OK

#	FC Name	Parameter Name	Check Result
5.42	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnDsMax_C	OK
5.43	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnUsMax_C	OK
5.44	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhDsVlvCptProtnMax_C	OK
5.45	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhFrtPipCptProtnMax_C	OK
5.46	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatDelta_C	OK
5.47	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatLo_C	OK
5.48	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhDelta_C	OK
5.49	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhLo_C	OK
5.50	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_C	OK
5.51	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_T	OK
5.52	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfCptProtnMax_C	OK
5.53	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfldCptProtn_T	OK
5.54	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaCatWrm_C	OK
5.55	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaColdStrtHeatg_C	OK
5.56	ExhMgT_CatHeatgUpReq	ExhMgT_nrCatHighPrio_C	OK
5.57	ExhMgT_CatHeatgUpReq	ExhMgT_tDelta2CatHeatgCatHiPrio_C	OK
5.58	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatHiPrio_C	OK
5.59	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatLoPrio_C	OK
5.60	ExhMgT_CatHeatgUpReq	ExhMgT_tThd2CatHeatgCatHiPrio_T	OK
5.61	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatHiPrio_T	OK
5.62	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatLoPrio_T	OK
5.63	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsDelta_C	OK
5.64	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsHi_C	OK
5.65	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIa_C	OK
5.66	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIaDelta_C	OK
5.67	ExhMgT_LamCptProtn	KFLBTSDY	OK
5.68	ExhMgT_LamCptProtn	KFLBTSDYRI	OK
5.69	ExhMgT_TExhCtrlrCptProtn	ExhMgT_ratChrgExhCptProtn_M	OK
5.70	ExhMod_DewDetRels	DewDet_S1B1_I.egyThd_M	OK
5.71	ExhMod_DewDetRels	DewDet_S1B1_I.egyThdSecFu_M	OK

#	FC Name	Parameter Name	Check Result
5.72	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspS1B1_M	OK
5.73	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspSecFuS1B1_M	OK
5.74	GEVCtl_PhaSpIntk	GEVCtl_facTiAgSpFilIntk_T	OK
5.75	GEVCtl_PhaSpIntk	GEVCtl_tOilFrznModMaxIntk_C	OK
5.76	GEVCtl_PhaSpIntk	GEVCtl_vVehLo_C	OK
5.77	GEVCtl_ReqRefAdpn	GEVCtl_stReqRefAdpn_C	OK
5.78	GEVCtl_ReqRefAdpn	GEVCtl_tiDiFcoCdnAftStrtIntk_C	OK
5.79	GEVCtl_ReqRefAdpn	GEVCtl_tiDlyAdpnAftStrt_C	OK
5.80	HDRPSOL	TVHDRPSLST	OK
5.81	I15031Extd_srv4	I15031_nMaxSrv4_C	OK
5.82	KHMR	ExhMgT_facEtaCatWrmAltiT_M	OK
5.83	KHMR	KFFSTKTMFH	OK
5.84	LLim_calcLim	LLim_vMaxFix_C	OK
5.85	LRA	FRADIFF	OK
5.86	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Hld_C	OK
5.87	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.HldN_C	OK
5.88	MisfDet_RelsCdn	MisfDet_nEngMax.Cmn_GT	OK
5.89	MisfDet_RelsCdn	MisfDet_swtOn_C	OK
5.90	SWAdp	CWAGR	OK

Hex file 6 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Mid_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
6.1	AGRPSOL	FDVAGR	OK
6.2	BBAGR	ChrSet_tiDlyEgrEngStrt_C	OK
6.3	BBSAFG	KFTVSAGNG	OK
6.4	BBSAFG	TVSATM	OK
6.5	BGAGRTS	TASAGRTSMX	OK
6.6	DcmCore_DslDsd_Appl	ComDia_nMaxServCDI_C	OK
6.7	DDRC	DDRC_DurDeb.EGRVlv_tiCurrLimDebDef_C	OK

#	FC Name	Parameter Name	Check Result
6.8	DDRC	DDRC_DurDeb.EGRVlv_tiGovDvtCldDebDef_C	OK
6.9	DFC	DFC_DisblMsk.DFC_EGRVlvCurrLim_C	OK
6.10	DFC	DFC_DisblMsk.DFC_EGRVlvGovDvtCld_C	OK
6.11	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvClsd_C	OK
6.12	DFC	DFC_DisblMsk.DFC_EGRVlvJamVlvOpn_C	OK
6.13	DFC	DFC_DisblMsk.DFC_MDMpl_C	OK
6.14	DFES	DFES_Cls.DFC_EGRVlvCurrLim_C	OK
6.15	DFES	DFES_Cls.DFC_EGRVlvGovDvtCld_C	OK
6.16	DFES	DFES_Cls.DFC_EGRVlvJamVlvClsd_C	OK
6.17	DFES	DFES_Cls.DFC_EGRVlvJamVlvOpn_C	OK
6.18	DFES	DFES_numPDTC_C	OK
6.19	DFES	DFES_xClsFltMIL_CA	OK
6.20	DIUMPR	DIUMPR_ctGen.l500MD_C	OK
6.21	DIUMPR	DIUMPR_ctGen.pEnvMin_C	OK
6.22	DIUMPR	DIUMPR_ctGen.rAPPMax_C	OK
6.23	DIUMPR	DIUMPR_ctGen.tEnvMin_C	OK
6.24	DIUMPR	DIUMPR_ctGen.tiActrMin_C	OK
6.25	DIUMPR	DIUMPR_ctGen.tiIdlMin_C	OK
6.26	DIUMPR	DIUMPR_ctGen.tiOpMin_C	OK
6.27	DIUMPR	DIUMPR_ctGen.tiVehSpdMin_C	OK
6.28	DIUMPR	DIUMPR_ctGen.vVehIdlMax_C	OK
6.29	DIUMPR	DIUMPR_ctGen.vVehMin_C	OK
6.30	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.ratThdMax_C	OK
6.31	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiLimn_C	OK
6.32	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiNoLimn_C	OK
6.33	EGSDCmn_CoorrParlShoTrip	EGSDCmn_flgMultiChkParl_C	OK
6.34	ExhMgT_ActvnCptProtnTExh	ExhMgT_stActvnCptProtnTExh_C	OK
6.35	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1CptProtnMax_C	OK
6.36	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat1MaxCptProtnMax_C	OK
6.37	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2CptProtnMax_C	OK

#	FC Name	Parameter Name	Check Result
6.38	ExhMgT_ActvnCptProtnTExh	ExhMgT_tCat2MaxCptProtnMax_C	OK
6.39	ExhMgT_ActvnCptProtnTExh	ExhMgT_tDeltaWallActvnCptProtn_C	OK
6.40	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnDsMax_C	OK
6.41	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat1CptProtnUsMax_C	OK
6.42	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnDsMax_C	OK
6.43	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhCat2CptProtnUsMax_C	OK
6.44	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhDsVlvCptProtnMax_C	OK
6.45	ExhMgT_ActvnCptProtnTExh	ExhMgT_tExhFrtPipCptProtnMax_C	OK
6.46	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatDelta_C	OK
6.47	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinCatLo_C	OK
6.48	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhDelta_C	OK
6.49	ExhMgT_ActvnCptProtnTExh	ExhMgT_tMinExhLo_C	OK
6.50	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_C	OK
6.51	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallActvnCptProtnMax_T	OK
6.52	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfCptProtnMax_C	OK
6.53	ExhMgT_ActvnCptProtnTExh	ExhMgT_tWallMnfldCptProtn_T	OK
6.54	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaCatWrm_C	OK
6.55	ExhMgT_CatHeatgUpReq	ExhMgT_facThdEtaColdStrtHeatg_C	OK
6.56	ExhMgT_CatHeatgUpReq	ExhMgT_nrCatHighPrio_C	OK
6.57	ExhMgT_CatHeatgUpReq	ExhMgT_tDelta2CatHeatgCatHiPrio_C	OK
6.58	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatHiPrio_C	OK
6.59	ExhMgT_CatHeatgUpReq	ExhMgT_tDeltaCatHeatgCatLoPrio_C	OK
6.60	ExhMgT_CatHeatgUpReq	ExhMgT_tThd2CatHeatgCatHiPrio_T	OK
6.61	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatHiPrio_T	OK
6.62	ExhMgT_CatHeatgUpReq	ExhMgT_tThdCatHeatgCatLoPrio_T	OK
6.63	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsDelta_C	OK
6.64	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhCat1UsHi_C	OK
6.65	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIa_C	OK
6.66	ExhMgT_IaDeltaCptProtn	ExhMgT_tExhMnfIaDelta_C	OK
6.67	ExhMgT_LamCptProtn	KFLBTSDY	OK

#	FC Name	Parameter Name	Check Result
6.68	ExhMgT_LamCptProtn	KFLBTSDYRI	OK
6.69	ExhMgT_TExhCtrlrCptProtn	ExhMgT_ratChrgExhCptProtn_M	OK
6.70	ExhMod_DewDetRels	DewDet_S1B1_I.egyThd_M	OK
6.71	ExhMod_DewDetRels	DewDet_S1B1_I.egyThdSecFu_M	OK
6.72	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspS1B1_M	OK
6.73	ExhMod_TspSnsrRels	ExhMod_facEgyThdTspSecFuS1B1_M	OK
6.74	GEVCtl_PhaSpIntk	GEVCtl_facTiAgSpFilIntk_T	OK
6.75	GEVCtl_PhaSpIntk	GEVCtl_tOilFrznModMaxIntk_C	OK
6.76	GEVCtl_PhaSpIntk	GEVCtl_vVehLo_C	OK
6.77	GEVCtl_ReqRefAdpn	GEVCtl_stReqRefAdpn_C	OK
6.78	GEVCtl_ReqRefAdpn	GEVCtl_tiDiFcoCdnAftStrtIntk_C	OK
6.79	GEVCtl_ReqRefAdpn	GEVCtl_tiDlyAdpnAftStrt_C	OK
6.80	HDRPSOL	TVHDRPSLST	OK
6.81	I15031Extd_srv4	I15031_nMaxSrv4_C	OK
6.82	KHMR	ExhMgT_facEtaCatWrmAltiT_M	OK
6.83	KHMR	KFFSTKTMFH	OK
6.84	LLim_calcLim	LLim_vMaxFix_C	OK
6.85	LRA	FRADIFF	OK
6.86	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Hld_C	OK
6.87	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.HldN_C	OK
6.88	MisfDet_RelsCdn	MisfDet_nEngMax.Cmn_GT	OK
6.89	MisfDet_RelsCdn	MisfDet_swtOn_C	OK
6.90	SWAdp	CWAGR	OK

Review Details for Q-SSD OK

Hex file 1 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Hi_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
1.1	APP_VD	APP_rAppLimnMax_C	OK
1.2	APP_VD	APP_rAppLimnMin_C	OK
1.3	BattU_DD	BattU_uTransf_CUR	OK
1.4	BattU_VD	BattU_uNrm_C	OK
1.5	BattU_VD	BattU_uSRCMax_C	OK
1.6	BGFKMS	OFMSNDKMN	OK
1.7	BGFKMS	OFMSNDKMN2	OK
1.8	BGMSDK	VPSRVDUGD	OK
1.9	DFES	DFES_Cls.DFC_EpmCrSDGI_C	OK
1.10	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiBtwConsctvILimn_C	OK
1.11	EnvP_DD	PEnv_facCnvnSlopDig_C	OK
1.12	EnvP_DD	PEnv_pCnvnOffs_C	OK
1.13	IgCtl_IaCorrnLam	IgCtl_flgOffsRefIgnAgLam_C	OK
1.14	InjVlvPs_Dia	THEALING_C	OK
1.15	LRA	CWLRADLSUCHK	OK
1.16	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Raw_C	OK
1.17	MisfDet_StcCat	MisfDet_stcCatDmgDebIntlNr_C	OK
1.18	MisfDet_StcCat	MisfDet_stcCatThd_CA	OK
1.19	rba_OsMeasmt	rba_OsMeasmt_SwTrace_InitMode_C	OK
1.20	Signals_Std	Signals_Mode1Pid_CA	OK
1.21	UEGO_ISrc	UEGO_iIsqDesNorm_C	OK
1.22	UEGO_ISrc	UEGO_iIsqDesWrmUp_C	OK

Hex file 2 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Lo_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
2.1	APP_VD	APP_rAppLimnMax_C	OK

#	FC Name	Parameter Name	Check Result
2.2	APP_VD	APP_rAppLimnMin_C	OK
2.3	BattU_DD	BattU_uTransf_CUR	OK
2.4	BattU_VD	BattU_uNrm_C	OK
2.5	BattU_VD	BattU_uSRCMax_C	OK
2.6	BGFKMS	OFMSNDKMN	OK
2.7	BGFKMS	OFMSNDKMN2	OK
2.8	BGMSDK	VPSRVDUGD	OK
2.9	DFES	DFES_Cls.DFC_EpmCrSDGI_C	OK
2.10	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiBtwConsctvILimn_C	OK
2.11	EnvP_DD	PEnv_facCnvnSlopDig_C	OK
2.12	EnvP_DD	PEnv_pCnvnOffs_C	OK
2.13	IgCtl_IaCorrnLam	IgCtl_flgOffsRefIgnAgLam_C	OK
2.14	InjVlvPs_Dia	THEALING_C	OK
2.15	LRA	CWLRADLSUCHK	OK
2.16	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Raw_C	OK
2.17	MisfDet_StcCat	MisfDet_stcCatDmgDebIntlNr_C	OK
2.18	MisfDet_StcCat	MisfDet_stcCatThd_CA	OK
2.19	rba_OsMeasmt	rba_OsMeasmt_SwTrace_InitMode_C	OK
2.20	Signals_Std	Signals_Mode1Pid_CA	OK
2.21	UEGO_ISrc	UEGO_iIsqDesNorm_C	OK
2.22	UEGO_ISrc	UEGO_iIsqDesWrmUp_C	OK

Hex file 3 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Mid_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
3.1	APP_VD	APP_rAppLimnMax_C	OK
3.2	APP_VD	APP_rAppLimnMin_C	OK
3.3	BattU_DD	BattU_uTransf_CUR	OK
3.4	BattU_VD	BattU_uNrm_C	OK
3.5	BattU_VD	BattU_uSRCMax_C	OK

#	FC Name	Parameter Name	Check Result
3.6	BGFKMS	OFMSNDKMN	OK
3.7	BGFKMS	OFMSNDKMN2	OK
3.8	BGMSDK	VPSRVDUGD	OK
3.9	DFES	DFES_Cls.DFC_EpmCrSDGI_C	OK
3.10	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiBtwConsctvILimn_C	OK
3.11	EnvP_DD	PEnv_facCnvnSlopDig_C	OK
3.12	EnvP_DD	PEnv_pCnvnOffs_C	OK
3.13	IgCtl_IaCorrnLam	IgCtl_flgOffsRefIgnAgLam_C	OK
3.14	InjVlvPs_Dia	THEALING_C	OK
3.15	LRA	CWLRADLSUCHK	OK
3.16	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Raw_C	OK
3.17	MisfDet_StcCat	MisfDet_stcCatDmgDebIntlNr_C	OK
3.18	MisfDet_StcCat	MisfDet_stcCatThd_CA	OK
3.19	rba_OsMeasmt	rba_OsMeasmt_SwTrace_InitMode_C	OK
3.20	Signals_Std	Signals_Mode1Pid_CA	OK
3.21	UEGO_ISrc	UEGO_iIsqDesNorm_C	OK
3.22	UEGO_ISrc	UEGO_iIsqDesWrmUp_C	OK

Hex file 4 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Hi_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
4.1	APP_VD	APP_rAppLimnMax_C	OK
4.2	APP_VD	APP_rAppLimnMin_C	OK
4.3	BattU_DD	BattU_uTransf_CUR	OK
4.4	BattU_VD	BattU_uNrm_C	OK
4.5	BattU_VD	BattU_uSRCMax_C	OK
4.6	BGFKMS	OFMSNDKMN	OK
4.7	BGFKMS	OFMSNDKMN2	OK
4.8	BGMSDK	VPSRVDUGD	OK
4.9	DFES	DFES_Cls.DFC_EpmCrSDGI_C	OK

#	FC Name	Parameter Name	Check Result
4.10	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiBtwConsctvILimn_C	OK
4.11	EnvP_DD	PEnv_facCnvnSlopDig_C	OK
4.12	EnvP_DD	PEnv_pCnvnOffs_C	OK
4.13	IgCtl_IaCorrnLam	IgCtl_flgOffsRefIgnAgLam_C	OK
4.14	InjVlvPs_Dia	THEALING_C	OK
4.15	LRA	CWLRADLSUCHK	OK
4.16	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Raw_C	OK
4.17	MisfDet_StcCat	MisfDet_stcCatDmgDebIntlNr_C	OK
4.18	MisfDet_StcCat	MisfDet_stcCatThd_CA	OK
4.19	rba_OsMeasmt	rba_OsMeasmt_SwTrace_InitMode_C	OK
4.20	Signals_Std	Signals_Mode1Pid_CA	OK
4.21	UEGO_ISrc	UEGO_iIsqDesNorm_C	OK
4.22	UEGO_ISrc	UEGO_iIsqDesWrmUp_C	OK

Hex file 5 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Lo_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
5.1	APP_VD	APP_rAppLimnMax_C	OK
5.2	APP_VD	APP_rAppLimnMin_C	OK
5.3	BattU_DD	BattU_uTransf_CUR	OK
5.4	BattU_VD	BattU_uNrm_C	OK
5.5	BattU_VD	BattU_uSRCMax_C	OK
5.6	BGFKMS	OFMSNDKMN	OK
5.7	BGFKMS	OFMSNDKMN2	OK
5.8	BGMSDK	VPSRVDUGD	OK
5.9	DFES	DFES_Cls.DFC_EpmCrSDGI_C	OK
5.10	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiBtwConsctvILimn_C	OK
5.11	EnvP_DD	PEnv_facCnvnSlopDig_C	OK
5.12	EnvP_DD	PEnv_pCnvnOffs_C	OK
5.13	IgCtl_IaCorrnLam	IgCtl_flgOffsRefIgnAgLam_C	OK

#	FC Name	Parameter Name	Check Result
5.14	InjVlvPs_Dia	THEALING_C	OK
5.15	LRA	CWLRADLSUCHK	OK
5.16	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Raw_C	OK
5.17	MisfDet_StcCat	MisfDet_stcCatDmgDebIntlNr_C	OK
5.18	MisfDet_StcCat	MisfDet_stcCatThd_CA	OK
5.19	rba_OsMeasmt	rba_OsMeasmt_SwTrace_InitMode_C	OK
5.20	Signals_Std	Signals_Mode1Pid_CA	OK
5.21	UEGO_ISrc	UEGO_iIsqDesNorm_C	OK
5.22	UEGO_ISrc	UEGO_iIsqDesWrmUp_C	OK

Hex file 6 - MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Mid_MP2_Gt13.hex

#	FC Name	Parameter Name	Check Result
6.1	APP_VD	APP_rAppLimnMax_C	OK
6.2	APP_VD	APP_rAppLimnMin_C	OK
6.3	BattU_DD	BattU_uTransf_CUR	OK
6.4	BattU_VD	BattU_uNrm_C	OK
6.5	BattU_VD	BattU_uSRCMax_C	OK
6.6	BGFKMS	OFMSNDKMN	OK
6.7	BGFKMS	OFMSNDKMN2	OK
6.8	BGMSDK	VPSRVDUGD	OK
6.9	DFES	DFES_Cls.DFC_EpmCrSDGI_C	OK
6.10	EGRVlv_DELib_ElecActrVdPosnGovrInp	EGRVlv_ILimnCal.tiBtwConsctvILimn_C	OK
6.11	EnvP_DD	PEnv_facCnvnSlopDig_C	OK
6.12	EnvP_DD	PEnv_pCnvnOffs_C	OK
6.13	IgCtl_IaCorrnLam	IgCtl_flgOffsRefIgnAgLam_C	OK
6.14	InjVlvPs_Dia	THEALING_C	OK
6.15	LRA	CWLRADLSUCHK	OK
6.16	MisfDet_RelsCdn	MisfDet_maskStc.Cmn.Raw_C	OK
6.17	MisfDet_StcCat	MisfDet_stcCatDmgDebIntlNr_C	OK

#	FC Name	Parameter Name	Check Result
6.18	MisfDet_StcCat	MisfDet_stcCatThd_CA	OK
6.19	rba_OsMeasmt	rba_OsMeasmt_SwTrace_InitMode_C	OK
6.20	Signals_Std	Signals_Mode1Pid_CA	OK
6.21	UEGO_ISrc	UEGO_iIsqDesNorm_C	OK
6.22	UEGO_ISrc	UEGO_iIsqDesWrmUp_C	OK