Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

1 Item

General Information	
Customer (Development)	Honda
Project Title	HONDA
Vehicle Type	Honda 62XS [City | 62XS] (MY27)
Engine	AP2 | 1.5l | 4-Cyl | 93kW
Gearbox	CVT
Emission Type	L8 (Brazil)
ECU	MG1CS022
Milestone	MP2 1

Software-Master	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	diverse
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L (Version: MG1CS022_62XSC_V037_TPROT)

2 Task

- [x] Calibration of parameters and settings for “ECU Safety” with **Continuous Torque Monitoring (R&S)** for the Software-Dataset(s) (see 1)
- [ ] Execution of Customer Vehicle Tests for “ECU Safety”
- [x] ECU-MST: Inspection for usage correct safety calibration data and proof compliance with the safety requirements/goals by tests according to ECU-MST Process

3 Result

[x] Functional Safety for Software-Dataset(s) calibrated	[x] Ok	[ ] Not Ok
[x] Data review done by an expert group	[x] Ok	[ ] Not Ok
[x] Robustness verified	[x] Ok	[ ] Not Ok

- [ ] Customer vehicle tests performed (tailored if applicable)
- [x] ECU-MST
  - [x] Usage of the correct safety and safety relevant calibration data has been checked ok
  - [x] Compliance with functional safety requirements and safety goals has been checked ok
  - [x] ECU-MST VRT test scope and results (vehicle, HiL) completely covered by previously released software container

4 Remarks/Open Points

---

5 Conclusion

The calibrated safety data is suitable for **series** for the software dataset(s) named in point 1. All required tests are rated. In case of data, software or hardware changes effects on safety calibration need to be clarified.

Report (Release) is qualified

Editor
Carmo
PS-SC/EBF3-LA
Moises_Carmo
Digitally signed by Moises_Carmo
Date: 2026.04.28 14:27:05 -03'00'

Approver
Lopes
PS-SC/EBF3-LA
Alexsander_Lopes
Assinado de forma digital por Alexsander_Lopes
Dados: 2026.04.29 14:33:03 -03'00'

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

1 Item

General Information	
Customer (Development)	Honda
Project Title	HONDA
Vehicle Type	Honda 62XS [City | 62XS] (MY27)
Engine	AP2 | 1.5l | 4-Cyl | 93kW
Gearbox	CVT
Emission Type	L8 (Brazil)
ECU	MG1CS022
Milestone	MP2 1

Software-Master	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	10SW133405_Complete.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L (Version: MG1CS022_62XSC_V037_TPROT)

2 Task

- [x] Calibration of parameters and settings for “ECU Safety” with **Continuous Torque Monitoring (R&S)** for the Software-Dataset(s) (see 1)
- [ ] Execution of Customer Vehicle Tests for “ECU Safety”
- [x] ECU-MST: Inspection for usage correct safety calibration data and proof compliance with the safety requirements/goals by tests according to ECU-MST Process

3 Result

[x] Functional Safety for Software-Dataset(s) calibrated	[x] Ok	[ ] Not Ok
[x] Data review done by an expert group	[x] Ok	[ ] Not Ok
[x] Robustness verified	[x] Ok	[ ] Not Ok

- [ ] Customer vehicle tests performed (tailored if applicable)
- [x] ECU-MST
  - [x] Usage of the correct safety and safety relevant calibration data has been checked ok
  - [x] Compliance with functional safety requirements and safety goals has been checked ok
  - [x] ECU-MST VRT test scope and results (vehicle, HiL) completely covered by previously released software container

4 Remarks/Open Points

---

5 Conclusion

The calibrated safety data is suitable for **series** for the software dataset(s) named in point 1. All required tests are rated. In case of data, software or hardware changes effects on safety calibration need to be clarified.

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

6 Detailed report

6.1 Further Project Information

Projectorganization	
Project Manager	-
Subproject Manager Calibration	-
Editor - Data creation	Carmo, Moises
Editor - Vehicle Reaction Test	-
Editor - Report	Carmo, Moises
Work Package Description	Safety Calibration
MCR-ID	BM-00076893_009

6.2 Calibration of Parameters and Settings (PaS)

Basic Calibration Data for the Monitoring Level	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Hi_MP2_Gt13.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L

UTS Ruleset	
Ruleset	MG1CS022_62XSC_V037_MP2.monRaw
Ruleset Name in CaRL	MG1CS022_62XSC_V037_MP2
Monitoring Ref-Labellist	RefList_MG1CS022_62XSC_V037_MP2.lab
Monitoring Hot-Labellist	HotList_Existing_MG1CS022_62XSC_V037_MP2.lab
MoniCa Calculation Protocol	MG1CS022_62XSC_V037_TPROT_withGroups_V01-26.04.28_13-48-31.xlsx

☑ EMFace workarounds reviewed as Ok

Delivery Data	
Delivery Data	<link>
Testcontainer	Monitoring_MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Hi_MP2_Gt13.hex

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

Tool Versions	
Software	**Version**
INCA	see protocol
ECU-Test	see test protocol
CaRL	1.5.14.4
MoniCa	1.5.85 rc00
MoPeD	2.2.7_30
RuleCompiler	1.5.34_rc00
vCompare	2.10.build14

6.3 ECU Monitoring & Safety Test (ECU-MST)

ECU-MST Project Specific Initial Analysis (PSIA)
< List of Required Test Goals for current Master and Software (including Tailoring) >

Safety Case
< link >

Comparison between Delivery Data and Series Data
< see Attachment 'M202600108911_DataComparisonMonHex.html' >

Comparison between Predecessor Dataset and current Series Data
< see Attachment 'M202600108911_DataComparisonPredecessor.html' >

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

1 Item

General Information	
Customer (Development)	Honda
Project Title	HONDA
Vehicle Type	Honda 62XS [City | 62XS] (MY27)
Engine	AP2 | 1.5l | 4-Cyl | 93kW
Gearbox	CVT
Emission Type	L8 (Brazil)
ECU	MG1CS022
Milestone	MP2 1

Software-Master	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	10SW133407_Complete.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L (Version: MG1CS022_62XSC_V037_TPROT)

2 Task

- [x] Calibration of parameters and settings for “ECU Safety” with **Continuous Torque Monitoring (R&S)** for the Software-Dataset(s) (see 1)
- [ ] Execution of Customer Vehicle Tests for “ECU Safety”
- [x] ECU-MST: Inspection for usage correct safety calibration data and proof compliance with the safety requirements/goals by tests according to ECU-MST Process

3 Result

[x] Functional Safety for Software-Dataset(s) calibrated	[x] Ok	[ ] Not Ok
[x] Data review done by an expert group	[x] Ok	[ ] Not Ok
[x] Robustness verified	[x] Ok	[ ] Not Ok

- [ ] Customer vehicle tests performed (tailored if applicable)
- [x] ECU-MST
  - [x] Usage of the correct safety and safety relevant calibration data has been checked ok
  - [x] Compliance with functional safety requirements and safety goals has been checked ok
  - [x] ECU-MST VRT test scope and results (vehicle, HiL) completely covered by previously released software container

4 Remarks/Open Points

---

5 Conclusion

The calibrated safety data is suitable for **series** for the software dataset(s) named in point 1. All required tests are rated. In case of data, software or hardware changes effects on safety calibration need to be clarified.

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

6 Detailed report

6.1 Further Project Information

Projectorganization	
Project Manager	-
Subproject Manager Calibration	-
Editor - Data creation	Carmo, Moises
Editor - Vehicle Reaction Test	-
Editor - Report	Carmo, Moises
Work Package Description	Safety Calibration
MCR-ID	BM-00076893_009

6.2 Calibration of Parameters and Settings (PaS)

Basic Calibration Data for the Monitoring Level	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Hi_MP2_Gt13.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L

UTS Ruleset	
Ruleset	MG1CS022_62XSC_V037_MP2.monRaw
Ruleset Name in CaRL	MG1CS022_62XSC_V037_MP2
Monitoring Ref-Labellist	RefList_MG1CS022_62XSC_V037_MP2.lab
Monitoring Hot-Labellist	HotList_Existing_MG1CS022_62XSC_V037_MP2.lab
MoniCa Calculation Protocol	MG1CS022_62XSC_V037_TPROT_withGroups_V01-26.04.28_13-48-38.xlsx

☑ EMFace workarounds reviewed as Ok

Delivery Data	
Delivery Data	<link>
Testcontainer	Monitoring_MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Hi_MP2_Gt13.hex

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

Tool Versions	
Software	**Version**
INCA	see protocol
ECU-Test	see test protocol
CaRL	1.5.14.4
MoniCa	1.5.85 rc00
MoPeD	2.2.7_30
RuleCompiler	1.5.34_rc00
vCompare	2.10.build14

6.3 ECU Monitoring & Safety Test (ECU-MST)

ECU-MST Project Specific Initial Analysis (PSIA)
< List of Required Test Goals for current Master and Software (including Tailoring) >

Safety Case
< link >

Comparison between Delivery Data and Series Data
< see Attachment 'M202600108912_DataComparisonMonHex.html' >

Comparison between Predecessor Dataset and current Series Data
< see Attachment 'M202600108912_DataComparisonPredecessor.html' >

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

1 Item

General Information	
Customer (Development)	Honda
Project Title	HONDA
Vehicle Type	Honda 62XS [City | 62XS] (MY27)
Engine	AP2 | 1.5l | 4-Cyl | 93kW
Gearbox	CVT
Emission Type	L8 (Brazil)
ECU	MG1CS022
Milestone	MP2 1

Software-Master	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	10SW133408_Complete.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L (Version: MG1CS022_62XSC_V037_TPROT)

2 Task

- [x] Calibration of parameters and settings for “ECU Safety” with **Continuous Torque Monitoring (R&S)** for the Software-Dataset(s) (see 1)
- [ ] Execution of Customer Vehicle Tests for “ECU Safety”
- [x] ECU-MST: Inspection for usage correct safety calibration data and proof compliance with the safety requirements/goals by tests according to ECU-MST Process

3 Result

[x] Functional Safety for Software-Dataset(s) calibrated	[x] Ok	[ ] Not Ok
[x] Data review done by an expert group	[x] Ok	[ ] Not Ok
[x] Robustness verified	[x] Ok	[ ] Not Ok

- [ ] Customer vehicle tests performed (tailored if applicable)
- [x] ECU-MST
  - [x] Usage of the correct safety and safety relevant calibration data has been checked ok
  - [x] Compliance with functional safety requirements and safety goals has been checked ok
  - [x] ECU-MST VRT test scope and results (vehicle, HiL) completely covered by previously released software container

4 Remarks/Open Points

---

5 Conclusion

The calibrated safety data is suitable for **series** for the software dataset(s) named in point 1. All required tests are rated. In case of data, software or hardware changes effects on safety calibration need to be clarified.

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

6 Detailed report

6.1 Further Project Information

Projectorganization	
Project Manager	-
Subproject Manager Calibration	-
Editor - Data creation	Carmo, Moises
Editor - Vehicle Reaction Test	-
Editor - Report	Carmo, Moises
Work Package Description	Safety Calibration
MCR-ID	BM-00076893_009

6.2 Calibration of Parameters and Settings (PaS)

Basic Calibration Data for the Monitoring Level	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Mid_MP2_Gt13.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L

UTS Ruleset	
Ruleset	MG1CS022_62XSC_V037_MP2.monRaw
Ruleset Name in CaRL	MG1CS022_62XSC_V037_MP2
Monitoring Ref-Labellist	RefList_MG1CS022_62XSC_V037_MP2.lab
Monitoring Hot-Labellist	HotList_Existing_MG1CS022_62XSC_V037_MP2.lab
MoniCa Calculation Protocol	MG1CS022_62XSC_V037_TPROT_withGroups_V01-26.04.28_13-48-45.xlsx

☑ EMFace workarounds reviewed as Ok

Delivery Data	
Delivery Data	<link>
Testcontainer	Monitoring_MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Mid_MP2_Gt13.hex

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

Tool Versions	
Software	**Version**
INCA	see protocol
ECU-Test	see test protocol
CaRL	1.5.14.4
MoniCa	1.5.85 rc00
MoPeD	2.2.7_30
RuleCompiler	1.5.34_rc00
vCompare	2.10.build14

6.3 ECU Monitoring & Safety Test (ECU-MST)

ECU-MST Project Specific Initial Analysis (PSIA)
< List of Required Test Goals for current Master and Software (including Tailoring) >

Safety Case
< link >

Comparison between Delivery Data and Series Data
< see Attachment 'M202600108913_DataComparisonMonHex.html' >

Comparison between Predecessor Dataset and current Series Data
< see Attachment 'M202600108913_DataComparisonPredecessor.html' >

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

1 Item

General Information	
Customer (Development)	Honda
Project Title	HONDA
Vehicle Type	Honda 62XS [City | 62XS] (MY27)
Engine	AP2 | 1.5l | 4-Cyl | 93kW
Gearbox	CVT
Emission Type	L8 (Brazil)
ECU	MG1CS022
Milestone	MP2 1

Software-Master	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	10SW133409_Complete.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L (Version: MG1CS022_62XSC_V037_TPROT)

2 Task

- [x] Calibration of parameters and settings for “ECU Safety” with **Continuous Torque Monitoring (R&S)** for the Software-Dataset(s) (see 1)
- [ ] Execution of Customer Vehicle Tests for “ECU Safety”
- [x] ECU-MST: Inspection for usage correct safety calibration data and proof compliance with the safety requirements/goals by tests according to ECU-MST Process

3 Result

[x] Functional Safety for Software-Dataset(s) calibrated	[x] Ok	[ ] Not Ok
[x] Data review done by an expert group	[x] Ok	[ ] Not Ok
[x] Robustness verified	[x] Ok	[ ] Not Ok

- [ ] Customer vehicle tests performed (tailored if applicable)
- [x] ECU-MST
  - [x] Usage of the correct safety and safety relevant calibration data has been checked ok
  - [x] Compliance with functional safety requirements and safety goals has been checked ok
  - [x] ECU-MST VRT test scope and results (vehicle, HiL) completely covered by previously released software container

4 Remarks/Open Points

---

5 Conclusion

The calibrated safety data is suitable for **series** for the software dataset(s) named in point 1. All required tests are rated. In case of data, software or hardware changes effects on safety calibration need to be clarified.

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

6 Detailed report

6.1 Further Project Information

Projectorganization	
Project Manager	-
Subproject Manager Calibration	-
Editor - Data creation	Carmo, Moises
Editor - Vehicle Reaction Test	-
Editor - Report	Carmo, Moises
Work Package Description	Safety Calibration
MCR-ID	BM-00076893_009

6.2 Calibration of Parameters and Settings (PaS)

Basic Calibration Data for the Monitoring Level	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Mid_MP2_Gt13.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L

UTS Ruleset	
Ruleset	MG1CS022_62XSC_V037_MP2.monRaw
Ruleset Name in CaRL	MG1CS022_62XSC_V037_MP2
Monitoring Ref-Labellist	RefList_MG1CS022_62XSC_V037_MP2.lab
Monitoring Hot-Labellist	HotList_Existing_MG1CS022_62XSC_V037_MP2.lab
MoniCa Calculation Protocol	MG1CS022_62XSC_V037_TPROT_withGroups_V01-26.04.28_13-48-53.xlsx

☑ EMFace workarounds reviewed as Ok

Delivery Data	
Delivery Data	<link>
Testcontainer	Monitoring_MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Mid_MP2_Gt13.hex

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

Tool Versions	
Software	**Version**
INCA	see protocol
ECU-Test	see test protocol
CaRL	1.5.14.4
MoniCa	1.5.85 rc00
MoPeD	2.2.7_30
RuleCompiler	1.5.34_rc00
vCompare	2.10.build14

6.3 ECU Monitoring & Safety Test (ECU-MST)

ECU-MST Project Specific Initial Analysis (PSIA)
< List of Required Test Goals for current Master and Software (including Tailoring) >

Safety Case
< link >

Comparison between Delivery Data and Series Data
< see Attachment 'M202600108914_DataComparisonMonHex.html' >

Comparison between Predecessor Dataset and current Series Data
< see Attachment 'M202600108914_DataComparisonPredecessor.html' >

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

1 Item

General Information	
Customer (Development)	Honda
Project Title	HONDA
Vehicle Type	Honda 62XS [City | 62XS] (MY27)
Engine	AP2 | 1.5l | 4-Cyl | 93kW
Gearbox	CVT
Emission Type	L8 (Brazil)
ECU	MG1CS022
Milestone	MP2 1

Software-Master	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	10SW133404_Complete.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L (Version: MG1CS022_62XSC_V037_TPROT)

2 Task

- [x] Calibration of parameters and settings for “ECU Safety” with **Continuous Torque Monitoring (R&S)** for the Software-Dataset(s) (see 1)
- [ ] Execution of Customer Vehicle Tests for “ECU Safety”
- [x] ECU-MST: Inspection for usage correct safety calibration data and proof compliance with the safety requirements/goals by tests according to ECU-MST Process

3 Result

[x] Functional Safety for Software-Dataset(s) calibrated	[x] Ok	[ ] Not Ok
[x] Data review done by an expert group	[x] Ok	[ ] Not Ok
[x] Robustness verified	[x] Ok	[ ] Not Ok

- [ ] Customer vehicle tests performed (tailored if applicable)
- [x] ECU-MST
  - [x] Usage of the correct safety and safety relevant calibration data has been checked ok
  - [x] Compliance with functional safety requirements and safety goals has been checked ok
  - [x] ECU-MST VRT test scope and results (vehicle, HiL) completely covered by previously released software container

4 Remarks/Open Points

---

5 Conclusion

The calibrated safety data is suitable for **series** for the software dataset(s) named in point 1. All required tests are rated. In case of data, software or hardware changes effects on safety calibration need to be clarified.

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

6 Detailed report

6.1 Further Project Information

Projectorganization	
Project Manager	-
Subproject Manager Calibration	-
Editor - Data creation	Carmo, Moises
Editor - Vehicle Reaction Test	-
Editor - Report	Carmo, Moises
Work Package Description	Safety Calibration
MCR-ID	BM-00076893_009

6.2 Calibration of Parameters and Settings (PaS)

Basic Calibration Data for the Monitoring Level	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Lo_MP2_Gt13.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L

UTS Ruleset	
Ruleset	MG1CS022_62XSC_V037_MP2.monRaw
Ruleset Name in CaRL	MG1CS022_62XSC_V037_MP2
Monitoring Ref-Labellist	RefList_MG1CS022_62XSC_V037_MP2.lab
Monitoring Hot-Labellist	HotList_Existing_MG1CS022_62XSC_V037_MP2.lab
MoniCa Calculation Protocol	MG1CS022_62XSC_V037_TPROT_withGroups_V01-26.04.28_13-49-07.xlsx

☑ EMFace workarounds reviewed as Ok

Delivery Data	
Delivery Data	<link>
Testcontainer	Monitoring_MG1CS022_62XSC_V037_TPROT_L8-2_FFV_4Dr_Lo_MP2_Gt13.hex

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

Tool Versions	
Software	**Version**
INCA	see protocol
ECU-Test	see test protocol
CaRL	1.5.14.4
MoniCa	1.5.85 rc00
MoPeD	2.2.7_30
RuleCompiler	1.5.34_rc00
vCompare	2.10.build14

6.3 ECU Monitoring & Safety Test (ECU-MST)

ECU-MST Project Specific Initial Analysis (PSIA)
< List of Required Test Goals for current Master and Software (including Tailoring) >

Safety Case
< link >

Comparison between Delivery Data and Series Data
< see Attachment 'M202600108915_DataComparisonMonHex.html' >

Comparison between Predecessor Dataset and current Series Data
< see Attachment 'M202600108915_DataComparisonPredecessor.html' >

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

1 Item

General Information	
Customer (Development)	Honda
Project Title	HONDA
Vehicle Type	Honda 62XS [City | 62XS] (MY27)
Engine	AP2 | 1.5l | 4-Cyl | 93kW
Gearbox	CVT
Emission Type	L8 (Brazil)
ECU	MG1CS022
Milestone	MP2 1

Software-Master	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	10SW133406_Complete.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L (Version: MG1CS022_62XSC_V037_TPROT)

2 Task

- [x] Calibration of parameters and settings for “ECU Safety” with **Continuous Torque Monitoring (R&S)** for the Software-Dataset(s) (see 1)
- [ ] Execution of Customer Vehicle Tests for “ECU Safety”
- [x] ECU-MST: Inspection for usage correct safety calibration data and proof compliance with the safety requirements/goals by tests according to ECU-MST Process

3 Result

[x] Functional Safety for Software-Dataset(s) calibrated	[x] Ok	[ ] Not Ok
[x] Data review done by an expert group	[x] Ok	[ ] Not Ok
[x] Robustness verified	[x] Ok	[ ] Not Ok

- [ ] Customer vehicle tests performed (tailored if applicable)
- [x] ECU-MST
  - [x] Usage of the correct safety and safety relevant calibration data has been checked ok
  - [x] Compliance with functional safety requirements and safety goals has been checked ok
  - [x] ECU-MST VRT test scope and results (vehicle, HiL) completely covered by previously released software container

4 Remarks/Open Points

---

5 Conclusion

The calibrated safety data is suitable for **series** for the software dataset(s) named in point 1. All required tests are rated. In case of data, software or hardware changes effects on safety calibration need to be clarified.

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Development Report
Calibration of Functional Safety and ECU-MST (Data)
HONDA

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

6 Detailed report

6.1 Further Project Information

Projectorganization	
Project Manager	-
Subproject Manager Calibration	-
Editor - Data creation	Carmo, Moises
Editor - Vehicle Reaction Test	-
Editor - Report	Carmo, Moises
Work Package Description	Safety Calibration
MCR-ID	BM-00076893_009

6.2 Calibration of Parameters and Settings (PaS)

Basic Calibration Data for the Monitoring Level	
Program Version	MG1CS022_62XS_V037_TPROT
Dataset(s) (Hex-Files)	MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Lo_MP2_Gt13.hex
Meta Data (A2L)	MG1CS022_62XSC_V037_TPROT_withGroups_V01.A2L

UTS Ruleset	
Ruleset	MG1CS022_62XSC_V037_MP2.monRaw
Ruleset Name in CaRL	MG1CS022_62XSC_V037_MP2
Monitoring Ref-Labellist	RefList_MG1CS022_62XSC_V037_MP2.lab
Monitoring Hot-Labellist	HotList_Existing_MG1CS022_62XSC_V037_MP2.lab
MoniCa Calculation Protocol	MG1CS022_62XSC_V037_TPROT_withGroups_V01-26.04.28_13-48-59.xlsx

☑ EMFace workarounds reviewed as Ok

Delivery Data	
Delivery Data	<link>
Testcontainer	Monitoring_MG1CS022_62XSC_V037_TPROT_L8-2_FFV_5Dr_Lo_MP2_Gt13.hex

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Department	Editor	E-Mail	Phone	Campinas
PS-SC/EBF3-LA	Carmo, Moises	Moises.Carmo@br.bosch.com	+55(19)2103-5674	28.04.2026

Tool Versions	
Software	**Version**
INCA	see protocol
ECU-Test	see test protocol
CaRL	1.5.14.4
MoniCa	1.5.85 rc00
MoPeD	2.2.7_30
RuleCompiler	1.5.34_rc00
vCompare	2.10.build14

6.3 ECU Monitoring & Safety Test (ECU-MST)

ECU-MST Project Specific Initial Analysis (PSIA)
< List of Required Test Goals for current Master and Software (including Tailoring) >

Safety Case
< link >

Comparison between Delivery Data and Series Data
< see Attachment 'M202600108916_DataComparisonMonHex.html' >

Comparison between Predecessor Dataset and current Series Data
< see Attachment 'M202600108916_DataComparisonPredecessor.html' >

Bosch Internal

© Robert Bosch GmbH. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.