

University of Maryland - CS2

Maryland Next Gen NCLEX Test Bank Project September 1, 2022; Author: Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University. Tuberculosis (medical-surgical): contact tracing, diagnosis, infection control, medication teaching, and 4-week follow-up.

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Draft review. Each screen scores full marks with its answer key and keeps every chart tab and entry on later screens. Added hidden from students (draft) until reviewed. Each screen is shown as students see it, then answered with the key; the rationale follows.

Chart tabs (last screen)

NOT COMPLETE

Case Study Screen 6 of 6

A 48-year-old female client with tuberculosis is seen in the clinic at a 4-week follow-up appointment.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

Orders

Progress Notes

Hydrochlorothiazide 50 mg PO once daily for hypertension
Atorvastatin 40 mg PO once daily for hyperlipidemia
Almotriptan 12.5 mg PO as needed for migraine headache

NOT COMPLETE

Case Study Screen 6 of 6

A 48-year-old female client with tuberculosis is seen in the clinic at a 4-week follow-up appointment.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

Orders

Progress Notes

Laboratory Test and Reference Range	1100
White blood cell (WBC) count 5.0–10.0 × 10 ⁹ /L	12.0 × 10 ⁹ /L
Platelet count 150–400 × 10 ⁹ /L	358 × 10 ⁹ /L
Hemoglobin (Hgb) 115–155 g/L	108 g/L
Hematocrit (Hct) 0.36–0.48 L/L	0.35 L/L
Hemoglobin A1c (HbA1c) < 5.7%	6.0%
Cholesterol, total < 5.2 mmol/L	5.7 mmol/L
Aspartate aminotransferase (AST) 9–32 U/L	30 U/L
Alanine aminotransferase (ALT) 19–25 U/L	21 U/L

NOT COMPLETE

Case Study Screen 6 of 6

A 48-year-old female client with tuberculosis is seen in the clinic at a 4-week follow-up appointment.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

Orders

Progress Notes

Rifampentine 1200 mg PO daily
Moxifloxacin 400 mg PO daily
Isoniazid 300 mg PO daily
Pyrazinamide 2000 mg PO daily

NOT COMPLETE

Case Study Screen 6 of 6

A 48-year-old female client with tuberculosis is seen in the clinic at a 4-week follow-up appointment.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

Orders

Progress Notes

Client returns for a follow-up appointment 4 weeks after being diagnosed with a tuberculosis infection. Reports missing several doses of medication. Continues to have a productive cough and is tired most days. Lung sounds clear with few scattered crackles. Rates pain with the cough at 3/10. VS: T 98.8°F (37.1°C), P 80, RR 22, BP 144/88, pulse oximetry reading 95% on room air. Repeat WBC 9.0 × 10⁹/L. Chest X-ray shows mild pleural effusion in the right base.

Screen 1 of 6 · Recognize cues · select_n

Practice NCLEX RN Test

Question 1 of 6

Calculator

Question Navigator

NOT COMPLETE

Case Study Screen 1 of 6

A 48-year-old female client presents to the outpatient clinic in response to contact tracing for possible tuberculosis exposure.

Nurses' Notes

Home Medications

1000: Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.

VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

Select the 3 assessment findings that are **most** concerning at this time.

☐ 1. Blood pressure

☐ 2. Lung sounds

☐ 3. Temperature

☐ 4. Heart rate

☐ 5. Pain in chest

☐ 6. Respirations

☐ 7. Pulse oximetry reading

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Next

Practice NCLEX RN Test

Question 1 of 6

Calculator

Question Navigator

COMPLETE

Case Study Screen 1 of 6

A 48-year-old female client presents to the outpatient clinic in response to contact tracing for possible tuberculosis exposure.

Nurses' Notes

Home Medications

1000: Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.

VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

Select the 3 assessment findings that are **most** concerning at this time.

☒ 1. Blood pressure

☒ 2. Lung sounds

☒ 3. Temperature

☐ 4. Heart rate

☒ 5. Pain in chest

☐ 6. Respirations

☐ 7. Pulse oximetry reading

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Next

Rationale: Lung sounds (diminished bilaterally with crackles in the bases), the elevated temperature, and the complaint of chest pain with coughing are all indicative of respiratory alterations consistent with tuberculosis.

Screen 2 of 6 · Analyze cues · matrix_mc

Practice NCLEX RN Test

Question 2 of 6

Calculator

Question Navigator

NOT COMPLETE

Case Study Screen 2 of 6

A 48-year-old female client presents to the outpatient clinic in response to contact tracing for possible tuberculosis exposure.

Nurses' Notes

Home Medications

1000: Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.

VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

➤ For each assessment finding, click to specify if the finding is a risk factor or is not a risk factor for tuberculosis infection.

Assessment Finding	Risk Factor	Not a Risk Factor
Client is overweight	☐	☐
Medication list	☐	☐
Recent travel to Asia	☐	☐
Extended travel with a group	☐	☐
Temperature	☐	☐
Blood pressure	☐	☐
Cough	☐	☐
Pain characteristics	☐	☐

Note: Each row must have only 1 response option selected.

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Next

Practice NCLEX RN Test

Question 2 of 6

Calculator

Question Navigator

COMPLETE

Case Study Screen 2 of 6

A 48-year-old female client presents to the outpatient clinic in response to contact tracing for possible tuberculosis exposure.

Nurses' Notes

Home Medications

1000: Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.

VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

➤ For each assessment finding, click to specify if the finding is a risk factor or is not a risk factor for tuberculosis infection.

Assessment Finding	Risk Factor	Not a Risk Factor
Client is overweight	☐	☒
Medication list	☐	☒
Recent travel to Asia	☒	☐
Extended travel with a group	☒	☐
Temperature	☒	☐
Blood pressure	☐	☒
Cough	☒	☐
Pain characteristics	☒	☐

Note: Each row must have only 1 response option selected.

✓ your correct answer ✗ your incorrect answer ✓ correct answer you did not choose

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Next

Rationale: Asia is a high-risk area for tuberculosis, and living in close quarters with others (extended travel with a tour group) is a risk factor, as are the elevated temperature, cough, and complaints of chest pain. Being overweight, the home medication list, and the blood pressure are not risk factors for tuberculosis infection.

Screen 3 of 6 · Prioritize hypotheses · drag_drop_cloze

Practice NCLEX RN Test

Question 3 of 6

Calculator

Question Navigator

NOT COMPLETE

Case Study Screen 3 of 6

A 48-year-old female client presents to the outpatient clinic in response to contact tracing for possible tuberculosis exposure.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

1000: Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.

VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

1100: Chest X-ray and bloodwork done.

The nurse has reviewed the Nurses' Notes from 1100 and the Laboratory and Diagnostic Results.

➤ Drag the most appropriate word choice from the list of options to complete the following sentence.

The nurse should recognize that the client's priority problem to address at this time is

[Slot 1]

Drag / Click a term to place in blank slots:

Ineffective airway clearance

Impaired gas exchange

Alteration in tissue perfusion

Risk for spreading infection

Pain secondary to coughing

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Next

Practice NCLEX RN Test

Question 3 of 6

Calculator

Question Navigator

COMPLETE

Case Study Screen 3 of 6

A 48-year-old female client presents to the outpatient clinic in response to contact tracing for possible tuberculosis exposure.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

1000: Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.

VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

1100: Chest X-ray and bloodwork done.

The nurse has reviewed the Nurses' Notes from 1100 and the Laboratory and Diagnostic Results.

➤ Drag the most appropriate word choice from the list of options to complete the following sentence.

The nurse should recognize that the client's priority problem to address at this time is

Risk for spreading infection

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Next

Rationale: In prioritizing the client's needs, airway clearance is not the issue, and there is no evidence of decreased tissue perfusion. There is evidence of mildly altered gas exchange (the borderline low pulse oximetry reading and the auscultated lung congestion), but the risk of spreading the infection to others is the priority concern at this time.

Practice NCLEX RN Test

Question 4 of 6

Calculator

Question Navigator

NOT COMPLETE

Case Study Screen 4 of 6

A 48-year-old female client presents to the outpatient clinic in response to contact tracing for possible tuberculosis exposure.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

Orders

1000:

Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.
VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

1100:

Chest X-ray and bloodwork done.

The client is diagnosed with a tuberculosis infection, and orders for new medications are received. The nurse has reviewed the Orders.

➤ For each potential nursing intervention, click to specify whether the intervention is appropriate or not appropriate to include in the plan of care.

Potential Nursing Intervention	Appropriate	Not Appropriate
Implement a fluid restriction while taking tuberculosis medication	☐	☐
Initiate a 24-hour urine collection	☐	☐
Instruct the client to wear a mask when around others for the next 3 weeks	☐	☐
Teach coughing and deep breathing techniques	☐	☐
Alert the client's family that she has tuberculosis	☐	☐
Encourage a high-carbohydrate diet	☐	☐
Withhold opioid pain medication	☐	☐
Apply an N95 face mask	☐	☐

Note: Each row must have only 1 response option selected.

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Next

Practice NCLEX RN Test

Question 4 of 6

Calculator

Question Navigator

COMPLETE

Case Study Screen 4 of 6

A 48-year-old female client presents to the outpatient clinic in response to contact tracing for possible tuberculosis exposure.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

Orders

1000:

Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.
VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

1100:

Chest X-ray and bloodwork done.

The client is diagnosed with a tuberculosis infection, and orders for new medications are received. The nurse has reviewed the Orders.

➤ For each potential nursing intervention, click to specify whether the intervention is appropriate or not appropriate to include in the plan of care.

Potential Nursing Intervention	Appropriate	Not Appropriate
Implement a fluid restriction while taking tuberculosis medication	☐	☒
Initiate a 24-hour urine collection	☐	☒
Instruct the client to wear a mask when around others for the next 3 weeks	☒	☐
Teach coughing and deep breathing techniques	☒	☐
Alert the client's family that she has tuberculosis	☐	☒
Encourage a high-carbohydrate diet	☐	☒
Withhold opioid pain medication	☐	☒
Apply an N95 face mask	☒	☐

Note: Each row must have only 1 response option selected.

✓ your correct answer ✗ your incorrect answer ✓ correct answer you did not choose

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Next

Rationale: An N95 respirator protects the nurse from airborne transmission of tuberculosis. Coughing and deep breathing is an important nursing intervention for this client, and the client should be encouraged to wear a face mask around others for at least the first 3 weeks of treatment.

While contact tracing would be done for close contacts, the nurse would not reveal the client's identity. The other interventions are not appropriate for this client.

Practice NCLEX RN Test

Question 5 of 6

Calculator

Question Navigator

NOT COMPLETE

Case Study Screen 5 of 6

A 48-year-old female client presented to the outpatient clinic in response to contact tracing for possible tuberculosis exposure and was found to be symptomatic.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

Orders

1000:

Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.
VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

1100:

Chest X-ray and bloodwork done.

➤ For each client teaching point, click to specify whether the information needs to be provided immediately, at the time of client follow-up, or is not indicated for this client.

Client Teaching Point	Immediately	On Return Visit	Not Indicated
"Your cholesterol is high, and we need to discuss your diet."	☐	☐	☐
"You will need to take the medications every day for at least 4 months."	☐	☐	☐
"If you continue to cough at home, please save all of your sputum."	☐	☐	☐
"You will need to have regular labs to check the effects of this medication on your liver."	☐	☐	☐
"Try to pace your activities to preserve your energy."	☐	☐	☐
"Tuberculosis is not spread by germs on dishes or linens."	☐	☐	☐
"Your A1C is high, and you may have diabetes."	☐	☐	☐

Note: Each row must have only 1 response option selected.

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mmwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Next

Practice NCLEX RN Test

Question 5 of 6

Calculator

Question Navigator

COMPLETE

Case Study Screen 5 of 6

A 48-year-old female client presented to the outpatient clinic in response to contact tracing for possible tuberculosis exposure and was found to be symptomatic.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

Orders

1000:

Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.
VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

1100:

Chest X-ray and bloodwork done.

➤ For each client teaching point, click to specify whether the information needs to be provided immediately, at the time of client follow-up, or is not indicated for this client.

Client Teaching Point	Immediately	On Return Visit	Not Indicated
"Your cholesterol is high, and we need to discuss your diet."	☐	☒	☐
"You will need to take the medications every day for at least 4 months."	☒	☐	☐
"If you continue to cough at home, please save all of your sputum."	☐	☐	☒
"You will need to have regular labs to check the effects of this medication on your liver."	☒	☐	☐
"Try to pace your activities to preserve your energy."	☒	☐	☐
"Tuberculosis is not spread by germs on dishes or linens."	☒	☐	☐
"Your A1C is high, and you may have diabetes."	☐	☒	☐

Note: Each row must have only 1 response option selected.
✔ your correct answer ✖ your incorrect answer ✓ correct answer you did not choose

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mmwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Next

Rationale: Teaching about the medication schedule and length of treatment, liver monitoring, energy conservation, and how tuberculosis is (and is not) spread is needed immediately.

The cholesterol is high and the A1C is elevated but in the prediabetes range. These should be addressed at the follow-up visit, when the client may be more able to receive information unrelated to the presenting problem.

There is no need to collect sputum at home since the antibiotics have already been started.

Screen 6 of 6 · Evaluate outcomes · dyad

Practice NCLEX RN Test

Question 6 of 6

Calculator

Question Navigator

NOT COMPLETE

Case Study Screen 6 of 6

A 48-year-old female client with tuberculosis is seen in the clinic at a 4-week follow-up appointment.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

Orders

Progress Notes

1000:

Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.
VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

1100:

Chest X-ray and bloodwork done.

The nurse has reviewed the Progress Notes.

➤ Complete the following sentence by choosing from the lists of options.

The nurse determines the client's status is

Select...

. The nurse should now

Select...

.

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Finish attempt

Practice NCLEX RN Test

Question 6 of 6

Calculator

Question Navigator

COMPLETE

Case Study Screen 6 of 6

A 48-year-old female client with tuberculosis is seen in the clinic at a 4-week follow-up appointment.

Nurses' Notes

Home Medications

Laboratory and Diagnostic Results

Orders

Progress Notes

1000:

Reports recent extended travel to Asia with a tour group. History of coughing, mild fatigue, and loss of appetite since return, 3 weeks ago. Complains of pain in chest of 4/10 on coughing. Reports taking an over-the-counter cough medication with limited results.
VS: BP 120/76 sitting, 118/72 standing, HR 78 beats per minute and regular, T 100°F (37.8°C) orally, RR 20, pulse oximetry reading 95% on room air. Lung sounds are diminished bilaterally with mild crackles noted in the bases. Weight 210 lb (95 kg), BMI 30.

1100:

Chest X-ray and bloodwork done.

The nurse has reviewed the Progress Notes.

➤ Complete the following sentence by choosing from the lists of options.

The nurse determines the client's status is

improving

 ✓. The nurse should now

review medication teaching

 ✓.

Submit

Taken from the Maryland Next Gen NCLEX Test Bank Project, University of Maryland School of Nursing: "Tuberculosis" medical-surgical faculty case study (Elizabeth Mackessy-Lloyd, DNP, RN, CNE, Hood University, September 1, 2022). Available at <https://www.nursing.umaryland.edu/mnwc/initiatives/nextgen-nclex/nextgen-nclex-library/> (Faculty Case Studies). Laboratory values shown in SI units.

Quit

Previous

Finish attempt

Rationale: The client's symptoms are improving: the chest X-ray has improved, the lung sounds have improved, the temperature is normal, and the WBC count is within normal limits. However, the client is not adhering strictly to the medication schedule and needs medication teaching before being sent home.