SQL Server 2008 Error 233

Asked 8 years, 5 months ago   Active 9 months ago   Viewed 66k times

Ask Question

▲

20

▼

I'm creating new login in SQL Server 2008 with following sql script:

```
CREATE LOGIN [xyz] WITH PASSWORD='xyz',
              DEFAULT_DATABASE=[master], DEFAULT_LANGUAGE=[us_english],
              CHECK_EXPIRATION=OFF, CHECK_POLICY=OFF
```

★

5

It creates new login successfully. But when I try to login with it using SQL Server Management Studio it fails saying:

> A connection was successfully established with the server, but then an error occurred during the login process. (provider: Shared Memory Provider, error: 0 - No process is on the other end of the pipe.) (Microsoft SQL Server, Error: 233)

What's wrong? How do I solve this issue?

`sql`   🐦 `sql-server`

share improve this question

edited May 20 '11 at 15:45
🏁 **marc_s**
609k ● 138 ● 1166 ● 1299

asked May 20 '11 at 13:20
🟩 **clumpter**
748 ● 5 ● 20 ● 34

There is also more (duplicated?) discussion of this problem here: stackoverflow.com/questions/34430550 –
bytedev Aug 10 '18 at 9:54

add a comment

14 Answers

active   oldest   **votes**

▲

33

▼

Here is how I done it, maybe it works for you too.

1. login Mirosoft SQL Server 2012 with windows authentification.
2. right-click onto the server name in Object Explorer and click Properties
3. In the new tab click Security
4. select SQL Server and Windows Authentification
5. Ok
6. Close the SQL server management studio.
7. start+run
8. write services.msc
9. search for SQL there and restart all services.

that works for me.

share improve this answer

edited Jan 3 at 6:19
🐹 **Pang**
7,274 ● 16 ● 68 ● 108

answered Jun 14 '13 at 11:12
🟧 **GorgE_MirO**
472 ● 4 ● 8

add a comment

▲

11

▼

It's also possible that you're trying to use SQL Server Authentication without having enabled it. To fix this, right-click Properties on your server instance in SQL Server Management Studio, and update the security settings to include "SQL Server and Windows Authentication mode".

share   improve this answer

answered Apr 1 '13 at 16:09

Beevik
365 • 3 • 11

add a comment

▲

3

▼

Looks like you're trying to connect using named pipes, but SQL Server is not listening on that protocol. See MSDN.

The two fixes MSDN suggests are:

- Connect using TCP/IP, or use the SQL Server Configuration Manager to enable remote connections using named pipes.
- Using SQL Server Configuration Manager on the client computer, move TCP before named pipes in the protocol order list.

share   improve this answer

answered May 20 '11 at 13:24

Andomar
200k • 37 • 312 • 353

2   how can i move it? – clumpter May 20 '11 at 13:54

To change the order: Sql Server Configuration Manager -> SQL Native Client Configuration -> (RMB) Client Protocols -> Properties -> (Move the Enabled Protocols up or down). Click OK. – bytedev Aug 10 '18 at 10:43

add a comment

▲

0

▼

Login with Administrator in SQL Server Go to Securities >> Logins >> select your user name and go to properties

From Status >> uncheck user account lock check box Change password for the user Restart the sql server and login with your username.

share   improve this answer

answered Apr 3 '13 at 9:01

Manoj Shrivastava
1

add a comment

I was facing the same error.
I've resolved the error by following below mentioned steps:

1. Disable named pipes and restart sql services.
2. After restart sql server I enabled names pipes and did a sql server restart again ([Link for Step 1 and 2](#))
3. Connect to SQL server via studio.
4. Right click on SQL instance --> Properties --> Connections --> "Set the Maximum number of 5. concurrent connections to '0' ".
5. Save the change.
6. Restart the SQL server if possible. ([Link for step 3 to 6](#))

I hope this will help someone

share improve this answer

answered Jul 14 '14 at 7:17

CSharp
780 ● 1 ● 8 ● 22

add a comment

This is might not be a connection issue . Check your default database and if that is online . More commonly this issues seen when the default database will be offline or not exists . If your default database other than master ,better check this option.

share improve this answer

answered Sep 10 '14 at 5:55

Atheeth
1

add a comment

I had a similar issue: 1. log in as the master user or windows authenticated user. 2. right click on the database --> properties --> security --> 3. change Windows Authentication mode to "SQL server and windows authentication mode" by clicking on the radio button. (if it is not) 4. restart the server

share improve this answer

answered Jan 9 '15 at 17:57

BKH
16 ● 5

This is literally what the top 2 answers have said. – bytedev Aug 10 '18 at 10:46

add a comment

I had the same issue when i first setup SQL Server 2014 on my local machine. In my case the solution was to set a correct defualt database.

share improve this answer

answered Oct 13 '15 at 8:49

patrickwlarsen
138 ● 6

add a comment

I got a way to go around the problem.

- Open one instance and login using the windows authentication

PUBLIC

🌐 **Stack Overflow**

Tags

Users

Jobs

TEAMS   What's this?

📑 First 25 Users Free

- allow sql and windows auth both by right cliking on the db server.
- Open second instance and login using sql authentication.

bingo the sql authenticated instance open .. :)

Actually in this way we cheat the sql authenticated instance as it tries to find an already running instance.. worked fr me.. good luck

share improve this answer

answered Oct 22 '16 at 8:36

Maloy Bain
1

add a comment

I tried most of the solution but was not able to solve it until I found this URL which says to do the following:

Open SQL Server Management Studio and run the these queries:

```
sp_configure 'show advanced options', 1;
go
reconfigure
go
sp_configure 'user connections', 0
go
reconfigure
go
```

The reason why we got this error is that the user connections was reset to 1, so only one user was able to connect with the SQL server. just a simple query worked for. I hope this will work for others as well.

share improve this answer

edited Dec 22 '16 at 14:13   answered Dec 22 '16 at 12:49

S.Serpooshan   muhammad liaquat
5,017 ● 2 ● 23 ● 40   1

> 1   A link to a potential solution is always welcome, but please add context around the link so your fellow users will
>   have some idea what it is and why it's there. Always quote the most relevant part of an important link, in case
>   the target site is unreachable or goes permanently offline. Take into account that being barely more than a link to
>   an external site is a possible reason as to Why and how are some answers deleted? – mmushtaq Dec 22 '16 at
>   13:25

add a comment

Home

PUBLIC

🌐 **Stack Overflow**

Tags

Users

Jobs

TEAMS   What's this?

📑 First 25 Users Free

I have not used the script style, but login through GUI I encountered the same error code. I had entered wrong `user name` and this is why I was getting the `Sql Server, Error: 233` .

In order to resolve this, you should input the following information:

Server Name: `MachineName\SQLEXPRESS`
Authentication: `SqlServer Authentication`
User Name: `Assigned user-name` or simply `sa`
Password: `xyzpqr`

NOTE: Here I have wrote above data for demo purpose only, actual data is your machine & software's properties.

share improve this answer

edited Jan 17 '17 at 3:32   answered Jan 17 '17 at 3:24

Nikhil G
1,065 ● 1 ● 10 ● 23

According to: https://msdn.microsoft.com/en-us/library/bb326280.aspx

0

Go to --> Remot setting

Go to "Remote" tab

in "Remote Assistance", Tick "**Allow Remote Assistance connection to this computer**", Click the "Advance" button and tick the "**Allow...**" and in the "Invitation" set the "**30 days**"

Then in the "Remote Desktop" part

Just tick "**Allow remote connection to this computer**"

share improve this answer

edited May 16 '17 at 12:23   answered May 16 '17 at 12:18

Mahsan Ghasemi
1 ● 1

After following the examples here and still not getting in, I found that my sa login was disabled. The following got me in:

0

```
Logged back in under windows authentication.
Expanded Security Tab
Expanded Logins Tab
Right-clicked sa and selected Properties
Went to the Status Tab
Under Login: Clicked 'Enabled' radio
Restarted Server and logged in as sa.
This assumes you have set sa password already using
ALTER LOGIN sa WITH PASSWORD = '<enterStrongPasswordHere>' ;
```

share improve this answer

answered Aug 20 '17 at 1:05

James
312 ● 3 ● 13

"A connection was successfully established with the server, but then an error occurred during the login process."

0

I was getting this problem from sqllocaldb when used from within Docker. The problem was the Docker image was not allocated enough memory. Increasing the memory actually fixed the problem.

share improve this answer

answered Aug 20 '18 at 16:24

bytedev
3,455 ● 2 ● 28 ● 32

Your Answer

B *I* 🔗 " {} 🖼 📋 📋 📋 📋 ↩ ↪

Sign up or log in

Post as a guest

Name

Email
Required, but never shown

Post Your Answer

By clicking "Post Your Answer", you agree to our terms of service, privacy policy and cookie policy

Not the answer you're looking for? Browse other questions tagged `sql` 🐘 `sql-server` or ask your own question.

STACK OVERFLOW

Questions
Jobs
Developer Jobs Directory
Salary Calculator
Help
Mobile

PRODUCTS

Teams
Talent
Advertising
Enterprise

COMPANY

About
Press
Work Here
Legal
Privacy Policy
Contact Us

STACK EXCHANGE NETWORK

Technology
Life / Arts
Culture / Recreation
Science
Other

Blog Facebook Twitter LinkedIn