



JQuery - Allow only numeric values (numbers) in Textbox

By Hardik Savani | April 25, 2019 | 55341 Viewer | Category: [jQuery](#)

If you need to add jquery validation for your textbox like textbox should accept only numbers values on keypress event, you can also use keyup or keypress event to allow only numeric values in textbox using jquery.

we will use keyCode for prevent to add string values, we will also accept numbers in textbox using jquery.

I want to write very simple and full example so you can understand how it is working this example, you can also check demo, i will attach demo link to bottom so you can check it, let's see below full example:

JQUERY

Allow Only Numeric Values in Textbox

ItSolutionStuff.com

Example:

Read Also: [How to disable f5 refresh button using jquery?](#)

```
<!DOCTYPE html>
<html>
```



Sponsored Post

- Data Privacy Concerns for Programmers and Developers - SurfShark
- 5 Key Ideas for Beating Procrastination: A Successful Student Guide

Contact US for Sponsored Post

Popular Posts

- How to send mail using Sendgrid in laravel 5?
- How to get last executed mysql query in laravel ?

```

<head>
  <title>jQuery - Allow only numeric values (numbers) in Textbox - ItSolutionStuff.com</title>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.4.0/jquery.min.js"></script>
</head>
<body>

<div class="container">
  <h1>jQuery - Allow only numeric values (numbers) in Textbox - ItSolutionStuff.com</h1>

  <label>Enter Value:</label>
  <input type="text" name="myValue" class="only-numeric" >
  <span class="error" style="color: red; display: none;">* Input digits (0 - 9)</span>

</div>

<script type="text/javascript">

$(document).ready(function() {
  $(".only-numeric").bind("keypress", function (e) {
    var keyCode = e.which ? e.which : e.keyCode

    if (!(keyCode >= 48 && keyCode <= 57)) {
      $(".error").css("display", "inline");
      return false;
    }else{
      $(".error").css("display", "none");
    }
  });
});

</script>

</body>
</html>

```

I hope it can help you...

Show Demo

Tags : [Event](#) [Example](#) [jQuery](#)



Hardik Savani

My name is Hardik Savani. I'm a full-stack developer, entrepreneur and owner of Aatman Infotech. I live in India and I love to write tutorials and tips that can help to other artisan. I am a big fan of PHP, Javascript, JQuery, Laravel, Codeigniter, VueJS, AngularJS and Bootstrap from the early stage.

Follow Me: [Github](#) [Twitter](#)

***Do you want me hire for your Project Work? Then [Contact US](#).

- [Laravel Eloquent Relationships Tutorial From Scratch](#)
- [Laravel 6 Import Export Excel & CSV File Tutorial](#)
- [How to calculate age from date of birth column in mysql?](#)
- [How to rename column name foreign key constraint in MySQL Query?](#)
- [How to trigger change event of bootstrap datepicker js?](#)
- [GROUP_CONCAT with different SEPARATOR in laravel Example](#)
- [jQuery Ajax X-editable bootstrap plugin to update records in PHP Example](#)
- [How to implement flash messages in PHP Codeigniter?](#)
- [jQuery - Delete confirm modal using bootbox example](#)
- [How to get ckeditor value with tags on ajax-submit ?](#)

Categories


- [Laravel](#) [PHP](#) [jQuery](#) [Bootstrap](#)
- [Javascript](#) [MySQL](#) [Ajax](#) [HTML](#)
- [Codeigniter](#) [AngularJS](#) [VueJS](#) [JSON](#)
- [Installation](#) [Ubuntu](#) [CSS](#) [Git](#)
- [Node JS](#) [Google Map](#) [SQL](#)
- [Google API](#) [jQuery UI](#) [Server](#)
- [Typeahead JS](#) [React JS](#) [Axios](#)
- [Elasticsearch](#) [Highcharts](#) [Wampserver](#)
- [Ionic Framework](#) [MSSQL](#)

Latest Posts

- [Laravel 6 Google ReCAPTCHA Form Validation Example](#)
- [Angular 8 Routing and Nested Routing Tutorial With Example](#)
- [Angular Change Date Format in Component Example](#)
- [Laravel Model Caching - Performance Boost Tutorial](#)
- [How to Partially hide email address in PHP?](#)

Advertisement


NEVERNOTION




Featured Post



Laravel 5.8 User Roles and Permissions Tutorial



Add/remove multiple input fields dynamically with Jquery Laravel 5.8




Laravel 6 Admin Panel Tutorial



Add Edit Delete Table Row Example using Jquery




PHP curl post request with parameters and get json response



PHP - Dynamically Add Remove input fields using Jquery Ajax Example with Demo



Laravel 5.6 - User Roles and Permissions (ACL) using Spatie Tutorial



AngularJS - Add Remove Input Fields Dynamically with PHP MySQLi


We are Recommending you:

1. Add Edit Delete Table Row Example using Jquery
2. How to disable browser back button using Jquery?
3. Get selected checkbox value from checkboxlist in Jquery
4. Jquery disable right click, cut, copy and paste example
5. Jquery Ajax Form Validation with Laravel 5.8
6. Jquery rotate image animation example
7. How to convert line breaks to br in jQuery ?

Subscribe Your Email address:

Enter Email...

Subscribe



Top Links:


- List Of Categories
- Demo Posts
- Latest Posts

SAMSUNG



Mừng Tết lớn
cùng Samsung TV





- [Disclaimer](#)
- [Contact US](#)
- [About US](#)