Project Executable Files and Submission Checklist

AI/ML and Generative AI Track • Project Documentation

Project	Trip Genius AI (VoyagePlan Travel Planner)	**Date**	26 October 2026
Submitted by	Kumkum Thakur (individual project)	**Hall Ticket No.**	0157CS241131
College	LNCTS	**University**	RGPV

1. Submission checklist

Item	Status / notes
Complete source code	Available on GitHub: https://github.com/thakurkumkum/travel-itinerary-planner (frontend/ and backend/)
README / setup guide	Project overview, prerequisites, install / run instructions and deployment architecture
Dependency files	frontend/package.json and backend/requirements.txt
Database schema / migrations	Supabase SQL / schema documentation (no user data)
Environment configuration	.env.example with placeholders only; .env never committed
Deployed application URL	Vercel: https://travel-itinerary-planner-0023-b9jioymcx-kumkum18.vercel.app
Backend URL	Render: https://travel-itinerary-planner-1ysc.onrender.com
Health endpoint	https://travel-itinerary-planner-1ysc.onrender.com/health
Repository link	https://github.com/thakurkumkum/travel-itinerary-planner
Demo credentials	Not stored in documents. A dedicated demo account can be shared securely if required.
Demo video	Not recorded yet; link can be added if the evaluator requires it.
Dockerfile	Not required for the Vercel + Render deployment.
Automated test files	None yet; manual production smoke tests passed (see Project Testing).

2. Project structure

Root: frontend/ (React + Vite client), backend/ (FastAPI service), README.md, .gitignore and environment-example files.

3. Deployment / access

Field	Details
Frontend hosting	Vercel — https://travel-itinerary-planner-0023-b9jioymcx-kumkum18.vercel.app
Backend hosting	Render — https://travel-itinerary-planner-1ysc.onrender.com
Authentication / database	Supabase — https://wwhitxfzfdvqwgogqsuj.supabase.co
AI provider	Groq API (key stored on Render only)
Source control	GitHub — https://github.com/thakurkumkum/travel-itinerary-planner

4. Run instructions

Frontend (from frontend/)

1. Install Node.js LTS.
2. Run **npm install**.

3. Create **.env.local** with VITE_API_BASE_URL, VITE_SUPABASE_URL and VITE_SUPABASE_ANON_KEY (placeholders shown in .env.example).
4. Run **npm run dev** for development or **npm run build** for a production build.

Backend (from backend/)

1. Use Python 3.11 and create / activate a virtual environment.
2. Run **pip install -r requirements.txt**.
3. Set server-side environment variables (Supabase and Groq keys, ALLOWED_ORIGINS).
4. Run **uvicorn app.main:app --reload** locally. On Render the start command is uvicorn app.main:app --host 0.0.0.0 --port $PORT.

Use only placeholder values in documentation. Never commit Supabase service-role keys, Groq keys, passwords or live user data.