

Superleap Migration Readiness Scanner

An internal tool for Superleap's sales and deployment teams to measure a prospect's CRM data quality before committing to a go-live date.

Author	Smrity
Version	v1
Date	7 October 2026
Prototype	superleap.smritybuilds.com
Status	Discovery complete, v1 prototype built and tested

Contents: 1. Problem 2. Context 3. Users and workflow 4. Evidence 5. Success metrics 6. v1 scope and checks 7. Readiness score 8. User flow 9. Technical decisions 10. Risks 11. Build, test, roadmap Appendix: Sources

1. Problem statement

Superleap commits to go-live dates before it has seen the prospect's data. Effort is estimated from conversations, so duplicates, unassigned records, broken dates and inconsistent stage values are discovered during the load. That stretches timelines, adds forward-deployed engineering hours, and risks the deployment guarantee.

Assumptions this document tests

- Data quality, not the import mechanism, is the main source of migration delay.
- Prospects will share a CSV export (full or sample) during evaluation if the data stays on the AE's device.
- A readiness score before signature leads to more realistic go-live commitments.
- An explainable score changes behavior: teams clean data at the source before loading it.

2. Context: Superleap

Dimension	Publicly known (October 2026)
Company	Bengaluru-based AI-native enterprise CRM, founded 2024 by former Unacademy leaders Subham Kumar Boundia (CEO), Alok Maurya (CTO) and Saurabh Maheshwari (CPO).
Funding	INR 36 crore (about USD 3.8M), led by Peak XV's Surge, August 2026.
Go-to-market	Enterprise first. Average contract values of USD 60K to 100K; 50+ enterprise clients; about 10x growth in a year.
Customers	Razorpay, Aakash Education, MediBuddy, HCL GUVI, Cars24, PagarBook, Plum, Qube Cinema, Superhealth.
Competes with	Salesforce, Microsoft Dynamics, Oracle, Zoho.
Migration offer	Superleap Deploy: forward-deployed engineers, a sub two-month deployment guarantee and zero-disruption migration.
Proof points	Razorpay moved 10M+ records in 45 days. Aakash Education moved about 5,000 counsellors (its admissions and sales staff, each a CRM user) across 400 locations in under 60 days.

Why this matters: migration speed is Superleap's main differentiator, and its forward-deployed model means Superleap absorbs cleanup cost itself. Knowing data quality before signature protects both the guarantee and the margin.

3. Users and workflow

User	Role in the flow	Job to be done	Pain today
Superleap AE (primary)	Runs the scan during evaluation on the prospect's export	Commit a go-live date and price the deployment accurately	Effort is estimated from conversations, not data
Superleap deployment lead (primary)	Runs a full scan at kickoff; uses the owner list and issue report	Hit the deployment guarantee	Finds data problems mid-load and absorbs cleanup hours
Prospect's CRM admin (secondary)	Provides the export; receives the issue report	Know what to fix at the source before go-live	Learns about problems one import error at a time
Prospect's sponsor (secondary)	Receives the readiness summary	Understand migration risk before signing	Hears about delays only after they happen

Where the scanner fits in a Superleap deal

Discovery	Demo	Evaluation	Proposal	Signature	Kickoff	Load	Go live
		Scan sample	Commit date		Full scan		

A sample scan during evaluation informs the go-live date committed in the proposal. A full scan at kickoff gives the deployment team its cleanup list and owner mapping before any data is loaded.

4. Evidence

Research covered G2, Capterra and TrustRadius reviews of CRM migration tools and source CRMs, Zoho Community threads, practitioner guides, and press coverage of Superleap. Full links in the appendix.

4.1 Market signals

Signal	What it says	Source
CRM projects miss objectives	Reported failure rates range from 30 to 55 percent depending on definition. Johnny Grow put it at 55 percent in 2025, measured against original business objectives.	LowCode Agency; Retail Insider
Bad data is a top cause	Gartner names poor data quality as the leading cause of CRM failure. Another breakdown ranks bad data second (34 percent), behind poor adoption (43 percent).	Retail Insider; LowCode Agency
Migration is the hardest step	62 percent of organizations name data migration their biggest implementation challenge (Panorama Consulting).	Retail Insider
Issues surface mid-migration	54 percent see significant delays; 67 percent find major data quality issues mid-migration.	SyncMatters
Overruns are common	About 30 percent cost overrun and 41 percent schedule slip on average (Bloor Research).	Coffee.ai

Figures come from vendor and consultancy content with different definitions. Treat them as directional; the consistent pattern across sources is what matters.

4.2 Reading highlight

Retail Insider: The Questions Canadian Retailers Forget to Ask Before a CRM/ERP Rollout

retail-insider.com/?p=200808

- Beyond the figures in 4.1: mid-size ERP rollouts average about USD 7.1M and 17.4 months, running 3.6 months past plan.
- Buyers ask safe questions (timeline, training, migration) but rarely ask who owns the data after the contract ends.
- AI features are only as useful as the data underneath, and that quality is decided at implementation.

Relevance: Superleap is AI-native, so its AI value depends on the data that arrives during migration.

4.3 Review and community signals

Theme	What users report	Where
Cleanup happens too late	Migrated at the last minute of a Salesforce rollout and had to clean data again after already cleaning most of it.	G2 (Import2)
Weak auto field matching	Wanted better auto matching for CSV imports; migration took real IT effort.	TrustRadius (Zoho CRM)
Silent failures	Migration wizard marked note records as failed or skipped with no clear reason.	Zoho Community

Theme	What users report	Where
Mandatory field errors	Imports rejected for empty mandatory fields such as closing date.	Zoho Community
Incomplete scope	Attachments not treated as migrated data unless requested.	Capterra (MigrateMyCRM)
Cross-vendor mapping	Dynamics to Zoho mapping needed tailored assistance.	Capterra (MigrateMyCRM)

4.4 Synthesized insights

#	Insight	Product decision
1	Teams underestimate how dirty their data is.	Lead with one honest score and the top issues.
2	Problems found late cost far more than problems found early.	Scan during evaluation, before the go-live date is committed.
3	Duplicates, missing required fields and format drift are the most cited failures.	Build these checks first.
4	Import tools fail silently or with vague errors.	Every issue shows the exact rows and a fix hint.
5	Superleap's customers are high-volume Indian lead businesses (+91 numbers, DD/MM dates, counsellor ownership).	Ship India-aware phone, date and owner checks.
6	Prospects guard their customer data.	Process everything in the browser; nothing is uploaded.

Practitioner experience. At Xorosoftware (cloud ERP for retail, ecommerce and wholesale clients in the US, Canada and APAC), customer onboarding across ERP and integrations showed a recurring pattern: duplicates, unmapped values and missing references in the customer's source data caused most import issues, and the fix belonged in that source data.

5. Success metrics

Targets are starting hypotheses, set before launch so there is something to measure against. Recalibrate after the first 20 to 30 scans.

Type	Metric	Definition and why it matters	v1 target
North star	Pre-signature scan coverage	Share of deals reaching proposal stage with a readiness scan. Shows AEs rely on data, not conversation, to commit dates.	80% within two quarters
Outcome	Go-live accuracy	Gap between committed and actual go-live, scanned vs unscanned deals. The real business result; measurable only after several deployments.	Scanned deals within 1 week of date
Outcome	Failed import rows	Rows rejected on first load, scanned vs unscanned datasets.	50% fewer
Outcome	Cleanup hours	Deployment engineer hours spent fixing data per migration. Superleap's own cost.	30% fewer
Quality	Scan completion	Loads that reach results without error. Below this signals parsing bugs.	90% or higher
Quality	Time to result	50,000-row file on a mid-range laptop, with a progress bar while checks run. Prototype: about 4.5 seconds.	Under 10 seconds
Quality	Issue precision	Flagged issues that are real, measured on test files with planted errors.	95% or higher

Type	Metric	Definition and why it matters	v1 target
Guardrail	Data stays on device	No file content sent anywhere. Pass or fail; one breach ends trust.	100%
Guardrail	False alarms	Clean test files scoring below 85.	Under 5%

6. v1 scope

In scope

- Load one CSV (up to 50 MB), processed entirely in the browser, with object type (Leads, Contacts, Accounts, Deals) auto-detected and editable.
- Run 12 checks, show a 0 to 100 score with a status band, and rank issues by severity and rows affected.
- Drill into any issue for example rows and a fix hint.
- Export three files: an issues report for the prospect, an owner list for the deployment team, and a de-duplicated copy.
- Three sample files (clean, typical, messy) for demos and AE training.

Out of scope for v1

- Loading data into Superleap or any CRM. The scanner assesses; it does not migrate.
- Direct API connections to Salesforce, Zoho or LeadSquared.
- AI-suggested field mapping (planned for v2; needs a server-side function to keep API keys off the front end).
- Logins, saved scan history or team sharing.
- Cross-file relationship checks (v1 checks references within one file only).

6.1 Readiness checks

#	Check	What it detects and why	Severity
1	Contact and required fields	Leads and Contacts: a name, plus an email or a phone. Deals: deal name and stage. Accounts: account name. Without an identifier a record cannot be contacted or deduplicated, and a CRM does not fill these in on its own.	Blocker
2	Duplicate records	Leads and Contacts: same email or phone, or a near-identical name at the same company. Deals: same deal name and account, or a near-identical name with the same account and amount. Accounts: same or near-identical name. Duplicates inflate pipeline and break assignment.	High
3	Email validity	Malformed addresses and placeholders (test@, na@, none).	High
4	Date consistency	Formats that differ from the column's main format, day and month order that conflicts within a column, impossible dates (31/02), years before 1990, and future created or activity dates.	High
5	Owner mapping	Every record's owner (the rep or counsellor responsible) must map to a Superleap user. Flags blank owners, name-only or system-ID owners, and lists every distinct owner with record counts for the deployment team's mapping table.	High
6	Broken references	Reference columns such as Account ID that are blank, or that point to a record missing from the file.	High
7	Phone format	Letters, dummy numbers (9999999999) and wrong lengths. India-aware: +91, 10 digits and a leading 0 are all valid.	Medium
8	Picklist drift	One dropdown value written many ways (Closed Won, closed-won, Won). Left as is, it splits reports or gets rejected.	Medium
9	Encoding issues	Garbled characters (JosÃ© for José, broken Hindi or Tamil names) and line breaks inside fields that split one record into broken rows.	Medium
10	Sparse columns	Columns over 90 percent empty, usually unused custom fields. Candidates to drop rather than map.	Low
11	Length overflow	Values over 255 characters in short fields, which would be cut off or rejected. Notes and description fields are exempt.	Low
12	Stale records	No activity in 24 months or more. Shown as archive candidates, not scored.	Info

7. Readiness score

The score answers one question for the AE: how much cleanup does this data need before go-live? It is calculated in four steps, and the prototype uses exactly these rules.

Step 1. Fail rate per check. The share of rows that fail the check. For sparse columns, the share of columns.

Step 2. Check score = $\max(0, 1 - 2 \times \text{fail rate})$. A check with 10 percent of rows failing scores 0.8; once half the rows fail, it scores 0.

Step 3. Readiness score = $100 \times (\text{sum of weight} \times \text{check score}) / (\text{sum of weights})$, rounded down. Weights: Blocker 5, High 3, Medium 2, Low 1. Only checks that apply to the file count; a file with no phone column skips the phone check. With all 11 scored checks, total weight is 28. Stale records are shown, not scored.

Step 4. Blocker cap. If more than 5 percent of rows fail the Blocker check, the score cannot exceed 64.

Why each part exists

- **Weights** make serious problems count more, like credits in a CGPA. Weights only cancel out if every check has the same score.
- **The factor of 2** came from testing the prototype. With a plain pass rate, a file where 23 percent of deals had no owner, 21 percent had broken references and 15 percent were duplicates still scored 86, Ready. With the factor of 2 it scores 73, Needs cleanup.
- **The blocker cap** stops a good average from hiding records that cannot be imported at all.
- **Rounding down** means a file with any issue never shows 100.

Worked example. Two files with every check perfect except one, where 20 percent of rows fail. Check score = $1 - 2 \times 0.2 = 0.6$.

File	Failing check	Calculation	Score	Without factor of 2
A	Required fields (weight 5)	$100 \times (5 \times 0.6 + 23) / 28 = 92.9$	92, capped to 64	96, capped to 64
B	Sparse columns (weight 1)	$100 \times (1 \times 0.6 + 27) / 28 = 98.6$	98	99

Band	Score	What the AE does
Ready	85 to 100	Commit the standard timeline and plan a 5 to 10 percent test load
Needs cleanup	65 to 84	Add a cleanup phase and buffer to the go-live date, and share the issues report with the prospect
Not ready	0 to 64	Agree a cleanup plan with the prospect before committing a go-live date

Prototype results on the built-in sample files

Sample	Score	Band	Readout shown to the AE
Clean leads, 400 rows	99	Ready	1.7% of rows are duplicates and 0.7% of rows have invalid phone numbers. Fixing these two raises the score to 100.
Typical deals, 1,416 rows	73	Needs cleanup	23.4% of rows have no usable owner and 21.3% of rows have broken references. Fixing these two raises the score to 85.
Messy leads, 1,665 rows	64	Not ready (capped)	8.4% of rows are missing required fields and 22.3% of rows have date problems. Fixing these two raises the score to 85.

The readout names the two fixes that raise the score most and recalculates the score with them fixed, so the AE can tell the prospect exactly what to clean first.

8. User flow (AE)

1. Request	2. Load	3. Scan	4. Review	5. Share	6. Commit
Ask the prospect for a sample export	Open the scanner, load the CSV locally	12 checks run with a progress bar	Score, band, top issues, example rows	Issues report to prospect; owner list to deployment	Go-live date with buffer based on the band

- "Your file never leaves this browser" is shown at the top of the page, so the AE can say it with confidence.
- Number first, then reasons, then rows. Every issue states rows affected, why it matters in Superleap, and how to fix it at the source.
- Clear messages for a wrong file type, an empty file, a single-column file and files over 50 MB.

9. Technical decisions

Decision	Chosen	Alternatives considered	Why
Where processing runs	Browser only, static HTML on superleap.smritybuilds.com	Upload to a server	Prospect data never leaves the device; no infrastructure
CSV parsing	PapaParse in the browser; checks run in steps with a progress bar	Splitting lines by commas; server-side Python; a Web Worker	Handles quoted commas and line breaks. A worker was tested and dropped: it failed silently when the library could not load, and 50K rows already scan in about 4.5 seconds
Checks	One function per check in a single page	Separate files per check	Easy to test and tune each check; one file is simple to host
Fuzzy duplicates	Normalize, then compare only records sharing a key (blocking)	Compare every pair	Every pair is about 1.25 billion comparisons at 50K rows; blocking keeps it within seconds
Score	Weighted check scores with a factor of 2 and a blocker cap (section 7)	Simple error count; plain weighted pass rate	Explainable, and calibrated so heavily flawed files do not read as Ready
First input	CSV export	API connectors	Every CRM exports CSV; no auth or partnerships needed
Exports	Generated in the browser as downloads	Server-generated reports	Keeps the privacy promise end to end
AI	None in v1; rule-based checks	An LLM to judge data quality	Rules give the same result every time and keep data on the device; AI field mapping is planned for v2

10. Risks

Risk	Likelihood	Mitigation
Prospects decline to share data before signing	Medium	Browser-only processing; a sample export of a few thousand rows is enough
AEs skip the scan under deal pressure	Medium	Keep it under five minutes end to end; make the readiness summary part of the proposal template
Superleap's required fields are not public	High	Universal CRM rules with configurable required fields per object
False positives, e.g. valid international numbers	Medium	Tune on labelled files; allow marking a check not applicable
Very large exports slow the browser	Medium	50 MB limit; above it, the page asks for a sample export of up to 200,000 rows

11. Build, test and roadmap

Week	Build	Test
1	Parsing, object detection, three sample files	Files with planted errors ready
2	Checks 1 to 6, score and bands, results screen	Precision and recall per check
3	Checks 7 to 12, issue drill-down, fix hints	Usability sessions with people who have run CRM or ERP migrations
4	Exports, empty and error states	Timing at 10K, 50K, 200K rows in Chrome and Safari; network tab confirms no uploads

Week	Build	Test
Done	Prototype v1 built: all 12 checks, score, drill-down, three exports, samples	Samples land in all three bands; 50K rows in about 4.5 seconds; mobile layout checked

Horizon	What	Why
Now (v1)	Single-file scan, 12 checks, score, three exports	Prove AEs will use it and that scores predict load problems
Next (v2)	Shareable scan link the AE sends to the prospect's admin; multi-file upload with cross-object checks; AI field mapping to Superleap objects	Prospect runs it on full data without sending files; matches how related objects migrate together
Later (v3)	Source presets (Salesforce, Zoho, LeadSquared); scan results logged to the deal record; handoff into Superleap Deploy	Turns a check into part of the deal and deployment workflow

Appendix: Sources

- Inc42: Superleap bags INR 36 Cr led by Peak XV's Surge: <https://inc42.com/?p=567048>
- Dealroom: Superleap raises Rs 36 crore: <https://dealroom.co/news/142843-superleap-raises-rs-36-crore-seed-to-take-on-legacy-crm-giants/>
- Webindia123: Superleap raises INR 36 Cr: <https://news.webindia123.com/news/articles/Business/20260808/4484755.html>
- CXO Digital Pulse: Superleap raises INR 36 crore: <https://www.cxodigitalpulse.com/?p=60107>
- Retail Insider: Questions retailers forget to ask before a CRM/ERP rollout: <https://retail-insider.com/?p=200808>
- LowCode Agency: CRM implementation failure rate: <https://www.lowcode.agency/blog/crm-implementation-failure-rate>
- SyncMatters: Why CRM data migration is still the biggest bottleneck: <https://syncmatters.com/blog/why-crm-data-migration-is-still-the-biggest-bottleneck>
- Coffee.ai: Salesforce migration problems 2026: <https://www.coffee.ai/articles/salesforce-migration-problems-2026/>
- QA Madness: Best practices for CRM data migration: <https://www.qamadness.com/best-practices-for-crm-data-migration/amp/>
- Folio3: Salesforce data migration best practices: <https://crm.folio3.com/blog/?p=19976>
- TELUS Digital: Common pitfalls of Salesforce data migration: <https://sfpractice.telusdigital.com/posts/common-pitfalls-salesforce-data-migration>
- G2: Import2 reviews: <https://g2.com/products/import2/reviews>
- TrustRadius: Zoho CRM review: <https://ustradius.com/reviews/zoho-crm-2023-10-19-11-27-13>
- Zoho Community: CRM Migration: <https://help.zoho.com/portal/en/community/topic/crm-migration>
- Capterra: MigrateMyCRM reviews: <https://www.capterra.com/p/146563/Data2CRM-Migration/reviews/?page=2>