Lab Tutorial XML (Conceptual)

1. The UTF-8 character set includes only the characters used in the English language.
    a. True
    b. False

2. Cascading Style Sheets (CSS), the style sheet language developed for use with HTML, can also be used with elements with XML documents.
    a. True
    b. False

3. The name in the element's closing tag must match the name in the opening tag.
    a. True
    b. False

4. Character data is not processed – it is treated as pure data content.
    a. True
    b. False

5. The Document Type Definition (DTD) and XML Schema allow to define the structure of the data in XML. Which one also allows to define specific data restrictions?
    a. DTD
    b. XML Schema

6. A namespace is a defined collection of element and attribute names.
    a. True
    b. False

7. A compound document is an XML document composed of elements from other vocabularies and schemas.
    a. True
    b. False

8. As XML has grown in popularity, standard _____have been developed across a wide range of disciplines.

a. Legends
b. Elements
c. Vocabularies
d. Keys

9. To declare a namespace for an element within an XML document, which attribute and content do you add to the opening tag of the element?

10. A namespace that has been declared within an element can be applied to any _____of the element.

    a. Parent
    b. Copy
    c. Descendant
    d. Heir

11. A well-formed XML document that satisfies the rules of a DTD or schema is said to be a(n) _____document.

    a. Invalid
    b. Valid
    c. Correct
    d. Verified

12. A _____document contains no syntax errors and satisfies the general specifications for XML code.

    a. Synthesized
    b. Compound
    c. Checked
    d. Well-formed

13. When white space appears in places other than element content, XML treats it in the following manner: _____.

    a. ignored within a document's prolog and epilog, and within any element tags
    b. ignored when it is one of the character data between element tags
    c. within an attribute value is treated as a separate part of the attribute value
    d. generally ignored as part of the document's data

14. The document body consists of _____that contain data to be stored in the document.

    a. Elements
    b. Attributes


c. Values
d. Keys

15. Element names may not contain _____.

a. Letters
b. The string “XML”
c. Blank spaces
d. The underscore characters

16. Element names cannot begin with the letters

a. data
b. http
c. xml
d. xsl



17. In the tree diagram in the figure above, all elements in the body are descendants of a single element called the ____element.

a. base
b. fundamental
c. root
d. key

18. In the tree diagram in the figure above, the root element is the _____element.

19. _____space refers to nonprintable characters such as spaces (created by pressing the spacebar), new line characters (created by pressing the Enter key), or tab characters (created by pressing the Tab key).

    a. Blank
    b. White
    c. Empty
    d. Character

20. Attribute values must be enclosed within _____.

    a. Ampersands
    b. Carets
    c. Single or double quotes
    d. Colons

21. An attribute value always must be enclosed within either single or double _____.

    a. Brackets
    b. Quotes
    c. Braces
    d. Parentheses

22. Which of the following is NOT a characteristic of eXtensible Markup Language (XML)?

    a. It is device-independent and system-independent.
    b. It is the chosen vehicle for creating structured documents in businesses and government organizations of all sizes.
    c. It is a difficult language to learn and to apply because of its power, scope, and flexibility.
    d. It is case sensitive.

23. Which of the following is a problematic element name in an XML document?

    a. _recipe
    b. street address
    c. NAME
    d. Item

24. Which of the following is incorrectly formatted?

    a. `<name>Perry</name>`

b. `<name />`

c. `<name>Perry</NAME>`

d. None of these are correct

25. Which of the following is well-formatted?

a. `<assignment>Homework 1 <points>50<points></assignment>`

b. `<assignment>Homework 1</assignment><points>50</points>`

c. `<assignment>Homework 1<points>50</points></assignment>`

d. `<assignment>Homework 1<points>50</assignment></points>`