







BDR-Atividade_Aula08-ThalesCabraiaDias







pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Foreign Data Wrappers
- Languages
- Publications
- Schemas
- Subscriptions
- game_arena
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
- postgres
 - queimadas_db
 - sistema_bancario
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - usuarios
 - Casts
 - Catalogs
 - Event Triggers

sistema_bancario/postgres@PostgreSQL 18*

Query

```
SELECT * FROM clientes;
```

Data Output

id_cliente	nome	cpf	endereco	telefone
1	João Silva	12345678900	Rua A, 123	11999990000
2	Maria Oliveira	98765432100	Rua B, 456	11988887777

Total rows: 2 Query complete 00:00:00.155

CRLF Ln 1, Col 1

17:01 05/04/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Foreign Data Wrappers
- Languages
- Publications
- Schemas
- Subscriptions
- game_arena
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
- postgres
 - queimadas_db
 - sistema_bancario
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - usuarios
 - Casts
 - Catalogs
 - Event Triggers

sistema_bancario/postgres@PostgreSQL 18*

Query

```
SELECT  
  c.id_conta,  
  c.numero_conta,  
  c.saldo,  
  cl.id_cliente,  
  cl.nome,  
  cl.cpf  
FROM contas c  
INNER JOIN clientes cl ON c.id_cliente = cl.id_cliente;
```



Data Output



id_conta	numero_conta	saldo	id_cliente	nome	cpf
1	000123	1500.00	1	João Silva	12345678900
2	000456	2300.00	2	Maria Oliveira	98765432100

Total rows: 2 Query complete 00:00:00.077

CRLF Ln 1, Col 1

17:01 05/04/2026





-- Thales Cambraia Dias

-- Atividade 08

-- Banco: sistema_bancario

```
CREATE TABLE clientes (  
  id_cliente SERIAL PRIMARY KEY,  
  nome VARCHAR(100) NOT NULL,  
  cpf VARCHAR(11) UNIQUE NOT NULL,  
  endereco TEXT,  
  telefone VARCHAR(15)  
);
```

```
-----  
INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES  
(  
'João Silva', '12345678900', 'Rua A, 123', '11999990000'),  
(  
'Maria Oliveira', '98765432100', 'Rua B, 456', '11988887777');  
-----
```

```
CREATE TABLE contas (  
  id_conta SERIAL PRIMARY KEY,  
  numero_conta VARCHAR(10) UNIQUE NOT NULL,  
  saldo DECIMAL(10,2) DEFAULT 0,  
  id_cliente INT REFERENCES clientes(id_cliente) ON DELETE CASCADE  
);
```

```
-----  
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES  
(  
'000123', 1500.00, 1),  
(  
'000456', 2300.00, 2);  
-----
```

```
CREATE TABLE transacoes (  
  id_transacao SERIAL PRIMARY KEY,  
  id_conta INT REFERENCES contas(id_conta) ON DELETE CASCADE,
```

```
tipo VARCHAR(15) CHECK (tipo IN ('Depósito', 'Saque', 'Transferência')),
valor DECIMAL(10,2) NOT NULL CHECK (valor > 0),
data_transacao TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
destino_transferencia INT REFERENCES contas(id_conta)
);
```

```
INSERT INTO transacoes (id_conta, tipo, valor) VALUES
(1, 'Depósito', 500.00),
(2, 'Saque', 200.00),
(1, 'Transferência', 300.00);
```

```
SELECT * FROM clientes;
```

```
SELECT
    c.id_conta,
    c.numero_conta,
    c.saldo,
    cl.id_cliente,
    cl.nome,
    cl.cpf
FROM contas c
INNER JOIN clientes cl ON c.id_cliente = cl.id_cliente;
```

```
INSERT INTO clientes (nome, cpf, endereco, telefone) VALUES
('Carlos Souza', '11122233344', 'Rua C, 789', '11977776666');
```

```
INSERT INTO contas (numero_conta, saldo, id_cliente) VALUES
('000789', 1000.00, 3);
```

```
INSERT INTO transacoes (id_conta, tipo, valor, destino_transferencia) VALUES
```



```
(1, 'Transferência', 100.00, 3);
```

```
UPDATE contas
```

```
SET saldo = saldo - 100.00
```

```
WHERE numero_conta = '000123';
```

```
UPDATE contas
```

```
SET saldo = saldo + 100.00
```

```
WHERE numero_conta = '000789';
```

```
SELECT
```

```
    numero_conta,
```

```
    saldo,
```

```
    id_cliente
```

```
FROM contas
```

```
ORDER BY numero_conta;
```