

```
MINGW64:/c/Users/Windows/Desktop/IntroAndroid
Windows@DESKTOP-27HGIKV MINGW64 ~/Desktop/IntroAndroid
$ git init
Initialized empty Git repository in C:/Users/Windows/Desktop/IntroAndroid/.git/

Windows@DESKTOP-27HGIKV MINGW64 ~/Desktop/IntroAndroid (master)
$ git add .
warning: in the working copy of 'Conceitos_iniciais/.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Conceitos_iniciais/.idea/inspectionProfiles/Project_Default.xml', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Conceitos_iniciais/src/main/kotlin/Main.kt', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Controles_de_fluxo/.gitignore', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Controles_de_fluxo/.idea/inspectionProfiles/Project_Default.xml', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'Controles_de_fluxo/src/main/kotlin/Main.kt', LF will be replaced by CRLF the next time Git touches it

Windows@DESKTOP-27HGIKV MINGW64 ~/Desktop/IntroAndroid (master)
$ git status
On branch master
```

```
Windows@DESKTOP-27HGIKV MINGW64 ~/Desktop/IntroAndroid (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   Conceitos_iniciais/.gitignore
    new file:   Conceitos_iniciais/.idea/.gitignore
    new file:   Conceitos_iniciais/.idea/codeStyles/Project.xml
    new file:   Conceitos_iniciais/.idea/codeStyles/codeStyleConfig.xml
    new file:   Conceitos_iniciais/.idea/inspectionProfiles/Project_Default.xml
    new file:   Conceitos_iniciais/.idea/kotlinc.xml
    new file:   Conceitos_iniciais/.idea/libraries/KotlinJavaRuntime.xml
    new file:   Conceitos_iniciais/.idea/misc.xml
    new file:   Conceitos_iniciais/.idea/modules.xml
    new file:   Conceitos_iniciais/Conceitos_iniciais.iml
    new file:   Conceitos_iniciais/src/main/kotlin/Arq_kotlin.kt
    new file:   Conceitos_iniciais/src/main/kotlin/Arquivo_1.kt
    new file:   Conceitos_iniciais/src/main/kotlin/Arquivo_2.kt
    new file:   Conceitos_iniciais/src/main/kotlin/Main.kt
    new file:   Conceitos_iniciais/src/main/kotlin/Teste_J.java
    new file:   Controles_de_fluxo/.gitignore
    new file:   Controles_de_fluxo/.idea/.gitignore
    new file:   Controles_de_fluxo/.idea/inspectionProfiles/Project_Default.xml
    new file:   Controles_de_fluxo/.idea/kotlinc.xml
    new file:   Controles_de_fluxo/.idea/libraries/KotlinJavaRuntime.xml
    new file:   Controles_de_fluxo/.idea/misc.xml
    new file:   Controles_de_fluxo/.idea/modules.xml
    new file:   Controles_de_fluxo/.idea/uiDesigner.xml
    new file:   Controles_de_fluxo/Controles_de_fluxo.iml
    new file:   Controles_de_fluxo/src/main/kotlin/Capacidade_de_variaveis.kt
    new file:   Controles_de_fluxo/src/main/kotlin/Main.kt
    new file:   Controles_de_fluxo/src/main/kotlin/Tipos_de_variaveis.kt
    new file:   Controles_de_fluxo/src/main/kotlin/Tipos_de_variaveis_2.kt

Windows@DESKTOP-27HGIKV MINGW64 ~/Desktop/IntroAndroid (master)
```

```
Windows@DESKTOP-27HGIKV MINGW64 ~/Desktop/IntroAndroid (master)
$ git remote add origin https://github.com/thalitaasuzu/CursoIntroAndroid_IOSI.git
it

Windows@DESKTOP-27HGIKV MINGW64 ~/Desktop/IntroAndroid (master)
$ git remote -v
origin https://github.com/thalitaasuzu/CursoIntroAndroid_IOSI.git (fetch)
origin https://github.com/thalitaasuzu/CursoIntroAndroid_IOSI.git (push)
```


```
Windows@DESKTOP-27HGIKV MINGW64 ~/Desktop/IntroAndroid (master)
$ git commit -m "Commit de Controles_de_fluxo e Conceitos_iniciais"
[master (root-commit) 451aa85] Commit de Controles_de_fluxo e Conceitos_iniciais
28 files changed, 406 insertions(+)
create mode 100644 Conceitos_iniciais/.gitignore
create mode 100644 Conceitos_iniciais/.idea/.gitignore
create mode 100644 Conceitos_iniciais/.idea/codeStyles/Project.xml
create mode 100644 Conceitos_iniciais/.idea/codeStyles/codeStyleConfig.xml
create mode 100644 Conceitos_iniciais/.idea/inspectionProfiles/Project_Default.xml
create mode 100644 Conceitos_iniciais/.idea/kotlinc.xml
create mode 100644 Conceitos_iniciais/.idea/libraries/KotlinJavaRuntime.xml
create mode 100644 Conceitos_iniciais/.idea/misc.xml
create mode 100644 Conceitos_iniciais/.idea/modules.xml
create mode 100644 Conceitos_iniciais/Conceitos_iniciais.iml
create mode 100644 Conceitos_iniciais/src/main/kotlin/Arq_kotlin.kt
create mode 100644 Conceitos_iniciais/src/main/kotlin/Arquivo_1.kt
create mode 100644 Conceitos_iniciais/src/main/kotlin/Arquivo_2.kt
create mode 100644 Conceitos_iniciais/src/main/kotlin/Main.kt
create mode 100644 Conceitos_iniciais/src/main/kotlin/Teste_J.java
create mode 100644 Controles_de_fluxo/.gitignore
create mode 100644 Controles_de_fluxo/.idea/.gitignore
create mode 100644 Controles_de_fluxo/.idea/inspectionProfiles/Project_Default.xml
create mode 100644 Controles_de_fluxo/.idea/kotlinc.xml
create mode 100644 Controles_de_fluxo/.idea/libraries/KotlinJavaRuntime.xml
create mode 100644 Controles_de_fluxo/.idea/misc.xml
create mode 100644 Controles_de_fluxo/.idea/modules.xml
create mode 100644 Controles_de_fluxo/.idea/uiDesigner.xml
create mode 100644 Controles_de_fluxo/Controles_de_fluxo.iml
create mode 100644 Controles_de_fluxo/src/main/kotlin/Capacidade_de_variaveis.kt
create mode 100644 Controles_de_fluxo/src/main/kotlin/Main.kt
create mode 100644 Controles_de_fluxo/src/main/kotlin/Tipos_de_variaveis.kt
create mode 100644 Controles_de_fluxo/src/main/kotlin/Tipos_de_variaveis_2.kt
```


```

Windows@DESKTOP-27HGIKV MINGW64 ~/Desktop/IntroAndroid (master)
$ git pull origin main
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 6 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (6/6), 1.26 KiB | 2.00 KiB/s, done.
From https://github.com/thalitaasuzy/CursoIntroAndroid_IOSI
 * branch          main      -> FETCH_HEAD
 * [new branch]    main      -> origin/main
fatal: refusing to merge unrelated histories


Windows@DESKTOP-27HGIKV MINGW64 ~/Desktop/IntroAndroid (master)
$ git push origin master
Enumerating objects: 36, done.
Counting objects: 100% (36/36), done.
Delta compression using up to 4 threads
Compressing objects: 100% (25/25), done.
Writing objects: 100% (36/36), 5.41 KiB | 230.00 KiB/s, done.
Total 36 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), done.
remote:
remote: Create a pull request for 'master' on GitHub by visiting:
remote:   https://github.com/thalitaasuzy/CursoIntroAndroid_IOSI/pull/new/master
remote:
To https://github.com/thalitaasuzy/CursoIntroAndroid_IOSI.git
 * [new branch]    master -> master

```



CursoIntroAndroid_IOSI
Public
Pin
Unwatch 1


master had recent pushes less than a minute ago
 Compare & pull request

main
1 branch
0 tags
Go to file
Add file
<> Code


thalitaasuzy Update README.md
 f9d89b8 22 minutes ago
2 commits

README.md
Update README.md
22 minutes ago


thalitaasuzy / CursoIntroAndroid_IOSI
Type to search
>
+
🔍
📧


<> Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base: main
compare: master



There isn't anything to compare.

main and master are entirely different commit histories.

Showing 28 changed files with 406 additions and 0 deletions.
Split
Unified

> 29
Conceitos_iniciais/.gitignore
...

> 3
Conceitos_iniciais/.idea/.gitignore
...

