Exp 1:

QUESTIONS 5 / 5 completed

Bubble Sort Leader

BUBBLE SORT LEADERBOARD

An esports platform needs to rank 5 players by score in ascending order for a practice leaderboard. Write a program that sorts an array of N integers using bubble sort.
(1) Read N and the array.
(2) Implement bubble

PROGRAM EDITOR — C — Run — Save

```c
#include <stdio.h>

int main() {
    int n, i, j, temp;

    // Reading the number of elements
    if (scanf("%d", &n) != 1) return 0;

    int arr[n];

    // Reading the array elements
    for (i = 0; i < n; i++) {
        scanf("%d", &arr[i]);
    }

    // Bubble Sort implementation
    for (i = 0; i < n - 1; i++) {
        for (j = 0; j < n - i - 1; j++) {
            if (arr[j] > arr[j + 1]) {
                // Swap elements
                temp = arr[j];
```

INPUT

```
5
64 34 25 12 22
```

Exp 2:

QUESTIONS 5 / 5 completed

Selection Sort Marl

SELECTION SORT MARKS

A class teacher wants to rank students by marks from lowest to highest to identify who needs extra help first. Write a program that sorts an array of N marks using selection sort.
(1) Read N and the marks.
(2) For each pass, find

PROGRAM EDITOR — C — Run — Save

```c
#include <stdio.h>

int main() {
    int n, i, j, min_idx, temp;

    scanf("%d", &n);

    int marks[n];
    for (i = 0; i < n; i++) {
        scanf("%d", &marks[i]);
    }


    for (i = 0; i < n - 1; i++) {
        min_idx = i;
        for (j = i + 1; j < n; j++) {
            if (marks[j] < marks[min_idx]) {
                min_idx = j;
            }
        }

        temp = marks[min_idx];
```


INPUT

```
5
29 10 14 37 13
```

Exp 3:



Exp 4:



Exp 5:

