ZELITA VENTURES COMPANY LLC

SAFETY DATA SHEET (SDS)

Globally Harmonized System (GHS) Compliant • Premium Acidic Toilet & Urinal Cleaner

SECTION 1: IDENTIFICATION

Product Name:	Premium Acidic Toilet & Urinal Cleaner (High-Viscosity Clinging Formula)
Recommended Use:	Descaling, rust removal, and heavy-duty sanitation of commercial urinals and toilet bowls.
Manufacturer Name:	Zelita Ventures Company LLC
Address:	Industrial Area, Production Network Base
Emergency Contact:	Chemtrec: 1-800-424-9300 (24 Hours)

SECTION 2: HAZARD(S) IDENTIFICATION

Signal Word: DANGER

GHS Classification:

- Corrosive to Metals (Category 1)
- Skin Corrosion / Irritation (Category 1A)
- Serious Eye Damage / Eye Irritation (Category 1)
- Specific Target Organ Toxicity - Single Exposure (Category 3, Respiratory Irritation)

Hazard Statements:

- H290: May be corrosive to metals.
- H314: Causes severe skin burns and eye damage.
- H335: May cause respiratory irritation.

Precautionary Statements:

- P260: Do not breathe mists, vapors, or spray.
- P280: Wear protective gloves, protective clothing, eye protection, and face protection.
- P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
- P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER.
- P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	GHS Classification
Hydrochloric Acid (Active Equivalent)	7647-01-0	~9.90%	Skin Corr. 1B, STOT SE 3
Ethoxylated Tallow Amine	61791-26-2	3.00%	Acute Tox. 4, Eye Dam. 1
Alcohol Ethoxylate (9 EO)	68439-46-3	0.50%	Eye Dam. 1, Aquatic Acute 2
Water and Non-Hazardous Ingredients	Proprietary	Balance	Not Classified

SECTION 4: FIRST-AID MEASURES

- **Eye Contact:** Immediately flush eyes with gently flowing, lukewarm water for at least 20 minutes, holding eyelids open. Remove contact lenses if simple to do. Secure immediate emergency medical attention.
- **Skin Contact:** Flush affected area with stream water for 15-20 minutes while stripping contaminated clothes. Treat burns chemically. Seek physician review immediately.
- **Inhalation:** Shift exposed operator to clean fresh air. If breathing ceases, administer artificial respiration. Keep warm and quiet. Obtain emergency care.
- **Ingestion:** Rinse mouth out thoroughly with cold water. **DO NOT INDUCE VOMITING.** Never give anything by mouth to an unconscious person. Transport patient immediately to emergency room.

SECTION 5: FIRE-FIGHTING MEASURES

- **Suitable Extinguishing Media:** Dry chemical, Carbon Dioxide (CO_2), or water spray to cool surrounding structures. Use media appropriate for surrounding fire context.
- **Unsuitable Extinguishing Media:** High volume direct water streams (may splash and spread acid solution).
- **Specific Hazards Arising from Chemical:** Reacts aggressively with metals to liberate highly flammable Hydrogen gas. Thermal degradation releases toxic, highly irritating Hydrogen Chloride (HCl) fumes.
- **Protective Equipment:** Firefighters must wear positive-pressure self-contained breathing apparatus (SCBA) and complete chemical-resistant turnout gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

- **Personal Precautions:** Evacuate all non-essential personnel. Wear proper acid-resistant respiratory and dermal PPE (Section 8). Do not breathe vapors or touch spilled material.
- **Environmental Precautions:** Prevent run-off from entering sewers, storm drains, waterways, or soils.
- **Clean-up Methods:** Dike spill area with non-combustible absorbent (e.g., dry sand, clay). Slowly neutralize acidic puddle with Sodium Bicarbonate (Baking Soda) or Lime. Scoop neutralized slurry into labeled plastic disposal drums.

SECTION 7: HANDLING AND STORAGE

- **Handling:** Strictly avoid eye and skin contact. Do not inhale vapors or mists. Open container slowly. Dilution instruction: **ALWAYS ADD ACID TO WATER**; never add water to acid to prevent severe thermal spitting. Wash hands thoroughly post-handling.
- **Storage:** Store strictly in original acid-proof polymer containers (HDPE or PP). Keep closed, in a cool, dry, exceptionally well-ventilated space isolated from strong alkalis, reactive metals, cyanides, and sulfides.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Component / CAS No.	OSHA PEL	ACGIH TLV
Hydrochloric Acid (7647-01-0)	5 ppm (7 mg/m^3) Ceiling	2 ppm Ceiling

Personal Protective Equipment (PPE):

- **Eye/Face Protection:** Tight-fitting chemical splash goggles paired with full-face shield are required.
- **Skin Protection:** Long-sleeved nitrile or neoprene gloves, acid-resistant protective coveralls/aprons, and steel-toe rubber boots.
- **Respiratory Protection:** In case of insufficient ventilation or localized misting, use a NIOSH-approved acid gas cartridge respirator.
- **Engineering Controls:** Provide local exhaust ventilation or closed-loop containment systems to maintain airborne concentrations below established exposure thresholds. Provide eyewash stations and safety showers.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Viscous Liquid Gel	**Color:**	Deep Teal-Blue
Odor:	Pine / Mint Acid-Masked	**pH (Direct):**	< 1.0 (Highly Acidic)
Boiling Point:	~100°C (212°F)	**Freezing Point:**	~ -5°C (23°F)
Specific Gravity:	1.04 – 1.06 (Water = 1)	**Viscosity (25°C):**	250 – 450 cPs
Solubility in Water:	100% Soluble	**Flash Point:**	Non-Combustible

SECTION 10: STABILITY AND REACTIVITY

- **Reactivity:** Aggressively attacks active metals (zinc, aluminum, iron) generating explosive hydrogen gas. Contact with strong bleaches (Sodium Hypochlorite) generates lethal Chlorine Gas.
- **Chemical Stability:** Stable under normal, recommended storage and transport temperatures.
- **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- **Conditions to Avoid:** High thermal exposure, mixing with incompatible chemicals, contact with unrated metallic surfaces.
- **Incompatible Materials:** Strong oxidizing agents, strong alkalis (alkali metal hydroxides), metals, organic peroxides, cyanides, sulfides.
- **Hazardous Decomposition Products:** Hydrogen Chloride gas, Carbon Monoxide, and Nitrogen Oxides under thermal combustion.

SECTION 11: TOXICOLOGICAL INFORMATION

- **Likely Routes of Exposure:** Dermal contact, eye contact, inhalation of mists, accidental ingestion.
- **Acute Oral Toxicity:** Corrosive. Causes burning, tissue degradation, and perforations in throat and esophagus. Estimate LD_{50} (product): Calculated > 2000 mg/kg (Not classified under Cat 4 oral toxicity).
- **Skin Irritation/Corrosion:** Category 1A. Causes severe dermal chemical burns and permanent scarring.
- **Serious Eye Damage:** Category 1. Causes immediate chemical corneal burns, potential iris necrosis, and irreversible blindness.
- **Carcinogenicity:** Hydrochloric Acid is classified under Group 3 by IARC (Not classifiable as to its carcinogenicity to humans). No ingredients in this formulation are listed as known carcinogens by ACGIH, NTP, or OSHA.

SECTION 12: ECOLOGICAL INFORMATION

- **Ecotoxicity:** Highly damaging to aquatic organisms in its undiluted/neutralized form due to localized pH depression.
- **Persistence and Degradability:** Surfactant components (Alcohol Ethoxylate) are readily biodegradable under OECD guidelines. Inorganic acid dissociates immediately into hydronium and chloride ions.
- **Bioaccumulative Potential:** Does not bioaccumulate.

SECTION 13: DISPOSAL CONSIDERATIONS

- **Waste Characterization:** Un-neutralized waste is classified as D002 Corrosive Hazardous Waste under RCRA rules.
- **Disposal Instructions:** Neutralize spent chemicals with lime or soda ash, dilute heavily, and check local discharge regulations. Empty container contains toxic residue; do not reuse. Dispose of in accordance with Federal, State, and municipal hazardous waste laws.

SECTION 14: TRANSPORT INFORMATION

UN Number:	UN 1789	**Proper Shipping Name:**	Hydrochloric Acid Solution
Hazard Class:	Class 8 (Corrosive)	**Packing Group:**	PG II
Environmental Hazards:	No (Not a marine pollutant)	**Special Precautions:**	Corrosive liquid. Transport only in acid-resistant, approved packaging.

SECTION 15: REGULATORY INFORMATION

- **TSCA Inventory:** All active raw ingredients are confirmed listed on the EPA TSCA Chemical Substance Inventory.
- **SARA 302/304:** No chemical components in this formula have an TPQ threshold.
- **SARA 311/312:** Acute Health Hazard (Corrosive, Skin/Eye/Respiratory Damage).

- **SARA 313:** Hydrochloric Acid (aerosol forms only) is subject to reporting. Liquid mixtures containing < 10% do not trigger standard toxic release reports.

SECTION 16: OTHER INFORMATION

NFPA 704 Rating:	Health: 3 • Flammability: 0 • Instability: 1 • Special: Acid
Document Version:	1.0 (First Issue)
Preparation Date:	July 14, 2026
Legal Disclaimer:	The details outlined inside this SDS represent Zelita Ventures Company LLC's current best-known data on proper handling and exposure controls. No physical warranty is implied. Compounders assume complete responsibility for compliance with local workplace regulations.