Maskrcnn_binary_class (1)

December 31, 2019

[1]:
```
from google.colab import drive
drive.mount('/content/drive')
```

```
Go to this URL in a browser: https://accounts.google.com/o/oauth2/auth?client_id
=947318989803-6bn6qk8qdgf4n4g3pfee6491hc0brc4i.apps.googleusercontent.com&redire
ct_uri=urn%3aietf%3awg%3aoauth%3a2.0%3aoob&response_type=code&scope=email%20http
s%3a%2f%2fwww.googleapis.com%2fauth%2fdocs.test%20https%3a%2f%2fwww.googleapis.c
om%2fauth%2fdrive%20https%3a%2f%2fwww.googleapis.com%2fauth%2fdrive.photos.reado
nly%20https%3a%2f%2fwww.googleapis.com%2fauth%2fpeopleapi.readonly

Enter your authorization code:
··········
Mounted at /content/drive
```

[2]:
```
import os
import sys
import json
import numpy as np
import time
from PIL import Image, ImageDraw
import tensorflow.compat.v1 as tf
tf.disable_v2_behavior()
```

```
<IPython.core.display.HTML object>


WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/tensorflow_core/python/compat/v2_compat.py:68:
disable_resource_variables (from tensorflow.python.ops.variable_scope) is
deprecated and will be removed in a future version.
Instructions for updating:
non-resource variables are not supported in the long term
```

[3]:
```
# Set the ROOT_DIR variable to the root directory of the Mask_RCNN git repo
ROOT_DIR = '/content/drive/My Drive/'
assert os.path.exists(ROOT_DIR), 'ROOT_DIR does not exist. Did you forget to␣
 ↪read the instructions above? ;)'
```

```
# Import mrcnn libraries
sys.path.append(ROOT_DIR)
from mrcnn.config import Config
import mrcnn.utils as utils
from mrcnn import visualize
import mrcnn.model as modellib
```

```
Using TensorFlow backend.
```

[0]:
```
# Directory to save logs and trained model
MODEL_DIR = os.path.join(ROOT_DIR, "binlogs")

# Local path to trained weights file
# COCO_MODEL_PATH = os.path.join(ROOT_DIR, "mask_rcnn_cig_butts_0008.h5")


COCO_MODEL_PATH = os.path.join(ROOT_DIR, "mask_rcnn_coco.h5")
# Download COCO trained weights from Releases if needed
if not os.path.exists(COCO_MODEL_PATH):
    utils.download_trained_weights(COCO_MODEL_PATH)
```

[5]:
```
print(MODEL_DIR )
print(COCO_MODEL_PATH)
```

```
/content/drive/My Drive/binlogs
/content/drive/My Drive/mask_rcnn_coco.h5
```

[12]:
```
class Cervic_binary_classConfig(Config):
    """Configuration for training on the cigarette butts dataset.
    Derives from the base Config class and overrides values specific
    to the cigarette butts dataset.
    """
    # Give the configuration a recognizable name
    NAME = "Cervic_binary_class"

    # Train on 1 GPU and 1 image per GPU. Batch sizoure is 1 (GPUs * images/
 ↪GPU).
    GPU_COUNT = 1
    IMAGES_PER_GPU = 1

    # Number of classes (including background)
    NUM_CLASSES = 1 + 2  # background + 1 (cig_butt)

    # All of our training images are 512x512
    IMAGE_MIN_DIM = 512
    IMAGE_MAX_DIM = 512
```

```
    # You can experiment with this number to see if it improves training
    STEPS_PER_EPOCH = 500
    LEARNING_RATE= 5e-4
    # This is how often validation is run. If you are using too much hard drive␣
↪space
    # on saved models (in the MODEL_DIR), try making this value larger.
    VALIDATION_STEPS = 5

    # Matterport originally used resnet101, but I downsized to fit it on my␣
↪graphics card
    BACKBONE = 'resnet50'

    # To be honest, I haven't taken the time to figure out what these do
    RPN_ANCHOR_SCALES = (8, 16, 32, 64, 128)
    TRAIN_ROIS_PER_IMAGE = 32
    MAX_GT_INSTANCES = 50
    POST_NMS_ROIS_INFERENCE = 500
    POST_NMS_ROIS_TRAINING = 1000

config = Cervic_binary_classConfig()
config.display()
```

```
Configurations:
BACKBONE                       resnet50
BACKBONE_STRIDES               [4, 8, 16, 32, 64]
BATCH_SIZE                     1
BBOX_STD_DEV                   [0.1 0.1 0.2 0.2]
COMPUTE_BACKBONE_SHAPE         None
DETECTION_MAX_INSTANCES        100
DETECTION_MIN_CONFIDENCE       0.7
DETECTION_NMS_THRESHOLD        0.3
FPN_CLASSIF_FC_LAYERS_SIZE     1024
GPU_COUNT                      1
GRADIENT_CLIP_NORM             5.0
IMAGES_PER_GPU                 1
IMAGE_CHANNEL_COUNT            3
IMAGE_MAX_DIM                  512
IMAGE_META_SIZE                15
IMAGE_MIN_DIM                  512
IMAGE_MIN_SCALE                0
IMAGE_RESIZE_MODE              square
IMAGE_SHAPE                    [512 512   3]
LEARNING_MOMENTUM              0.9
LEARNING_RATE                  0.0005
LOSS_WEIGHTS                   {'rpn_class_loss': 1.0, 'rpn_bbox_loss': 1.0,
'mrcnn_class_loss': 1.0, 'mrcnn_bbox_loss': 1.0, 'mrcnn_mask_loss': 1.0}
```

```
MASK_POOL_SIZE                14
MASK_SHAPE                    [28, 28]
MAX_GT_INSTANCES              50
MEAN_PIXEL                    [123.7 116.8 103.9]
MINI_MASK_SHAPE               (56, 56)
NAME                          Cervic_binary_class
NUM_CLASSES                   3
POOL_SIZE                     7
POST_NMS_ROIS_INFERENCE       500
POST_NMS_ROIS_TRAINING        1000
PRE_NMS_LIMIT                 6000
ROI_POSITIVE_RATIO            0.33
RPN_ANCHOR_RATIOS             [0.5, 1, 2]
RPN_ANCHOR_SCALES             (8, 16, 32, 64, 128)
RPN_ANCHOR_STRIDE             1
RPN_BBOX_STD_DEV              [0.1 0.1 0.2 0.2]
RPN_NMS_THRESHOLD             0.7
RPN_TRAIN_ANCHORS_PER_IMAGE   256
STEPS_PER_EPOCH               500
TOP_DOWN_PYRAMID_SIZE         256
TRAIN_BN                      False
TRAIN_ROIS_PER_IMAGE          32
USE_MINI_MASK                 True
USE_RPN_ROIS                  True
VALIDATION_STEPS              5
WEIGHT_DECAY                  0.0001
```

[0]:
```python
class CocoLikeDataset(utils.Dataset):
    """ Generates a COCO-like dataset, i.e. an image dataset annotated in the␣
↪style of the COCO dataset.
        See http://cocodataset.org/#home for more information.
    """
    def load_data(self, annotation_json, images_dir):
        """ Load the coco-like dataset from json
        Args:
            annotation_json: The path to the coco annotations json file
            images_dir: The directory holding the images referred to by the␣
↪json file
        """
        # Load json from file
        json_file = open(annotation_json)
        coco_json = json.load(json_file)
        json_file.close()

        # Add the class names using the base method from utils.Dataset
```

```
        source_name = "coco_like"
        for category in coco_json['categories']:
            class_id = category['category_id']
            # class_id = 4
            class_name = category['name']
            # class_name = 'Severe_dysplastic'
            if class_id < 1:
                print('Error: Class id for "{}" cannot be less than one. (0 is␣
↪reserved for the background)'.format(class_name))
                return

            self.add_class(source_name, class_id, class_name)

        # Get all annotations
        annotations = {}
        for annotation in coco_json['annotations']:
            image_id = annotation['image_id']
            if image_id not in annotations:
                annotations[image_id] = []
            annotations[image_id].append(annotation)

        # Get all images and add them to the dataset
        seen_images = {}
        for image in coco_json['images']:
            image_id = image['id']
            if image_id in seen_images:
                print("Warning: Skipping duplicate image id: {}".format(image))
            else:
                seen_images[image_id] = image
                try:
                    image_file_name = image['filename']
                    image_width = image['width']
                    image_height = image['height']
                except KeyError as key:
                    print("Warning: Skipping image (id: {}) with missing key:␣
↪{}".format(image_id, key))

                image_path = os.path.abspath(os.path.join(images_dir,␣
↪image_file_name))
                image_annotations = annotations[image_id]

                # Add the image using the base method from utils.Dataset
                self.add_image(
                    source=source_name,
                    image_id=image_id,
                    path=image_path,
                    width=image_width,
```

```
                    height=image_height,
                    annotations=image_annotations
                )

    def load_mask(self, image_id):
        """ Load instance masks for the given image.
        MaskRCNN expects masks in the form of a bitmap [height, width,␣
↪instances].
        Args:
            image_id: The id of the image to load masks for
        Returns:
            masks: A bool array of shape [height, width, instance count] with
                one mask per instance.
            class_ids: a 1D array of class IDs of the instance masks.
        """
        image_info = self.image_info[image_id]
        annotations = image_info['annotations']
        instance_masks = []
        class_ids = []

        for annotation in annotations:
            class_id = annotation['category_id']
            mask = Image.new('1', (image_info['width'], image_info['height']))
            mask_draw = ImageDraw.ImageDraw(mask, '1')
            for segmentation in annotation['segmentation']:
                mask_draw.polygon(segmentation, fill=1)
                bool_array = np.array(mask) > 0
                instance_masks.append(bool_array)
                class_ids.append(class_id)

        mask = np.dstack(instance_masks)
        class_ids = np.array(class_ids, dtype=np.int32)

        return mask, class_ids
```

[0]:
```
dataset_train = CocoLikeDataset()
dataset_train.load_data('/content/drive/My Drive/bin_cervic_train/
↪cervic_binary_class_train.json', '/content/drive/My Drive/')
dataset_train.prepare()

dataset_val = CocoLikeDataset()
dataset_val.load_data('/content/drive/My Drive/bin_cervic_validation/
↪cervic_binary_class_validation.json', '/content/drive/My Drive/')
dataset_val.prepare()
```

[15]:
```
dataset = dataset_train
image_ids = np.random.choice(dataset.image_ids,6)
for image_id in image_ids:
    image = dataset.load_image(image_id)
    mask, class_ids = dataset.load_mask(image_id)
    visualize.display_top_masks(image, mask, class_ids, dataset.class_names)
```



[16]:
```
# Create model in training mode
model = modellib.MaskRCNN(mode="training", config=config,
                          model_dir=MODEL_DIR)
```

```
WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:541: The name tf.placeholder is
deprecated. Please use tf.compat.v1.placeholder instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:66: The name tf.get_default_graph
is deprecated. Please use tf.compat.v1.get_default_graph instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:4432: The name tf.random_uniform is
deprecated. Please use tf.random.uniform instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:2139: The name
tf.nn.fused_batch_norm is deprecated. Please use
tf.compat.v1.nn.fused_batch_norm instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:4267: The name tf.nn.max_pool is
deprecated. Please use tf.nn.max_pool2d instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:2239: The name
tf.image.resize_nearest_neighbor is deprecated. Please use
tf.compat.v1.image.resize_nearest_neighbor instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/tensorflow_core/python/ops/array_ops.py:1475: where (from
tensorflow.python.ops.array_ops) is deprecated and will be removed in a future
version.
Instructions for updating:
Use tf.where in 2.0, which has the same broadcast rule as np.where
WARNING:tensorflow:From /content/drive/My Drive/mrcnn/model.py:553: The name
```

```
tf.random_shuffle is deprecated. Please use tf.random.shuffle instead.

WARNING:tensorflow:From /content/drive/My Drive/mrcnn/utils.py:202: The name
tf.log is deprecated. Please use tf.math.log instead.

WARNING:tensorflow:From /content/drive/My Drive/mrcnn/model.py:600: calling
crop_and_resize_v1 (from tensorflow.python.ops.image_ops_impl) with box_ind is
deprecated and will be removed in a future version.
Instructions for updating:
box_ind is deprecated, use box_indices instead
```

[17]:
```python
# Which weights to start with?
# init_with = "coco"  # imagenet, coco, or last
init_with = "imagenet"
if init_with == "imagenet":
    model.load_weights(model.get_imagenet_weights(), by_name=True)
elif init_with == "coco":
    # Load weights trained on MS COCO, but skip layers that
    # are different due to the different number of classes
    # See README for instructions to download the COCO weights
    model.load_weights(COCO_MODEL_PATH, by_name=True,
                       exclude=["mrcnn_class_logits", "mrcnn_bbox_fc",
                                "mrcnn_bbox", "mrcnn_mask"])
elif init_with == "last":
    # Load the last model you trained and continue training
    model.load_weights(model.find_last(), by_name=True)
```

```
Downloading data from https://github.com/fchollet/deep-learning-models/releases/
download/v0.2/resnet50_weights_tf_dim_ordering_tf_kernels_notop.h5
94658560/94653016 [==============================] - 2s 0us/step
WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:190: The name
tf.get_default_session is deprecated. Please use
tf.compat.v1.get_default_session instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:197: The name tf.ConfigProto is
deprecated. Please use tf.compat.v1.ConfigProto instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:203: The name tf.Session is
deprecated. Please use tf.compat.v1.Session instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:207: The name tf.global_variables
is deprecated. Please use tf.compat.v1.global_variables instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
```

```
packages/keras/backend/tensorflow_backend.py:216: The name
tf.is_variable_initialized is deprecated. Please use
tf.compat.v1.is_variable_initialized instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:223: The name
tf.variables_initializer is deprecated. Please use
tf.compat.v1.variables_initializer instead.
```

[18]:
```
# Train the head branches
# Passing layers="heads" freezes all layers except the head
# layers. You can also pass a regular expression to select
# which layers to train by name pattern.
start_train = time.time()
model.train(dataset_train, dataset_val,
            learning_rate=config.LEARNING_RATE,
            epochs=20,
            layers='heads')
end_train = time.time()
minutes = round((end_train - start_train) / 60, 2)
print(f'Training took {minutes} minutes')
```

```
Starting at epoch 0. LR=0.0005

Checkpoint Path: /content/drive/My Drive/binlogs/cervic_binary_class20191231T043
4/mask_rcnn_cervic_binary_class_{epoch:04d}.h5
Selecting layers to train
fpn_c5p5               (Conv2D)
fpn_c4p4               (Conv2D)
fpn_c3p3               (Conv2D)
fpn_c2p2               (Conv2D)
fpn_p5                 (Conv2D)
fpn_p2                 (Conv2D)
fpn_p3                 (Conv2D)
fpn_p4                 (Conv2D)
In model:  rpn_model
    rpn_conv_shared        (Conv2D)
    rpn_class_raw          (Conv2D)
    rpn_bbox_pred          (Conv2D)
mrcnn_mask_conv1       (TimeDistributed)
mrcnn_mask_bn1         (TimeDistributed)
mrcnn_mask_conv2       (TimeDistributed)
mrcnn_mask_bn2         (TimeDistributed)
mrcnn_class_conv1      (TimeDistributed)
mrcnn_class_bn1        (TimeDistributed)
mrcnn_mask_conv3       (TimeDistributed)
```

```
mrcnn_mask_bn3         (TimeDistributed)
mrcnn_class_conv2      (TimeDistributed)
mrcnn_class_bn2        (TimeDistributed)
mrcnn_mask_conv4       (TimeDistributed)
mrcnn_mask_bn4         (TimeDistributed)
mrcnn_bbox_fc          (TimeDistributed)
mrcnn_mask_deconv      (TimeDistributed)
mrcnn_class_logits     (TimeDistributed)
mrcnn_mask             (TimeDistributed)
WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/optimizers.py:793: The name tf.train.Optimizer is deprecated.
Please use tf.compat.v1.train.Optimizer instead.


/usr/local/lib/python3.6/dist-
packages/tensorflow_core/python/framework/indexed_slices.py:424: UserWarning:
Converting sparse IndexedSlices to a dense Tensor of unknown shape. This may
consume a large amount of memory.
  "Converting sparse IndexedSlices to a dense Tensor of unknown shape. "
/usr/local/lib/python3.6/dist-
packages/tensorflow_core/python/framework/indexed_slices.py:424: UserWarning:
Converting sparse IndexedSlices to a dense Tensor of unknown shape. This may
consume a large amount of memory.
  "Converting sparse IndexedSlices to a dense Tensor of unknown shape. "
/usr/local/lib/python3.6/dist-
packages/tensorflow_core/python/framework/indexed_slices.py:424: UserWarning:
Converting sparse IndexedSlices to a dense Tensor of unknown shape. This may
consume a large amount of memory.
  "Converting sparse IndexedSlices to a dense Tensor of unknown shape. "

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:1033: The name tf.assign_add is
deprecated. Please use tf.compat.v1.assign_add instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/backend/tensorflow_backend.py:1020: The name tf.assign is
deprecated. Please use tf.compat.v1.assign instead.


/usr/local/lib/python3.6/dist-packages/keras/engine/training_generator.py:49:
UserWarning: Using a generator with `use_multiprocessing=True` and multiple
workers may duplicate your data. Please consider using the `keras.utils.Sequence
class.
  UserWarning('Using a generator with `use_multiprocessing=True`'

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/callbacks.py:1122: The name tf.summary.merge_all is deprecated.
Please use tf.compat.v1.summary.merge_all instead.

WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
```

```
packages/keras/callbacks.py:1125: The name tf.summary.FileWriter is deprecated.
Please use tf.compat.v1.summary.FileWriter instead.

Epoch 1/20
500/500 [==============================] - 144s 289ms/step - loss: 3.2787 -
rpn_class_loss: 0.0760 - rpn_bbox_loss: 2.1068 - mrcnn_class_loss: 0.2010 -
mrcnn_bbox_loss: 0.3422 - mrcnn_mask_loss: 0.5527 - val_loss: 2.4068 -
val_rpn_class_loss: 0.0653 - val_rpn_bbox_loss: 1.6692 - val_mrcnn_class_loss:
0.0383 - val_mrcnn_bbox_loss: 0.1401 - val_mrcnn_mask_loss: 0.4940
WARNING:tensorflow:From /usr/local/lib/python3.6/dist-
packages/keras/callbacks.py:1265: The name tf.Summary is deprecated. Please use
tf.compat.v1.Summary instead.

Epoch 2/20
500/500 [==============================] - 110s 220ms/step - loss: 1.9118 -
rpn_class_loss: 0.0239 - rpn_bbox_loss: 1.1019 - mrcnn_class_loss: 0.1566 -
mrcnn_bbox_loss: 0.1903 - mrcnn_mask_loss: 0.4391 - val_loss: 2.3172 -
val_rpn_class_loss: 0.0371 - val_rpn_bbox_loss: 1.3132 - val_mrcnn_class_loss:
0.3264 - val_mrcnn_bbox_loss: 0.2189 - val_mrcnn_mask_loss: 0.4217
Epoch 3/20
500/500 [==============================] - 107s 215ms/step - loss: 1.3620 -
rpn_class_loss: 0.0186 - rpn_bbox_loss: 0.7431 - mrcnn_class_loss: 0.0993 -
mrcnn_bbox_loss: 0.1195 - mrcnn_mask_loss: 0.3816 - val_loss: 1.3728 -
val_rpn_class_loss: 0.0117 - val_rpn_bbox_loss: 0.7061 - val_mrcnn_class_loss:
0.1556 - val_mrcnn_bbox_loss: 0.1277 - val_mrcnn_mask_loss: 0.3717
Epoch 4/20
500/500 [==============================] - 96s 191ms/step - loss: 1.1588 -
rpn_class_loss: 0.0154 - rpn_bbox_loss: 0.5761 - mrcnn_class_loss: 0.1062 -
mrcnn_bbox_loss: 0.0903 - mrcnn_mask_loss: 0.3707 - val_loss: 0.8757 -
val_rpn_class_loss: 0.0106 - val_rpn_bbox_loss: 0.4271 - val_mrcnn_class_loss:
0.1026 - val_mrcnn_bbox_loss: 0.0563 - val_mrcnn_mask_loss: 0.2791
Epoch 5/20
500/500 [==============================] - 96s 191ms/step - loss: 1.0010 -
rpn_class_loss: 0.0143 - rpn_bbox_loss: 0.5168 - mrcnn_class_loss: 0.0747 -
mrcnn_bbox_loss: 0.0739 - mrcnn_mask_loss: 0.3213 - val_loss: 1.2406 -
val_rpn_class_loss: 0.0223 - val_rpn_bbox_loss: 0.6720 - val_mrcnn_class_loss:
0.1266 - val_mrcnn_bbox_loss: 0.1045 - val_mrcnn_mask_loss: 0.3152
Epoch 6/20
500/500 [==============================] - 95s 191ms/step - loss: 0.8827 -
rpn_class_loss: 0.0132 - rpn_bbox_loss: 0.4327 - mrcnn_class_loss: 0.0586 -
mrcnn_bbox_loss: 0.0648 - mrcnn_mask_loss: 0.3135 - val_loss: 0.7811 -
val_rpn_class_loss: 0.0070 - val_rpn_bbox_loss: 0.4571 - val_mrcnn_class_loss:
0.0100 - val_mrcnn_bbox_loss: 0.0689 - val_mrcnn_mask_loss: 0.2382
Epoch 7/20
500/500 [==============================] - 95s 190ms/step - loss: 0.8161 -
rpn_class_loss: 0.0114 - rpn_bbox_loss: 0.3732 - mrcnn_class_loss: 0.0746 -
mrcnn_bbox_loss: 0.0622 - mrcnn_mask_loss: 0.2947 - val_loss: 1.3842 -
val_rpn_class_loss: 0.0078 - val_rpn_bbox_loss: 0.8247 - val_mrcnn_class_loss:
```

```
0.0849 - val_mrcnn_bbox_loss: 0.1462 - val_mrcnn_mask_loss: 0.3205
Epoch 8/20
500/500 [==============================] - 95s 190ms/step - loss: 0.7326 -
rpn_class_loss: 0.0113 - rpn_bbox_loss: 0.3304 - mrcnn_class_loss: 0.0546 -
mrcnn_bbox_loss: 0.0553 - mrcnn_mask_loss: 0.2810 - val_loss: 1.5719 -
val_rpn_class_loss: 0.0147 - val_rpn_bbox_loss: 0.5742 - val_mrcnn_class_loss:
0.3303 - val_mrcnn_bbox_loss: 0.1903 - val_mrcnn_mask_loss: 0.4623
Epoch 9/20
500/500 [==============================] - 95s 189ms/step - loss: 0.7240 -
rpn_class_loss: 0.0108 - rpn_bbox_loss: 0.3379 - mrcnn_class_loss: 0.0533 -
mrcnn_bbox_loss: 0.0443 - mrcnn_mask_loss: 0.2777 - val_loss: 0.8259 -
val_rpn_class_loss: 0.0165 - val_rpn_bbox_loss: 0.3472 - val_mrcnn_class_loss:
0.0905 - val_mrcnn_bbox_loss: 0.0565 - val_mrcnn_mask_loss: 0.3151
Epoch 10/20
500/500 [==============================] - 95s 190ms/step - loss: 0.6207 -
rpn_class_loss: 0.0093 - rpn_bbox_loss: 0.2702 - mrcnn_class_loss: 0.0451 -
mrcnn_bbox_loss: 0.0372 - mrcnn_mask_loss: 0.2589 - val_loss: 1.0173 -
val_rpn_class_loss: 0.0133 - val_rpn_bbox_loss: 0.5972 - val_mrcnn_class_loss:
0.0199 - val_mrcnn_bbox_loss: 0.0874 - val_mrcnn_mask_loss: 0.2996
Epoch 11/20
500/500 [==============================] - 95s 189ms/step - loss: 0.6428 -
rpn_class_loss: 0.0114 - rpn_bbox_loss: 0.2640 - mrcnn_class_loss: 0.0569 -
mrcnn_bbox_loss: 0.0416 - mrcnn_mask_loss: 0.2689 - val_loss: 1.4678 -
val_rpn_class_loss: 0.0172 - val_rpn_bbox_loss: 0.3794 - val_mrcnn_class_loss:
0.2899 - val_mrcnn_bbox_loss: 0.0467 - val_mrcnn_mask_loss: 0.7345
Epoch 12/20
500/500 [==============================] - 95s 189ms/step - loss: 0.5744 -
rpn_class_loss: 0.0092 - rpn_bbox_loss: 0.2506 - mrcnn_class_loss: 0.0349 -
mrcnn_bbox_loss: 0.0346 - mrcnn_mask_loss: 0.2450 - val_loss: 0.7689 -
val_rpn_class_loss: 0.0087 - val_rpn_bbox_loss: 0.4329 - val_mrcnn_class_loss:
0.0172 - val_mrcnn_bbox_loss: 0.0718 - val_mrcnn_mask_loss: 0.2383
Epoch 13/20
500/500 [==============================] - 95s 190ms/step - loss: 0.5704 -
rpn_class_loss: 0.0085 - rpn_bbox_loss: 0.2277 - mrcnn_class_loss: 0.0387 -
mrcnn_bbox_loss: 0.0327 - mrcnn_mask_loss: 0.2629 - val_loss: 1.2342 -
val_rpn_class_loss: 0.0167 - val_rpn_bbox_loss: 0.8025 - val_mrcnn_class_loss:
0.0512 - val_mrcnn_bbox_loss: 0.1040 - val_mrcnn_mask_loss: 0.2598
Epoch 14/20
500/500 [==============================] - 95s 190ms/step - loss: 0.5451 -
rpn_class_loss: 0.0100 - rpn_bbox_loss: 0.2108 - mrcnn_class_loss: 0.0377 -
mrcnn_bbox_loss: 0.0333 - mrcnn_mask_loss: 0.2533 - val_loss: 0.9164 -
val_rpn_class_loss: 0.0037 - val_rpn_bbox_loss: 0.3511 - val_mrcnn_class_loss:
0.1944 - val_mrcnn_bbox_loss: 0.0534 - val_mrcnn_mask_loss: 0.3137
Epoch 15/20
500/500 [==============================] - 95s 190ms/step - loss: 0.5213 -
rpn_class_loss: 0.0094 - rpn_bbox_loss: 0.1961 - mrcnn_class_loss: 0.0376 -
mrcnn_bbox_loss: 0.0304 - mrcnn_mask_loss: 0.2479 - val_loss: 0.8959 -
val_rpn_class_loss: 0.0045 - val_rpn_bbox_loss: 0.4278 - val_mrcnn_class_loss:
```

```
0.0777 - val_mrcnn_bbox_loss: 0.0512 - val_mrcnn_mask_loss: 0.3348
Epoch 16/20
500/500 [==============================] - 95s 190ms/step - loss: 0.4853 -
rpn_class_loss: 0.0082 - rpn_bbox_loss: 0.1840 - mrcnn_class_loss: 0.0325 -
mrcnn_bbox_loss: 0.0261 - mrcnn_mask_loss: 0.2345 - val_loss: 0.9326 -
val_rpn_class_loss: 0.0032 - val_rpn_bbox_loss: 0.4239 - val_mrcnn_class_loss:
0.1408 - val_mrcnn_bbox_loss: 0.0468 - val_mrcnn_mask_loss: 0.3179
Epoch 17/20
500/500 [==============================] - 95s 190ms/step - loss: 0.4837 -
rpn_class_loss: 0.0085 - rpn_bbox_loss: 0.1858 - mrcnn_class_loss: 0.0270 -
mrcnn_bbox_loss: 0.0277 - mrcnn_mask_loss: 0.2347 - val_loss: 0.8388 -
val_rpn_class_loss: 0.0081 - val_rpn_bbox_loss: 0.4546 - val_mrcnn_class_loss:
0.0349 - val_mrcnn_bbox_loss: 0.0514 - val_mrcnn_mask_loss: 0.2898
Epoch 18/20
500/500 [==============================] - 95s 190ms/step - loss: 0.4561 -
rpn_class_loss: 0.0077 - rpn_bbox_loss: 0.1608 - mrcnn_class_loss: 0.0253 -
mrcnn_bbox_loss: 0.0245 - mrcnn_mask_loss: 0.2378 - val_loss: 1.0381 -
val_rpn_class_loss: 0.0147 - val_rpn_bbox_loss: 0.4748 - val_mrcnn_class_loss:
0.0848 - val_mrcnn_bbox_loss: 0.1130 - val_mrcnn_mask_loss: 0.3508
Epoch 19/20
500/500 [==============================] - 95s 190ms/step - loss: 0.4434 -
rpn_class_loss: 0.0095 - rpn_bbox_loss: 0.1481 - mrcnn_class_loss: 0.0350 -
mrcnn_bbox_loss: 0.0242 - mrcnn_mask_loss: 0.2266 - val_loss: 0.5125 -
val_rpn_class_loss: 0.0049 - val_rpn_bbox_loss: 0.2842 - val_mrcnn_class_loss:
0.0036 - val_mrcnn_bbox_loss: 0.0168 - val_mrcnn_mask_loss: 0.2029
Epoch 20/20
500/500 [==============================] - 95s 190ms/step - loss: 0.4436 -
rpn_class_loss: 0.0083 - rpn_bbox_loss: 0.1535 - mrcnn_class_loss: 0.0320 -
mrcnn_bbox_loss: 0.0213 - mrcnn_mask_loss: 0.2286 - val_loss: 0.7728 -
val_rpn_class_loss: 0.0148 - val_rpn_bbox_loss: 0.2102 - val_mrcnn_class_loss:
0.3342 - val_mrcnn_bbox_loss: 0.0345 - val_mrcnn_mask_loss: 0.1791
Training took 33.77 minutes
```

[0]:
```
# Fine tune all layers
# Passing layers="all" trains all layers. You can also
# pass a regular expression to select which layers to
# train by name pattern.

# start_train = time.time()
# model.train(dataset_train, dataset_val,
#             learning_rate=config.LEARNING_RATE / 10,
#             epochs=8,
#             layers="all")
# end_train = time.time()
# minutes = round((end_train - start_train) / 60, 2)
# print(f'Training took {minutes} minutes')
```

[0]:
```
class InferenceConfig(Cervic_binary_classConfig):
    GPU_COUNT = 1
    IMAGES_PER_GPU = 1
    IMAGE_MIN_DIM = 512
    IMAGE_MAX_DIM = 512
    # DETECTION_MIN_CONFIDENCE = 0.85
    DETECTION_MIN_CONFIDENCE = 0.85

inference_config = InferenceConfig()
```

[0]:
```
# Set the ROOT_DIR variable to the root directory of the Mask_RCNN git repo
ROOT_DIR = '/content/drive/My Drive/'
assert os.path.exists(ROOT_DIR), 'ROOT_DIR does not exist. Did you forget to␣
 ↪read the instructions above? ;)'

# Import mrcnn libraries
sys.path.append(ROOT_DIR)
from mrcnn.config import Config
import mrcnn.utils as utils
from mrcnn import visualize
import mrcnn.model as modellib
```

[21]:
```
# Recreate the model in inference mode
model = modellib.MaskRCNN(mode="inference",
                          config=inference_config,
                          model_dir=MODEL_DIR )
```

```
WARNING:tensorflow:From /content/drive/My Drive/mrcnn/model.py:720: The name
tf.sets.set_intersection is deprecated. Please use tf.sets.intersection instead.

WARNING:tensorflow:From /content/drive/My Drive/mrcnn/model.py:722: The name
tf.sparse_tensor_to_dense is deprecated. Please use tf.sparse.to_dense instead.

WARNING:tensorflow:From /content/drive/My Drive/mrcnn/model.py:772: to_float
(from tensorflow.python.ops.math_ops) is deprecated and will be removed in a
future version.
Instructions for updating:
Use `tf.cast` instead.
```

[26]:
```
# Get path to saved weights

# Either set a specific path or find last trained weights
COCO_MODEL_PATH= '/content/drive/My Drive/binlogs/
 ↪mask_rcnn_cervic_binary_class_0020.h5'
model_path = os.path.join(ROOT_DIR, COCO_MODEL_PATH )
#model_path = model.find_last()
```

```
# Load trained weights (fill in path to trained weights here)
assert model_path != "", "Provide path to trained weights"
print("Loading weights from ", model_path)
model.load_weights(model_path, by_name=True)
```

```
Loading weights from  /content/drive/My
Drive/binlogs/mask_rcnn_cervic_binary_class_0020.h5
```

[28]:
```
import skimage
real_test_dir = '/content/drive/My Drive/bin_cervic_test/normal'
image_paths = []
for filename in os.listdir(real_test_dir):
    if os.path.splitext(filename)[1] in ['.png', '.jpg', '.jpeg','.BMP']:
        image_paths.append(os.path.join(real_test_dir, filename))

for image_path in image_paths:
    print('filename:'+image_path)
    img = skimage.io.imread(image_path)
    img_arr = np.array(img)
    results = model.detect([img_arr], verbose=1)
    r = results[0]
    visualize.display_instances(img, r['rois'], r['masks'], r['class_ids'],
                                dataset_val.class_names, r['scores'],␣
 ↪figsize=(5,5))
```

```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157266930-157266947-001.BMP
Processing 1 images
image                    shape: (66, 68, 3)           min:   48.00000  max:
213.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
94.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157266930-157266947-002.BMP
Processing 1 images
image                    shape: (65, 65, 3)           min:   48.00000  max:
205.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min:  -75.70000  max:
89.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157266930-157266947-003.BMP
Processing 1 images
image                    shape: (72, 52, 3)           min:   48.00000  max:
210.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
89.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```


```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157267001-157267013-001.BMP
Processing 1 images
image                    shape: (153, 90, 3)          min:   54.00000  max:
202.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
89.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157267059-157267072-001.BMP
Processing 1 images
image                    shape: (55, 57, 3)           min:   48.00000  max:
207.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
100.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32

*** No instances to display ***
```



```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157267059-157267072-002.BMP
Processing 1 images
image                    shape: (40, 66, 3)           min:   46.00000  max:
205.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
84.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32

*** No instances to display ***
```

```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157267059-157267072-004.BMP
Processing 1 images
image                    shape: (68, 64, 3)           min:   46.00000  max:
201.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
81.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157267059-157267072-003.BMP
Processing 1 images
image                    shape: (64, 106, 3)          min:   50.00000  max:
206.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
89.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```


```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157267263-157267286-001.BMP
Processing 1 images
image                    shape: (109, 130, 3)         min:   48.00000  max:
207.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
88.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157267263-157267286-002.BMP
Processing 1 images
image                    shape: (99, 75, 3)           min:   48.00000  max:
211.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
91.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158986766-158986776-001.BMP
Processing 1 images
image                    shape: (140, 136, 3)         min:   68.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
150.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32

*** No instances to display ***
```

```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158986766-158986776-002.BMP
Processing 1 images
image                    shape: (83, 180, 3)          min:   98.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
150.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158986813-158986820-001.BMP
Processing 1 images
image                    shape: (74, 84, 3)           min:   58.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158986813-158986820-002.BMP
Processing 1 images
image                    shape: (74, 114, 3)          min:   58.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158986920-158986928-001.BMP
Processing 1 images
image                    shape: (58, 162, 3)          min:   76.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158986920-158986928-002.BMP
Processing 1 images
image                    shape: (81, 147, 3)          min:   95.00000  max:
```

```
255.00000  uint8
molded_images              shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas                shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                    shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158986920-158986928-003.BMP
Processing 1 images
image                      shape: (171, 161, 3)         min:   87.00000  max:
255.00000  uint8
molded_images              shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas                shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                    shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158986920-158986928-004.BMP
Processing 1 images
image                    shape: (58, 195, 3)          min:   93.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
150.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```

```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158986920-158986928-005.BMP
Processing 1 images
image                    shape: (120, 170, 3)         min:   76.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158986920-158986928-006.BMP
Processing 1 images
image                    shape: (116, 190, 3)         min:   98.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209565698-209565772-001.BMP
Processing 1 images
image                    shape: (278, 331, 3)         min:    7.00000  max:
230.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
123.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209565864-209565890-001.BMP
Processing 1 images
image                    shape: (258, 259, 3)         min:   21.00000  max:
254.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
149.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209565864-209565911-001.BMP
Processing 1 images
image                    shape: (230, 335, 3)         min:    7.00000  max:
250.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
143.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
```

```
anchors                   shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209566047-209566095-001.BMP
Processing 1 images
image                    shape: (248, 286, 3)         min:    0.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
147.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209565864-209565950-001.BMP
Processing 1 images
image                    shape: (321, 278, 3)         min:   12.00000  max:
249.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
142.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```


```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209566047-209566125-001.BMP
Processing 1 images
image                    shape: (338, 334, 3)         min:    7.00000  max:
251.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
144.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209566205-209566247-001.BMP
Processing 1 images
image                    shape: (300, 208, 3)         min:    5.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
149.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209566205-209566266-001.BMP
Processing 1 images
image                    shape: (295, 291, 3)         min:   10.00000  max:
231.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
122.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209566205-209566321-001.BMP
Processing 1 images
image                    shape: (262, 321, 3)         min:   15.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
149.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209566205-209566289-001.BMP
Processing 1 images
image                    shape: (209, 476, 3)         min:   22.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
```

```
Drive/bin_cervic_test/normal/209566205-209566333-001.BMP
Processing 1 images
image                    shape: (291, 237, 3)         min:   16.00000  max:
205.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
99.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209566399-209566464-001.BMP
Processing 1 images
image                    shape: (216, 292, 3)         min:    3.00000  max:
254.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
150.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209566399-209566485-001.BMP
Processing 1 images
image                    shape: (338, 297, 3)         min:   22.00000  max:
228.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
121.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209566399-209566517-001.BMP
Processing 1 images
image                    shape: (263, 324, 3)         min:    7.00000  max:
252.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
144.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157268504-157268544-001.BMP
Processing 1 images
image                    shape: (349, 315, 3)         min:   39.00000  max:
225.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
100.30000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```


```
filename:/content/drive/My
Drive/bin_cervic_test/normal/157268587-157268617-001.BMP
Processing 1 images
image                    shape: (324, 323, 3)         min:   38.00000  max:
223.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
98.30000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32

*** No instances to display ***
```



```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158987033-158987057-001.BMP
Processing 1 images
image                    shape: (354, 318, 3)         min:   46.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```

```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158987453-158987462-001.BMP
Processing 1 images
image                    shape: (345, 402, 3)         min:   44.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158987493-158987505-001.BMP
Processing 1 images
image                    shape: (310, 269, 3)         min:   46.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
151.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```



```
filename:/content/drive/My
Drive/bin_cervic_test/normal/158987493-158987499-001.BMP
Processing 1 images
image                    shape: (382, 298, 3)         min:   52.00000  max:
255.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
150.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```

```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209047342-209047400-001.BMP
Processing 1 images
image                    shape: (399, 378, 3)         min:    8.00000  max:
193.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
87.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209047342-209047443-001.BMP
Processing 1 images
image                    shape: (310, 322, 3)         min:    0.00000  max:
199.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
92.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209047342-209047478-001.BMP
Processing 1 images
image                    shape: (336, 314, 3)         min:    0.00000  max:
216.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
111.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```


```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209047526-209047717-001.BMP
Processing 1 images
image                    shape: (357, 289, 3)         min:    0.00000  max:
196.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
87.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```


```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209047526-209047798-001.BMP
Processing 1 images
image                    shape: (331, 345, 3)         min:    0.00000  max:
186.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
79.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209047881-209048017-001.BMP
Processing 1 images
image                    shape: (280, 291, 3)         min:    0.00000  max:
185.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
80.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209048086-209048137-001.BMP
Processing 1 images
image                    shape: (362, 374, 3)         min:    3.00000  max:
197.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
88.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209048086-209048278-001.BMP
Processing 1 images
image                    shape: (319, 231, 3)         min:    0.00000  max:
212.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
106.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```




```
filename:/content/drive/My
Drive/bin_cervic_test/normal/209307421-209307597-001.BMP
Processing 1 images
image                    shape: (297, 347, 3)         min:    7.00000  max:
193.00000  uint8
molded_images            shape: (1, 512, 512, 3)      min: -123.70000  max:
85.10000  float64
image_metas              shape: (1, 15)               min:    0.00000  max:
512.00000  float64
anchors                  shape: (1, 65472, 4)         min:   -0.17712  max:
1.05188  float32
```


normal 0.995