





การติดตั้งโปรแกรมสำหรับพัฒนาโปรแกรม





ดาวน์โหลดโปรแกรม VS Code





เลือกระบบปฏิบัติการให้สอดคล้องกับการใช้งาน

 **Visual Studio Code** [Docs](#) [Updates](#) [Blog](#) [API](#) [Extensions](#) [FAQ](#)  [Download](#)

[Version 1.93](#) is now available! Read about the new features and fixes from August.

Download Visual Studio Code

Free and built on open source. Integrated Git, debugging and extensions.



 **Windows**
Windows 10, 11

User Installer [x64](#) [Arm64](#)
System Installer [x64](#) [Arm64](#)
Installer .zip [x64](#) [Arm64](#)
CLI [x64](#) [Arm64](#)



 **.deb**
Debian, Ubuntu

 **.rpm**
Red Hat, Fedora, SUSE

.deb [x64](#) [Arm32](#) [Arm64](#)
.rpm [x64](#) [Arm32](#) [Arm64](#)
.tar.gz [x64](#) [Arm32](#) [Arm64](#)
Snap [Snap Store](#)
CLI [x64](#) [Arm32](#) [Arm64](#)




 **Mac**
macOS 10.15+

.zip [Intel chip](#) [Apple silicon](#) [Universal](#)
CLI [Intel chip](#) [Apple silicon](#)




ติดตั้งโปรแกรม โดยดับเบิลคลิกที่ไอคอนในรูป






เลือก I accept the agreement > Next






เลือก Create a desktop icon > Next






เลือก Install






รอปโปรแกรมติดตั้ง






ติดตั้งโปรแกรมสำเร็จกต Finish เพื่อปิดหน้าต่างและเริ่ม ใช้โปรแกรมทำงาน





ติดตั้งโปรแกรมสำเร็จ





ดาวน์โหลด MinGW

The screenshot shows a Google search for 'mingw'. The search bar at the top contains the text 'mingw'. Below the search bar, the Google logo is on the left, and navigation icons (close, keyboard, voice, image, search) are on the right. Below the navigation bar, there are tabs for 'ทั้งหมด' (All), 'วิดีโอ' (Video), 'รูปภาพ' (Images), 'ข้อป้ึง' (Questions), 'ข่าวสาร' (News), 'Maps', 'เว็บ' (Web), and 'เพิ่มเติม' (More). The 'ทั้งหมด' tab is selected. The search results show a link to SourceForge for 'MinGW - Minimalist GNU for Windows download'. The link text is 'MinGW - Minimalist GNU for Windows download - SourceForge'. Below the link, there is a description: 'Download MinGW - Minimalist GNU for Windows for free. A native Windows port of the GNU Compiler Collection (GCC) MinGW: A native Windows port of the GNU ...'. Below the description, there are five links with right-pointing arrows: 'Browse /Installer', 'MinGW', 'Files', 'Mingw-get-setup', and '206 Reviews'. At the bottom, there is a link 'ผลการค้นหาเพิ่มเติมจาก sourceforge.net »'.

Google mingw

ทั้งหมด วิดีโอ รูปภาพ ข้อป้ึง ข่าวสาร Maps เว็บ : เพิ่มเติม เครื่องมือ

SourceForge
https://sourceforge.net > ... > Build Tools · แพล่นนี้

MinGW - Minimalist GNU for Windows download - SourceForge
Download **MinGW** - Minimalist GNU for Windows for free. A native Windows port of the GNU Compiler Collection (GCC) **MinGW**: A native Windows port of the GNU ...

[Browse /Installer](#) >
A native Windows port of the GNU Compiler Collection (GCC)

[MinGW](#) >
A native Windows port of the GNU Compiler Collection (GCC)

[Files](#) >
MinGW - Installer - Reviews - Msys - Readme - ...

[Mingw-get-setup](#) >
A native Windows port of the GNU Compiler Collection (GCC), with ...

[206 Reviews](#) >
MinGW - Minimalist GNU for Windows Reviews. A native ...

ผลการค้นหาเพิ่มเติมจาก sourceforge.net »



กดปุ่ม Download

[For Vendors](#)[Help](#)

[Open Source Software](#)[Business Software](#)[SourceForge Podcast](#)[Resources](#)[Sync your GitHub Project to SourceForge](#)

Advertisement

[Home](#) / [Browse Open Source](#) / [Software Development](#) / [Build Tools](#) / [MinGW - Minimalist GNU for Windows](#)



MinGW - Minimalist GNU for Windows

A native Windows port of the GNU Compiler Collection (GCC)
Brought to you by: [cstrauss](#), [earnie](#), [gressett](#), [keithmarshall](#)



★★★★★ 206 Reviews

Downloads: 5,630,673 This Week

Last Update: 2021-09-05

 **Download**



Get Updates

Share This

Windows

Summary	Files	Reviews	Support	News	Mailing Lists	Tickets ▾	Git ▾
---------	-------	---------	---------	------	---------------	-----------	-------

MinGW: A native Windows port of the GNU Compiler Collection (GCC), with freely distributable import libraries and header files for building native Windows applications; includes extensions to the MSVC runtime to support C99 functionality. All of MinGW's software will execute on the 64bit Windows platforms.

Project Samples



รอปโปรแกรม Download

 **SOURCEFORGE**

 [For Vendors](#)

[Open Source Software](#) [Business Software](#) [SourceForge Podcast](#) [Resources](#)

[Home](#) / [Browse Open Source](#) / [Software Development](#) / [Build Tools](#) / [MinGW - Minimalist GNU for Windows](#)



MinGW - Minimalist GNU for Windows


A native Windows port of the GNU Compiler Collection (GCC)
Brought to you by: [cstrauss](#), [earnie](#), [gressett](#), [keithmarshall](#)

Your download will start shortly... 

[Get Updates](#) [Share This](#) [Problems Downloading?](#)




ติดตั้งโปรแกรม mingw-get-setup





เลือก Install





เลือก Continue

MinGW Installation Manager Setup Tool

mingw-get version 0.6.2-beta-20131004-1



Step 1: Specify Installation Preferences

Installation Directory

C:\MinGW

Change

If you elect to change this, you are advised to avoid any choice of directory which includes white space within the absolute representation of its path name.

User Interface Options

Both command line and graphical options are available. The command line interface is always supported; the alternative only if you choose the following option to ...

☒ ... also install support for the graphical user interface.

Program shortcuts for launching the graphical user interface should be installed ...

☒ ... just for me (the current user), or ... ☐ ... for all users * ...

☒ ... in the start menu, and/or ... ☒ ... on the desktop.

* selection of this option requires administrative privilege.


View Licence

Continue

Cancel





รอโปรแกรมติดตั้งเมื่อเสร็จกดปุ่ม Continue





โปรแกรมจะปรากฏดังภาพ






- Unmark
- Mark for Installation**
- Mark for Reinstallation
- Mark for Upgrade
- Mark for Removal



เลือก Apply Changes





เลือก Apply

รอ Download

Schedule of Pending Actions

Okay to proceed?
The package changes itemised below will be implemented when you choose "Apply"

0 installed packages will be removed

0 installed packages will be upgraded

24 new/upgraded packages will be installed

- libiconv-1.14-3-mingw32-dll-2.tar
- libpthreadgc-2.10-mingw32-pre-20160821-1-dll-3.tar.xz
- mingw32-libgomp-deps-5.3.0-mingw32-dll.meta
- libgcc-6.3.0-1-mingw32-dll-1.tar.xz
- libintl-0.18.3.2-2-mingw32-dll-8.tar.xz
- mingwrt-5.0.2-mingw32-dll.tar.xz

Download Package

libiconv-1.14-3-mingw32-dll.tar.lzma

676.68 kB : 63 %

Open

Map network drive...

Disconnect network drive...

Pin to Quick access

Pin to Start

Properties

Show more options

Close

Successfully; you may now close this dialogue.

install: libmingwex-5.0.2-mingw32-dll-0.tar.xz
installing libmingwex-5.0.2-mingw32-dll-0.tar.xz
install: w32api-5.0.2-mingw32-dev.tar.xz
installing w32api-5.0.2-mingw32-dev.tar.xz
install: mingwrt-5.0.2-mingw32-dev.tar.xz
installing mingwrt-5.0.2-mingw32-dev.tar.xz
install: binutils-2.28-1-mingw32-bin.tar.xz
installing binutils-2.28-1-mingw32-bin.tar.xz
install: libatomic-6.3.0-1-mingw32-dll-1.tar.xz
installing libatomic-6.3.0-1-mingw32-dll-1.tar.xz
install: libstdc++-6.3.0-1-mingw32-dll-6.tar.xz
installing libstdc++-6.3.0-1-mingw32-dll-6.tar.xz
install: gcc-core-6.3.0-1-mingw32-bin.tar.xz
installing gcc-core-6.3.0-1-mingw32-bin.tar.xz
install: gcc-c++-4.8.2-mingw32-dev.tar.meta
installing gcc-c++-4.8.2-mingw32-dev.tar.meta
install: gcc-c++-6.3.0-1-mingw32-bin.tar.xz
installing gcc-c++-6.3.0-1-mingw32-bin.tar.xz



เลือก Advance system settings

System > About



Rename this PC



Device specifications

Copy



Device name

Processor

Installed RAM

Device ID

Product ID

System type

64-bit operating system, x64-based processor

Pen and touch

No pen or touch input is available for this display

Related links


[Domain or workgroup](#)

[System protection](#)

[Advanced system settings](#)




เลือก Environment Variables...






เลือก Path > Edit...






เลือก New




คัดลอก Path นี้






เลือก Path ในส่วนของ System Variables แล้วกด Edit...






จากนั้นกด New และนำข้อความ Path เดิมมาวางแล้วกด OK





ติดตั้ง Extension สำหรับพัฒนาโปรแกรมภาษา C++



กดเพื่อขยายหน้าต่าง



พิมพ์ C++ เลือกตั้งรูปแบบแล้วกด Install

The screenshot shows the Visual Studio Code interface with the Extensions Marketplace open. The 'C++' category is selected in the left sidebar. The 'C/C++ Extension Pack' by Microsoft is highlighted in the list. The main panel shows the details of the 'C/C++ Extension Pack' (v1.3.0), which includes popular extensions for C++ development in Visual Studio Code. The 'Install' button is highlighted with a red box. A notification dialog at the bottom right asks if the user wants to install the recommended 'C/C++ Extension Pack' extension from Microsoft for the C++ language, with 'Install' and 'Show Recommendations' buttons.

EXTENSIONS: MARKETPLACE

C++

C/C++ 71.2M ★ 3.5
C/C++ IntelliSense, debuggi...
Microsoft Install

C++ Intellisense 4.7M ★ 3
C/C++ Intellisense with the ...
Microsoft Install

C/C++ Extension Pack 33.6M ★ 4.5
Popular extensions for C++ ...
Microsoft Install

C/C++ Runner 4.8M ★ 5
Compile, run and debug...
franneck94 Install

C/C++ Themes 35.4M ★ 3
UI Themes for C/C++ exten...
Microsoft Install

C/C++ Comp... 4.1M ★ 4.5
Compile & Run single c/c+...
danielpinto8zz6 Install

C/C++ Clang... 1.8M ★ 4.5
Completion and Diagnostic ...
Yasuaki MITANI Install

Extension: C/C++ Extension Pack

C/C++ Extension Pack v1.3.0
Microsoft microsoft.com 33,624,556 ★★★★★ (42)
Popular extensions for C++ development in Visual Studio Code.
Install Auto Update

DETAILS FEATURES CHANGELOG

Extension Pack (3)

C/C++
C/C++ IntelliSense, debugging, and code br...
Microsoft Install

C/C++ Extension Pack

This extension pack includes a set of popular extensions for C++ development in Visual Studio Code:

- C/C++
- C/C++ Themes
- CMake
- CMake Tools

Categories
Extension Packs

Resources
Marketplace
Issues
Repository
License
Microsoft

More Info

Do you want to install the recommended 'C/C++ Extension Pack' extension from Microsoft for the C++ language?
Install Show Recommendations



พิมพ์ run เลือกตั้งรูปแบบแล้วกด Install

The screenshot shows the Visual Studio Code interface with the Extensions Marketplace open. The search bar at the top left contains the text 'run'. In the list of extensions on the left, the 'Code Runner' extension by Jun Han is highlighted with a red box. The extension details for 'Code Runner' are shown on the right, including its version (v0.12.2), download count (29,278,567), and a 4.4/5 star rating. The 'Install' button for this extension is also highlighted with a red box. The extension description states it can run code snippets or files for multiple languages including C, C++, Java, JavaScript, PHP, Python, Perl, Ruby, Go, Lua, Groovy, PowerShell, CMD, BASH, F#, C#, VBScript, and more. The 'Categories' section on the right lists 'Programming Languages'.

EXTENSIONS: MARKETPLACE

run

Code Runner v0.12.2
Jun Han | 29,278,567 | ★★★★★ (269) | Sponsor
Run C, C++, Java, JS, PHP, Python, Perl, Ruby, Go, Lua, Groovy, PowerShell, CMD, BASH, F#, C#, VBScript...

Install Auto Update

DETAILS FEATURES CHANGELOG

Code Runner

downloads 73M rating 4.4/5 (269) CI passing

Run code snippet or code file for multiple languages: C, C++, Java, JavaScript, PHP, Python, Perl, Perl 6, Ruby, Go, Lua, Groovy, PowerShell, BAT/CMD, BASH/SH, F# Script, F# (.NET Core), C# Script, C# (.NET Core), VBScript, TypeScript, CoffeeScript, Scala, Swift, Julia, Crystal, OCaml Script, R, AppleScript, Elixir, Visual Basic .NET, Clojure, Haxe, Objective-C, Rust, Racket, Scheme, AutoHotkey, AutoIt, Kotlin, Dart, Free Pascal, Haskell, Nim, D, Lisp, Kit, V, SCSS, Sass, CUDA, Less, Fortran, Ring, Standard ML, Zig, Mojo, Erlang, SPWN, Pkl, Gleam, and custom command

Book for VS Code

《Visual Studio Code 权威指南》：带你深入浅出 VS Code!

Categories
Programming Languages

Resources
Marketplace
Issues
Repository
License
Jun Han

More Info
Published 2016-07-14, 23:13:04
Last released 2024-04-05, 16:29:47
Identifier formulahendry.code-runner




ลองพิมพ์คำสั่งแรก

```
#include <iostream>

int main() {
    std::cout << "Hello World!";
    return 0;
}
```

จากนั้นคลิกขวาเลือก Run Code






ผลลัพธ์ที่ได้

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Code



```
[Running] cd "c:\Users\W11SURACHET.W\Documents\learnc\" && g++ demo1.cpp -o demo1 && "c:\Users\W11SURACHET.W\Documents\learnc\"demo1
Hello World!
[Done] exited with code=0 in 0.474 seconds
```



ตั้งค่าให้รับข้อมูลทาง Keyboard

ตัวอย่าง code รับข้อมูล และ แสดงผล

```
#include <iostream>
#include <string>

int main() {
    std::string name;

    std::cout << "กรุณานำชื่อของคุณ: ";
    std::getline(std::cin, name);

    std::cout << "ชื่อของคุณคือ: " << name << std::endl;
    return 0;
}
```



เมื่อสั่ง run ปรากฏว่าตัว
โปรแกรมใน VS Code ไม่
สามารถกดป้อนข้อมูลได้

demo2.cpp ×

demo2.cpp > ...

```
1  #include <iostream>
2  #include <string>
3
4  int main() {
5      std::string name;
6
7      std::cout << "กรุณาป้อนชื่อของคุณ: ";
8      std::getline(std::cin, name);
9
10     std::cout << "ชื่อของคุณคือ: " << name << std::endl;
11     return 0;
12 }
13
```

PROBLEMS

OUTPUT

DEBUG CONSOLE


TERMINAL

PORTS

[Running] cd "c:\Users\W11SURACHET.W\Documents\learnc\" && g++ demo2.cpp
กรุณาป้อนชื่อของคุณ: |





เลือกรูป และไปที่ Settings






เลือกรูป Extensions แล้วหาคำว่า Run Code configuration






เลือก Save file Before Run





เลือก View > Command Palette...





พิมพ์ users เลือก (JSON)

```
>users
```

Preferences: Open **User Settings (JSON)**

Preferences: Open **User Settings**



จากนั้นให้พิมพ์ “code-runner” แล้วเลือกตามภาพ

C: > Users > W11SURACHET.W > AppData > Roaming > Code > User > {} settings.json > ...

```
1 {  
2  
3  
4  
5 }
```

```
  "window.zoomLevel": 2,  
  "code-runner.saveFileBeforeRun": true,  
  "code-runner"
```

- code-runner.clearPreviousOutput
- code-runner.customCommand
- code-runner.cwd
- code-runner.defaultLanguage
- code-runner.enableAppInsights
- code-runner.executorMap**
- code-runner.executormapbyFileExtension
- code-runner.executorMapByGlob
- code-runner.fileDirectoryAsCwd
- code-runner.ignoreSelection
- code-runner.languageIdToFileExtensionMap
- code-runner.preserveFocus



เมื่อเลือกจะได้ผลลัพธ์ดังภาพ

C: > Users > W11SURACHET.W > AppData > Roaming > Code > User > {} settings.json > {} code-runner.executorMap

```
1  {
2    "window.zoomLevel": 2,
3    "code-runner.saveFileBeforeRun": true,
4    "code-runner.executorMap": {
5      "javascript": "node",
6      "java": "cd $dir && javac $fileName && java $fileNameWithoutExt",
7      "c": "cd $dir && gcc $fileName -o $fileNameWithoutExt && $dir$fileNameWithoutExt",
8      "zig": "zig run",
9      "cpp": "cd $dir && g++ $fileName -o $fileNameWithoutExt && $dir$fileNameWithoutExt",
10     "objective-c": "cd $dir && gcc -framework Cocoa $fileName -o $fileNameWithoutExt && $dir$fileNameWithoutExt",
11     "php": "php",
12     "python": "python -u",
13     "perl": "perl",
14     "perl6": "perl6",
15     "ruby": "ruby",
16     "go": "go run",
17     "lua": "lua",
18     "groovy": "groovy",
19     "powershell": "powershell -ExecutionPolicy ByPass -File",
20     "bat": "cmd /c",
```



สังเกตที่บรรทัด cpp ให้เพิ่มข้อความ start cmd /k แล้วบันทึก

```
demo2.cpp  Settings  settings.json
C: > Users > W11SURACHET.W > AppData > Roaming > Code > User > settings.json > code-runner.executorMap
1  {
2    "window.zoomLevel": 2,
3    "code-runner.saveFileBeforeRun": true,
4    "code-runner.executorMap": {
5      "javascript": "node",
6      "java": "cd $dir && javac $fileName && java $fileNameWithoutExt",
7      "c": "cd $dir && gcc $fileName -o $fileNameWithoutExt && $dir$fileNameWithoutExt",
8      "zig": "zig run",
9      "cpp": "cd $dir && g++ $fileName -o $fileNameWithoutExt && start cmd /k $dir$fileNameWithoutExt",
10     "objective-c": "cd $dir && gcc -framework Cocoa $fileName -o $fileNameWithoutExt && $dir$fileNameWithoutExt",
11     "php": "php",
12     "python": "python -u",
13     "perl": "perl",
14     "perl6": "perl6",
15     "ruby": "ruby",
16     "go": "go run",
17     "lua": "lua",
18     "groovy": "groovy",
19     "powershell": "powershell -ExecutionPolicy ByPass -File",
20     "bat": "cmd /c",
21     "shellscript": "bash",
22     "fsharp": "fsi",
23     "csharp": "scriptcs",
```



ลอง run อีกครั้ง

demo2.cpp ×

demo2.cpp > ...

```
1  #include <iostream>
2  #include <string>
3
4  int main() {
5      std::string name;
6
7      std::cout << "กรุณาป้อนชื่อของคุณ: ";
8      std::getline(std::cin, name);
9
10     std::cout << "ชื่อของคุณคือ: " << name << std::endl;
11     return 0;
12 }
13
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
[Running] cd "c:\Users\W11SURACHET.W\Documents\learnc\" && g++ demo2.cpp
กรุณาป้อนชื่อของคุณ: |
```



โปรแกรมสามารถทำงานได้แล้ว

```
demo2.cpp X
demo2.cpp > main()
1  #include <iostream>
2  #include <string>
3
4  int main() {
5      std::string name;
6
7      std::cout << "กรุณาป้อนชื่อของคุณ: ";
8      std::getline(std::cin, name);
9
10     std::cout << "ชื่อของคุณคือ: " << name << std::endl;
11     return 0;
12 }
```

```
C:\windows\system32\cmd.exe X
กร ร ณา ป ้อน ชื อของ ค ู ณ: ทดสอบ
ชื อของ ค ู ณ คื อ: ทดสอบ

c:\Users\W11SURACHET.W\Documents\learnc>|
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS Code

```
[Running] cd "c:\Users\W11SURACHET.W\Documents\learnc\" && g++ demo2.cpp -o demo2 && start cmd /k "c:\Users\W11SURACHET.W\Documents\learnc\"demo2
```