





```
[] G Run
                                                                                                             Output
main.c
1 #include <stdio.h>
                                                                                                            /tmp/LNBD0i69tC.o
2 #include <stdbool.h>
                                                                                                            Input number of element to be store in array: 4
4 * int main() {
                                                                                                            Element[1]: 3
5
                                                                                                            Element[2]: 3
                                                                                                            Element[3]: 2
6
       int amount;
                                                                                                            Element[4]: 1
 8
       printf("Input number of element to be store in array: ");
9
       scanf("%d", &amount);
                                                                                                            3 -> 2
10
                                                                                                            2 -> 1
       int number[amount];
                                                                                                            1 -> 1
11
12
      int isPrintedNumber[amount];
13
       printf("-----\n");
14
15 ₹
      for(int i = 0; i < amount; i++){</pre>
        printf("Element[%d]: ", i + 1);
17
         scanf("%d", &number[i]);
18
     printf("-----\n");
for(int i = 0; i < amount; i++){
19
20 +
        bool isPrinted = false;
21
22
          int countNumber = 0;
23 -
           for(int y = 0; y < amount; y++){
             if(number[i] == number[y]){
24 +
25
                 countNumber = countNumber + 1;
26
27 -
             if(number[i] == isPrintedNumber[y]){
28
                 isPrinted = true;
29
         }
30
31 ₹
          if(isPrinted == false){
              printf("%d -> %d\n", number[i], countNumber);
32
33
         isPrintedNumber[i] = number[i];
35
     }
36 }
```