

MTG Satellites, Instruments and Data, a limited overview

NOA/ReACT

Athanasios Natsis

2026-02-20

Table of contents

Definitions	1
Data scope	2
Main data resources	3
Main reference resources	3
MTG-I Imaging mission	4
MTG-S Sounding mission	6
Flexible Combined Imager FCI	7
EUMETSAT MTG available products (2026-02-01)	8
FCI composites (MTG-I)	8
LI Lightning Imager (MTG-I)	9
LI Lightning Imager (MTG-I)	10
InfraRed Sounder IRS (MTG-S)	10
Infrared Sounder IRS (MTG-S)	11
Infrared Sounder IRS (MTG-S)	11
Spectral coverage	12
Sentinel-4/Ultraviolet, Visible and Near-infrared Spectrometer (S4 / UVN) (MTG-S) .	12
Sentinel-4/Ultraviolet, Visible and Near-infrared Spectrometer (S4 / UVN) (MTG-S) .	13
Sentinel-4/Ultraviolet, Visible and Near-infrared Spectrometer (S4 / UVN)	14
Land Surface Analysis LSA SAF available products	14
Atmospheric Composition Monitoring AC SAF available products	14
Other Links	16

Definitions

- MTG: Meteosat Third Generation system of geostationary satellites operated by EUMETSAT.

- EUMETSAT: Europe's meteorological satellite agency, an intergovernmental organization.
 - **goal:** Produce satellite data on weather, climate, and the environment. Provide near-real time data for members, partners, and other data users.
 - **fields:** Nowcasting, Numerical Weather Prediction models, Climate records, Other products and services (incl. firefighting, air quality forecasts, air traffic control, search and rescue missions, disaster risk reduction, agricultural productivity, marine and coastal management.....)

Data scope




Figure 1: NRT 4d weather cube

Main data resources

- [EUMETSAT data store](#) / [EUMETSAT data catalogue](#)
- [EUMETSAT 'data archive'](#)
- Satellite Application Facilities SAF
 - [AC SAF, Atmospheric Composition Monitoring](#), ozone, trace gases, aerosols and ultraviolet data
 - [H SAF, Operational Hydrology and Water Management](#), data for operational hydrological
 - [LSA SAF, Land Surface Analysis](#), land, land-atmosphere interactions and biosphere
 - [NWC SAF, Nowcasting and Very Short Range Forecasting](#), forecast for the next few hours
 - [NWP SAF, Numerical Weather Prediction](#), interface between satellite data and European activities in NWP
 - [OSI SAF, Ocean and Sea Ice](#), ocean-atmosphere interface
 - [ROM SAF, Radio Occultation Meteorology](#), high-quality GNSS Radio Occultation (RO) data for NWP and climate application areas

SAFs in general have data and Software

Main reference resources

- [EUMETView](#), interactive map and product explorer
 - [EUMETSAT User Portal](#), guides and products references
 - Training
 - Software
 - Guides
 -
-

MTG-I Imaging mission




Figure 2: MTG-I

- *FCI* - Full disc scanning service
 - /10 minutes, 16 spectral bands
- *FCI* - Rapid scanning service
 - Europe /2.5 minutes, 16 spectral bands
- *LI* - Lightning Imager

- Full disc, continuous

www.eumetsat.int/meteosat-third-generation

user.eumetsat.int/resources/user-guides/mtg-in-operations

- 6 satellites
 - 4 MTG-I
 - 2 MTG-S
-

MTG-S Sounding mission



Figure 3: MTG-S

- Infrared Sounder (IRS)
 - 1/4 of Full disk /15 minutes

- Ultraviolet Visible Near-infrared (UVN) Sounder
 - Copernicus Sentinel-4
 - Smaller disc than FCI, /60min

www.eumetsat.int/meteosat-third-generation

user.eumetsat.int/resources/user-guides/mtg-in-operations

Flexible Combined Imager FCI

Full Earth disk every 10 minutes

	Spectral ch.	Central wavelength	Spectral width	Spatial Sampling Distance
1	VIS 0.4	0.444 μm	0.060 μm	1.0 km
2	VIS 0.5	0.510 μm	0.040 μm	1.0 km
3	VIS 0.6	0.640 μm	0.050 μm	1.0 km 0.5 km (HR)
4	VIS 0.8	0.865 μm	0.050 μm	1.0 km
5	VIS 0.9	0.914 μm	0.020 μm	1.0 km
6	NIR 1.3	1.380 μm	0.030 μm	1.0 km
7	NIR 1.6	1.610 μm	0.050 μm	1.0 km
8	NIR 2.2	2.250 μm	0.050 μm	1.0 km 0.5 km (HR)
9	IR 3.8	3.800 μm	0.400 μm	2.0 km 1.0 km (HR)
10	WV 6.3	6.300 μm	1.000 μm	2.0 km
11	WV 7.3	7.350 μm	0.500 μm	2.0 km
12	IR 8.7	8.700 μm	0.400 μm	2.0 km
13	IR 9.7	9.660 μm	0.300 μm	2.0 km
14	IR 10.5	10.500 μm	0.700 μm	2.0 km 1.0 km (HR)
15	IR 12.3	12.300 μm	0.500 μm	2.0 km
16	IR 13.3	13.300 μm	0.600 μm	2.0 km

Visible (VIS), Near Infrared (NIR), Infrared (IR), Water Vapour (WV)

EUMETSAT MTG available products (2026-02-01)

- Accumulated precipitation at ground by blended MW+IR and FCI
- Active Fire Monitoring (CAP, netCDF)
- All Sky Radiance (BUFR, netCDF)
- Atmospheric Motion Vectors (BUFR, netCDF)
- Clear Sky Reflectance Map
- Cloud Mask (GRIB2, netCDF)
- Cloud Top Temperature and Height
- Cloud Type
- FCI Level 1c High Resolution Image Data
- FCI Level 1c Normal Resolution Image Data
- FCI Level 3 Sea Surface Temperature
- FCI Snow detection (snow mask) by VIS/NIR radiometry
- Global Instability Indices
- LI Accumulated Flash Area
- LI Accumulated Flash Radiance
- LI Accumulated Flashes
- LI Lightning Events Filtered
- LI Lightning Flashes
- LI Lightning Groups
- Land Surface Temperature
- Optimal Cloud Analysis
- Outgoing LW radiation at TOA
- Precipitation rate at ground by blended FCI IR / LEO MW precipitation

26 products, 27 now, also counting the file formats

data.eumetsat.int/extended?query=mtg

FCI composites (MTG-I)

Predefined composites of wavelengths...


```

from satpy import Scene
scn = Scene(filenamees = files, reader = 'fci_l1c_nc')
print(scn.available_composite_names())

```

24h_microphysics, airmass, ash, cimss_cloud_type, cimss_cloud_type_raw, cloud_phase, cloud_phase_distinction, cloud_phase_distinction_raw, cloud_phase_raw, cloud_phase_with_night_ir105, cloud_type, cloud_type_with_night_ir105, cloudtop, colorized_ir_clouds, convection, day_essl_colorized_low_level_moisture, day_essl_low_level_moisture, day_microphysics, day_severe_storms, day_severe_storms_tropical, dust, essl_colorized_low_level_moisture, essl_low_level_moisture, fci_fire_channels_sum, fire_temperature, fire_temperature_38refl, fire_temperature_rad, flames_masked, fog, geo_color, geo_color_background_with_low_clouds, geo_color_high_clouds, geo_color_low_clouds, geo_color_night, green_snow, hrv_clouds, ir108_3d, ir_cloud_day, ir_sandwich, ir_sandwich_with_night_colorized_ir_clouds, **natural_color**, natural_color_raw, ndvi_hybrid_green, ndvi_hybrid_green_fully_sunzencorrected, ndvi_hybrid_green_raw, night_fog, night_ir105, night_ir_alpha, night_ir_with_background, night_ir_with_background_hires, night_microphysics, night_microphysics_tropical, overshooting_tops, rocket_plume_day, rocket_plume_night, simple_fci_fire_mask, snow, true_color, true_color_flames_with_night_ir105, true_color_fully_sunzencorrected, true_color_raw, true_color_raw_with_corrected_green, true_color_reproduction, true_color_reproduction_corr, true_color_reproduction_uncorr, true_color_with_night_ir, true_color_with_night_ir105, true_color_with_night_ir_hires, volcanic_emissions

LI Lightning Imager (MTG-L)

LI Lightning Imager Groups

Variable	Description
group_time	UTC time of the group
latitude	Avg latitude of the events in the group weighted by the event radiance
longitude	Avg longitude of the events in the group weighted by the event radiance
radiance	Total radiance of the group (Optical Characteristics of OTD Flashes and the Implications...)
number_of_events	Number of events in the group
flash_id	ID of the flash that allows one to relate the groups in the LI-2-LGR-x-FD-x to the LI-2-LFL-x-FD-x
group_quality	Quality of the group computed at the group-rejection step (Rejection of groups prior to the comp...)

Key variables in LI-2-LGR-x-FD-x.

user.eumetsat.int/resources/user-guides/mtg-li-level-2-data-guide

LI Lightning Imager (MTG-I)

LI Lightning Imager Flashes

Variable	Description
flash_time	UTC time of the first group in the flash
flash_duration	Duration of the flash, ie, time difference between the first and the last group of the flash
latitude	Average latitude of the events in the flash weighted by the event radiance
longitude	Average longitude of the events in the flash weighted by the event radiance
radiance	Total radiance of the flash (Optical Characteristics of OTD Flashes and the Implications...)
number_of_events	Number of events in the flash
number_of_groups	Number of groups in the flash
flash_footprint	Size of the flash footprint in number of pixels
flash_id	ID of the flash
flash_filter	Quality of the filter computed at the group-rejection step (Rejection of flashes)

Key variables in LI-2-LFL-x-FD-x.

user.eumetsat.int/resources/user-guides/mtg-li-level-2-data-guide

InfraRed Sounder IRS (MTG-S)

Hyperspectral infrared sounder

- Goal:
 - Derive the evolution of vertically resolved water vapour structures
 - Extract 3D wind fields with a vertical resolution ~ 2 km
 - Track the 3D structures
 - * atmospheric water vapour and temperature
 - * carbon monoxide and pollution
 - * atmospheric dynamic variables
- Spatial: **4km** at nadir (1.025° x 1.025°)
- Temporal: 15 – 30 minutes for local zones, **60 minutes** for full disk

spatial on the Earth surface is 4km at nadir, increasing up to 10km, and above
 160 x 160 interferograms and four broad-band high-resolution images for each spectral band
 No concurrent 'full disc scan'
 160 x 160 x (877;1076)

Infrared Sounder IRS (MTG-S)

Band	Wavenumber Range	Channels	Main Targets
Long Wave IR (LWIR)	679.5 – 1210.0 cm^{-1}	887	H ₂ O, CO ₂ , O ₃ , Surface, Clouds, Aerosols
Mid Wave IR (MWIR)	1600.0 – 2250.4 cm^{-1}	1076	H ₂ O, CO, N ₂ O, NO

Vertical resolution TBD ... (~ 2km)

user.eumetsat.int/resources/user-guides/mtg-irs-level-1-data-guide

Infrared Sounder IRS (MTG-S)


L2 data

- Temperature, humidity and ozone profiles
- Earth Surface parameters
- Instability indices and total vertical column
- Cloud products
- Contextual parameters

[Test/Simulated data available here](#)

user.eumetsat.int/resources/user-guides/mtg-irs-level-1-data-guide

Spectral coverage



Infrared Atmospheric Sounding Interferometer (LEO),
Cross-track Infrared Sounder (LEO),
MTG InfraRed Sounder (GEO),
MTG Flexible Combined Imager (GEO)

user.eumetsat.int/resources/user-guides/mtg-irs-level-1-data-guide

Sentinel-4/Ultraviolet, Visible and Near-infrared Spectrometer (S4 / UVN) (MTG-S)

objective: Observe the diurnal cycle of the tropospheric composition, trace gases, aerosol and cloud properties

O3 (Ozone), NO2 (Nitrogen dioxide), SO2 (Sulfur dioxide), HCHO (Formaldehyde), CHOCHO (glyoxal)

Instrument type	Passive imaging spectrometer
Spectrometric bands	3, Ultraviolet (305-400 nm), Visible (400-500 nm) and Near Infrared(750-775 nm) ¹
Spectrometric channels	2, (UV-VIS channel; NIR channel)
Field Of View	E-W: 30°W-46.5°E @ 40°N, N-S: 30°N-65°N
Spatial resolution	8 x 8 km ²
Spectral resolution	0.5 nm for the UV-VIS channel; 0.12 nm for the NIR channel
Radiometric accuracy (absolute)	3% (2% goal) of the measured sun irradiance, earth radiance and spectral reflectance.
Revisit time	~ 60 min

Sentinel-4/Ultraviolet, Visible and Near-infrared Spectrometer (S4 / UVN) (MTG-S)

L1 data

Level-1B product	Parameter(s)	Distributed
Earth Radiance	Spectrally and radiometrically calibrated and geo-located Earth radiance	To all users
Solar Irradiance	Spectrally and radiometrically calibrated Solar irradiance	To all users
DPPF	Data Processing Parameters	To Expert Users
Calibration	Calibration data.	To Expert Users
Star	Star calibration data	To Expert Users
Diagnostic	Instrument diagnostic data	To Expert Users

¹VIS and NIR bands implemented in two spectrometers UVVIS & NIR)

Sentinel-4/Ultraviolet, Visible and Near-infrared Spectrometer (S4 / UVN)

L2 data

Level-2 products	Parameter(s)
O3	Ozone (O3) total column, tropospheric sub-column,
NO2	Nitrogen dioxide (NO2) total column, tropospheric sub-column
SO2	Sulfur dioxide (SO2) total column
HCHO	Formaldehyde (HCHO) total column
CHOCHO	Glyoxal (CHOCHO) total column
Cloud	Cloud optical thickness, cloud fraction, cloud altitude
Aerosol	Aerosol column optical thickness, type, layer height, absorbing index
Surface	Surface and aerosol characteristics

sentinels.copernicus.eu/missions/sentinel-4

Land Surface Analysis LSA SAF available products

- Land Surface Albedo (MTDAL)
- Fire Radiative Power (MTFRP)
- Land Surface Temperature (MTLST)

datalsasaf.lsasvcs.ipma.pt/PRODUCTS/MTG/

Atmospheric Composition Monitoring AC SAF available products

NRT products

- Total ozone column
- Total and tropospheric NO2 columns
- Total SO2 column
- Total HCHO column
- High-resolution ozone profile
- Absorbing aerosol height
- Absorbing aerosol index from PMDs
- Global 1-day UV index forecast

- Global tropospheric ozone column
- IASI CO
- IASI SO₂
- IASI HNO₃
- IASI total O₃ and O₃ profiles

Offline products

- Total ozone column
- Total and tropospheric NO₂ columns
- Total SO₂ column
- Total BrO column
- Total HCHO column
- Total H₂O column
- High-resolution ozone profile
- Absorbing aerosol height
- Absorbing aerosol index from PMDs
- Surface UV
- Tropical tropospheric ozone column
- Global tropospheric ozone column
- GOME-2 level 3 daily trace gas columns
- GOME-2 level 3 monthly trace gas columns

Data records

- Total ozone column
- Total and tropospheric NO₂ columns
- Total SO₂ column
- Total BrO column
- Total HCHO column
- Total H₂O column
- OCIO column
- Total CHOCHO column
- NO₂ and H₂O climate data records
- Tropospheric BrO column
- High-resolution ozone profile
- Absorbing aerosol height
- Absorbing aerosol index from PMDs
- Lambertian-equivalent reflectivity
- Surface UV
- IASI L2 O₃
- IASI L2 CO
- IASI L2 SO₂

Demonstrational products

- Daily IASI NH₃ product
- Daily IASI dust product
- European UV product/data record

acsaf.org

Other Links

- [MTG in operations](#)
Current status and operational information
- [MTG test data](#)
If you want to test possible applications

ευχαριστώ! thanks!

contact: anatsis@noa.gr

source code: github.com/thanasisn/presentations

Figure 4: this Presentation