

NexaFlow Company Knowledge Base

Complete synthetic company profile for RAG, semantic search, retrieval and question-answering tests

Document type: Public company knowledge base and operational reference

Important: NexaFlow is a fictional company. All names, prices, policies, customers, metrics and procedures in this document are synthetic and created only for software development, RAG evaluation and educational testing.

This document is intentionally information-dense. It contains facts that can be retrieved by semantic search, including names, dates, limits, plan features, billing rules, support targets, API limits, security controls, office locations, product terminology, team structure and operational procedures.

1. Company Overview

Company name: NexaFlow Technologies Ltd. The product is marketed under the name **NexaFlow**.

Founded: 2019. **Headquarters:** Dublin, Ireland. **Industry:** B2B SaaS, workflow management, project operations, automation and collaboration software.

NexaFlow provides a cloud platform that helps small and mid-sized businesses organize projects, tasks, approvals, files, internal requests, customer operations and recurring workflows. The platform combines project management, forms, automations, dashboards, integrations and an AI assistant in one workspace.

The company primarily serves knowledge-work teams in professional services, technology, digital agencies, education, nonprofit organizations, operations teams and multi-location service businesses. NexaFlow does not manufacture hardware and does not sell consumer devices.

1.1 Mission and positioning

NexaFlow's mission is to reduce operational friction by replacing disconnected spreadsheets, email threads and manual handoffs with structured workflows that are easy to configure without writing code.

The company positions itself between simple task-management tools and highly complex enterprise workflow suites. Its core promise is: teams can start quickly, retain flexibility as their processes evolve, and automate repetitive work without requiring a dedicated IT implementation team.

1.2 Legal and commercial identity

Field	Synthetic value
Legal entity	NexaFlow Technologies Ltd.
Trading name	NexaFlow
Headquarters	Dublin, Ireland
Founded	2019
Primary market	European Union, United Kingdom, United States, Singapore, Canada and Australia
Business model	Subscription SaaS
Primary customer segment	SMB and mid-market organizations, typically 10-1,000 employees
Default contract language	English
Default self-service billing currencies	EUR, USD and GBP

1.3 Company milestones

- **2019:** NexaFlow was founded and the first private beta focused on project tracking and approval workflows.
- **2020:** Public launch of task boards, forms and basic automations.
- **2021:** Release of integrations, public API and role-based permissions.
- **2022:** Expansion into the UK and DACH markets; launch of Professional plan.
- **2023:** Enterprise plan introduced with SSO, SCIM, audit logs and regional data residency options.
- **2024:** NexaFlow AI assistant launched for summarization, writing assistance and workflow suggestions.
- **2025:** Advanced analytics and cross-workspace dashboards added.
- **2026:** Product focus shifted toward AI-assisted operations, automation governance and better enterprise administration.

2. Product and Platform

A NexaFlow account may belong to one or more **workspaces**. A workspace is the top-level environment containing members, guests, projects, automations, files, billing configuration, integrations and administrative settings.

2.1 Main product objects

Object	Definition
Workspace	Top-level organizational environment with users, projects, billing and security settings.
Project	Container for tasks, milestones, files, discussions, forms and project-level permissions.
Task	Individual unit of work with status, owner, due date, priority, fields, comments and attachments.
Milestone	Important project checkpoint used for reporting and timeline views.
Form	Structured input page that can create tasks or workflow records from submitted data.
Automation	Rule that performs an action when a trigger and optional conditions are met.
Dashboard	Visual reporting surface for workload, progress, SLA, status, throughput and custom metrics.
Template	Reusable project, task, form or workflow configuration.
Guest	External collaborator with restricted project access.
Integration	Connection to a supported external application or API.

2.2 Project capabilities

Projects support list, board, calendar and timeline views. Professional and Enterprise customers also receive advanced reporting views and cross-project dashboards. Projects may be private, team-visible or workspace-visible depending on permissions and plan.

Each project can contain custom statuses, custom fields, dependencies, milestones, saved filters, files, task templates and automation rules. Tasks can be assigned to one primary assignee and can include followers who receive updates without becoming the task owner.

2.3 Forms

Forms can be used for customer requests, employee requests, onboarding, incident intake, creative briefs, purchase requests and other structured data collection. Form submissions may automatically create tasks in a chosen project. Professional and Enterprise plans support conditional form logic and hidden metadata fields.

2.4 Automations

Automations use a trigger-condition-action model. Example: when a task status changes to "Approved", assign the task to Finance, set the due date to three business days later and send a Slack notification. Each successful action counts toward the workspace monthly automation quota.

Automation execution history is retained for 30 days on Starter, 90 days on Professional and 365 days on Enterprise. Enterprise administrators can export automation logs.

2.5 Dashboards and analytics

Dashboards can display task counts, completion rates, overdue work, cycle time, workload by assignee, form volume, SLA status and custom-field distributions. Professional includes workspace-level dashboards. Enterprise adds cross-workspace reporting and scheduled report delivery.

3. Plans, Pricing and Limits

The following pricing is synthetic and is used consistently throughout this knowledge base.

Plan	Price	Included resources	Main features
Free	EUR 0	Up to 5 members; 2 GB storage; 250 automation actions/month	Basic projects, tasks, comments, files and simple forms
Starter	EUR 12/user/month monthly; EUR 10 annual	20 GB storage; 2,500 automation actions/month	Custom fields, templates, calendar and basic automations
Professional	EUR 24/user/month monthly; EUR 20 annual	100 GB storage; 10,000 automation actions/month	Unlimited projects, advanced dashboards, API, integrations and conditional forms
Enterprise	Quote based; minimum 50 seats	1 TB base storage, expandable; contracted automation quota	SSO, SCIM, audit logs, data residency, advanced security and premium support

3.1 Free plan

The Free plan supports up to five workspace members. It does not require a credit card. It includes basic projects, tasks, comments, attachments and simple forms. API access, advanced dashboards, SSO and SCIM are not included.

3.2 Starter plan

Starter is intended for small teams that need custom fields, reusable templates, calendar planning and basic automation. The synthetic monthly price is EUR 12 per user, or EUR 10 per user per month when billed annually.

3.3 Professional plan

Professional is the standard plan for growing teams. The synthetic price is EUR 24 per user per month when billed monthly, or EUR 20 per user per month when billed annually. It includes unlimited projects, 100 GB of storage per workspace, advanced dashboards, API access and 10,000 automation actions per month.

3.4 Enterprise plan

Enterprise pricing is quote-based and depends on seat count, hosting region, support level, compliance needs, security requirements, automation volume and contract duration. The fictional minimum Enterprise commitment is 50 seats.

3.5 Trials and discounts

- The paid-plan trial lasts 14 days and does not require a credit card.
- Annual billing is approximately 16 to 17 percent cheaper than paying the equivalent plan monthly.
- Eligible nonprofit organizations and accredited educational institutions may receive a 30 percent discount on annual Starter or Professional subscriptions.
- Nonprofit and education verification must be renewed every two years.
- Promotional discounts cannot normally be combined unless explicitly stated in the offer.

4. Billing and Payments

4.1 Supported payment methods

Monthly Starter and Professional subscriptions accept major credit and debit cards. Annual contracts may also be paid by bank transfer after invoice approval. Enterprise contracts are normally invoiced and paid by bank transfer.

4.2 Supported currencies

Self-service billing supports EUR, USD and GBP. Enterprise invoices may additionally be issued in SGD, CAD, AUD or CHF when specified in the contract. CZK is not a supported billing currency in this synthetic policy.

4.3 Billing cycle

Monthly subscriptions are charged on the same calendar day each month as the original paid subscription start date. Annual subscriptions are charged at the beginning of each annual term. If a month does not contain the original billing day, billing occurs on the last day of that month.

4.4 Proration

When paid seats are added or a subscription is upgraded, NexaFlow calculates the unused portion of the current plan and the remaining portion of the new charges. The resulting prorated amount appears on the next invoice or may be charged immediately for significant upgrades.

4.5 Failed payments

NexaFlow retries a failed card payment up to four times over 10 days. Workspace administrators receive notifications after each failed attempt. If payment remains unresolved after the grace period, the workspace may be placed in read-only mode until payment is resolved.

4.6 Invoices and VAT

Workspace owners and billing administrators can download PDF invoices from Settings > Billing > Invoices. Invoices remain available for at least seven years in this synthetic policy.

Billing administrators may configure legal company name, billing address, tax identification number, VAT number, purchase-order reference and billing contact before the next invoice is generated.

Tax treatment depends on customer billing country, tax status and valid tax identifiers. Eligible EU business customers with a verified VAT number may be invoiced under reverse-charge rules where legally applicable.

4.7 Refunds and cancellation

Monthly subscription charges are generally non-refundable after the billing date. Annual plans may be eligible for a full refund when cancellation is requested within 14 days of the initial annual purchase and the workspace has not consumed more than 20 percent of its included annual automation quota.

Removing or suspending users during a billing cycle does not normally generate a cash refund. An available seat can be reassigned to another user. The lower seat count is reflected at the next renewal unless the customer has a contracted seat minimum.

5. Users, Guests and Permissions

5.1 Standard workspace roles

Role	Main permissions
Owner	Full workspace control, billing ownership, security settings, integrations and ownership transfer.
Administrator	Manage members, projects, security settings and most workspace configuration. Billing access depends on billing-admin assignment.
Member	Create and edit permitted projects, tasks and content according to project permissions.
Guest	Restricted external collaborator with access only to explicitly shared projects or items.
Billing administrator	Manage subscription, invoices, payment details and billing identity; does not automatically receive project access.

5.2 Guest billing

On Professional, each paid member seat includes up to two external guest seats. Additional guest seats are billed at 25 percent of the normal per-user price. Enterprise agreements may use different guest pricing.

5.3 Invited and suspended users

Paid plans bill for active member seats assigned during the billing period. Pending invitations are not charged until accepted. Suspended users stop consuming a paid seat after the next daily license reconciliation, while their historical content remains in the workspace.

5.4 Project permissions

Project access can be private, team-visible or workspace-visible. Private projects are visible only to explicitly added users and administrators with applicable security privileges. Guests never receive automatic workspace-wide access.

5.5 Ownership transfer

A current workspace owner can transfer ownership to another active member with administrator rights. Enterprise customers can require a second administrator approval for ownership transfer.

6. Security, Privacy and Compliance

6.1 Authentication

NexaFlow supports password authentication and email verification for standard accounts. Professional customers can require multi-factor authentication for administrators. Enterprise customers can enforce MFA for all users and configure SAML 2.0 single sign-on.

6.2 Password requirements

Standard passwords must contain at least 10 characters. Workspace administrators cannot view user passwords. Password reset links expire after 60 minutes and become invalid after use.

6.3 Enterprise identity management

Enterprise supports SAML 2.0 SSO and SCIM 2.0 user provisioning. SCIM can create, update, deactivate and group users from a supported identity provider. Common identity providers include Microsoft Entra ID, Okta and Google Workspace through SAML configuration.

6.4 Encryption

Synthetic security policy: data is encrypted in transit using modern TLS and encrypted at rest using AES-256-class storage encryption. Customer passwords are stored as salted password hashes rather than reversible plaintext.

6.5 Data residency

Standard self-service workspaces are hosted in the European Union by default. Enterprise customers may contract for primary data residency in the EU, United States or Singapore. Data residency does not necessarily imply that every support or telemetry system is restricted to the same region; contractual documentation defines exceptions.

6.6 Backups and disaster recovery

Production databases are continuously replicated and encrypted backups are created daily. Standard backup retention is 35 days. Enterprise contracts may include 90-day backup retention. NexaFlow's synthetic internal recovery objective targets are an RPO of less than 60 minutes and an RTO of less than 8 hours for the core service.

6.7 Audit logs

Enterprise audit logs record authentication events, membership changes, permission changes, integration changes, exports, important billing actions and administrative security events. Audit logs are retained for 365 days by default and may be exported by authorized administrators.

6.8 Privacy and deletion

Customers retain ownership of the content they upload. NexaFlow processes customer data to provide the service and according to the applicable data-processing agreement. After workspace deletion, the workspace enters a 30-day recovery window before scheduled permanent deletion from active systems. Backup copies expire according to the backup-retention schedule.

7. Integrations and API

7.1 Native integrations

Common integrations include Slack, Microsoft Teams, Google Drive, OneDrive, Dropbox, Gmail, Outlook, Google Calendar, Microsoft 365 Calendar, Zapier and Make. Availability varies by plan and integration type.

7.2 API access

API access is included with Professional and Enterprise plans. The public API uses HTTPS and JSON and supports common operations for workspaces, users, projects, tasks, comments, fields, forms and selected automation objects.

7.3 Authentication and tokens

Personal API tokens are generated by individual users and inherit that user's permissions. Enterprise service accounts can be created for controlled machine-to-machine integrations. Tokens should be stored as secrets and never committed to source-control repositories.

7.4 Synthetic API limits

Plan / token type	Default limit
Professional personal token	600 requests per minute per token
Enterprise personal token	1,200 requests per minute per token
Enterprise service account	2,500 requests per minute per service account
Bulk export endpoints	Maximum 10 concurrent export jobs per workspace
Webhook retry	Up to 8 retry attempts over approximately 24 hours

7.5 Webhooks

Webhooks can notify external systems about task creation, task updates, status changes, comments, selected project events and form submissions. Webhook endpoints must use HTTPS. Failed webhook deliveries are retried with increasing delay. Repeatedly failing endpoints may be automatically disabled and require an administrator to re-enable them.

8. NexaFlow AI

8.1 AI features

NexaFlow AI is an optional assistant embedded into supported text and workflow surfaces. It can summarize long task discussions, draft status updates, rewrite text, suggest task descriptions, extract action items from notes and propose automation ideas based on a workflow description.

8.2 AI limitations

AI-generated content may be incomplete or incorrect and should be reviewed before being used for important decisions. NexaFlow AI does not automatically execute destructive administrative changes. It may suggest an automation, but a permitted user must review and save that automation.

8.3 AI data policy

Synthetic policy: customer content submitted to NexaFlow AI is processed to provide the requested feature. Enterprise customers may disable AI features at workspace level. Customer workspace content is not used to train public foundation models under the standard enterprise contract in this synthetic dataset.

8.4 AI usage

Professional includes 1,000 AI requests per workspace per month. Enterprise AI quotas are contract-based and may include centralized governance, usage reporting and feature controls. Unused monthly AI requests do not roll over.

9. Customer Support and Service Levels

9.1 Support channels

- **Free:** Help center and community support.
- **Starter:** Email support during business days.
- **Professional:** Email and in-app support with prioritized routing.
- **Enterprise:** Priority support, named customer success contact and optional premium 24/7 incident support.

9.2 Standard support hours

Standard staffed support hours are Monday to Friday, 08:00-18:00 Europe/Dublin time, excluding Irish public holidays. Automated status monitoring and incident response for production infrastructure operate continuously.

9.3 Synthetic first-response targets

Severity	Example	Professional target	Enterprise premium target
P1 Critical	Service unavailable for most users	4 business hours	30 minutes, 24/7
P2 High	Major feature unavailable with no practical workaround	8 business hours	2 hours
P3 Normal	Partial issue or product question	1 business day	4 business hours
P4 Low	How-to request, minor inconvenience or suggestion	2 business days	1 business day

9.4 Availability target

The standard Enterprise service-level target is 99.9 percent monthly uptime for the core application, excluding scheduled maintenance and contractually defined exclusions. Higher targets may be negotiated for specific enterprise agreements.

9.5 Status communication

Major incidents are posted to the public status page when they materially affect platform availability. Enterprise premium customers may receive direct incident notifications through configured contacts.

10. Files, Storage, Import and Export

10.1 File limits

The standard maximum individual attachment size is 250 MB on Free and Starter, 2 GB on Professional and 10 GB on Enterprise. Workspace storage is shared across projects and users.

10.2 Storage behavior

Deleting a project moves its content to workspace trash for 30 days. Content in trash continues to count against storage until permanently deleted. Permanent deletion is irreversible from the application interface.

10.3 Import

Supported imports include CSV task imports and selected migration tools for common project-management products. CSV import can map task title, description, owner, due date, status and supported custom fields. Attachments are not embedded directly inside a CSV file and require a migration workflow or manual upload.

10.4 Export

Members with permission can export selected task and project data to CSV. Professional supports project-level exports. Enterprise supports larger bulk exports and selected audit/security exports. PDF reports can be generated from supported dashboard views.

10.5 Data portability

Workspace owners may request an account-level data export. Large exports are generated asynchronously by the platform and exposed through a time-limited download link. Export links expire after 72 hours in this synthetic policy.

11. Notifications and Communication

Users can receive notifications in the web application, by email and through supported integrations such as Slack or Microsoft Teams. Notification preferences can be configured by event category.

- Direct mentions always generate an in-app notification unless the account is disabled.
- Task assignment can generate in-app and email notifications.
- Due-date reminders can be configured at workspace or user level where supported.
- Guests receive notifications only for content they can access.
- Daily digest emails summarize selected unread activity and upcoming work.
- Workspace administrators can send selected administrative announcements to all active members.

11.1 Email delivery

Transactional emails include invitations, password resets, security alerts, billing notices and selected workflow notifications. Marketing email preferences are managed separately from mandatory transactional messages.

12. Supported Platforms

12.1 Web application

The web application supports current major versions of Chrome, Edge, Firefox and Safari. Internet Explorer is not supported. For security and compatibility, users are encouraged to keep browsers updated.

12.2 Mobile

NexaFlow offers mobile applications for iOS and Android. Mobile apps support task viewing and editing, comments, notifications, file upload, basic project navigation and selected forms. Some advanced administration and dashboard configuration features require the web application.

12.3 Desktop

Desktop applications are available for Windows 10 or later and macOS 12 or later in this synthetic dataset. The desktop client is primarily a packaged experience of the core web application with native notifications and deep-link handling.

12.4 Offline behavior

NexaFlow is primarily a cloud service and is not designed for full offline operation. Mobile applications cache selected recently viewed content, but changes generally require connectivity to synchronize reliably.

13. Common Troubleshooting

13.1 Login problems

Users who cannot sign in should verify the email address, reset the password if necessary, confirm that they are using the correct workspace and check whether SSO is enforced. If SSO is enforced, password login may be disabled for that enterprise workspace.

13.2 Missing project

A project may appear missing because the user was removed, the project was changed to private, the project was archived, the workspace was changed, or an administrator modified permissions. Guests can only view projects that are explicitly shared with them.

13.3 Automation not running

Users should check whether the automation is enabled, whether the trigger actually occurred, whether all conditions were satisfied and whether the monthly automation quota has been exhausted. Execution logs provide error details on paid plans.

13.4 Integration disconnected

OAuth integrations can stop working when external permissions are revoked, a user account is disabled, a password/security policy changes or the external provider invalidates the token. Reconnecting the integration usually requires a user with permission in both systems.

13.5 Slow application

Recommended checks include the public status page, browser refresh, disabling problematic extensions, testing in a current supported browser and confirming that a corporate proxy is not blocking required domains or WebSocket connections.

14. Customer Segments and Use Cases

Segment	Typical use cases
Digital agencies	Client onboarding, campaign production, approval workflows, creative requests, recurring reporting.
Professional services	Engagement delivery, client requests, document collection, deadlines and internal approvals.
Technology teams	Operational planning, launch checklists, support escalations, cross-functional projects.
Operations teams	Process tracking, vendor onboarding, purchase requests, incident workflows and recurring procedures.
Education	Program administration, event planning, student service requests and internal project coordination.
Nonprofits	Campaign planning, volunteer coordination, grants, events and stakeholder communication.
Multi-location services	Standard operating checklists, location requests, issue tracking and compliance tasks.

14.1 Ideal customer profile

The strongest fit is an organization with at least 10 employees that currently coordinates important processes through spreadsheets, email and multiple disconnected task tools. NexaFlow is especially suitable where processes are repeatable but still need human judgment.

14.2 Poor fit

NexaFlow is not positioned as an ERP, accounting system, source-code repository, CAD platform, medical record system or real-time industrial control system. Customers may integrate NexaFlow with specialized systems rather than replace them.

15. Organization and Teams

NexaFlow operates as a fictional international SaaS company. The following structure exists to make organization-related retrieval tests possible.

Function	Responsibilities
Product	Roadmap, discovery, UX, requirements, prioritization and product analytics.
Engineering	Application development, infrastructure, reliability, security engineering and developer platform.
Sales	New business, account qualification, demonstrations, proposals and enterprise negotiations.
Customer Success	Onboarding, adoption, business reviews, renewals and expansion support.
Support	Technical and product support, issue triage and customer communication.
Marketing	Brand, content, demand generation, events, lifecycle communication and product marketing.
Finance & Operations	Billing operations, procurement, planning, vendor management and business operations.
People	Recruiting, employee operations, learning and workplace policies.
Legal & Security	Contracts, privacy, compliance, security governance and risk management.

15.1 Synthetic leadership roles

- **CEO:** Maya Collins - corporate strategy, executive leadership and board relationships.
- **CTO:** Daniel Varga - engineering, platform architecture and technical strategy.
- **CPO:** Leila Morgan - product management, design and product analytics.
- **CRO:** Thomas Reed - sales, partnerships and revenue operations.
- **COO:** Sofia Almeida - customer operations, finance operations and internal scaling.
- **VP Security:** Ethan Park - security engineering, governance, audits and incident readiness.

15.2 Offices

Location	Purpose
Dublin, Ireland	Global headquarters; leadership, product, engineering, finance and operations.
London, United Kingdom	Sales, customer success and partnerships.
Berlin, Germany	Engineering and DACH go-to-market.
New York, United States	North American sales and customer success.
Singapore	APAC sales, partnerships and enterprise support coordination.

16. Sales, Contracts and Procurement

16.1 Self-service purchase

Free, Starter and Professional can be purchased through the web application where supported. A workspace owner or billing administrator selects the plan, seat quantity and billing frequency and enters payment information.

16.2 Enterprise sales process

A typical Enterprise purchase includes discovery, product demonstration, security review, commercial proposal, legal review and implementation planning. Large customers may also request a vendor questionnaire, data-processing agreement, penetration-test summary and proof of insurance.

16.3 Contract terms

Enterprise agreements are normally annual. Multi-year agreements may receive negotiated commercial terms. Customers with a seat commitment remain financially responsible for the contracted minimum even if active usage falls below that minimum.

16.4 Purchase orders

Purchase-order references can be added to approved invoices. A purchase order does not override the signed service agreement. Enterprise invoices may be issued with net-30 payment terms unless the contract specifies otherwise.

16.5 Renewal

Self-service subscriptions renew automatically until canceled. Enterprise renewal terms are defined in the contract. Customer Success typically begins enterprise renewal planning 90 to 120 days before the contract end date.

17. Onboarding and Customer Success

17.1 Self-service onboarding

New self-service workspaces receive an onboarding checklist covering workspace setup, first project creation, user invitations, template selection, form creation and basic automation.

17.2 Enterprise onboarding

Enterprise onboarding normally includes a kickoff, solution design, identity configuration, migration planning, administrator training, pilot launch and phased rollout. A typical enterprise onboarding project lasts four to eight weeks, depending on complexity.

17.3 Migration

Migration assistance may include CSV transformation, project mapping, user mapping, custom-field design and bulk import. Complex migrations from legacy systems are scoped separately and may require professional services.

17.4 Success metrics

Customer Success reviews adoption using metrics such as monthly active users, active projects, task completion, workflow automation volume, time-to-first-project, invited-user activation and usage of strategic features.

18. Product Lifecycle and Roadmap Principles

NexaFlow publishes selected roadmap themes but does not guarantee future features or exact release dates unless a contract explicitly states otherwise. Product prioritization considers customer value, strategic fit, reliability, security, usage data and implementation effort.

18.1 Feature stages

- **Private preview:** Limited customers under direct product-team coordination; behavior may change substantially.
- **Beta:** Broader access, but functionality may still change and may not carry normal service-level commitments.
- **General availability:** Supported production feature intended for standard customer use.
- **Deprecated:** Feature remains temporarily available while customers migrate.
- **Retired:** Feature is removed and no longer available.

18.2 2026 roadmap themes

- AI-assisted workflow design with stronger administrator controls.
- Cross-workspace portfolio reporting for larger organizations.
- Improved automation observability and testing tools.
- Expanded regional administration and data-governance options.
- Faster mobile task capture and approval workflows.
- More granular API scopes and service-account governance.

19. Operational Policies

19.1 Acceptable use

Customers may not use NexaFlow to distribute malware, conduct unlawful activity, abuse infrastructure, intentionally overload the service or violate applicable intellectual-property rights. NexaFlow may restrict abusive accounts to protect customers and infrastructure.

19.2 Account suspension

Accounts may be suspended for unresolved payment failure, serious policy violations, verified security compromise or legal requirements. When practical, administrators are notified and given a remediation path before non-emergency suspension.

19.3 Maintenance

Routine maintenance is designed to occur without service interruption. Maintenance that is expected to affect service is announced in advance when feasible. Emergency maintenance may occur without normal advance notice.

19.4 Security incidents

NexaFlow investigates suspected security incidents using an internal incident-response process. Where required, affected customers and regulators are notified according to contractual and legal obligations. Security-sensitive details may be withheld from public incident reports to reduce further risk.

20. Glossary

Term	Meaning
Active member	A user with an active workspace member seat.
Automation action	A single executed action inside an automation rule; used for quota accounting.
Billing administrator	Role allowed to manage invoices, payment details and subscription settings.
Guest	Restricted external collaborator.
Owner	Highest workspace role with ownership and core administrative authority.
Project	Structured container for work, tasks, files and workflow configuration.
RPO	Recovery Point Objective; acceptable maximum age of recoverable data after an incident.
RTO	Recovery Time Objective; target time to restore service after a major disruption.
SCIM	System for Cross-domain Identity Management, used for automated user provisioning.
SAML SSO	Enterprise single sign-on using the SAML standard.
Workspace	Top-level NexaFlow environment containing users, projects, settings and billing.
Webhook	HTTP callback sent to an external system when a configured event occurs.

20.1 Important retrieval facts

For evaluation, the following facts are deliberately explicit: NexaFlow was founded in 2019; its headquarters are in Dublin; self-service currencies are EUR, USD and GBP; CZK is not supported; Professional costs EUR 24 monthly or EUR 20 on annual billing per user per month; the Enterprise minimum is 50 seats; the Free plan allows five members; the trial lasts 14 days; Professional includes 100 GB storage and 10,000 automation actions per month; password reset links expire after 60 minutes; deleted workspaces have a 30-day recovery window; the default Enterprise audit-log retention is 365 days; and the default Enterprise uptime target is 99.9 percent monthly.

End of synthetic NexaFlow company knowledge base.