Data Dictionary

Table	Attribute Name	Description	Type	Nullable	Key	FK Referenced Table
Employee	EmpID	Unique numbers which identify each Employee	int		PK	
	FName	First name of the employee	varchar(50)			
	LName	Last name of the employee	varchar(50)			
	Phone	Telephone number of the employee	varchar(15)			
	Salary	Employee salary rate	decimal(10,2)			
	HireDate	The date when the employee started working	date			
	BranchID	Unique numbers which identify each Branch	int		FK	Branch
Waiter	EmpID	Unique numbers which identify each Waiter	int		PK, FK	Employee
	maxTable	Maximum number of tables a waiter can serve	int			
	ServiceZone	Assigned area or zone for the waiter	varchar(50)			
Cashier	EmpID	Unique numbers which identify each Cashier	int		PK, FK	Employee
	cashierCounterNo	Unique identifier for a cashier counter	int		PK	

	DailyTarget	Daily sales target for the cashier	decimal(10,2)			
	cashDrawerID	Identifier for the physical cash drawer	varchar(20)			
Branch	BranchID	Unique numbers which identify each Branch	int		PK	
	BranchAddress	Full physical address of the branch	varchar(250)			
BranchTelephone	BranchID	Unique numbers which identify each Branch	int		PK, FK	Branch
	BranchTelephone	Telephone number of the branch	varchar(15)		PK, FK	
Waiter serve Table	TableID	Unique numbers which identify each Table	int		PK, FK	Table
	EmpID	Unique numbers which identify each Waiter/Employee	int		PK, FK	Waiter
Table	TableID	Unique numbers which identify each Table	int		PK	
	TableStatus	Current status of the table (e.g., Available, Occupied)	varchar(20)			
	TableCapacity	Maximum seats available at the table	int			
	BranchID	Unique numbers which identify each Branch	int		FK	Branch
Order	OrderID	Unique numbers which identify each Order	int		PK	
	OrderDate	Date and time when the order was placed	datetime			
	cashierCounterNo	The cashier counter number handling the order	int		FK	Cashier

	EmpID	Unique numbers which identify the employee	int		FK	Employee
	TableID	Unique numbers which identify the table	int		FK	Table
Payment	PaymentID	Unique numbers which identify each Payment	int		PK	
	PaymentMethod	Method used for payment (e.g., Cash, Credit Card)	varchar(30)			
	PaymentDate	Date and time when payment was processed	datetime			
	OrderID	Unique numbers which identify each Order	int		FK	Order
Menu Item	MenuID	Unique numbers which identify each Menu Item	int		PK	
	MenuName	Name of the food or beverage item	varchar(100)			
	Price	Price of the menu item	decimal(10,2)			
Order has MenuItem	OrderID	Unique numbers which identify each Order	int		PK, FK	Order
	MenuID	Unique numbers which identify each Menu Item	int		PK, FK	Menu Item
Ingredient	IngredientID	Unique numbers which identify each Ingredient	int		PK	
	Description	Details or information about the ingredient	varchar(500)	Y		
	IgdName	Name of the ingredient	varchar(100)			
MenuItem uses Igd	MenuID	Unique numbers which identify each Menu Item	int		PK, FK	Menu Item

	IngredientID	Unique numbers which identify each Ingredient	int		PK, FK	Ingredient