



Thaneeshga M 251801354-2025-AIDS ▾

T2**Started on** Thursday, 6 August 2026, 10:25 AM**State** Finished**Completed on** Thursday, 6 August 2026, 10:33 AM**Time taken** 7 mins 40 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void function (int n)
```

```
{
```

```
    int i= 1;
```

```
    int s =1;
```

```
    while(s <= n)
```

```
    {
```

```
        i++;
```

```
        s += i;
```

```
    }
```

```
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

For example:

Input	Result
9	12

Answer: (penalty regime: 0 %)

```

1  #include<stdio.h>
2  int main(){
3      int n;
4      int i=1;
5      int s=1;
6      int count=2;
7      scanf("%d",&n);
8      while(s<=n){
9          count++;
10         i++;
11         count++;
12         s+=i;
13         count++;
14     }
15     count++;
16     printf("%d",count);
17     return 0;
18 }
19
```

	Input	Expected	Got	
✓	9	12	12	✓
✓	4	9	9	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)

**Thaneeshga M 251801354-2025-AIDS** ▾**T2****Started on** Thursday, 6 August 2026, 10:39 AM**State** Finished**Completed on** Thursday, 6 August 2026, 10:45 AM**Time taken** 5 mins 53 secs**Marks** 1.00/1.00**Grade** **10.00** out of 10.00 (**100%**)

Question 1 | Correct | Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
        printf("*");
    }
    else
    {
        for(int i=1; i<=n; i++)
        {
            for(int j=1; j<=n; j++)
            {
                printf("*");
                printf("*");
                break;
            }
        }
    }
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer: (penalty regime: 0 %)

```
1  #include<stdio.h>
2  int main(){
3      int n;
4      int count=0;
5      scanf("%d",&n);
6      count++;
7      if(n==1){
8          count++;
9      }
10     else{
11         for(int i=1;i<=n;i++){
12             count++;
13             for(int j=1;j<=n;j++){
14                 count++;
15                 count++;
16                 count++;
17                 break;
18             }
19             count++;
20         }
21         count++;
22     }
23     printf("%d",count);
24     return 0;
25 }
```

	Input	Expected	Got	
✓	2	12	12	✓

	Input	Expected	Got	
✓	1000	5002	5002	✓
✓	143	717	717	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)

**Thaneeshga M 251801354-2025-AIDS** ▾**T2****Started on** Thursday, 6 August 2026, 10:52 AM**State** Finished**Completed on** Thursday, 6 August 2026, 10:57 AM**Time taken** 5 mins 31 secs**Marks** 1.00/1.00**Grade** **10.00** out of 10.00 (**100%**)

Question 1 | Correct | Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
Factor(num) {
{
    for (i = 1; i <= num; ++i)
    {
        if (num % i == 0)
        {
            printf("%d ", i);
        }
    }
}
```

Note: No need of counter increment for declarations and scanf() and counter variable printf() statement.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
1  #include<stdio.h>
2  int main(){
3      int n;
4      scanf("%d",&n);
5      int count=1;
6      for(int i=1;i<=n;++i){
7          count++;
8          if(n%i==0){
9              count++;
10         }
11         count++;
12     }
13     printf("%d",count);
14     return 0;
15 }
```

	Input	Expected	Got	
✓	12	31	31	✓
✓	25	54	54	✓
✓	4	12	12	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



Thaneeshga M 251801354-2025-AIDS ▾

T2**Started on** Thursday, 6 August 2026, 11:17 AM**State** Finished**Completed on** Thursday, 6 August 2026, 11:27 AM**Time taken** 9 mins 46 secs**Marks** 1.00/1.00**Grade** 10.00 out of 10.00 (100%)

Question 1 | Correct | Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time

complexity using counter method.

```
void function(int n)
{
    int c = 0;
    for(int i=n/2; i<n; i++)
        for(int j=1; j<n; j = 2 * j)
            for(int k=1; k<n; k = k * 2)
                c++;
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
1  #include<stdio.h>
2  int main(){
3      int n;
4      scanf("%d",&n);
5      int count=0;
6      int c=0;
7      count++;
8
9      for(int i=n/2;i<n;count++,i++)
10     {
11         count++;
12         for(int j=1;j<n;count++,j=2*j)
13         {
14             count++;
15             for(int k=1;k<n;count++,k=2*k){
16                 c++;
17                 count++;
18             }
19         }
20     }
21     count++;
22     printf("%d",count);
23     return 0;
24 }
25
26
27
28
29
```

	Input	Expected	Got	
✓	4	30	30	✓
✓	10	212	212	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)

**Thaneeshga M 251801354-2025-AIDS** ▾**T2****Started on** Thursday, 6 August 2026, 11:33 AM**State** Finished**Completed on** Thursday, 6 August 2026, 11:36 AM**Time taken** 2 mins 41 secs**Marks** 1.00/1.00**Grade** **10.00** out of 10.00 (**100%**)

Question 1 | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using counter method.

```
void reverse(int n)
{
    int rev = 0, remainder;
    while (n != 0)
    {
        remainder = n % 10;
        rev = rev * 10 + remainder;
        n/= 10;
    }
    print(rev);
}
```

Note: No need of counter increment for declarations and scanf() and count variable printf() statements.

Input:

A positive Integer n

Output:

Print the value of the counter variable

Answer:

```
1  #include<stdio.h>
2  int main()
3  {
4      int n;
5      scanf("%d",&n);
6      int count=2;
7
8      int rev=0,remainder;
9
10     while(n!=0)
11     {
12         count++;
13         remainder=n%10;
14         count++;
15         rev=rev*10+remainder;
16         count++;
17         n/=10;
18         count++;
19     }
20     count++;
21     printf("%d",count);
22 }
```

	Input	Expected	Got	
✓	12	11	11	✓
✓	1234	19	19	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)