Millikelvin Confocal Microscopy of Electrostatic Exciton Traps and Filter-Function Description of Noisy Quantum Dynamics
Der Fakultät für Mathematik, Informatik und Naturwissenschaften der RWTH Aachen University vorgelegte Dissertation zur Erlangung des akademischen Grades eines Doktors der Naturwissenschaften
von
Tobias Hangleiter, M.Sc.
aus

Filderstadt



JARA-Institute for Quantum Information

an initiative of

RWTH Aachen University

Quantum Technology Group Department of Physics Otto-Blumenthal-Straße 52070 Aachen





Forschungszentrum Jülich GmbH

JARA-Institute for Quantum Information Peter-Grünberg-Institute (PGI-11) Wilhelm-Johnen-Straße 52428 Jülich



Colophon

This document was typeset with the help of KOMA-Script and LATEX using the kaobook class. The source code of this thesis is available at: https://github.com/thangleiter/phd_thesis

Tobias Hangleiter

Millikelvin Confocal Microscopy of Electrostatic Exciton Traps and Filter-Function Description of Noisy Quantum Dynamics
September 10, 2025

Summary

Zusammenfassung

Acknowledgements

Tobias Hangleiter Aachen, September 2025

Preface

It's been a journey.

Tobias Hangleiter Aachen, September 2025

How to read this thesis

Contents

Su	mmary	iii
Zu	nsammenfassung	v
Ac	cknowledgements	vii
Pr	eface	ix
Ho	ow to read this thesis	хi
Co	ontents	xiii
Ι	A FLEXIBLE PYTHON TOOL FOR FOURIER-TRANSFORM NOISE SPECTROSCOPY	1
II	CHARACTERIZATION AND IMPROVEMENTS OF A MILLIKELVIN CONFOCAL MICROSCOPE	3
1	Introduction	5
3	Cryostat performance 2.1 Cooling power 2.2 Electron temperature Optical path 3.1 Light coupling	9 11 15 15 15 19 22
	3.1.4 Cross-polarization extinction	23 25
4	Vibration noise 4.1 Vibration isolation 4.1.1 Damping theory 4.1.2 Microscope isolation concept 4.2 Accelerometric vibration spectroscopy 4.3 Optical vibration spectroscopy 4.3.1 Noise floor 4.4 Routes for improvement	29 30 30 31 32 33 36 38
5	Conclusion and outlook	41

III		PTICAL MEASUREMENTS OF ELECTROSTATIC EXCITON TRAPS	
	IN	SEMICONDUCTOR MEMBRANES	45
6	The	mjolnir measurement framework	47
	6.1	Rationale	47
	6.2	Instrument abstraction	47
		6.2.1 Excitation path	49
		6.2.2 Detection path	49
	()	6.2.3 Sample	49 49
	6.3	Calibrations	
		6.3.1 CCD calibration	50 50
		6.3.3 Rejection feedback	51
	6.4	Measurement routines	52
	6.5	Plotting	53
	0.5	Tiotting	33
IV	A]	FILTER-FUNCTION FORMALISM FOR UNITAL QUANTUM OP-	
	ER	ATIONS	5 7
Aı	PPEI	NDIX	59
Α	Sup	plementary to Part II: Optical coupling and vibrations	51
	A.1	Optical coupling	51
		A.1.1 Collection efficiency	51
		A.1.2 Mode profile	52
		A.1.3 Fraunhofer diffraction	53
	A.2		54
		A.2.1 Knife-edge measurement	54
В		plementary to Part III: Additional measurements and TMM simula-	
	tion		55
	B.1	Self-consistent Poisson-Schrödinger simulation of the membrane band	
	D o	structure	55
	B.2	Additional data	55
		B.2.1 Combined plot of PL and PLE data	55
	Dэ	B.2.2 2DEG PL as function of power	56
	B.3	Dependence of TMM simulations on epoxy thickness	56
Gl	ossar	у	57
Fig	gure s	source files and parameters	59
De	clara	tion of Authorship	61

Publications

- [1] Yaiza Aragonés-Soria, René Otten, Tobias Hangleiter, Pascal Cerfontaine, and David Gross. "Minimising Statistical Errors in Calibration of Quantum-Gate Sets." June 7, 2022. DOI: 10.48550/arXiv.2206.03417. arXiv: 2206.03417 [quant-ph]. Prepublished.
- [2] Pascal Cerfontaine, Tobias Hangleiter, and Hendrik Bluhm. "Filter Functions for Quantum Processes under Correlated Noise." In: *Physical Review Letters* 127.17 (Oct. 18, 2021), p. 170403. DOI: 10.1103/PhysRevLett.127.170403.
- [3] Thomas Descamps, Feng Liu, Sebastian Kindel, René Otten, Tobias Hangleiter, Chao Zhao, Mihail Ion Lepsa, Julian Ritzmann, Arne Ludwig, Andreas D. Wieck, Beata E. Kardynał, and Hendrik Bluhm. "Semiconductor Membranes for Electrostatic Exciton Trapping in Optically Addressable Quantum Transport Devices." In: *Physical Review Applied* 19.4 (Apr. 28, 2023), p. 044095. DOI: 10.1103/PhysRevApplied.19.044095.
- [4] Thomas Descamps, Feng Liu, Tobias Hangleiter, Sebastian Kindel, Beata E. Kardynał, and Hendrik Bluhm. "Millikelvin Confocal Microscope with Free-Space Access and High-Frequency Electrical Control." In: *Review of Scientific Instruments* 95.8 (Aug. 9, 2024), p. 083706. DOI: 10.1063/5.0200889.
- [5] Denny Dütz, Sebastian Kock, Tobias Hangleiter, and Hendrik Bluhm. "Distributed Bragg Reflectors for Thermal Isolation of Semiconductor Spin Qubits." In preparation.
- [6] Sarah Fleitmann, Fabian Hader, Jan Vogelbruch, Simon Humpohl, Tobias Hangleiter, Stefanie Meyer, and Stefan van Waasen. "Noise Reduction Methods for Charge Stability Diagrams of Double Quantum Dots." In: *IEEE Transactions on Quantum Engineering* 3 (2022), pp. 1–19. DOI: 10.1109/TQE.2022.3165968.
- [7] Fabian Hader, Jan Vogelbruch, Simon Humpohl, Tobias Hangleiter, Chimezie Eguzo, Stefan Heinen, Stefanie Meyer, and Stefan van Waasen. "On Noise-Sensitive Automatic Tuning of Gate-Defined Sensor Dots." In: *IEEE Transactions on Quantum Engineering* 4 (2023), pp. 1–18. DOI: 10.1109/TQE.2023.3255743.
- [8] Tobias Hangleiter, Pascal Cerfontaine, and Hendrik Bluhm. "Filter-Function Formalism and Software Package to Compute Quantum Processes of Gate Sequences for Classical Non-Markovian Noise." In: *Physical Review Research* 3.4 (Oct. 18, 2021), p. 043047. DOI: 10.1103/PhysRevResearch.3.043047.
- [9] Tobias Hangleiter, Pascal Cerfontaine, and Hendrik Bluhm. "Erratum: Filter-function Formalism and Software Package to Compute Quantum Processes of Gate Sequences for Classical Non-Markovian Noise [Phys. Rev. Research 3, 043047 (2021)]." In: Physical Review Research 6.4 (Oct. 16, 2024), p. 049001. DOI: 10.1103/PhysRevResearch .6.049001.
- [10] Isabel Nha Minh Le, Julian D. Teske, Tobias Hangleiter, Pascal Cerfontaine, and Hendrik Bluhm. "Analytic Filter-Function Derivatives for Quantum Optimal Control." In: *Physical Review Applied* 17.2 (Feb. 2, 2022), p. 024006. DOI: 10.1103/Phys RevApplied.17.024006.
- [11] Paul Surrey, Julian D. Teske, Tobias Hangleiter, Pascal Cerfontaine, and Hendrik Bluhm. "Data-Driven Qubit Characterization and Optimal Control Using Deep Learning." In preparation.

- [12] Kui Wu, Sebastian Kindel, Thomas Descamps, Tobias Hangleiter, Jan Christoph Müller, Rebecca Rodrigo, Florian Merget, Beata E. Kardynal, Hendrik Bluhm, and Jeremy Witzens. "Modeling an Efficient Singlet-Triplet-Spin-Qubit-to-Photon Interface Assisted by a Photonic Crystal Cavity." In: *Physical Review Applied* 21.5 (May 24, 2024), p. 054052. DOI: 10.1103/PhysRevApplied.21.054052.
- [13] Kui Wu, Sebastian Kindel, Thomas Descamps, Tobias Hangleiter, Jan Christoph Müller, Rebecca Rodrigo, Florian Merget, Hendrik Bluhm, and Jeremy Witzens. "An Efficient Singlet-Triplet Spin Qubit to Fiber Interface Assisted by a Photonic Crystal Cavity." In: *The 25th European Conference on Integrated Optics*. Ed. by Jeremy Witzens, Joyce Poon, Lars Zimmermann, and Wolfgang Freude. Cham: Springer Nature Switzerland, 2024, pp. 365–372. DOI: 10.1007/978-3-031-63378-2_60.

Software

The following open-source software packages were developed (at least partially) during the work on this thesis.

- [1] Tobias Hangleiter, Isabel Nha Minh Le, and Julian D. Teske, *Filter_functions* version v1.1.3, May 14, 2024. Zenodo. DOI: 10.5281/ZENOD0.4575000,
- [2] Tobias Hangleiter, *Lindblad_mc_tools* version 0.2.1, Sept. 10, 2025. URL: https://git.rwth-aachen.de/qutech/lindblad_mc_tools.
- [3] Tobias Hangleiter, *Mjolnir* version 0.1, Sept. 10, 2025. URL: https://git.rwth-aachen.de/qutech/mjolnir.
- [4] Tobias Hangleiter, Simon Humpohl, Max Beer, Paul Surrey, and René Otten, *Python-Spectrometer* version 2025.9.1, Sept. 8, 2025. Zenodo. DOI: 10.5281/zenodo.17079 009.
- [5] Tobias Hangleiter, Simon Humpohl, Paul Surrey, and Han Na We, *Qutil* version 2025.8.1, Aug. 12, 2025. Zenodo. DOI: 10.5281/zenodo.16816394,

Part I

A FLEXIBLE PYTHON TOOL FOR FOURIER-TRANSFORM NOISE SPECTROSCOPY

Part II

CHARACTERIZATION AND IMPROVEMENTS OF A MILLIKELVIN CONFOCAL MICROSCOPE

Part III

OPTICAL MEASUREMENTS OF ELECTROSTATIC EXCITON TRAPS IN SEMICONDUCTOR MEMBRANES

Part IV

A FILTER-FUNCTION FORMALISM FOR UNITAL QUANTUM OPERATIONS



Glossary

Numbers

 ${\bf 2DEG}\;$ two-dimensional electron gas. xiv

p

PL photoluminescence xiv PLE photoluminescence excitation. xiv

T

TMM transfer-matrix method. xiv

Figure source files and parameters

2.1	Generated by img/py/setup/cooling_power.py	10
2.2	Generated by img/py/setup/cooling_power.py	11
2.3	Generated by img/py/setup/cooling_power.py	11
2.4	Generated by img/py/setup/transport.py	12
2.5	Generated by img/py/setup/transport.py	13
2.6	Generated by img/py/setup/transport.py	14
3.1	Generated by img/tikz/setup/optical_path.tex	15
3.2	Generated by img/py/setup/single_mode_fiber_coupling.py	18
3.3	Generated by img/tikz/setup/emission.tex	19
3.4	Generated by img/py/setup/extraction.py	20
3.5	Generated by img/py/setup/extraction.py	21
3.6	Generated by img/py/setup/imaging.py	22
3.7	Generated by img/py/setup/excitation_rejection.py	24
3.8	Generated by img/py/setup/g2.py	25
3.9	Generated by img/py/setup/g2.py	26
4.1	Generated by img/pdf/setup/springs.py	30
4.2	Generated by img/py/setup/vibration_spectroscopy.py	33
4.3	Generated by img/tikz/setup/knife_edge.tex	33
4.4	Generated by img/py/setup/vibration_spectroscopy.py	34
4.5	Generated by img/py/setup/vibration_spectroscopy.py	35
4.6	Generated by img/py/setup/vibration_spectroscopy.py	35
4.7	Generated by img/py/setup/vibration_spectroscopy.py	36
4.8	Generated by img/pdf/setup/vibration_spectroscopy.py	38
5.1	Generated by img/tikz/setup/optical_path_reduced.tex	41
5.2	Generated by img/py/setup/vibration_spectroscopy.py	43
6.1	Generated by img/tikz/experiment/mjolnir_instruments.tex	48
6.2	Generated by img/tikz/experiment/mjolnir_tree.tex	49
6.3	Generated by img/py/experiment/calibration.py	51
6.4	Generated by img/py/experiment/pl.py	54
A.1	Generated by img/py/setup/vibration_spectroscopy.py	54
B.1	Sample: Doped M1_05_49-2. $V_{\text{CM}} = -1.3 \text{V}. P = 1 \mu\text{W}.$	
	Generated by img/py/experiment/ple.py	55
B.2	Sample: Doped M1_05_49-2. $\lambda_{\text{exc}} = 795 \text{ nm}$.	
	Generated by img/py/experiment/pl.py	56
B.3	Generated by img/py/experiment/tmm.py	56

Declaration of Authorship

I, Tobias Hangleiter, declare that this thesis and the work presented in it are my own and has been generated by me as the result of my own original research.

I do solemnly swear that:

- 1. This work was done wholly or mainly while in candidature for the doctoral degree at this faculty and university;
- 2. Where any part of this thesis has previously been submitted for a degree or any other qualification at this university or any other institution, this has been clearly stated;
- 3. Where I have consulted the published work of others or myself, this is always clearly attributed;
- 4. Where I have quoted from the work of others or myself, the source is always given. This thesis is entirely my own work, with the exception of such quotations;
- 5. I have acknowledged all major sources of assistance;
- 6. Where the thesis is based on work done by myself jointly with others, I have made clear exactly what was done by others and what I have contributed myself;
- 7. Parts of this work have been published before as:
 - [1] Pascal Cerfontaine, Tobias Hangleiter, and Hendrik Bluhm. "Filter Functions for Quantum Processes under Correlated Noise." In: *Physical Review Letters* 127.17 (Oct. 18, 2021), p. 170403. DOI: 10.1103/PhysRevLett.127.170403.
 - [2] Thomas Descamps, Feng Liu, Tobias Hangleiter, Sebastian Kindel, Beata E. Kardynał, and Hendrik Bluhm. "Millikelvin Confocal Microscope with Free-Space Access and High-Frequency Electrical Control." In: *Review of Scientific Instruments* 95.8 (Aug. 9, 2024), p. 083706. DOI: 10.1063/5.0200889.
 - [3] Tobias Hangleiter, Pascal Cerfontaine, and Hendrik Bluhm. "Filter-Function Formalism and Software Package to Compute Quantum Processes of Gate Sequences for Classical Non-Markovian Noise." In: *Physical Review Research* 3.4 (Oct. 18, 2021), p. 043047. DOI: 10.1103/PhysRevResear ch.3.043047.

Aachen, September 10, 2025.