

Record: 000-4-RC-0323

Re-confirmation material list for EN-01156(1)

From: Nogawa Ryoaburo(FJK 能川 亮三郎)
Sent: Wednesday, October 23, 2024 8:52 AM
To: FOV PRE1 Duong Thi Mong Thu; FOV PLN Bui Thi Huong (PRN); Sato Tatsuya(FJK 佐藤 竜也)
Cc: FOV PRE1 Trinh Thi Thu; FOV PRE1 Ngo Thanh Hung; FOV PRE1 Nguyen Ba Phuoc; FOV PLN Vo Phuong Ha
Subject: RE: New PO use STR0013

Dear Thu-san

Thank you for kind explanation.
Please follow your table.

Best regards,
Nogawa.

From: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>
Sent: Tuesday, October 22, 2024 5:05 PM
To: Nogawa Ryoaburo(FJK 能川 亮三郎) <ryozaburo.nogawa@jp.fujikura.com>; FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>; Sato Tatsuya(FJK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Cc: FOV PRE1 Trinh Thi Thu <thutt@vn.fujikura.com>; FOV PRE1 Ngo Thanh Hung <hungnt@vn.fujikura.com>; FOV PRE1 Nguyen Ba Phuoc <phuocnb@vn.fujikura.com>; FOV PLN Vo Phuong Ha <havq@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Nogawa san.

I am sorry for my mistake in below table, please check again in this table to updating for PLA* material:

PO No.	Current spcification requirement				New product follow EN-01156(1)				Comment
FPO240052721-1	Will apply as same as product code LCN0279 following EN-01163(2) use STR0013								
FPO240052720-1 FPO240050187-1	Product code	Product name	Material code	Norm	Product code	Product name	Material code	Norm	
	LCN0002	HW-0028-005S015	CAN1325	2	New code 1	HW-0028-005S015	CAN1325	1	reduced norm
	LCN0002	HW-0028-005S015	PLA0046	1	New code 1	HW-0028-005S015	PLA0046	1	-
	LCN0002	HW-0028-005S015	PLA0125	1	New code 1	HW-0028-005S015	PLA0125	⚠	Delete
	LCN0002	HW-0028-005S015	STR0002	6.5	New code 1	HW-0028-005S015	STR0002	⚠	Delete
FPO240050985-3 FPO240050985-4 FPO240050985-5					New code 1	HW-0028-005S015	THR0005	1	Add
	Product code	Product name	Material code	Norm	Product code	Product name	Material code	Norm	
	LCN0281	HW-0028-069S002	CAN1325	2	New code 2	HW-0028-069S002	CAN1325	1	reduced norm
	LCN0281	HW-0028-069S002	PLA0046	1	New code 2	HW-0028-069S002	PLA0046	1	-
	LCN0281	HW-0028-069S002	PLA0125	1	New code 2	HW-0028-069S002	PLA0125	⚠	Delete
	LCN0281	HW-0028-069S002	STR0002	6.5	New code 2	HW-0028-069S002	STR0002	⚠	Delete
					New code 2	HW-0028-069S002	THR0005	1	Add

Thanks & Best Regards,
-----oOo-----
Thu DTM (Ms.)
PRE1 Engineering Section
Cell Phone: (+84) 902 55 88 90
Ext: 589 One-Contact: 168-2115

From: FOV PRE1 Duong Thi Mong Thu
Sent: Tuesday, October 22, 2024 2:00 PM
To: Nogawa Ryoaburo(FJK 能川 亮三郎) <ryozaburo.nogawa@jp.fujikura.com>; FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>; Sato Tatsuya(FJK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Cc: FOV PRE1 Trinh Thi Thu <thutt@vn.fujikura.com>; FOV PRE1 Ngo Thanh Hung <hungnt@vn.fujikura.com>; FOV PRE1 Nguyen Ba Phuoc <phuocnb@vn.fujikura.com>; FOV PLN Vo Phuong Ha <havq@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Nogawa san.

Good afternoon.

I would like to make clear the material list will be changed following EN-01156(1) as below table:

PO No.	Current spcification requirement				New product follow EN-01156(1)				Comment
FPO240052721-1	Will apply as same as product code LCN0279 (following EN-01163(2) use STR0013)								
FPO240052720-1 FPO240050187-1	Product code	Product name	Material code	Norm	Product code	Product name	Material code	Norm	
	LCN0002	HW-0028-005S015	CAN1325	2	New code 1	HW-0028-005S015	CAN1325	1	reduced norm
	LCN0002	HW-0028-005S015	PLA0046	1	New code 1	HW-0028-005S015	PLA0046	⚠	Delete
	LCN0002	HW-0028-005S015	PLA0125	1	New code 1	HW-0028-005S015	PLA0125	1	-
	LCN0002	HW-0028-005S015	STR0002	6.5	New code 1	HW-0028-005S015	STR0002	⚠	Delete
FPO240050985-3 FPO240050985-4 FPO240050985-5					New code 1	HW-0028-005S015	THR0005	1	Add
	Product code	Product name	Material code	Norm	Product code	Product name	Material code	Norm	
	LCN0281	HW-0028-069S002	CAN1325	2	New code 2	HW-0028-069S002	CAN1325	1	reduced norm
	LCN0281	HW-0028-069S002	PLA0046	1	New code 2	HW-0028-069S002	PLA0046	⚠	Delete
	LCN0281	HW-0028-069S002	PLA0125	1	New code 2	HW-0028-069S002	PLA0125	1	-
	LCN0281	HW-0028-069S002	STR0002	6.5	New code 2	HW-0028-069S002	STR0002	⚠	Delete
					New code 2	HW-0028-069S002	THR0005	1	Add

We need to create new product code 1, 2 for POs as above table.
So I propose to revise working direction so that new code will be complied with your requirement.
Or could you please consider to re-confirm for above table and using this email as evidence for the norm of material?

If there is any recommend, please inform me.

Thanks & Best Regards,
-----oOo-----
Thu DTM (Ms.)
PRE1 Engineering Section
Cell Phone: (+84) 902 55 88 90
Ext: 589 One-Contact: 168-2115

From: Nogawa Ryoaburo(FJK 能川 亮三郎) <ryozaburo.nogawa@jp.fujikura.com>
Sent: Monday, October 21, 2024 1:21 PM
To: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>; FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>; Sato Tatsuya(FJK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Cc: FOV PRE1 Trinh Thi Thu <thutt@vn.fujikura.com>; FOV PRE1 Ngo Thanh Hung <hungnt@vn.fujikura.com>; FOV PRE1 Nguyen Ba Phuoc <phuocnb@vn.fujikura.com>; FOV PLN Vo Phuong Ha <havq@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Thu-san

Is it necessary?
Both length of 6.5m and the number of bobbins is not changed from current.

Nogawa

From: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>
Sent: Monday, October 21, 2024 11:54 AM
To: Nogawa Ryoaburo(FJK 能川 亮三郎) <ryozaburo.nogawa@jp.fujikura.com>; FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>; Sato Tatsuya(FJK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Cc: FOV PRE1 Trinh Thi Thu <thutt@vn.fujikura.com>; FOV PRE1 Ngo Thanh Hung <hungnt@vn.fujikura.com>; FOV PRE1 Nguyen Ba Phuoc <phuocnb@vn.fujikura.com>; FOV PLN Vo Phuong Ha <havp@vn.fujikura.com>
Subject: RE: New PO use STR0013

Hi Nogawa san.

So, would you please help us to revise for EN-01156(2) to OBL3 officially?

Thanks & Best Regards,
-----oOo-----
Thu DTM (Ms.)
PRE1 Engineering Section
Cell Phone: (+84) 902 55 88 90
Ext: 589 OneContact: 168-2115

From: Nogawa Ryoaburo(FJK 能川 亮三郎) <ryozaburo.nogawa@jp.fujikura.com>
Sent: Monday, October 21, 2024 9:36 AM
To: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>; FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>; Sato Tatsuya(FJK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Cc: FOV PRE1 Trinh Thi Thu <thutt@vn.fujikura.com>; FOV PRE1 Ngo Thanh Hung <hungnt@vn.fujikura.com>; FOV PRE1 Nguyen Ba Phuoc <phuocnb@vn.fujikura.com>; FOV PLN Vo Phuong Ha <havp@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Thu-san

Thank you for confirmation.
I checked your note was correct.

Nogawa

From: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>
Sent: Monday, October 21, 2024 11:28 AM
To: Nogawa Ryoaburo(FJK 能川 亮三郎) <ryozaburo.nogawa@jp.fujikura.com>; FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>; Sato Tatsuya(FJK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Cc: FOV PRE1 Trinh Thi Thu <thutt@vn.fujikura.com>; FOV PRE1 Ngo Thanh Hung <hungnt@vn.fujikura.com>; FOV PRE1 Nguyen Ba Phuoc <phuocnb@vn.fujikura.com>; FOV PLN Vo Phuong Ha <havp@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Nogawa san.

Good morning.

Could you please check attached file and help us to update to make clear for the norm of material for these POs?
So that we will make product structure is corrected to your requirement.

Thanks & Best Regards,
-----oOo-----
Thu DTM (Ms.)
PRE1 Engineering Section
Cell Phone: (+84) 902 55 88 90
Ext: 589 OneContact: 168-2115

From: Nogawa Ryoaburo(FJK 能川 亮三郎) <ryozaburo.nogawa@jp.fujikura.com>
Sent: Thursday, October 17, 2024 10:53 AM
To: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>; FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>; Sato Tatsuya(FJK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Cc: FOV PRE1 Trinh Thi Thu <thutt@vn.fujikura.com>; FOV PRE1 Ngo Thanh Hung <hungnt@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Thu-san

The WD for temporary string change was issued.
Please chck EN-01156 on OBL

Nogawa.

From: Nogawa Ryoaburo(FJK 能川 亮三郎)
Sent: Tuesday, October 15, 2024 2:07 PM
To: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>; FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>; Sato Tatsuya(FJK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Cc: FOV PRE1 Trinh Thi Thu <thutt@vn.fujikura.com>; FOV PRE1 Ngo Thanh Hung <hungnt@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Thu-san

This change, use of Toray string, is temporary for now.
I'll issue the WD specifies POs to apply. Is it OK?

Nogawa

From: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>
Sent: Tuesday, October 15, 2024 1:23 PM
To: FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>; Sato Tatsuya(FJK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>; Nogawa Ryoaburo(FJK 能川 亮三郎) <ryozaburo.nogawa@jp.fujikura.com>
Cc: FOV PRE1 Trinh Thi Thu <thutt@vn.fujikura.com>; FOV PRE1 Ngo Thanh Hung <hungnt@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Nogawa san,
Cc: Sato san.

I am sorry to jump in this email.

Let I make clear below Huong san's opinion, that is we have 2 product codes with same Name and same Spec number as below:

Parent Item	ITEM_NAME	SPEC	Component Item
LCN0001	One-Click Cleaner SC (SC-CLK-B)	HW-0028-004\$011	THR0005
LCN0279	One-Click Cleaner SC (SC-CLK-B)	HW-0028-004\$011	STR0013

We are worry with the risk as below email.
So we would like to propose CNC will issue a new Spec number for LCN0279 to helpful for manufacturing.

Parent Item	ITEM_NAME	SPEC	Component Item
LCN0001	One-Click Cleaner SC (SC-CLK-B)	HW-0028-004\$011	THR0005
LCN0279	One-Click Cleaner SC (SC-CLK-B)	HW-0028-***\$***	Use STR0013

Could you please check and give us your recommend for our proposal?

Thanks & Best Regards,
-----oOo-----
Thu DTM (Ms.)
PRE1 Engineering Section
Cell Phone: (+84) 902 55 88 90
Ext: 589 One-Contact: 168-2115

From: FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>
Sent: Tuesday, October 15, 2024 11:21 AM
To: Sato Tatsuya(FIK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>; FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Sato san,

Thanks for your feedback. Our engineer will discuss with Nogawa san about this issue
Thank you very much for your support.

Dear Thu san,

Could you please help me continue discuss with Nogawa san?
Thank you very much.

Thanks & Best Regards!
Ms. Huong (PLN)
Fujikura Fiber Optics Viet Nam LTD.
Tel: +84 (0)274 3757848 Ext: 361 (1682303)

From: Sato Tatsuya(FIK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Sent: Tuesday, October 15, 2024 11:08 AM
To: FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>
Cc: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Huong-san,

2.Thanks for your action. Please use LCN0279 for product use STR0013 from next time.
If we use material STR0013, can CNC use different spec for product?
Example, CNC change spec from “HW-0028-004\$011” to “HW-0028-004\$012”
Is it fine for you?

→ Sorry,
Please confirm to CNC engineer / Nogawa-san,

Best regards,
Fujikura
T.Sato

From: FOV PLN Bui Thi Huong (PRN) <huongbuit@vn.fujikura.com>
Sent: Tuesday, October 15, 2024 1:05 PM
To: Sato Tatsuya(FIK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Cc: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Sato san,

Thank you very much for your quickly feedback.

1. I will check your revise PO in EDI.
2. Thanks for your action. Please use LCN0279 for product use STR0013 from next time.
If we use material STR0013, can CNC use different spec for product?
Example, CNC change spec from “HW-0028-004\$011” to “HW-0028-004\$012”
Is it fine for you?

Thanks & Best Regards!
Ms. Huong (PLN)
Fujikura Fiber Optics Viet Nam LTD.
Tel: +84 (0)274 3757848 Ext: 361 (1682303)

From: Sato Tatsuya(FIK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Sent: Tuesday, October 15, 2024 10:53 AM
To: FOV PLN Bui Thi Huong (PRN) <chuongbuit@vn.fujikura.com>
Cc: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>
Subject: RE: New PO use STR0013

Dear Huong-san,

OK.

1. -> I revised the U/P of FPO240052721-1.
Please confirm later.
2. -> OK.
If I will issue NEW PO for LCN0279 next time,
- I issue PO by "U/P of LCN0279".
- In the priority sheet, I describe the code by "LCN0279".

Best regards,
Fujikura
T.Sato

From: FOV PLN Bui Thi Huong (PRN) <chuongbuit@vn.fujikura.com>
Sent: Tuesday, October 15, 2024 12:39 PM
To: Sato Tatsuya(FIK 佐藤 竜也) <tatsuya.sato@jp.fujikura.com>
Cc: FOV PRE1 Duong Thi Mong Thu <thudtm@vn.fujikura.com>
Subject: New PO use STR0013

Dear Sato san,

I got your new PO use STR0013 at below.

1. We will use product LCN0179 for this PO, so we will apply price of quotation 2024-00602. Please help me check it and send us revise PO.

Sold-To	Bill To	Ship-To	Sales Order	Cust PO-Line	Customer WO	Item Number	Spec Number	Name of Item	Quantity	PO Req Date	Customer Remark	Price	Currency	Correct price	Quotati
CNCC	FJKB701	CNCCSTZQ	S2406259	FPO240052721-1	708785-9	LCN0279	HW-0028-004\$011	One-Click Cleaner SC (SC-CLK-B)	10,000	10/25/2024	Use STR0013	588,00	JPY	325	2024-

2. LCN0279 and LCN0001 are same name and same spec but they use different material so FOV create different product code.
Base on your remark "use STR0013", we will apply product code LCN0279. If there is no remark, we will apply code LCN0001.
I am worry that we can use wrong product code in case you forget remark or FOV don't recognize your remark....
Could you please help me check if we can use different name or different spec for PO use STR0013?
If you have any request or advice, please let us know.
We appreciate your help.

Parent Item	ITEM_NAME	SPEC	Component Item
LCN0001	One-Click Cleaner SC (SC-CLK-B)	HW-0028-004\$011	THR0005
LCN0279	One-Click Cleaner SC (SC-CLK-B)	HW-0028-004\$011	STR0013

Thanks & Best Regards!
Ms. Huong (PLN)
Fujikura Fiber Optics Viet Nam LTD.
Tel: +84 (0)274 3757848 Ext: 361 (1682303)