
TF.Data

Mì Al




Train model problems




Train model problems

```
Fri Nov 5 12:11:46 2021
NVIDIA-SMI 455.38 Driver Version: 455.38 CUDA Version: 11.1
GPU Name Persistence-M| Bus-Id Disp.A | Volatile Uncorr. ECC
Fan Temp Perf Pwr:Usage/Cap| Memory-Usage | GPU-Util Compute M.
                                                      MIG M.
  0 TITAN Xp Off
                                                         N/A
     50C P2 70W / 250W
                                                     Default
                                                         N/A
Processes:
            PID Type Process name
                                                   GPU Memory
 GPU GI
         CI
     ID ID
                                                   Usage
                                            11709MiB
  0 N/A N/A 48601 C python3
                                            - CSDN-@-- 刘文凯-+
```


Reason



Reason




Solutions



Solutions



Solutions



TF.data

The tf.data API enables you to build complex input pipelines from simple, reusable pieces.

For example, the pipeline for an image model might aggregate data from files in a distributed file system, apply random perturbations to each image, and merge randomly selected images into a batch for training.

The pipeline for a text model might involve extracting symbols from raw text data, converting them to embedding identifiers with a lookup table, and batching together sequences of different lengths.

The tf.data API makes it possible to handle large amounts of data, read from different data formats, and perform complex transformations.

TF.data

- tf.data.Dataset.from_tensor_slices
- tf.data.Dataset.zip
- tf.data.TFRecordDataset
- tf.data.TextLineDataset

Handons

- Colab
- Laptop