

ZYVORAI LABS · CUSTOMER DOCUMENTATION

# Machina

Getting Started

2026-08-24

## What you need

| Requirement                 | Notes                                                      |
|-----------------------------|------------------------------------------------------------|
| Linux host with KVM/libvirt | Machina daemon builds/runs on Linux                        |
| URL                         | <code>https://&lt;host&gt;:5092</code> (TLS on by default) |
| Login                       | PAM (host Linux account) or LDAP/OIDC when configured      |
| Browser                     | Modern Chromium, Firefox, or Safari                        |

## 1. Open the dashboard

---

Open `https://<host>:5092` . Accept the self-signed certificate in labs, or install your org cert in production.

Health check:

```
curl -sk https://localhost:5092/api/v1/health
```

## 2. Sign in

| Mode | What you do                                           |
|------|-------------------------------------------------------|
| PAM  | Use your Linux username/password on the host          |
| LDAP | Directory credentials when LDAP is enabled            |
| OIDC | SSO via <code>/auth/oidc/login</code> when configured |

RBAC roles: Admin / Operator / ReadOnly via `roles.json`, OIDC groups, or API tokens. Empty `roles.json` means everyone is Admin — fix that before production.

### 3. Orient yourself

---

1. **Core** — Dashboard, VMs, Create, Import, Fleet on this host.
2. **Platform** — Mission Control for multi-host fleet ( `/platform` ).
3. **Infrastructure / Fleet Cloud / Monitoring** — storage, networks, Fleet Cloud instances, host metrics.
4. Spotlight / Finder for quick jump.

## 4. First workflows

---

### A. List and open a VM console

`/vms` → select a VM → Console (VNC/SPICE/SSH/serial/RDP as available).

### B. Create a VM

`/create` or Platform → VM Builder / Advanced Create.

### C. Check host health

`/node` or Platform → Hosts.

### D. Fleet Cloud

`/openstack` pages (branded **Fleet Cloud** in the nav) work out of the box — instances, images, volumes, security groups, networking, and keypairs are all native, no external cloud required. Only Load Balancers needs a wired external OpenStack cloud: Settings → Connect Fleet Cloud ( `/settings?openstack=1` ).

## Next steps

---

- [Using the Dashboard](#)
  - [Admin basics](#)
  - [Page guides](#)
- 

Machina's UI has a **classic host shell** (Core / Infrastructure / Fleet Cloud / Monitoring) and a **Platform** Mission Control experience for fleets.

# Surfaces

| Element             | Purpose                                         |
|---------------------|-------------------------------------------------|
| Core nav            | This-host VMs, create/import, fleet list        |
| Platform            | Multi-host Mission Control, Zeus, backups, SOC  |
| Top-bar quick links | Settings, Host SSH, API Docs                    |
| Consoles            | VNC, SPICE, SSH PTY, serial, RDP from VM detail |

## Browse vs act

---

Inventory pages are safe to explore. Create/delete VM, firewall, and Fleet Cloud mutations require Operator/Admin roles.

## Related

---

- [Getting Started](#)
  - [Page-by-page guides](#)
-

## Create and console into a VM

---

1. [Create VM](#) or [VM Builder](#)
2. [Virtual Machines](#) → open detail → console

## Fleet day-2

---

1. [Mission Control](#)
2. [Hosts / Machine Finder](#)
3. [Backup & Restore](#) as needed

# Fleet Cloud

---

1. [Fleet Cloud Overview](#)
2. Instances / Networks / Volumes as required — backed by Machina's own native APIs, no external cloud wiring needed
3. Load Balancers is the one page still backed by an external OpenStack connection; wire credentials in Settings first

# Related

---

- [Getting Started](#)