BT 1:

```
abstract class ~~brake ()~~ Xe may () {
    abstract void brake ();
    ~~public void~~
}

public class Xe may TT ~~&~~ extends Xe may () {
    public void brake () {
        System.out.println (" brake");
    }
}

public class Xe DapLai extends Xe May {
    @ Override
    public void brake () {
        System.out.println ("phanh"); }
class Main {
    public static void main (String[] args) {
        Xemay m1 = new xemay TT ;
        m1.Xemay TT ;
    }
}
```

BT2:

```
abstract class Shape (){
    abstract void draw ();
    public string get color () {
        return "red";
}
}

    public class HCN extends Shape () {
    @ Override
        void draw () {
            System.out.println("HCN" + get color);
        }
}

public class HT extends Shape (){
    @ Override
        void draw () {
            System.out.println("HT" + get color);
        }
}

public class TG extends Shape (){
    @ Override
        void draw () {
```

```
        System.out.println("TG" + get color);
    }

}

public class Main {
    public ~~class~~ static void main (String[] args) {
        Shape S1 = new HCN
        Shape S2 = new HT
        Shape S3 = new TG
        S1.draw();
        S2.draw();
        S3.draw();
    }

}
```

BB:

```
abstract class HH {
    ~~abstract void~~
    float PI = "3,14";
    String ten;
    float CV;
    float DT;
    float TT;
abstract void HH();
```

```
public void XuatTen () {
        System.out.println ("Hình" + ten); }
~~public void inCV () {~~
~~        System.out.println ("Chu vi" + CV); }~~
~~public void inDT () {~~

abstract void inCV ();
abstract void inDT ();
abstract void TT ();
}

public class HTT extends HH {
    float banKinh;
    void HTT() {};
    void nhapBanKinh () {
        Scanner sc = new Scanner (~~this~~ System.in);
        System.out.println ("Nhap R:");
        banKinh sc.next float ();
    }

    ~~void~~
    public void TinhCV {
        CV = 2* PI* banKinh;
    }
```

Thứ ngày tháng năm

```
abstract class PTDC {
    protected String loaiPT;
    protected ~~Hang SX Hang SX~~; Hang sanxuat HangSX;
public PTDC (String loaiPT, ~~HSX~~ Hang sanxuat HSX) {
    this.loaiPT = loaiPT;
    this.~~HSX~~ Hang SX = ~~HSX~~ Hang SX;

}
public String layTenHangSX() {
    return this.HangSX.getTenHangSX();
}
public void batdau () {
    System.out.println (loaiPT + " : bắt đầu ...");
}
~~tab~~
public void tangtoc () {
    System.out.println (loaiPT + " : tăng tốc ...");
}

public void dunglai () {
    System.out.println ( loaiPT + " dừng lại ...");
public abstract double layVT ();
}
```

```
public void nhap cn (){
    Scanner s3 = new Scanner (System.in)
    System.out.println(" Nhap cn ");
        cn = s3.next float ;
}

public void tinh CV (){
    CV = (2cd + cn) * 2 ;
}

public void tinh DT (){
    DT = cd * cn ;
}

}

class HV extends HCN (){ ~~float~~
    float -1 C ;
public void HV (){}
public nhap C (){
    ~~System.out~~
    Scanner S4 = ~~next~~ new Scanner (System.in);
    System.out.println(" nhap C ");
        C = S4.next float ;
}
}
```

```
public class Main {
    public static void main(String[] args) {
        HT ht = new HT();
        ht.ten = "Hoàng Ngọc";
        ht.xuat_ten();
        ht.nhap_R();
        ht.nhap_cv;
        ht.in_cv;
    }
}
```

B4:

```
abstract class Person {
    String name;
    String address;
    abstract void Person();
    Void Person(String name, String address) {
        this.name = name;
        this.address = address;
    }

    void setName(String name) {
        this.name = name;
    }
```

```
    void get name (){
        return this.name;
    }

    void set Address (String address){
        this.address = address ; }
    void get Address () {
        return this.address ; }
    abstract void display();
}

class Employee extends Person {
    int salary ;
    void Employee (String name , String address , int balance)
{

    this.name = name ;
    this.address = address
    this.balance = balance ;
}

    @ Override
    void display (){
        System.out.println (" ! ");
}
}
```

HÒA BÌNH

```
class Main {
    public static void main (String[] args) {
    Employee emp = new Employee ("NVA", "HaNoi",
10000);
    Customer cus = new Customer ("NVB", "DaNang",
5000);
    System.out.println ("NV");
    emp.display ();
    System.out.println ("KH");
    cus.display ();
    }
}
```

HÒA BÌNH

B5:

~~abs~~

```
abstract class PTDC {
    String loai phương tiện
    void bat dau () {};
    void tang toc () {};
    void dung lai () {};
    abstract double lay VT ();
}

class MayBay extends PTDC {
    String loai nhien lieu;
    public void cat canh () {};
    void ha canh () {};
    @Override
    double lay VT () {
        return lay VT; }
}

class XeOto extends PTDC {
    String loai nhien lieu
    @Override
    double lay VT () {
        return lay VT; }
}
```

```
class XeDap extends PTDC {
    @ Override
    double lay VT ();
    return lay VT;
  }
}

public class Main {
    public static void main (String [] args) {
        PTDC mayBay = new ~~mayBay~~ MayBay;
        PTDC ~~xe~~ xeoto = new Xeoto
        PTDC XeDap = new XeDap
        mayBay.batdau ();
        System.out.println("...");
        oto.tayLai("...");
        Xedap.bayLai("...");
    }
}
```