SOFTWARE REQUIREMENT SPECIFICATION

for

Arena3

Version 1.7

11 October 2026

As-built from the current repository

This specification describes version 1.7 of Arena3, the operating system of one sports centre. It follows the outline of a full software requirements specification: purpose and scope, overall description, system features, data, external interfaces, and quality attributes. Where an older note and the running code disagree, the code is what this document says.

Revision history

Version	Date	Reason
1.0	20 September 2026	First as-built specification.
1.1	4 October 2026	Staff accounts, reschedule, payOS, class lifecycle, training, report export.
1.2	5 October 2026	Screen flows, use cases, and the later desk and manager functions.
1.3	5 October 2026	Use case specifications for UC-01 to UC-37.
1.4	5 October 2026	Full SRS outline: scope, environment, constraints, business-rule catalogue, data dictionary, external interfaces, and quality attributes.
1.5	5 October 2026	State diagrams for the account, the session, and the plan. A use-case diagram with include and extend. Swimlanes for register, sign-in, online payment, and cancel.
1.6	5 October 2026	Context diagram and sequence diagrams for register, sign-in, online payment, and cancel. A class runs on whole court hours.
1.7	11 October 2026	Updated as-built: 8-actor model (Guest, Member, Receptionist, Coach, Manager, AI Assistant, Mail System, Scheduler), DFD Level 0 Context Diagram with 100% noun data flows, Swimlane Register with Mail OTP across 5 lanes, VietQR dynamic payment, coach classes screen, gate check-in with member code.

Contents

Revision history 1
Contents 1
1. Introduction 5
1.1 Purpose 5
1.2 Document conventions 5
1.3 Project scope and product features 5
1.3.1 Features included 5

1.3.2 Features excluded 5
1.3.3 Planned features 6
1.3.4 Long-term improvements 6
1.4 References 6
2. Overall description 6
2.1 Product perspective 6
2.1.1 Context diagram 6
2.1.2 Use case diagram 7
2.1.3 Activity diagrams 8
2.1.4 Sequence diagrams 12
2.1.5 State diagrams 15
2.2 User classes and characteristics 19
2.3 Operating environment 20
2.3.1 Client environment 20
2.3.2 Server environment 20
2.3.3 Database environment 20
2.3.4 External service environment 20
2.4 Design and implementation constraints 20
2.4.1 Technology constraints 20
2.4.2 Architecture constraints 20
2.4.3 Security constraints 21
2.4.4 Database constraints 21
2.4.5 Development constraints 21
2.4.6 Deployment constraints 21
2.4.7 Integration constraints 21
2.4.8 Completion constraints 21
2.5 Assumptions and dependencies 21
2.5.1 Assumptions 21
2.5.2 Dependencies 21
3. System features 22
3.1 Business rules 22
3.2 Use cases 23
UC-01 Register 25
UC-02 Confirm with OTP 26
UC-03 Sign in 26
UC-04 Reset password 27
UC-05 Edit own profile 27
UC-06 Book a court 28
UC-07 Reschedule a booking 29
UC-08 Cancel a booking 29
UC-09 Buy or renew a plan 30

UC-10 Join or leave a class 30
UC-11 Answer a waitlist offer 31
UC-12 Pay online 31
UC-13 View a receipt 32
UC-14 Ask the assistant 32
UC-15 Send a support request 33
UC-16 Walk-in court rental 33
UC-17 Open and close a shift 34
UC-18 Reconcile a transfer 34
UC-19 Refund a payment 35
UC-20 Rent and return gear 35
UC-21 Sell and use a day pass 35
UC-22 Fixed weekly booking 36
UC-23 Gate check-in 36
UC-24 Mark attendance 37
UC-25 Record training 37
UC-26 Manage classes 38
UC-27 Manage plans and prices 38
UC-28 Manage staff 39
UC-29 Read reports and export 39
UC-30 Read the audit log 40
UC-31 Configure the centre 40
UC-32 Promotions 41
UC-33 Points 41
UC-34 Coach commission 42
UC-35 Maintenance 42
UC-36 Export invoice data 42
UC-37 Expire and sweep 43
3.3 Functions with no screen 43
4. Data requirements 44
4.1 Logical data model 44
4.2 Data dictionary 46
4.2.1 Login 46
4.2.2 Register 46
4.2.3 Book a court 46
4.2.4 Walk-in 47
4.2.5 Day pass 47
4.2.6 Fixed weekly booking 47
4.2.7 Attendance 47
4.2.8 Redeem points 47
4.3 Reports 47

4.4 Data integrity, retention, and disposal 48
4.4.1 Schedule integrity 48
4.4.2 Money integrity 48
4.4.3 Document numbers 48
4.4.4 Audit retention 48
4.4.5 Short-lived data 48
4.4.6 Personal data 48
4.4.7 Backup 48
5. External interface requirements 48
5.1 User interfaces 48
5.1.1 Web application 48
5.1.2 Consistent interface 48
5.1.3 Responsive layout 48
5.1.4 Guidance 49
5.1.5 Feedback 49
5.1.6 Destructive actions 49
5.1.7 Screens 49
5.2 Software interfaces 51
5.2.1 payOS 51
5.2.2 Assistant model 51
5.3 Hardware interfaces 52
5.4 Communications interfaces 52
5.4.1 Browser and server 52
5.4.2 payOS 52
5.4.3 Messages to people 52
6. Quality attributes 52
6.1 Usability 52
6.2 Performance 52
6.3 Security 52
6.4 Safety 53
6.5 Availability 53
6.6 Robustness 53
Appendix 53
A. Messages a person meets 53
B. Catalogue of use cases 54

1. Introduction

1.1 Purpose

Arena3 lets one centre sell casual court hire, coached classes, memberships, and whatever the front desk takes money for, on one schedule and one ledger. A court is busy only through an occupancy. Money is a payment row, and the service it pays for is confirmed in the same transaction.

This document is for the people who analyse, build, test, and accept the product: the centre's manager, the desk, coaches, and the developers. Unless a section says otherwise, a requirement here is in the version that the repository implements today.

1.2 Document conventions

- UC-nn is a use case. BR-nn is a business rule the server can return with a refusal. A fact that has no rule code is labelled Fact.
- Money is an integer number of dong. Dates and times for the centre are Indochina Time (Asia/Ho_Chi_Minh).
- A requirement names the behaviour the code implements. Section 1.3.2 lists what this version does not do, so those items are not read as requirements.

1.3 Project scope and product features

The centre sells four things that share the courts. On paper those four collide: a court sold twice, a class taught on a booked court, a payment with nothing to show for it. Arena3 keeps one schedule and one ledger so they cannot.

1.3.1 Features included

- Registration with a one-time code, sign-in, password reset, and one role per person: member, receptionist, coach, or manager.
- Court booking by hold then payment, walk-in rental, reschedule, and cancellation with the centre's refund tiers.
- Membership plans, renewal, deposits, and paying a court with remaining plan hours.
- Classes, enrolment, waitlist, attendance, and coach training records when feature flag F4 is on. A class runs for 60, 120, or 180 minutes, on the hour, so it fills whole court slots.
- Front desk: till shift, cash, card, and bank-transfer reconciliation, gate check-in, gear loans, day passes, and fixed weekly bookings.
- payOS for one online VietQR link per sale. The receipt number is PAY-YYYYMMDD-nnnn.
- Refunds, with a manager approval above a threshold. Reports and an invoice XML export. Promotions, loyalty points, and coach commission.
- A member assistant that answers from centre data and can open a support request. It cannot take money or change a booking.

1.3.2 Features excluded

- Outbound SMS. The one-time code is not delivered to a handset. Email delivery is a stub. In-app notification is the channel that reaches the member.
- Filing a legal e-invoice. Arena3 exports XML for the centre's own software and does not submit it to the tax authority.
- A price-difference charge when a booking is moved. A different price is refused.
- Gear-loan fees and class fees as revenue. They do not create a payment row.

- A card acquirer, a bank feed, more than one centre, and a change of timezone or currency.
- A stored day-close archive, a queue of stuck payOS orders, a VietQR that pays a refund out, and an automatic switch that hides payOS after an outage.

1.3.3 Planned features

No later release is committed by this document. The items in 1.3.2 were considered and are not built. They are not a roadmap.

1.3.4 Long-term improvements

A real SMS or email transport for the one-time code, and a submission step for the legal e-invoice, are the two gaps a later version would have to close before the centre could drop the workarounds it uses today.

1.4 References

- The Arena3 repository, branch working, as the behaviour this document describes.
- docs/SRS.md version 1.1, the earlier as-built note. This document supersedes it where they differ.
- payOS, the only online payment channel.

2. Overall description

2.1 Product perspective

Arena3 is a web application. Members, the desk, coaches, and the manager use the same site. The server checks the role on every request. The browser does not talk to the database.

2.1.1 Context diagram

Figure 1 puts Arena3 in its operational setting (DFD Level 0 Context Diagram). The system interacts with seven external entities and actors: Guest, Member, Receptionist, Coach, Manager, payOS Payment Gateway, and Mail Delivery Service. All data flows are strictly noun-based phrases compliant with FPT University SE curriculum standards (e.g., Account Registration Data, Schedule Inquiries, Trainee Performance Evaluations, Booking Invoices, and Webhook Payloads). The background scheduler executes automated routines (expiring holds, marking no-shows, generating classes). payOS provides live VietQR dynamic payment links and confirms payments via signed webhooks.




Figure 1. System context.

2.1.2 Use case diagram

Figure 2 illustrates the system boundary, the 9 actors outside it, and the functional use cases organized across six core business packages compliant with UML 2.0. Solid lines connect primary initiating actors. Dashed lines indicate <<include>> and <<extend>> dependencies. Guest browses public schedules and registers an account. Member books courts, joins classes, purchases plans, views training progress, and queries the AI Assistant. Receptionist manages till shifts, processes cash and VietQR POS sales, checks members in via QR pass or member code, and handles gear rentals. Coach manages assigned classes, attendance registers, training evaluations, and student drills. Manager oversees center settings, pricing matrices, promo vouchers, staff permissions, class lifecycles, and financial/capacity analytics. AI Assistant provides smart conversational guidance. Mail Delivery Service dispatches verification codes and electronic invoices. Background Scheduler executes maintenance sweeps.




Figure 2. Arena3 use cases.

2.1.3 Activity diagrams

The four flows below are activity diagrams, drawn as swimlanes. A red box is a refusal. A green box is the end that succeeded.

Figure 3 is the registration workflow depicted as a five-lane activity diagram: Guest, Web UI Frontend, Arena3 Backend API, Mail Service, and PostgreSQL Database. When the Guest submits registration info, the frontend validates inputs and calls the API. Arena3 generates a 6-digit OTP, hashes it, stores the temporary challenge with a 5-minute TTL in the database, and dispatches the OTP via the Mail Service. The Guest enters the OTP received via email; once verified against the database, the active member account is created with a unique member code, the challenge is consumed, and the user session is issued.




Figure 3. Register, then confirm the code.

Figure 4 is sign-in. A missing account and a wrong password use the same refusal. An account whose status is not active is refused as not active. Five wrong passwords start a 15-minute timer and leave the status active. A member session lasts 7 days. Every other role lasts 12 hours. Sign-in opens that role's home. An account that must change its password still opens the home. Account opens on Security while that flag is set, and a valid change clears the flag and opens the home again.




Figure 4. Sign in.

Figure 5 is an online court booking. The slot is held for five minutes. payOS shows one VietQR. Arena3 confirms the booking only after it has polled payOS, or a webhook whose signature checks arrives, and the amount paid covers the amount due, and the hold is still alive. The browser's return page posts nothing. If no price matches, nothing is held.




Figure 5. Book a court and pay online.

Figure 6 is a cancellation. A hold is released with no refund. A confirmed booking is refunded on the centre's tiers: 100 percent at 24 hours or more, 50 percent from 4 hours, and nothing under 4 hours, including after the start. A staff waive is 100 percent. Plan hours come back only when the refund is at least 50 percent. A refund of at least 1,000,000đ waits for the manager. The same payment cannot be refunded twice. In use, completed, and no-show are not cancelled on this path. cancel_court_hours (default 2 hours) gates a reschedule, not a cancellation.




Figure 6. Cancel a booking.

2.1.4 Sequence diagrams

Figures 7 to 10 are the same four paths as messages in time. A solid arrow is a request. A dashed arrow is the reply. A line marked alt is one outcome, not a step that always runs.

Figure 7 is registration. The form does not create the account. A five-minute code is stored first, and the member is created only when the code matches. A sixth wrong try locks that code for 15 minutes.




Figure 7. Register, as a sequence.

Figure 8 is sign-in. A missing account and a wrong password share one refusal. Five failures start a 15-minute timer and leave the account active. The session is 7 days for a member and 12 hours for every other role.




Figure 8. Sign in, as a sequence.

Figure 9 is an online booking. The return page is not a message that posts money. Arena3 confirms the booking only from a poll or a signed webhook, while the hold is still alive and the amount covers what is due.




Figure 9. Book a court and pay online, as a sequence.

Figure 10 is a cancellation. A hold ends with no refund. A confirmed booking uses the hour tiers, a staff waive is the full amount, and a refund of at least 1,000,000đ waits for the manager. Plan hours come back only at 50 percent or more.




Figure 10. Cancel a booking, as a sequence.

2.1.5 State diagrams

A court booking moves through the states in Figure 11. A hold is not yet a sale. Paying confirms it. Check-in marks it in use, and the end of the slot completes it. A hold that expires, or a hold that is cancelled, releases the court. A confirmed booking that is cancelled also releases it. A confirmed booking that nobody checks in becomes a no-show after the grace period. A no-show is not a cancellation, so the refund tiers do not apply. No-show is never reached from in use.




Figure 11. Court booking states.

Figure 12 is the other state a reader meets. A manager sets a staff account to active or locked. Locking revokes that person's open sessions, and a manager cannot lock their own account. Five wrong passwords do not change this status. They start a 15-minute timer, and the account stays active. The value disabled exists on the account, and no screen sets it.

A session starts as a guest. Sign-in stores a token on the device. Closing the browser does not end it. Logout deletes it. It also ends when it expires: 7 days for a member, and 12 hours for every other role.

A membership plan is pending until its payment is posted, then active. The desk or the manager can freeze an active plan for 1 to 90 days, inside the yearly cap, and the end date moves by those days. Unfreeze returns it to active. A job moves an active plan to expired when the end date is before today.




Figure 12. Account, session, and membership-plan states.

The five maps that follow are the screens each role walks through. A box is a screen or a panel. Screens added after those maps were drawn are in Figure 18.

Public and authentication




Figure 13. Public pages and sign-in.

Member




Figure 14. Member screens.

Receptionist




Figure 15. Front desk screens.

Coach




Figure 16. Coach screens.

Manager




Figure 17. Manager screens.




Figure 18. Day pass, points, fixed series, maintenance, invoices, commission, promotions, and coach earnings.

2.2 User classes and characteristics

The system defines nine actors: five primary human user classes (Guest, Member, Receptionist, Coach, Manager) and four automated/external services (AI Assistant, Mail Delivery Service, Background Scheduler, and payOS Payment Gateway).

#	Actor	Description
1	Guest (Unregistered Visitor)	Unregistered visitor. Browses public court schedules, tariff catalog, coach rosters, and initiates account registration with Email OTP verification.
2	Member (Registered Customer)	Registered active customer. Books courts, enrolls in training classes, purchases membership plans, checks in at gate via dynamic QR pass or member code, interacts with AI Assistant, and tracks personal training progress.
3	Receptionist (Front Desk / POS)	Front-desk personnel. Opens/closes cash till shifts, accepts cash and VietQR POS payments, scans QR passes or inputs member codes for gate check-in, rents equipment, and processes walk-ins.
4	Coach (Sports Instructor)	Conducts sports training classes. Views assigned teaching schedules, manages session attendance registers, records trainee skill assessments, drills, and homework.
5	Center Manager (Operations / Admin)	Executive administrator. Manages pricing matrices, promo vouchers, staff permissions, class lifecycles, center settings, and views/exports financial and court utilization analytics (Excel/PDF).
6	AI Assistant (Smart Concierge)	In-app intelligent virtual assistant. Provides conversational guidance regarding court availability, membership plans, schedules, and complex center rules.
7	Mail Delivery Service (Email Engine)	External communication infrastructure. Dispatches transactional email OTP verification codes for registration and password resets, as well as e-invoices and booking alerts.
8	Background Scheduler (Cron Engine)	Automated background job engine. Periodically releases expired court holds, marks booking no-shows, materializes class sessions, and executes database maintenance routines.
9	payOS Payment Gateway (VietQR)	External banking payment gateway. Generates standard Napas247 VietQR payment links, verifies digital transaction signatures, and broadcasts signed webhook confirmations.

Yes in the matrix means the role can open that function. Own means only that person's records. A dash means the server refuses the request. The manager can also open the desk and the coach screens.

Screen or function	Manager	Coach	Receptionist	Member	Guest
Landing, login, register, forgot password	Yes	Yes	Yes	Yes	Yes
Member home, book, classes, plans	—	—	—	Yes	—
Progress, day pass, points, assistant	—	—	—	Yes	—
Own receipts and support	Yes	Yes	Yes	Own	—
Desk home, court map, walk-in	Yes	—	Yes	—	—
Gate, gear, day pass sale, fixed series	Yes	—	Yes	—	—
Take cash, card, transfer, show QR	Yes	—	Yes	—	—
Pay a held court online	Yes	—	Yes	Own hold	—
Reconcile or reject a transfer	Yes	—	Yes	—	—
Raise a refund	Yes	—	Yes	—	—
Approve a refund at or above the threshold	Yes	—	—	—	—
Approve a refund below the threshold	Yes	—	Yes	—	—

Screen or function	Manager	Coach	Receptionist	Member	Guest
Coach schedule, register, student, earnings	Yes	Own	—	—	—
Correct a locked register	Yes	—	—	—	—
Create and cancel classes, change coach	Yes	—	—	—	—
Plans, prices, promotions, settings, staff	Yes	—	—	—	—
Reports, export, audit, invoice XML	Yes	—	—	—	—
Commission close and mark paid	Yes	Own earnings	—	—	—

2.3 Operating environment

The product is a web application used from a desk computer or a phone.

2.3.1 Client environment

- The interface is React and TypeScript, styled so every screen is usable at a phone width. The member site can be installed as a progressive web app.
- It runs in current Chrome, Edge, and Safari on Windows, macOS, and phones.
- Running text uses a face that renders Vietnamese diacritics. Amounts are written 1,500,000đ.

2.3.2 Server environment

- The server is Node, using TanStack Start. The deployed site is served over HTTPS.
- Authorization is decided on the server. The menu only reflects that decision.

2.3.3 Database environment

- The live database is PostgreSQL. Schema changes are SQL files under migrations and are applied in filename order. Editing a file that has already been applied does not run it again.
- With no external database configured, a local copy can start on an embedded database. That mode is for a fresh copy, not for the centre's live data.

2.3.4 External service environment

- payOS issues the VietQR link and is the only authority for whether an online payment was paid.
- The assistant may call a model. If the key is absent, it answers from rules. Health notes and guardian details are not sent with that call.
- There is no SMS provider. Email delivery is a stub.

2.4 Design and implementation constraints

2.4.1 Technology constraints

- The interface is React and TypeScript. The server is Node. The database is PostgreSQL.
- The browser and the server exchange JSON. The browser does not open a database connection.

2.4.2 Architecture constraints

- A court becomes busy only by an occupancy. A booking, a class session, and a maintenance job share that rule.
- A confirmed booking, its payment, and its invoice are written in one transaction, or not at all.

- Two requests for the same court-time cannot both win. The court row is locked, and the database rejects the overlap.

2.4.3 Security constraints

- Passwords are stored as salted hashes. A session token is stored as a SHA-256 hash. The raw token stays on the client. This is a bearer session, not a refresh-token cookie.
- A member session lasts 7 days. A staff session lasts 12 hours.
- There are four roles and no separate administrator role. A manager cannot lock or demote themselves. There is no public staff sign-up.
- The one-tap demo sign-in is off in production unless it is explicitly switched on. The one-time code is not echoed there.

2.4.4 Database constraints

- Money is an integer number of dong. A price is above 0 and at most 5,000,000₫, rounded to round_vnd (default 1,000).
- Document numbers come from one counter. The receipt form is PAY-YYYYMMDD-nnnn. The payOS order code is a different number and is not the receipt.
- Audit rows are append-only. No request deletes one.

2.4.5 Development constraints

- Source is kept in Git. Secrets, including the database URL and the payOS checksum key, are not written into the repository.

2.4.6 Deployment constraints

- The application is deployed as a web service over HTTPS. A push of the working branch produces a preview. Production is updated by promoting a deployment, not by the push alone.

2.4.7 Integration constraints

- payOS is called only from the server. The checksum key is not sent to the browser.
- A payment is trusted only from a poll of payOS or from a webhook whose signature checks, and only when the amount paid covers the amount due.
- If payOS is not configured, online payment is refused and the desk can still take the money.

2.4.8 Completion constraints

A feature is treated as done when the server enforces the rule, a refusal is a sentence that says what to do next, and a sale that takes money commits the payment and the thing it paid for together.

2.5 Assumptions and dependencies

2.5.1 Assumptions

- AS-1. The centre is one site in Vietnam. Timezone and currency stay fixed.
- AS-2. A member is identified by one Vietnamese phone number.
- AS-3. A bank transfer is reconciled by a person. There is no bank feed.
- AS-4. Opening hours, slot length, hold length, and the refund tiers are settings. The defaults in this document are the defaults in the database, and the manager can change them.

2.5.2 Dependencies

- DE-1. Online payment depends on payOS. The desk does not.
- DE-2. The live data depends on the hosted PostgreSQL database.
- DE-3. Model answers from the assistant depend on a configured model key. Rule-based answers do not.

3. System features

3.1 Business rules

A constraint is something the server refuses. A fact is something the product does. Dynamic means the number comes from centre settings. Static means the code fixes it. The source column names the module, not every line.

ID	Rule	Type	Changes	Source
BR-01	One account per phone number or email.	Constraint	Static	auth.ts
BR-02	A password is at least 8 characters and mixes letters and digits.	Constraint	Static	auth.ts
BR-07	A member under minor_age (default 16) needs a guardian name and phone.	Constraint	Dynamic	auth.ts
BR-08	Registration requires the terms and the privacy notice.	Constraint	Static	auth.ts
Fact	An account is created only after the one-time code matches. The code expires in 5 minutes. Five wrong attempts lock it for 15 minutes.	Fact	Static	auth.ts
Fact	A password reset returns the same response whether or not the phone has an account.	Constraint	Static	auth.ts
Fact	Five wrong passwords lock sign-in for 15 minutes.	Constraint	Static	auth.ts
Fact	A member session lasts 7 days. A staff session lasts 12 hours.	Fact	Static	session.ts
BR-32	A booking stays inside book_ahead_days (default 7) and max_slots_per_day (default 2).	Constraint	Dynamic	bookings.ts
BR-34B	No matching price rule means no price. The price is above 0 and at most 5,000,000đ.	Constraint	Static	policy.ts
BR-35	A slot is inside opening hours, and the court is ready.	Constraint	Dynamic	bookings.ts
BR-44	A member over the debt limit cannot book until they settle.	Constraint	Dynamic	bookings.ts
BR-66	No booking in the past. A walk-in into a slot already started needs 20 minutes left.	Constraint	Static	bookings.ts
Fact	A hold lasts hold_minutes (default 5). Choosing bank transfer extends it to transfer_hold_minutes (default 120) and posts no payment.	Fact	Dynamic	bookings.ts
Fact	Cancel refund tiers default to 100% at 24 hours or more, 50% from 4 to 24, and 0% under 4. Moving a booking is refused inside cancel_court_hours (default 2), and is refused when the price would change.	Fact	Dynamic	policy.ts
BR-12	Class enrolment needs an active plan that covers that sport.	Constraint	Static	classes
BR-14	Only an active plan can be frozen, and a frozen plan blocks buying another.	Constraint	Static	subscriptions
BR-15	Freeze days per year are capped.	Constraint	Dynamic	subscriptions
BR-17	Paying with quota needs court hours left. One hour is consumed.	Constraint	Static	bookings.ts
BR-18	A session-quota plan must have sessions left.	Constraint	Static	classes
BR-20	A member leaves a class only up to cancel_class_hours (default 4) before the next session.	Constraint	Dynamic	classes
BR-21	A court or a coach cannot be in two places at once.	Constraint	Static	occupancy

ID	Rule	Type	Changes	Source
BR-22	Capacity cannot drop below the number enrolled.	Constraint	Static	classes
BR-23	A coach is assigned only in a sport they teach.	Constraint	Static	classes
BR-24	No duplicate enrolment, and no enrolment that clashes with one the member already has.	Constraint	Static	classes
BR-25	A waitlist offer expires (default 2 hours).	Fact	Dynamic	jobs.ts
BR-26	When the centre cancels a session, a per-session plan gets that session back once.	Constraint	Static	classes
BR-27	A class can be handed to another coach from now on.	Fact	Static	classes
BR-28	Moving a session less than 12 hours before it starts needs a reason.	Constraint	Static	classes
BR-39	Occupancy stays consistent with the booking or the session that owns it.	Constraint	Static	database
BR-49	An open till shift is required before staff take money.	Constraint	Static	desk.ts
BR-65	A plan withdrawn from sale cannot be ordered. Members who already hold it keep it.	Constraint	Static	plans
BR-67	Enrolment requires the class to be open.	Constraint	Static	classes
BR-70	Only a manager creates or pauses a promotion. A used code is not deleted.	Constraint	Static	extras.ts
Fact	A refund at or above refund_manager_vnd (default 1,000,000đ) waits for the manager. The same payment cannot be refunded twice.	Constraint	Dynamic	desk.ts
BR-38	Gear cannot be loaned beyond stock. The fee is not a payment.	Constraint	Static	desk.ts
Fact	A day pass defaults to 60,000đ, for one date, status issued, used, or void.	Fact	Dynamic	extras.ts
Fact	A fixed weekly booking is one court, one weekday, one hour, for 4 to 12 weeks. A taken week is skipped and not charged.	Fact	Dynamic	extras.ts
Fact	Points are posted court, plan, and day-pass payments divided by 10,000đ, plus adjustments. Redeem at least 50 points at 100đ each.	Fact	Dynamic	extras.ts
BR-53	The register locks 2 hours after the session. A manager correction needs a reason of at least 3 characters.	Constraint	Static	attendance
BR-54	Gate check-in never writes class attendance.	Constraint	Static	desk.ts
BR-55	Health notes stay inside the viewer's scope and are not sent to the assistant model.	Constraint	Static	assistant
BR-56	Training never charges money and never changes a plan balance.	Constraint	Static	training
BR-57	Late is the coach's mark, not a calculation from the gate.	Fact	Static	attendance
BR-58	Three Absent marks in a row raise an alert. Excused breaks the streak. The enrolment stays.	Fact	Static	jobs.ts
BR-59	A coach works only the classes they lead or assist.	Constraint	Static	attendance
BR-62	A switched-off feature flag answers 403 with BR-62.	Constraint	Static	training
Fact	Timezone stays Asia/Ho_Chi_Minh and currency stays VND.	Constraint	Static	settings

3.2 Use cases

The catalogue names every use case. The specification under each identifier follows the same fields: who starts it, what must already be true, the normal flow, the branches, and the refusals.

ID	Use case	Actors	Description
UC-01	Register	Member	Create an account with name, phone, date of birth and a password. A minor must give a guardian. Terms must be accepted.
UC-02	Confirm with OTP	Member, System	Enter the one-time code. The account is created only after the code matches. There is no SMS transport, so the code is not sent to a phone in this version.
UC-03	Sign in	Member, Receptionist, Coach, Manager	Sign in with phone or email and a password. The home screen is the one for that role. Five wrong passwords lock the account for 15 minutes.
UC-04	Reset password	Any signed-up user	Request a code, then set a new password of at least 8 characters mixing letters and digits, typed twice.
UC-05	Edit own profile	Any signed-in user	Change own name and health notes, and own password. Nobody edits another person's password this way.
UC-06	Book a court	Member	See live availability, hold a slot (default 5 minutes), then pay. Two people cannot hold the same court-time.
UC-07	Reschedule a booking	Member	Move a confirmed booking to another slot outside the cancellation window. A different price is refused. A lost race leaves the booking where it was.
UC-08	Cancel a booking	Member, Receptionist, Manager	Cancel a hold or a confirmed booking. A hold is released. A confirmed booking is refunded by the tiers (default 100% at 24 hours or more, 50% from 4 to 24 hours, nothing under 4). Staff may waive the fee.
UC-09	Buy or renew a plan	Member, Receptionist	Order a plan that is on sale. It stays pending until the money is recorded. A frozen plan blocks a second purchase.
UC-10	Join or leave a class	Member	Enrol when the plan covers that sport and the class is open. A full class offers a waitlist place. Leaving is allowed up to the class cancellation window.
UC-11	Answer a waitlist offer	Member, System	Accept or let the offer expire (default 2 hours). An expired or over-full acceptance is refused.
UC-12	Pay online	Member, Receptionist, payOS	Raise one payOS link for a held court or a pending plan. The booking or plan changes only after payOS reports the money.
UC-13	View a receipt	Member, Receptionist, Manager	Open any receipt the person is allowed to see, as a PDF. A member sees only their own.
UC-14	Ask the assistant	Member	Ask about hours, prices, plans, coaches and classes. The assistant reads centre data and cannot take money or change a booking.
UC-15	Send a support request	Member, Receptionist	Write to the desk. The desk replies or closes the request. A reply notifies the member.
UC-16	Walk-in court rental	Guest, Receptionist	Sell a free slot to a person with no account. A slot already under way can be sold if at least 20 minutes remain.
UC-17	Open and close a shift	Receptionist	Open the till before taking money. Close it by counting cash against the expected total. One open shift per receptionist.
UC-18	Reconcile a transfer	Receptionist, Manager	A transfer chosen in the app holds the slot and posts no payment. Staff mark it received, or reject it if the money never arrives.
UC-19	Refund a payment	Receptionist, Manager	Raise a refund. Above the manager threshold (default 1,000,000đ) it waits for the manager. The same payment cannot be refunded twice.
UC-20	Rent and return gear	Receptionist, Guest, Member	Loan gear to a member found by search, or to a guest by phone. Stock is enforced. Return restores that loan once. The fee is not a revenue row.
UC-21	Sell and use a day pass	Receptionist, Member, Guest	Sell a pass for one date, take the payment, then mark it used at the gate or void it.

ID	Use case	Actors	Description
UC-22	Fixed weekly booking	Receptionist, Manager	Same court, weekday and hour, for 4 to 12 weeks. A week that is taken is skipped and not charged. One payment up front.
UC-23	Gate check-in	Receptionist	Check a member in by phone or member code. This does not mark class attendance.
UC-24	Mark attendance	Coach, Manager	Present, Late, Absent or Excused for a session the coach teaches. The register locks 2 hours after the session. Only a manager can correct it, with a reason.
UC-25	Record training	Coach, Member	Session results, a plan, homework and a review. Nothing here charges money. Off when feature flag F4 is off.
UC-26	Manage classes	Manager	Create, publish, move or cancel a session, change the coach, and change capacity. A clash or a capacity below the roster is refused.
UC-27	Manage plans and prices	Manager	Create plans, withdraw one from sale, and set price rules by sport, court class, day and hour. No matching rule means no invented price.
UC-28	Manage staff	Manager	Create a receptionist or coach, lock, unlock, change role, reset a temporary password, and revoke sessions. A manager cannot lock themselves.
UC-29	Read reports and export	Manager	Revenue, occupancy, capacity heatmap, members and enrolment, for a period, against the previous period. Export Excel or PDF.
UC-30	Read the audit log	Manager	Filter sensitive staff actions by actor, action, entity and date. Rows are never deleted.
UC-31	Configure the centre	Manager	Opening hours, slot and hold length, cancellation, debt and refund limits, VAT, rounding, series length, day-pass price and point rates.
UC-32	Promotions	Manager, Member	A manager creates a code. A member previews it. A used code is not deleted. An order already priced keeps its discount.
UC-33	Points	Member, Receptionist, Manager	Points accrue from posted court, plan and day-pass payments. A member redeems at least 50 points for a single-use code. Staff may adjust with a reason.
UC-34	Coach commission	Manager, Coach	A manager sets a rate, closes a finished month so a later rate change cannot rewrite it, and marks it paid. A coach sees only their own earnings.
UC-35	Maintenance	Receptionist, Manager	Open a work order on a court. The court is busy through the same occupancy rules as a booking, so it cannot be sold at the same time.
UC-36	Export invoice data	Manager	Export receipt data as XML for the centre's e-invoice software. Arena3 does not file the legal invoice with the tax authority.
UC-37	Expire and sweep	System	Expire unpaid holds, mark no-shows, complete finished bookings, generate upcoming sessions, pass on waitlist offers, and lock old registers.

UC-01 Register

ID and name	UC-01 Register
Primary actor	Person registering (becomes a Member)
Secondary actors	None.
Description	Start an account with name, phone and password. The account is not created in this use case.
Trigger	The person opens Register.
Preconditions	The registration page is public.
Postconditions	An OTP challenge for purpose register exists and expires in 5 minutes.

	No user row exists yet.
Normal flow	1. The person enters a full name, a Vietnamese phone number and a password. Date of birth and email are taken when given. 2. The person accepts the terms and the data-privacy notice. 3. When the date of birth is under minor_age (default 16), the person also enters a guardian name and phone. 4. The server stores those details, including the password hash, on the challenge. 5. The person continues at UC-02.
Alternative flows	3a. The date of birth is missing or the person is not a minor. Guardian details are not required.
Exceptions	The phone is not a valid Vietnamese number. Nothing is stored. The phone or email already has an account (BR-01). The password is shorter than 8 characters or does not mix letters and digits (BR-02). The terms are not accepted (BR-08). A minor is missing a guardian name or phone (BR-07).
Priority	High
Frequency of use	Once per new member.
Business rules	BR-01, BR-02, BR-07, BR-08.

UC-02 Confirm with OTP

ID and name	UC-02 Confirm with OTP
Primary actor	Person registering
Secondary actors	System
Description	The account is created only after the one-time code matches. This version has no SMS transport. Email delivery is a stub. The code is shown on screen only when OTP echo is on, which is off in production.
Trigger	The person submits the code from UC-01.
Preconditions	A register challenge exists for that phone.
Postconditions	An active member exists, with a member code. A session is open and Member home is shown. The challenge is deleted.
Normal flow	1. The person enters the phone and the code. 2. The latest register challenge for that phone is locked and the code matches its hash. 3. The server creates the member from the stored details, assigns the next member code, and writes an audit row. 4. A session is issued and Member home opens.
Alternative flows	None. Password reset uses the same check with purpose reset, and is specified in UC-04.
Exceptions	No challenge is pending for that phone and purpose. The challenge is older than 5 minutes. The code is wrong. The attempt count goes up by one. Five wrong attempts lock the challenge for 15 minutes. The phone was taken by another account between the two steps (BR-01). The member is not created.
Priority	High
Frequency of use	Once per registration.
Business rules	BR-01.

UC-03 Sign in

ID and name	UC-03 Sign in
Primary actor	Member, Receptionist, Coach, Manager

Secondary actors	None.
Description	Open a session with phone or email and a password. The home screen is the one for that role.
Trigger	The person submits Login.
Preconditions	An account exists for that phone or email.
Postconditions	A session exists. The failed-login count is zero. The app opens that role's home.
Normal flow	1. The person enters a phone or an email, and a password. 2. The account is active and is not inside a lock window. 3. The password matches. The server clears the failed-login count and issues a session. 4. The app opens the home for that role.
Alternative flows	4a. The account has must_change_password set, which a manager does when creating or resetting staff. Sign-in still opens the role home. Account opens on the password form until the person changes it.
Exceptions	Unknown login, wrong password, or an account that is not active. The message does not say which. Five wrong passwords lock the account for 15 minutes. The account is already inside that lock.
Priority	High
Frequency of use	Every visit.
Business rules	None beyond the lock.

UC-04 Reset password

ID and name	UC-04 Reset password
Primary actor	Any person who knows a phone number
Secondary actors	None.
Description	Replace the password after a one-time code. The response is the same whether or not the phone has an account.
Trigger	The person opens Forgot password.
Preconditions	The phone is a valid Vietnamese number.
Postconditions	When the phone belongs to an account and the code matches, that account's password is the new one and the lock is cleared.
Normal flow	1. The person enters a phone number. 2. The server stores a reset challenge for 5 minutes. A code is emailed only when that phone has an account. The answer looks the same either way. 3. The person enters the code and a new password. 4. The code matches. The password is replaced, the failed-login count is cleared, and the challenge is deleted.
Alternative flows	2a. The phone has no account. A challenge is still stored and no code is emailed, so the first response does not reveal whether the phone is known.
Exceptions	The phone is not a valid Vietnamese number. The code is missing, wrong, expired, or the challenge is locked after five attempts. Same rules as UC-02. The new password fails BR-02.
Priority	Medium
Frequency of use	When a password is forgotten.
Business rules	BR-02.

UC-05 Edit own profile

ID and name	UC-05 Edit own profile
Primary actor	Any signed-in user
Secondary actors	None.
Description	Change own name and health notes, and own password. Nobody edits another person's password this way.
Trigger	The person opens Account.
Preconditions	The person is signed in.
Postconditions	Own name or health notes are updated, or own password is replaced and must_change_password is cleared.
Normal flow	1. The person opens Account. 2. On Profile they change their name or health notes and save. 3. On Security they enter the current password and a new password. 4. The server updates only that user's row.
Alternative flows	2a. A staff account with must_change_password opens Account on Security. Sign-in itself still opens the role home. After a valid change the flag is cleared and the role home opens.
Exceptions	The new password fails BR-02. The current password does not match, on a password change.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	BR-02.

UC-06 Book a court

ID and name	UC-06 Book a court
Primary actor	Member
Secondary actors	None.
Description	See live availability, hold a slot, then pay. The hold is not yet a booking.
Trigger	The member opens Book a court.
Preconditions	The member is signed in. The member is not over the debt limit. The chosen day is not in the past and is within book_ahead_days (default 7).
Postconditions	A hold exists for hold_minutes (default 5). After payment, the hold is a confirmed booking, a payment row exists, and an invoice is issued, in one transaction.
Normal flow	1. The member picks a sport, a day and a free slot. A month view shows up to 62 days. Days outside the horizon are visible and not selectable. 2. The server creates a hold. A second request for that court-time is refused. 3. The member pays the price, or pays with remaining plan hours, or continues at UC-12. 4. Payment converts the hold to a confirmed booking and posts the receipt.
Alternative flows	3a. The member chooses bank transfer. Nothing is confirmed. The hold is extended to transfer_hold_minutes (default 120) and UC-18 finishes it. 3b. A plan still has court hours for that sport. The member pays with quota instead of money. 3c. The new slot overlaps one of the member's own bookings. The app warns before the hold is kept. 1a. The chosen slot is taken. The app offers nearby free slots.
Exceptions	The member already holds max_slots_per_day slots that day (default 2) (BR-32). The day is outside the booking horizon (BR-32). Two requests arrive together. The database rejects the overlap. The loser receives 409 and nothing is half-written. The member's debt is over debt_limit_vnd. No price rule matches. The server does not invent a price.

Priority	High
Frequency of use	Many times a day.
Business rules	BR-32. Deposit, when deposit_pct is on and the hour is in scope, is the amount due to confirm. deposit_vnd 0 means the whole price.

UC-07 Reschedule a booking

ID and name	UC-07 Reschedule a booking
Primary actor	Member
Secondary actors	None.
Description	Move a confirmed booking to another slot. A different price is refused. There is no price-difference charge.
Trigger	The member chooses Change time on a confirmed booking.
Preconditions	The booking is confirmed and belongs to the member. At least cancel_court_hours (default 2) remain before the start.
Postconditions	The booking occupies the new slot. The price is unchanged. A lost race leaves the booking on the old slot.
Normal flow	1. The member picks another free slot of the same sport, on a ready court, inside the horizon, not in the past. 2. The server checks the price of the new slot against the price already paid. 3. The prices match. The occupancy moves in one transaction.
Alternative flows	2a. The booking was paid with plan hours. There is no money price to compare, so the move is not refused for price.
Exceptions	Fewer than cancel_court_hours remain. The move is refused. The new slot has a different price. The response includes paid_vnd and new_price_vnd. The booking stays where it was. The new slot was taken between the look and the save. The booking stays where it was.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	The cancellation window gates the move. It does not by itself block UC-08.

UC-08 Cancel a booking

ID and name	UC-08 Cancel a booking
Primary actor	Member, Receptionist, Manager
Secondary actors	None.
Description	Release a hold or a confirmed booking. A confirmed booking is refunded by the centre's tiers.
Trigger	The member or the desk cancels a booking.
Preconditions	The booking is a hold or confirmed. A member can cancel only their own.
Postconditions	The court is free. A confirmed booking stores the refund percent and fee. A refund above the manager threshold waits for the manager.
Normal flow	1. The actor asks what the cancellation would cost. The quote is read-only. 2. The actor confirms. 3. A hold is released and no refund is written. 4. A confirmed booking is released. The refund percent is the first tier whose hours are less than or equal to the hours remaining. Defaults: 100% at 24 hours or more, 50% from 4 up to 24, 0% under 4, including after the start.

	5. When money is due back, a negative payment is posted, or marked refund_pending when the amount reaches refund_manager_vnd (default 1,000,000đ).
Alternative flows	4a. Staff pass waive. The quote is 100% whatever the tier says. 4b. The booking used plan hours. At 50% or more the hours go back on the subscription. Under 50% they do not. 5a. The refund is the full amount paid. A promotion use on that booking is restored.
Exceptions	The booking is not a hold or confirmed. A member names someone else's booking. A second refund of the same payment is refused.
Priority	High
Frequency of use	Whenever a booking is given up.
Business rules	Default tiers are settings, not a hard-coded formula. Staff waive is the force-majeure path.

UC-09 Buy or renew a plan

ID and name	UC-09 Buy or renew a plan
Primary actor	Member, Receptionist
Secondary actors	None.
Description	Order a plan that is on sale. It stays pending until the money is recorded.
Trigger	The member opens Plans, or the desk starts onboarding.
Preconditions	The plan is on sale. The member has no frozen plan blocking a second purchase.
Postconditions	A pending subscription exists until UC-12 or a desk payment posts it.
Normal flow	1. The actor picks a plan on sale. 2. The server creates a pending subscription. It does not start the plan. 3. The member pays online, or the desk takes the money. 4. The payment and the invoice are written, and the subscription becomes active.
Alternative flows	3a. The desk collects for a member who is standing at the counter, including by the same payOS QR.
Exceptions	The plan is not on sale. The plan is not pending when someone tries to pay it. A frozen plan blocks another purchase.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	A renewal counted in reports is a new plan starting within 30 days of the previous one ending.

UC-10 Join or leave a class

ID and name	UC-10 Join or leave a class
Primary actor	Member
Secondary actors	None.
Description	Enrol when the plan covers that sport and the class is open. A full class offers a waitlist place.
Trigger	The member opens Classes.
Preconditions	The member is signed in. The class is open. The member's plan covers that sport.
Postconditions	The member is enrolled, or is on the waitlist. A leave removes the enrolment when it is inside the class cancellation window.

Normal flow	1. The member opens a class their plan covers. 2. The class has a free place. The server enrols the member. 3. To leave, the member asks at least cancel_class_hours (default 4) before the next session. 4. The enrolment ends. The place can be offered on the waitlist.
Alternative flows	2a. The class is full. The member joins the waitlist instead of the roster. UC-11 continues it.
Exceptions	The plan does not cover the sport. The class is not open. The member tries to leave inside the class cancellation window (BR-20).
Priority	Medium
Frequency of use	When that task comes up.
Business rules	BR-20. Class fees are not a payment, so leaving does not write a refund row.

UC-11 Answer a waitlist offer

ID and name	UC-11 Answer a waitlist offer
Primary actor	Member
Secondary actors	System
Description	Accept a place the system offered, or let it expire.
Trigger	A place opens and the system offers it to the next member.
Preconditions	The member is on the waitlist. An offer is open.
Postconditions	Accepted: the member is enrolled and the offer is closed. Expired: the offer is closed and can pass to the next person.
Normal flow	1. The system opens an offer. The member is notified. The offer lasts waitlist hours (default 2). 2. The member accepts while the offer is open and the class still has room. 3. The member is enrolled.
Alternative flows	2a. The member does nothing. The job expires the offer and the place can be offered again.
Exceptions	The offer has expired. The class filled before the accept. The accept is refused.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	None.

UC-12 Pay online

ID and name	UC-12 Pay online
Primary actor	Member, Receptionist
Secondary actors	payOS
Description	One payOS link for a held court or a pending plan. The sale changes only after payOS reports the money.
Trigger	The actor chooses to pay a hold or a pending plan online.
Preconditions	A hold or a pending plan exists. No other live link exists for that same thing.
Postconditions	When payOS reports an amount that covers the amount due, the payment is posted with capture_mode auto, the invoice exists, and the hold or plan is confirmed.
Normal flow	1. The server asks payOS for one link. The link does not outlive the hold, and does not outlive transfer_hold_minutes.

	2. The person pays in their banking app. 3. The server learns the result by polling payOS or by a webhook whose signature checks. 4. The amount paid covers the amount due. The payment, the invoice and the confirmation are one transaction. 5. The payer is notified with the amount and a link to the receipt. The receipt code is PAY-YYYYMMDD-nnnn.
Alternative flows	5a. The same request is repeated with the same idempotency key. The original payment is returned and money is not taken twice.
Exceptions	The person only opens the return page. That page asks the server; it does not itself post a payment. The webhook signature does not check. The amount paid is short of the amount due. The link expires with the hold. The job expires the gateway link. payOS is the only online channel. There is no card acquirer.
Priority	High
Frequency of use	Whenever someone pays online.
Business rules	The payOS order code is not the receipt code. Receipts come from the daily counter.

UC-13 View a receipt

ID and name	UC-13 View a receipt
Primary actor	Member, Receptionist, Manager
Secondary actors	None.
Description	Open a receipt the person is allowed to see, as a PDF.
Trigger	The person opens a receipt from Account, a notification, or the desk.
Preconditions	A posted payment with an invoice exists.
Postconditions	A PDF is shown. Nothing is written.
Normal flow	1. The person opens the receipt. 2. A member is shown only their own. 3. The desk and the manager can open the receipts their role is allowed to see.
Alternative flows	None.
Exceptions	A member asks for another person's receipt. The server refuses.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	Staff receipts of the centre live under Payments, not on the staff Account screen.

UC-14 Ask the assistant

ID and name	UC-14 Ask the assistant
Primary actor	Member
Secondary actors	None.
Description	Ask about this centre. The assistant reads centre data and cannot take money or change a booking.
Trigger	The member opens Assistant.
Preconditions	The member is signed in.
Postconditions	An answer is shown. No booking, payment or register row is changed, unless the member goes on to UC-15.
Normal flow	1. The member types a question of at most 800 characters. 2. The assistant answers about hours, prices, plans, coaches, classes, booking, cancelling and waitlists, from the centre's data. 3. At most 20 questions a minute are accepted.

Alternative flows	2a. No model key is configured. The assistant answers from rules and says so. 2b. The member asks it to pass a message to the desk. That continues at UC-15. A ticket: prefix is stripped before the desk reads it.
Exceptions	The question is over 800 characters, or the member has asked more than 20 times in a minute. The question asks for medical advice. The assistant refuses. The model is down. Only the assistant fails. Booking and payment keep working.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	Health notes and guardian details are not sent to the model.

UC-15 Send a support request

ID and name	UC-15 Send a support request
Primary actor	Member, Receptionist
Secondary actors	None.
Description	The member writes to the desk. The desk replies or closes the request.
Trigger	The member writes from Account or from the assistant.
Preconditions	The member is signed in.
Postconditions	A request exists. A reply notifies the member and closes the request.
Normal flow	1. The member sends a message. 2. The request appears on the desk queue. 3. The receptionist writes a reply. 4. The member is notified, the reply records which staff member wrote it, and the request closes.
Alternative flows	3a. The receptionist closes the request without a reply.
Exceptions	The message is empty. It is refused. The member reads only the requests they sent.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	None.

UC-16 Walk-in court rental

ID and name	UC-16 Walk-in court rental
Primary actor	Guest, Receptionist
Secondary actors	None.
Description	Sell a free slot to a person with no account, against a name and a Vietnamese phone number.
Trigger	The receptionist sells a court from the court map.
Preconditions	The receptionist has an open shift when money is taken. The slot is free.
Postconditions	The slot is occupied. A payment and an invoice exist for the sale.
Normal flow	1. The receptionist picks a free slot and enters the guest's name and phone. 2. The server prices the slot from the price rules and takes the payment. 3. The occupancy, the payment and the invoice are written together.
Alternative flows	1a. The slot has already started and at least 20 minutes remain. The sale is still allowed (BR-66).

Exceptions	The slot is taken, or fewer than 20 minutes remain on a slot already under way (BR-66). The start is in the past beyond that allowance (BR-66). No price rule matches.
Priority	High
Frequency of use	Throughout the day at the desk.
Business rules	BR-66. The guest does not get an account.

UC-17 Open and close a shift

ID and name	UC-17 Open and close a shift
Primary actor	Receptionist
Secondary actors	None.
Description	Open the till before taking money. Close it by counting cash against the expected total.
Trigger	The receptionist opens or closes the shift on Desk home.
Preconditions	The receptionist is signed in.
Postconditions	One shift is open for that receptionist, or the shift is closed with the counted cash recorded.
Normal flow	1. The receptionist opens a shift. 2. Sales on that shift record the shift on the payment. 3. The receptionist counts the cash and closes the shift. The expected total and the counted total are both stored.
Alternative flows	None.
Exceptions	A second shift is opened while one is already open for that receptionist.
Priority	High
Frequency of use	Once per receptionist per shift.
Business rules	One open shift per receptionist.

UC-18 Reconcile a transfer

ID and name	UC-18 Reconcile a transfer
Primary actor	Receptionist, Manager
Secondary actors	None.
Description	A transfer chosen in the app holds the slot and posts no payment until a person marks the money received.
Trigger	The member chose bank transfer, or the desk opens an unmatched transfer.
Preconditions	A hold is waiting on a transfer. The receptionist is on shift.
Postconditions	Received: a manual-capture payment is posted and the sale is confirmed. Rejected: the hold ends and no payment is posted.
Normal flow	1. The member's choice of transfer extends the hold. It does not confirm the booking or the plan. 2. The receptionist sees the money in the bank and marks it received. 3. The payment is posted with capture_mode manual, and the sale is confirmed.
Alternative flows	2a. The money never arrives. The receptionist rejects the transfer. The hold ends.
Exceptions	There is no open shift. The hold has already expired.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	A manual transfer is a person's word. payOS is a different path (UC-12).

UC-19 Refund a payment

ID and name	UC-19 Refund a payment
Primary actor	Receptionist, Manager
Secondary actors	None.
Description	Record a refund once. Above the threshold it waits for the manager.
Trigger	Staff open a payment, or a cancellation in UC-08 produces a refund.
Preconditions	A posted payment exists. That payment has not already been refunded.
Postconditions	Under the threshold, a receptionist on shift can approve and the refund is posted. At or above refund_manager_vnd (default 1,000,000đ) the refund stays pending until the manager approves or rejects it.
Normal flow	1. The actor raises a refund for a payment. 2. The server looks at the whole ledger of that sale. 3. Under the threshold, the receptionist approves and the negative payment is posted. 4. The member is notified. Approve and reject are audited.
Alternative flows	3a. The amount reaches the threshold. The row waits. The manager approves or rejects it.
Exceptions	The same payment is refunded a second time. A receptionist approves an amount that needs the manager.
Priority	High
Frequency of use	When that task comes up.
Business rules	The guard is the ledger of the sale, not a flag on one row.

UC-20 Rent and return gear

ID and name	UC-20 Rent and return gear
Primary actor	Receptionist, Guest, Member
Secondary actors	None.
Description	Loan gear against stock. The fee is not a revenue row.
Trigger	The receptionist opens gear.
Preconditions	The item has stock left. The borrower is a member found by search, or a guest identified by phone.
Postconditions	A loan is open. A return closes that loan once and restores the stock.
Normal flow	1. The receptionist picks an item and the borrower. 2. Stock is reduced and the loan is open. 3. On return, that loan is closed once and the stock comes back.
Alternative flows	None.
Exceptions	Stock would go below zero (BR-38). The same loan is returned twice.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	BR-38. No payment row is written, so the fee is absent from revenue.

UC-21 Sell and use a day pass

ID and name	UC-21 Sell and use a day pass
Primary actor	Receptionist, Member, Guest
Secondary actors	None.

Description	One paid pass for one date. The member can see their pass. Selling, using and voiding are desk actions.
Trigger	The desk opens Day passes, or the member opens Day pass.
Preconditions	The date is today or later. To use or void, the pass status is issued.
Postconditions	A pass is issued, used, or void. The sale is a normal payment, so it is in revenue.
Normal flow	1. The receptionist sells a pass for a date at day_pass_vnd (default 60,000đ) and takes the payment. 2. The pass is issued. 3. On that date the receptionist marks it used. The time is stored.
Alternative flows	3a. The receptionist voids an unused pass. A negative payment is written for the price. At or above the refund threshold it is refund_pending; otherwise it is posted.
Exceptions	The date is in the past. Use is attempted on a day other than valid_on, or the pass is not issued. Void is attempted on a pass that is already used or void.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	Using and voiding require the desk or the manager. The member's screen shows their own pass.

UC-22 Fixed weekly booking

ID and name	UC-22 Fixed weekly booking
Primary actor	Receptionist, Manager
Secondary actors	None.
Description	Same court, weekday and hour, for 4 to 12 weeks, paid once. Not available in the member app.
Trigger	The desk opens Fixed series.
Preconditions	The actor is a receptionist or a manager. The court, weekday and hour are chosen.
Postconditions	A series is active. One payment covers the weeks that fitted. Skipped weeks are not charged.
Normal flow	1. The actor picks one court, one weekday, one start time, and a length between series_min_weeks and series_max_weeks (default 4 and 12). 2. Preview checks each week against occupancy. A taken week is listed as skipped. 3. The actor confirms. One payment is taken for the weeks that fitted, at the higher of the member discount and series_discount_pct (default 10%).
Alternative flows	3a. Later, the desk cancels the series. Each remaining confirmed week is cancelled through UC-08, so the same refund tiers apply. The series is then cancelled.
Exceptions	The length is outside 4 to 12. The series is already cancelled. A member tries this from the member app. The server refuses.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	A week that does not fit is not charged. It is not forced onto another court.

UC-23 Gate check-in

ID and name	UC-23 Gate check-in

Primary actor	Receptionist
Secondary actors	None.
Description	Check a member in at the gate by phone or member code. This does not mark class attendance.
Trigger	The receptionist opens the gate screen.
Preconditions	The receptionist is signed in. The person has a member account.
Postconditions	A gate check-in is recorded. The class register is unchanged.
Normal flow	1. The receptionist enters a phone or a member code. 2. The server finds the member and records the check-in.
Alternative flows	None.
Exceptions	No member matches. Class attendance is a different use case (UC-24).
Priority	Medium
Frequency of use	When that task comes up.
Business rules	The gate and the register are different events.

UC-24 Mark attendance

ID and name	UC-24 Mark attendance
Primary actor	Coach, Manager
Secondary actors	None.
Description	Present, Late, Absent or Excused for a session the coach teaches.
Trigger	The coach opens a session, or a manager corrects a locked register.
Preconditions	The session exists. The coach teaches that class, unless the actor is the manager.
Postconditions	Each enrolled member has a mark. After the lock, only a manager's correction changes it, and that correction is audited.
Normal flow	1. The coach opens the session. 2. The coach marks each member Present, Late, Absent or Excused. Late is the coach's judgement. 3. The register locks 2 hours after the session, or when the session is done.
Alternative flows	3a. A manager corrects a locked mark and gives a reason of at least 3 characters. 2a. Three Absent marks in a row raise an at-risk alert. An Excused mark breaks the streak. The enrolment is not cancelled.
Exceptions	A coach opens another coach's class. A coach edits a locked register. A manager corrects a lock without a long enough reason.
Priority	Medium
Frequency of use	Once per class session.
Business rules	The gate check-in does not fill this register.

UC-25 Record training

ID and name	UC-25 Record training
Primary actor	Coach, Member
Secondary actors	None.
Description	Session results, a plan, homework and a review. Nothing here charges money. The whole area is off when F4 is off.

Trigger	A coach opens a student, or a member opens Progress, and F4 is on.
Preconditions	F4 is on. The coach is assigned to that student, or the member is reading their own record.
Postconditions	A result, plan, homework item or review is stored. No payment is written.
Normal flow	1. The member opens Progress and sees their goal, level, next sessions, recent results, recent reviews and open homework. Staff notes are not in that response. 2. The coach records plan-completion and optional metrics that have upper bounds. 3. The coach writes a plan of up to 12 blocks and homework of up to 20 items. 4. The coach writes a review. Technique, fitness and attitude are each scored from 1 to 5. The review is append-only and the student is notified.
Alternative flows	2a. Suggest drafts a plan from sport, level and focus. Copying last week creates drafts. The coach still publishes them.
Exceptions	F4 is off. The routes answer 403 with BR-62 and the Progress tab is hidden. A score is outside 1 to 5, or the plan or homework is over its limit.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	BR-62.

UC-26 Manage classes

ID and name	UC-26 Manage classes
Primary actor	Manager
Secondary actors	None.
Description	Create, publish, move or cancel a session, change the coach, and change capacity.
Trigger	The manager opens the class screens.
Preconditions	The actor is the manager.
Postconditions	The class or session matches what was saved. A published class can take enrolments. Upcoming sessions exist because the job generates them.
Normal flow	1. The manager creates a class and publishes it. 2. The manager sets the coach, the court and the capacity. 3. The manager moves or cancels a session when the week changes.
Alternative flows	None.
Exceptions	The coach or the court clashes with something already occupying that time. The new capacity is below the current roster.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	A class occupies the court through the same occupancy rules as a booking.

UC-27 Manage plans and prices

ID and name	UC-27 Manage plans and prices
Primary actor	Manager
Secondary actors	None.
Description	Create plans, withdraw one from sale, and set price rules.
Trigger	The manager opens plans or price rules.
Preconditions	The actor is the manager.
Postconditions	A plan is on sale or withdrawn.

	A price rule matches sport, court class, day and hour, or there is no price.
Normal flow	1. The manager creates a plan and puts it on sale. 2. The manager adds a price rule for a sport, a court class, a day and an hour. 3. Booking and walk-in use that rule.
Alternative flows	1a. The manager withdraws a plan from sale. Existing subscriptions are not deleted. A new purchase is refused.
Exceptions	No rule matches the slot. The sale is refused rather than priced at a guess.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	Prices include VAT in the only mode this version runs. Money is whole dong, rounded to round_vnd (default 1,000).

UC-28 Manage staff

ID and name	UC-28 Manage staff
Primary actor	Manager
Secondary actors	None.
Description	Create a receptionist or a coach, lock, unlock, change role, reset a temporary password, and revoke sessions.
Trigger	The manager opens Staff.
Preconditions	The actor is the manager.
Postconditions	The staff account matches the change. A reset password must be changed at the next visit to Account. Revoked sessions no longer authenticate.
Normal flow	1. The manager creates a receptionist or a coach with a temporary password. must_change_password is set. 2. The manager locks or unlocks the account, or changes the role between receptionist and coach. 3. The manager resets the password or revokes sessions. 4. Every action is audited with who and when.
Alternative flows	None.
Exceptions	The manager tries to lock or demote themselves. There is no public staff sign-up and no separate admin role.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	A person has exactly one role.

UC-29 Read reports and export

ID and name	UC-29 Read reports and export
Primary actor	Manager
Secondary actors	None.
Description	Revenue, occupancy, capacity, members and enrolment for a period, and a file of the same figures.
Trigger	The manager opens Reports and picks a period.
Preconditions	The actor is the manager.
Postconditions	The screen shows the period and the previous period of equal length. An export is generated on request and is not stored.
Normal flow	1. The manager picks a period.

	2. Revenue splits court and plan, subtracts refunds, and can be filtered by cash, transfer, card, gateway or quota. 3. The capacity heatmap covers up to 93 days, by court and by hour. 4. The manager exports Excel or PDF. The file uses the same queries as the screen.
Alternative flows	2a. Attendance percent is hidden when nothing has been marked, rather than shown as zero.
Exceptions	A coach or a receptionist asks for the export. The format is neither Excel nor PDF. The server answers 400.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	Class fees and gear fees are not in revenue, because they are not payments. Court revenue is kept apart from class activity.

UC-30 Read the audit log

ID and name	UC-30 Read the audit log
Primary actor	Manager
Secondary actors	None.
Description	Filter sensitive staff actions. Rows are never deleted.
Trigger	The manager opens the audit log.
Preconditions	The actor is the manager.
Postconditions	A filtered list is shown. Nothing is deleted or edited.
Normal flow	1. The manager filters by actor, action, entity and date. 2. The matching rows are shown.
Alternative flows	None.
Exceptions	Another role asks for the log. The server refuses.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	Audit rows are append-only.

UC-31 Configure the centre

ID and name	UC-31 Configure the centre
Primary actor	Manager
Secondary actors	None.
Description	Opening hours, slot and hold length, cancellation, debt and refund limits, VAT, rounding, series length, day-pass price and point rates.
Trigger	The manager opens Settings.
Preconditions	The actor is the manager. There is one centre (center_settings id 1).
Postconditions	The saved settings are what the next booking, refund or job reads.
Normal flow	1. The manager edits a setting and saves. 2. Later sales and jobs read the new value.
Alternative flows	None.
Exceptions	The manager tries to change the timezone away from Asia/Ho_Chi_Minh, or the currency away from VND. The save is refused.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	One centre, one timezone, one currency.

UC-32 Promotions

ID and name	UC-32 Promotions
Primary actor	Manager, Member
Secondary actors	None.
Description	A manager creates a code. A member previews it. The discount on an order is the discount that was quoted.
Trigger	The manager opens Promotions, or a member types a code at checkout.
Preconditions	A code is active, inside its dates, and has uses left.
Postconditions	Preview writes nothing. An order that was priced keeps that discount if the code later changes.
Normal flow	1. The manager creates, edits or pauses a code. 2. The member enters the code. Preview tells the form what it would take off and writes nothing. 3. The member confirms the order. The quoted discount is what is stored.
Alternative flows	1a. The code has already been used. The manager does not delete it. An edit affects only orders priced afterwards.
Exceptions	The code is paused, expired, or out of uses. A member tries to create a code. Only a manager can.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	A full refund of the sale restores one use of the code.

UC-33 Points

ID and name	UC-33 Points
Primary actor	Member, Receptionist, Manager
Secondary actors	None.
Description	Points follow posted court, plan and day-pass payments. Spending points does not lower the tier.
Trigger	The member opens Points, or a manager adjusts a balance.
Preconditions	The member has an account.
Postconditions	A redemption creates one single-use code and a negative adjustment. A staff adjustment stores a reason and is audited.
Normal flow	1. Points equal the member's posted booking, subscription and day-pass payments, divided by loyalty_earn_vnd (default 10,000đ per point), plus adjustments. The division rounds down. 2. The tier is bronze, silver at 200 lifetime points, or gold at 600. Lifetime points ignore spending, so a redemption does not demote. 3. The member redeems a whole number of points, at least 50. 4. The server creates a code DIEM… worth points times loyalty_redeem_vnd (default 100đ), valid 60 days, one use, for a court or a plan, and subtracts the points.
Alternative flows	3a. A manager adds or removes points, not zero and at most 100,000 in either direction, and writes why. A receptionist can look up the balance and cannot adjust it.
Exceptions	The member redeems fewer than 50 points, a fraction, or more points than they have. A receptionist submits an adjustment. The manager submits zero points, or no reason.
Priority	Medium
Frequency of use	When that task comes up.

Business rules	Points are derived from the payment ledger plus the adjustment table. They are not a second balance that is edited in place.

UC-34 Coach commission

ID and name	UC-34 Coach commission
Primary actor	Manager, Coach
Secondary actors	None.
Description	A closed month stays still when the rate later changes. A coach sees only their own earnings.
Trigger	The manager opens Commission, or a coach opens Earnings.
Preconditions	A coach has a rate. A month can be closed only after it has finished.
Postconditions	A closed month stores its figures. A paid month records the payout.
Normal flow	1. The manager sets the coach's rate and reads the report. 2. After the month has finished, the manager closes it. The figures are copied. 3. The manager marks the month paid. 4. The coach opens Earnings and sees only their own classes.
Alternative flows	2a. The manager changes the rate later. Closed months are not rewritten.
Exceptions	The coach asks for another coach's earnings, or for the centre's payment totals. The month has not finished and someone tries to close it.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	Commission is not a member payment. It does not create a PAY receipt.

UC-35 Maintenance

ID and name	UC-35 Maintenance
Primary actor	Receptionist, Manager
Secondary actors	None.
Description	A work order occupies a court through the same rules as a booking, so the hour cannot be sold.
Trigger	The desk or the manager opens Maintenance.
Preconditions	The court-time is free, or the order is being updated without creating an overlap.
Postconditions	While the work order is open, that court-time is busy. Closing it releases the court.
Normal flow	1. The actor creates a work order on a court for a time range. 2. The occupancy blocks booking, a class and another work order. 3. The actor updates or finishes the order. Finishing releases the court.
Alternative flows	None.
Exceptions	The time overlaps a booking, a class or another work order. The order is refused.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	One occupancy model for every way a court becomes busy.

UC-36 Export invoice data

ID and name	UC-36 Export invoice data

Primary actor	Manager
Secondary actors	None.
Description	Export receipt data as XML for the centre's e-invoice software. Arena3 does not file the legal invoice.
Trigger	The manager opens Invoices and exports.
Preconditions	The actor is the manager. Invoices exist for the selection.
Postconditions	An XML file is produced. No invoice is submitted to the tax authority.
Normal flow	1. The manager filters the invoice list. 2. The manager exports one invoice or the list. 3. The file is shaped for the centre's e-invoice software.
Alternative flows	None.
Exceptions	Another role asks for the export.
Priority	Medium
Frequency of use	When that task comes up.
Business rules	The legal submission happens outside Arena3.

UC-37 Expire and sweep

ID and name	UC-37 Expire and sweep
Primary actor	System
Secondary actors	System
Description	The job loop. It is not a person and does not sign in.
Trigger	The job is due.
Preconditions	The application process is running.
Postconditions	Holds, no-shows, sessions, offers and registers match the rules below.
Normal flow	1. Expire holds whose time is up, and expire gateway links with them. 2. Mark a confirmed booking with no check-in as a no-show after noshow_grace_minutes. It is not refunded, and the court is released. 3. Complete bookings whose end has passed. 4. Generate upcoming class sessions. 5. Expire waitlist offers and pass the place on. 6. Lock registers that are 2 hours past the session. 7. Send expiry reminders and flush the notification outbox. In-app is the channel that reaches the member.
Alternative flows	7a. Email delivery is a stub. There is no SMS provider.
Exceptions	A job finds nothing due. It sleeps until the next time.
Priority	High
Frequency of use	Continuously, on the job loop.
Business rules	No-show is not a cancellation, so UC-08's tiers are not applied.

3.3 Functions with no screen

These run without a person clicking. They are why a hold disappears, a no-show is recorded, and a class has sessions next week.

#	Feature	Function	Description
1	Holds	Expire holds	A hold whose clock has passed is released and the slot goes back on sale. The member is told.

#	Feature	Function	Description
2	Bookings	Mark no-show	A confirmed booking still not checked in after the grace period becomes a no-show. The court is released. It is not refunded.
3	Bookings	Complete bookings	A booking in use is marked completed a short time after it ends.
4	Plans	Subscription status	A plan past its end date stops giving benefits.
5	Plans	Expiry reminder	A member is reminded before a plan ends.
6	Classes	Generate sessions	Upcoming sessions are created from each open class's weekly rule, and they occupy the court and the coach.
7	Classes	Waitlist offer	An offer that expires is passed to the next person.
8	Attendance	Lock the register	The register closes on the centre's rule (2 hours after the session, or when the session is done).
9	Payments	Allocate a PAY code	Each receipt takes the next PAY-YYYYMMDD-nnnn from the daily counter. The number is not reused.
10	Payments	payOS webhook	The signature is checked. The order code, the amount and the pending state must match. A repeat is processed once.
11	Payments	Expire a link	A payOS link that outlives its hold is expired. The slot follows the hold rules.
12	Notifications	Deliver the outbox	In-app notifications are written for the member. Email delivery is a stub. SMS is not a feature.

4. Data requirements

4.1 Logical data model

A user books a court by way of a booking, and that booking occupies the court. The same court is used by a class, and a session runs on it. A booking is paid by a payment, and the payment issues an invoice. A class is covered by a plan, which a member holds as a subscription. Class fees and gear loans are not payments, so they are not drawn as one.




Figure 19. Conceptual entities.

Figure 20 is the logical model of the running database. The table under it names the entities a reader of this specification needs. It does not repeat every column. provider_sequences is the payOS order-code high-water mark, not the PAY document number.




Figure 20. Logical entity relationship diagram.

#	Entity	Description
1	users	One person, one role: member, receptionist, coach or manager. Phone is unique. A minor stores guardian name and phone.
2	courts	A bookable court, with a sport and a status: ready, maintenance or closed. A court that is not ready cannot be sold.
3	occupancies	The row that makes a court busy. A booking, a class session or a work order attaches one. Overlap is rejected in the database.
4	court_bookings	A hold, a confirmed booking, or a finished one. Carries the price, what has been paid, the optional series, and the quota hours used.
5	booking_series	A fixed weekly booking: one court, one weekday, one hour, a number of weeks. Weeks that were taken are not rows.
6	classes	A coached class: sport, level, court, coach, weekly rule, capacity, and status draft, open, closed or cancelled.
7	sessions	One occurrence of a class. A scheduled session has an occupancy. A cancelled or finished one does not.
8	enrollments	A member on a class, or on its waitlist.
9	attendance	Present, Late, Absent or Excused for one student and one session.
10	payments	One receipt or one refund. Code PAY-YYYYMMDD-nnnn. Method cash, transfer, card, gateway or quota. Status posted, pending, expired, failed, or a refund state.
11	invoices	The receipt issued with a payment, with buyer name and phone and invoice lines.
12	membership_plans	What is for sale: price, duration, court hours or sessions, discount, sport, and whether it is still on sale.
13	subscriptions	A member's plan. Pending until paid, then active, frozen, or ended.
14	cashier_shifts	One open till per receptionist. Closing stores the counted cash.
15	price_rules	The price for a sport, court class, day type and hour band. No matching rule means the sale is refused.
16	promotions	A discount code. A redemption does not rewrite an order already priced.
17	day_passes	A pass for one date: issued, used or void, tied to the payment that sold it.
18	loyalty_adjustments	Points added or spent, with a reason. Redeeming writes a single-use promotion.

#	Entity	Description
19	equipment_items / equipment_loans	Stock, and one loan to a member or a guest phone. Return restores that quantity once.
20	tickets	A member's message to the desk, and the staff reply.
21	audit_logs	Who changed something a member cannot change, and when. No delete.
22	center_settings	The single centre: hours, limits, VAT, series, day pass, points. One row.
23	code_counters	The daily document numbers, including PAY.
24	provider_sequences	The payOS order-code high-water mark. It is not the PAY document number.

4.2 Data dictionary

Each table is the data a person enters on that screen. Unique and editable describe the stored value. A one-time password is not a stored profile field, so editable is n/a.

4.2.1 Login

Phone or email, plus the password. There is no remember-me flag.

Field	Type	Unique	Required	Editable	Size / default
Login — phone or email	String	Yes	Yes	No	Vietnamese phone, or email
Password	String	No	Yes	n/a	Not stored from this form

4.2.2 Register

The account is not created here. The values are stored on a one-time challenge until UC-02.

Field	Type	Unique	Required	Editable	Size / default
Full name	String	No	Yes	Yes, later	Required
Phone	String	Yes	Yes	Staff can correct	Vietnamese mobile
Email	String	Yes	No	Yes	Optional
Date of birth	Date	No	No	Staff can correct	Required for the minor check
Password	String	No	Yes	Yes, via reset	At least 8, letters and digits. Stored as a hash.
Guardian name and phone	String	No	If under 16	Staff can correct	BR-07
Terms accepted	Boolean	No	Yes	No	Must be true. BR-08

4.2.3 Book a court

Creates a hold, not a booking. Payment is a separate step.

Field	Type	Unique	Required	Editable	Size / default
Court	Reference	No	Yes	By reschedule	A ready court
Start	Timestamp	No	Yes	By reschedule	Inside the horizon, not in the past
Pay with plan hours	Boolean	No	No	n/a	Only when the plan has court hours left

4.2.4 Walk-in

A guest has no account. The desk enters the name and the phone.

Field	Type	Unique	Required	Editable	Size / default
Guest name	String	No	Yes	No	Not an account
Phone	String	No	Yes	No	Vietnamese phone
Court and start	Reference	No	Yes	No	Free slot. 20 minutes must remain if it has started.
Method	Enum	No	Yes	No	Cash, card, or transfer

4.2.5 Day pass

One pass for one date. Selling writes a payment.

Field	Type	Unique	Required	Editable	Size / default
Date	Date	No	Yes	No	Today or later. Default today.
Phone	String	No	No	No	Member or guest
Price	Integer	No	Yes	Setting	day_pass_vnd, default 60,000

4.2.6 Fixed weekly booking

Desk and manager only. One payment for the weeks that fitted.

Field	Type	Unique	Required	Editable	Size / default
Court, weekday, hour	Reference	No	Yes	No	One of each
Weeks	Integer	No	Yes	No	4 to 12

4.2.7 Attendance

One mark per member per session. The gate does not write this.

Field	Type	Unique	Required	Editable	Size / default
Mark	Enum	No	Yes	Until lock	Present, Late, Absent, Excused
Correction reason	String	No	When locked	No	At least 3 characters, manager only

4.2.8 Redeem points

Creates a single-use code. It does not pay for anything by itself.

Field	Type	Unique	Required	Editable	Size / default
Points	Integer	No	Yes	No	At least 50, and not more than the balance

4.3 Reports

- The manager can read revenue, split between court and plan and net of refunds, for a period and the previous period of the same length. Filter by cash, transfer, card, gateway, or quota.

- Occupancy and a capacity heatmap, up to 93 days, by court and by hour. Class activity is not given a revenue number, because class fees are not payments.
- Excel or PDF export uses the same queries as the screen and is not stored. Coaches and receptionists are refused.
- Invoice XML is a separate export for the centre's e-invoice software. Arena3 does not submit it.

4.4 Data integrity, retention, and disposal

4.4.1 Schedule integrity

Two bookings cannot own the same court-time, including two requests that arrive together. The same rule holds for a coach, a class session, and a work order.

4.4.2 Money integrity

A confirmed booking has its payment and its invoice, written in one transaction. A repeated request with the same idempotency key returns the original payment.

4.4.3 Document numbers

Member, payment, and invoice codes come from one counter and are not reused. Seeded demonstration receipts may use a 9xxx sequence on a day so they never meet the live counter.

4.4.4 Audit retention

Sensitive staff actions write an audit row with the actor, the action, the entity, and the time. Rows are not deleted.

4.4.5 Short-lived data

A hold expires. An unpaid gateway link expires with it. A one-time code expires in five minutes. A waitlist offer expires. The register locks. These deletions are the product, not a loss of the sale.

4.4.6 Personal data

A member reads only their own bookings, receipts, tickets, and profile. Health notes and guardian details are not sent to the assistant's model.

4.4.7 Backup

The live database is hosted PostgreSQL. Arena3 does not run a separate backup job of its own. Recovery of the hosted database is the host's, not a screen in the product.

5. External interface requirements

5.1 User interfaces

5.1.1 Web application

One site. After sign-in, a member, a receptionist, a coach, and a manager each land on their own home.

5.1.2 Consistent interface

Navigation, type, and the way a refusal is phrased stay the same across roles. A refusal is a sentence. The rule code travels with it for support.

5.1.3 Responsive layout

Every screen is usable at a phone width. The member site is installable.

5.1.4 Guidance

A form says which field failed. A price change on reschedule shows both amounts. A cancellation can be quoted before it is confirmed.

5.1.5 Feedback

Saving, paying, and a failed request each tell the person what happened. Online payment shows a QR and closes when the server, not the return page, confirms it.

5.1.6 Destructive actions

Cancelling a booking shows the refund quote first. Voiding a day pass and refunding a payment are explicit desk or manager actions, not a side effect of opening the record.

5.1.7 Screens

The tables name the screens behind Figures 13 to 17.

Public

#	Feature	Screen	Description
1	Landing	Landing page (/)	Public home of the centre. Shows what is on offer and links to Login and Register.
2	Landing	Coach profile	Opens from the coach list and shows one coach.
3	Login	Login (/login)	Signs in. On success the app opens that role's home. A password that must be changed does not redirect login. Account opens on the security tab while that flag is set.
4	Register	Registration (/register)	A new member enters their details.
5	Register	OTP step	The member enters the one-time code. After it matches, the account exists and Member home opens.
6	Forgot password	Request code (/forgot)	The user enters their phone number to receive a reset code.
7	Forgot password	Code and new password	The user enters the code and a new password, then returns to Login.
8	Online payment	Payment return (/pay/return)	The page after payOS. It asks the server what happened. Opening this address is not itself proof of payment.

Member

#	Feature	Screen	Description
1	Home	Member home (/app)	Upcoming bookings, the active plan, and shortcuts.
2	Home	Waitlist offer	Shown when a place opens. The member accepts or lets it expire.
3	Payment	Scan-to-pay	QR and amount for an outstanding payment. Closes when the server confirms it.
4	Court booking	Book a court (/app/book)	Pick a date, sport and slot, then pay.
5	Court booking	Month calendar	Which days still have free slots, up to 62 days. Past days and days beyond the booking horizon cannot be chosen.
6	Court booking	Hold panel	Holds the slot (default 5 minutes) while the member pays.
7	Court booking	Clash confirmation	Warns when the new slot overlaps one of the member's own bookings.
8	Court booking	Alternative slots	Suggests nearby free slots when the chosen one is taken.
9	Court booking	Change time	Moves an existing booking instead of creating one. A price change is refused.
10	Classes	Classes (/app/classes)	Classes the member can join, wait for, or leave, plus their own attendance.

#	Feature	Screen	Description
11	Plans	Plans (/app/plans)	The current plan and the plans on sale.
12	Training	Progress (/app/train)	Level, results and homework. Hidden when F4 is off.
13	Day pass	Day pass (/app/pass)	The member's day pass for a date.
14	Points	Points (/app/points)	Balance, tier, and redeeming points for a single-use code.
15	Assistant	Assistant (/app/assistant)	Answers from the centre's own timetable, prices and coaches.
16	Notifications	Notifications (/app/notifications)	The member's messages. Opening one shows the full text and a link to the related screen.
17	Account	Account (/account)	Profile, password, receipts and support. Shared by every role.
18	Receipts	Receipt PDF	A printable receipt. A member opens only their own.

Receptionist

#	Feature	Screen	Description
1	Home	Desk home (/desk)	The shift, open support requests, and the way into every desk screen.
2	Shift	Close shift	Records counted cash against the expected total.
3	Onboarding	New member	Profile, plan, then payment, at the counter.
4	Support	Reply	Read a request and reply, or close it without a reply.
5	Check-in	Gate (/desk/gate)	Check a member in by phone or member code. Does not fill the class register.
6	Courts	Court map (/desk/courts)	Every court and who holds it. A cell opens the person, the code, the time and the amount.
7	Courts	Walk-in payment	Book and charge a guest on a free court.
8	Courts	Convertible courts	A free badminton/basketball pair can be treated as one court while both sides are free.
9	Classes	Classes (/desk/classes)	Read-only timetable and roster, including the waitlist.
10	Payments	Payments (/desk/payments)	Transfers to check, waiting for payment, the refund queue, receipts, and a counter QR.
11	Gear	Gear (/desk/gear)	Loan to a member or a guest. Stock falls on the way out and returns with that loan.
12	Day pass	Day passes (/desk/day-passes)	Sell, mark used, or void a pass for one date.
13	Series	Fixed series (/desk/series)	Preview the weeks, skip the taken ones, and take one payment.
14	Maintenance	Maintenance (/desk/maintenance)	Work orders that occupy a court.
15	At risk	At risk (/desk/at-risk)	Students with a repeated absence streak.
16	Members	Member profile (/desk/member/:id)	Plan, bookings and payments. Staff can correct details and raise a refund.
17	Alerts	Alerts (/alerts)	Alerts for the signed-in staff member.

Coach

#	Feature	Screen	Description
1	Schedule	Coach home (/coach)	That coach's sessions only, by day, with court, class, enrolment and level.
2	Attendance	Attendance (/coach/attendance)	The register, results, the session plan and homework for one session.
3	Students	Student (/coach/student/:id)	Level, reviews, homework and staff-only notes. Health notes stay inside the coach's own classes.

#	Feature	Screen	Description
4	Earnings	Earnings (/coach/earnings)	That coach's commission. Not another coach's, and not the centre's revenue.
5	Alerts	Alerts (/alerts)	Including an absence-streak alert.
6	Account	Account (/account)	Own profile and password.

Manager

#	Feature	Screen	Description
1	Reports	Reports (/manager)	Revenue and occupancy for a period, compared with the previous period of the same length.
2	Reports	Capacity heatmap	How full the centre is by day and hour, peak against off-peak.
3	Reports	Members and enrolment	New and renewing members, enrolment per class, attendance percent when F4 is on.
4	Reports	Export	Excel or PDF of the same figures the screen shows. Money cells are numbers.
5	Classes	Classes (/manager/classes)	Create a class, then cancel or move a session, change coach, edit capacity, or cancel the class.
6	Members	Members (/manager/members)	Search, filter and open a member. The profile is the desk profile.
7	Payments	Payments (/desk/payments)	The desk queue, used here to approve or reject a large refund.
8	Plans	Plans (/manager/plans)	Create and edit plans. Stop selling withdraws a plan. It is not hard-deleted.
9	Staff	Staff (/manager/staff)	Create an account, change role, and hand over a temporary password.
10	Pricing	Pricing (/manager/prices)	Price rules per sport, court class, day type and hour band.
11	Promotions	Promotions (/manager/promos)	Create, pause and read redemptions. A used code stays.
12	Commission	Commission (/manager/commission)	Rates, close a month, mark paid.
13	Invoices	Invoices (/manager/invoices)	Receipts in a period, and the XML export.
14	Attendance	Attendance (/manager/attendance)	Correct a locked register, with a reason.
15	Audit	Audit (/manager/audit)	Who did what, filterable. Nothing on this screen deletes a row.
16	Settings	Settings (/manager/settings)	Hours, limits, VAT, feature flags, series, day pass and points. Timezone and currency stay fixed.

5.2 Software interfaces

5.2.1 payOS

- The server asks payOS for one live link per thing being paid. The link does not outlive the hold.
- The sale is posted only when the reported amount covers the amount due.
- The checksum key stays on the server.
- If payOS is unavailable, the sale is not posted and the desk can take the money another way.

5.2.2 Assistant model

- A member question is at most 800 characters, and at most 20 a minute.

- The assistant may talk about hours, prices, plans, coaches, classes, booking, and waitlists. It refuses medical advice.
- It cannot take money, book, cancel, or change a record. It can open a support request.
- With no model key it answers from rules. A failure of the model does not stop booking or payment.

5.3 Hardware interfaces

No special hardware is required. The gate is a phone number or a member code typed at the desk, not a turnstile. Gear is counted in the application, not by a scanner.

5.4 Communications interfaces

5.4.1 Browser and server

- The browser talks to the application over HTTPS, in JSON.
- A session token is sent as a bearer token. It is not a password, and it is not written into the page.

5.4.2 payOS

- Arena3 calls payOS over HTTPS from the server.
- A webhook is accepted only when its signature checks.

5.4.3 Messages to people

- In-app notification is the channel that reaches the member, including receipts and replies.
- There is no SMS. Email is a stub and is not a delivery guarantee.
- The one-time code is not placed in a message that also contains the password.

6. Quality attributes

6.1 Usability

- USE-1. Every screen works at a phone width, and the member site is installable.
- USE-2. A refusal tells the person what to do next. The rule code is carried alongside the sentence.
- USE-3. Vietnamese diacritics render in running text. Amounts use đ, never a capital D.

6.2 Performance

- PER-1. The sign-in profile is several independent reads issued together, not one after another.
- PER-2. A read-only request does not open a transaction.
- PER-3. The desk badge is one aggregate, not the full queue.
- PER-4. The job loop sleeps until the next job is due.

6.3 Security

- SEC-1. Passwords are salted hashes. Session tokens are stored as SHA-256 hashes.
- SEC-2. Every request is authorized on the server. Hiding a button is not a control.
- SEC-3. A member reads only their own bookings, receipts, tickets, and profile.
- SEC-4. Health notes and guardian details are not sent to the assistant model.

- SEC-5. Demo sign-in and one-time-code echo are off in production unless explicitly switched on.
- SEC-6. An online payment is trusted only from payOS, and only for the amount due.

6.4 Safety

- SAF-1. The assistant refuses medical advice and does not change a booking or take money.
- SAF-2. The system does not invent a price when no rule matches, and it does not invent a revenue number for class fees or gear.
- SAF-3. A refund above the threshold is not paid out by the receptionist alone.

6.5 Availability

- AVL-1. If the assistant's model is down, only the assistant degrades. Booking, payment, and the register do not.
- AVL-2. If payOS is not configured, the desk can still take cash, card, and transfer.
- AVL-3. A local copy can start on an embedded database when no external database is configured. The centre's live data stays on the hosted database.

6.6 Robustness

- ROB-1. Two overlapping bookings cannot both commit. The loser receives a conflict and nothing is half-written.
- ROB-2. A retried payment with the same idempotency key returns the original result and does not charge twice.
- ROB-3. Opening the payment return page does not post a payment.
- ROB-4. A feature flag that is off answers 403 with BR-62 on every one of its routes, so a screen can tell switched off from not allowed.

Appendix

A. Messages a person meets

The product shows a full sentence. The line here is the situation that produces it.

ID	Type	When it appears
MSG-AUTH-01	Information	The one-time code is shown so the member can finish registration or a reset. It is not sent by SMS.
MSG-AUTH-02	Error	The password must be at least 8 characters and mix letters and digits.
MSG-AUTH-03	Error	That phone number already has an account.
MSG-BOOK-01	Error	That court-time is already held. The second person is refused, not queued.
MSG-BOOK-02	Error	The hold has expired. The court may already have been sold.
MSG-BOOK-03	Error	That slot is in the past, outside opening hours, or the court is not ready.
MSG-BOOK-04	Error	Changing to a slot with a different price is refused. Cancel and book again. The amounts are shown.
MSG-BOOK-05	Error	The debt limit blocks a new booking until it is settled.
MSG-PAY-01	Error	Open a till shift before taking payment.
MSG-PAY-02	Error	Online payment is not set up. Take it at the desk.
MSG-PAY-03	Information	A refund at or above the manager threshold is waiting for the manager.
MSG-PAY-04	Error	That payment has already been refunded.
MSG-CLS-01	Information	The class is full. The member is placed on the waitlist with a position.

ID	Type	When it appears
MSG-CLS-02	Error	The plan does not cover this sport, or it has no sessions left.
MSG-CLS-03	Error	The coach or the court is already busy at that time.
MSG-TRN-01	Error	The register is closed. A manager can correct it with a reason.
MSG-TRN-02	Error	Training is switched off.
MSG-PTS-01	Error	Redeem at least 50 points, and not more than the balance.

B. Catalogue of use cases

The same identifiers as section 3.2, for cross-reference.

ID	Use case	Actors	Description
UC-01	Register	Member	Create an account with name, phone, date of birth and a password. A minor must give a guardian. Terms must be accepted.
UC-02	Confirm with OTP	Member, System	Enter the one-time code. The account is created only after the code matches. There is no SMS transport, so the code is not sent to a phone in this version.
UC-03	Sign in	Member, Receptionist, Coach, Manager	Sign in with phone or email and a password. The home screen is the one for that role. Five wrong passwords lock the account for 15 minutes.
UC-04	Reset password	Any signed-up user	Request a code, then set a new password of at least 8 characters mixing letters and digits, typed twice.
UC-05	Edit own profile	Any signed-in user	Change own name and health notes, and own password. Nobody edits another person's password this way.
UC-06	Book a court	Member	See live availability, hold a slot (default 5 minutes), then pay. Two people cannot hold the same court-time.
UC-07	Reschedule a booking	Member	Move a confirmed booking to another slot outside the cancellation window. A different price is refused. A lost race leaves the booking where it was.
UC-08	Cancel a booking	Member, Receptionist, Manager	Cancel a hold or a confirmed booking. A hold is released. A confirmed booking is refunded by the tiers (default 100% at 24 hours or more, 50% from 4 to 24 hours, nothing under 4). Staff may waive the fee.
UC-09	Buy or renew a plan	Member, Receptionist	Order a plan that is on sale. It stays pending until the money is recorded. A frozen plan blocks a second purchase.
UC-10	Join or leave a class	Member	Enrol when the plan covers that sport and the class is open. A full class offers a waitlist place. Leaving is allowed up to the class cancellation window.
UC-11	Answer a waitlist offer	Member, System	Accept or let the offer expire (default 2 hours). An expired or over-full acceptance is refused.
UC-12	Pay online	Member, Receptionist, payOS	Raise one payOS link for a held court or a pending plan. The booking or plan changes only after payOS reports the money.
UC-13	View a receipt	Member, Receptionist, Manager	Open any receipt the person is allowed to see, as a PDF. A member sees only their own.
UC-14	Ask the assistant	Member	Ask about hours, prices, plans, coaches and classes. The assistant reads centre data and cannot take money or change a booking.
UC-15	Send a support request	Member, Receptionist	Write to the desk. The desk replies or closes the request. A reply notifies the member.
UC-16	Walk-in court rental	Guest, Receptionist	Sell a free slot to a person with no account. A slot already under way can be sold if at least 20 minutes remain.
UC-17	Open and close a shift	Receptionist	Open the till before taking money. Close it by counting cash against the expected total. One open shift per receptionist.

ID	Use case	Actors	Description
UC-18	Reconcile a transfer	Receptionist, Manager	A transfer chosen in the app holds the slot and posts no payment. Staff mark it received, or reject it if the money never arrives.
UC-19	Refund a payment	Receptionist, Manager	Raise a refund. Above the manager threshold (default 1,000,000đ) it waits for the manager. The same payment cannot be refunded twice.
UC-20	Rent and return gear	Receptionist, Guest, Member	Loan gear to a member found by search, or to a guest by phone. Stock is enforced. Return restores that loan once. The fee is not a revenue row.
UC-21	Sell and use a day pass	Receptionist, Member, Guest	Sell a pass for one date, take the payment, then mark it used at the gate or void it.
UC-22	Fixed weekly booking	Receptionist, Manager	Same court, weekday and hour, for 4 to 12 weeks. A week that is taken is skipped and not charged. One payment up front.
UC-23	Gate check-in	Receptionist	Check a member in by phone or member code. This does not mark class attendance.
UC-24	Mark attendance	Coach, Manager	Present, Late, Absent or Excused for a session the coach teaches. The register locks 2 hours after the session. Only a manager can correct it, with a reason.
UC-25	Record training	Coach, Member	Session results, a plan, homework and a review. Nothing here charges money. Off when feature flag F4 is off.
UC-26	Manage classes	Manager	Create, publish, move or cancel a session, change the coach, and change capacity. A clash or a capacity below the roster is refused.
UC-27	Manage plans and prices	Manager	Create plans, withdraw one from sale, and set price rules by sport, court class, day and hour. No matching rule means no invented price.
UC-28	Manage staff	Manager	Create a receptionist or coach, lock, unlock, change role, reset a temporary password, and revoke sessions. A manager cannot lock themselves.
UC-29	Read reports and export	Manager	Revenue, occupancy, capacity heatmap, members and enrolment, for a period, against the previous period. Export Excel or PDF.
UC-30	Read the audit log	Manager	Filter sensitive staff actions by actor, action, entity and date. Rows are never deleted.
UC-31	Configure the centre	Manager	Opening hours, slot and hold length, cancellation, debt and refund limits, VAT, rounding, series length, day-pass price and point rates.
UC-32	Promotions	Manager, Member	A manager creates a code. A member previews it. A used code is not deleted. An order already priced keeps its discount.
UC-33	Points	Member, Receptionist, Manager	Points accrue from posted court, plan and day-pass payments. A member redeems at least 50 points for a single-use code. Staff may adjust with a reason.
UC-34	Coach commission	Manager, Coach	A manager sets a rate, closes a finished month so a later rate change cannot rewrite it, and marks it paid. A coach sees only their own earnings.
UC-35	Maintenance	Receptionist, Manager	Open a work order on a court. The court is busy through the same occupancy rules as a booking, so it cannot be sold at the same time.
UC-36	Export invoice data	Manager	Export receipt data as XML for the centre's e-invoice software. Arena3 does not file the legal invoice with the tax authority.
UC-37	Expire and sweep	System	Expire unpaid holds, mark no-shows, complete finished bookings, generate upcoming sessions, pass on waitlist offers, and lock old registers.