







```
main.925477b43cac3fd5.js:1 Q Router Event Type: Wc
main.925477b43cac3fd5.js:1 🚀 Navigation START to: /
main.925477b43cac3fd5.js:1 8 Navigation ID: 1
main.925477b43cac3fd5.js:1 \square Navigation triggered by: imperative
main.925477b43cac3fd5.js:1 Q Router Event Type: ET
main.925477b43cac3fd5.js:1 Q Router Event Type: I$
main.925477b43cac3fd5.js:1 Router Event Type: R$
main.925477b43cac3fd5.js:1 Router Event Type: x$
main.925477b43cac3fd5.js:1 Router Event Type: M$
main.925477b43cac3fd5.js:1 Router Event Type: T$
main.925477b43cac3fd5.js:1 Q Router Event Type: S$
main.925477b43cac3fd5.js:1 Q Router Event Type: P$
main.925477b43cac3fd5.js:1 Q Router Event Type: O$
main.925477b43cac3fd5.js:1 Router Event Type: Or
main.925477b43cac3fd5.js:1 Navigation END to: /
main.925477b43cac3fd5.js:1 @ Final URL: /login
main.925477b43cac3fd5.js:1 Q Router Event Type: Wc
main.925477b43cac3fd5.js:1 🚀 Navigation START to: /register
main.925477b43cac3fd5.js:1 Mavigation ID: 2
main.925477b43cac3fd5.js:1 \square Navigation triggered by: imperative
main.925477b43cac3fd5.js:1 Router Event Type: ET
main.925477b43cac3fd5.js:1 Q Router Event Type: I$
main.925477b43cac3fd5.js:1 Q Router Event Type: R$
main.925477b43cac3fd5.js:1 Q Router Event Type: x$
main.925477b43cac3fd5.js:1 Router Event Type: M$
main.925477b43cac3fd5.js:1 Q Router Event Type: T$
main.925477b43cac3fd5.js:1 Q Router Event Type: S$
main.925477b43cac3fd5.js:1 Q Router Event Type: P$
main.925477b43cac3fd5.js:1 Router Event Type: O$
main.925477b43cac3fd5.js:1 Router Event Type: Or
main.925477b43cac3fd5.js:1 V Navigation END to: /register
main.925477b43cac3fd5.js:1 @ Final URL: /register
main.925477b43cac3fd5.js:1 Registering user: demo
main.925477b43cac3fd5.js:1 Sending register request: {username: 'demo', password:
'demo123'}
main.925477b43cac3fd5.js:1 Clean register data: {username: 'demo', password: 'demo123'}
main.925477b43cac3fd5.js:1 Q Intercepting request to: http://localhost:8081/api/auth/register
main.925477b43cac3fd5.is:1 - Auth endpoint detected, skipping token
main.925477b43cac3fd5.js:1 Registration response: Ci {headers: Pn, status: 201, statusText:
'OK', url: 'http://localhost:8081/api/auth/register', ok: true, ...}
main.925477b43cac3fd5.js:1 Status Code: 201
main.925477b43cac3fd5.js:1 Response Body: V Benutzer erfolgreich registriert
main.925477b43cac3fd5.js:1 🗸 Registration successful: {success: true, message: 🔽 Benutzer
erfolgreich registriert'}
```

```
main.925477b43cac3fd5.js:1 Q Router Event Type: Wc
main.925477b43cac3fd5.js:1 🚀 Navigation START to: /login
main.925477b43cac3fd5.js:1 Mavigation ID: 3
main.925477b43cac3fd5.js:1 \square Navigation triggered by: imperative
main.925477b43cac3fd5.js:1 Q Router Event Type: ET
main.925477b43cac3fd5.js:1 Q Router Event Type: I$
main.925477b43cac3fd5.js:1 Router Event Type: R$
main.925477b43cac3fd5.js:1 Q Router Event Type: x$
main.925477b43cac3fd5.js:1 Router Event Type: M$
main.925477b43cac3fd5.js:1 Router Event Type: T$
main.925477b43cac3fd5.js:1 Q Router Event Type: S$
main.925477b43cac3fd5.js:1 Router Event Type: P$
main.925477b43cac3fd5.js:1 Q Router Event Type: O$
main.925477b43cac3fd5.js:1 Router Event Type: Or
main.925477b43cac3fd5.js:1 Navigation END to: /login
main.925477b43cac3fd5.js:1 @ Final URL: /login
main.925477b43cac3fd5.js:1 Sending login request: {username: 'demo', password: 'demo123'}
main.925477b43cac3fd5.js:1 Q Intercepting request to: http://localhost:8081/api/auth/login
main.925477b43cac3fd5.js:1 🔓 Auth endpoint detected, skipping token
main.925477b43cac3fd5.js:1 Login successful: {token:
'eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJkZW1vIiwiaXNzIjoiY...3Njd9.EJ2779m7DpYgdgm9pTu3oS
5IIhHdmRAT-bgQml30hjc'}
main.925477b43cac3fd5.js:1 V Login successful
main.925477b43cac3fd5.js:1 Q Router Event Type: Wc
main.925477b43cac3fd5.js:1 🚀 Navigation START to: /dashboard
main.925477b43cac3fd5.js:1 8 Navigation ID: 4
main.925477b43cac3fd5.js:1 \square Navigation triggered by: imperative
main.925477b43cac3fd5.js:1 Q Router Event Type: ET
main.925477b43cac3fd5.js:1 Q Router Event Type: I$
main.925477b43cac3fd5.js:1 Q Router Event Type: R$
main.925477b43cac3fd5.js:1 Router Event Type: x$
main.925477b43cac3fd5.js:1 🔓 AuthGuard: Allowing all routes temporarily
main.925477b43cac3fd5.js:1 Router Event Type: M$
main.925477b43cac3fd5.js:1 Q Router Event Type: T$
main.925477b43cac3fd5.js:1 Q Router Event Type: S$
main.925477b43cac3fd5.js:1 Router Event Type: P$
main.925477b43cac3fd5.is:1 Router Event Type: O$
main.925477b43cac3fd5.js:1 Router Event Type: Or
main.925477b43cac3fd5.js:1 V Navigation END to: /dashboard
main.925477b43cac3fd5.js:1 @ Final URL: /dashboard
main.925477b43cac3fd5.js:1 Fetching accounts...
main.925477b43cac3fd5.js:1 \quad \text{Intercepting request to: http://localhost:8082/api/accounts
main.925477b43cac3fd5.js:1 /P Token available: true
```

```
main.925477b43cac3fd5.js:1 V Token added to request
main.925477b43cac3fd5.js:1 Creating account: {owner: 'Thanh', balance: '5000'}
main.925477b43cac3fd5.js:1 \quad \text{Intercepting request to: http://localhost:8082/api/accounts
main.925477b43cac3fd5.js:1 P Token available: true
main.925477b43cac3fd5.js:1 V Token added to request
main.925477b43cac3fd5.js:1 Fetching accounts...
main.925477b43cac3fd5.js:1 \quad \text{Intercepting request to: http://localhost:8082/api/accounts
main.925477b43cac3fd5.js:1 /P Token available: true
main.925477b43cac3fd5.js:1 V Token added to request
main.925477b43cac3fd5.js:1 Transferring money: {fromAccountld: 4, toAccountld: 3, amount:
200}
main.925477b43cac3fd5.js:1 \qquad Intercepting request to:
http://localhost:8082/api/accounts/transfer
main.925477b43cac3fd5.js:1 /P Token available: true
main.925477b43cac3fd5.is:1 V Token added to request
main.925477b43cac3fd5.js:1 Fetching accounts...
main.925477b43cac3fd5.js:1 \quad \text{Intercepting request to: http://localhost:8082/api/accounts
main.925477b43cac3fd5.js:1 /P Token available: true
main.925477b43cac3fd5.js:1 V Token added to request
main.925477b43cac3fd5.js:1 Q Router Event Type: Wc
main.925477b43cac3fd5.js:1 🚀 Navigation START to: /login
main.925477b43cac3fd5.js:1 8 Navigation ID: 5
main.925477b43cac3fd5.js:1 S Navigation triggered by: imperative
main.925477b43cac3fd5.js:1 Router Event Type: ET
main.925477b43cac3fd5.js:1 Q Router Event Type: I$
main.925477b43cac3fd5.js:1 Q Router Event Type: R$
main.925477b43cac3fd5.js:1 Q Router Event Type: x$
main.925477b43cac3fd5.js:1 Q Router Event Type: M$
main.925477b43cac3fd5.js:1 Router Event Type: T$
main.925477b43cac3fd5.js:1 Q Router Event Type: S$
main.925477b43cac3fd5.js:1 Q Router Event Type: P$
main.925477b43cac3fd5.js:1 Router Event Type: O$
main.925477b43cac3fd5.js:1 Q Router Event Type: Or
main.925477b43cac3fd5.js:1 V Navigation END to: /login
main.925477b43cac3fd5.js:1 @ Final URL: /login
```